



	1: Low Importance	2: Medium Importance	3: High Importance	Total	Weighted Average
Standard 2: Element CThe practice should be knowledgeable about culturally appropriate services and health disparities among patient populations served by the practice.	0.00% 0	45.45% 5	54.55% 6	11	4.09
Standard 2: Element D and Standard 6: Element Implementation of Patient-Family Advisory Panels	36.36% 4	36.36% 4	27.27% 3	11	2.82
Standard 3: Element C: Factor 2 & 10 Training for: Support of Family/Social/Cultural Characteristics & Assessment of Health Literacy.	9.09% 1	36.36% 4	54.55% 6	11	3.91
Standard 3: Element CAge appropriate oral health risk and	0.00% 0	45.45% 5	54.55% 6	11	4.09

disease screening, the practice implements age appropriate oral health risk and disease assessment, Including assessments for caries, periodontal disease and oral cancer.					
▼ Standard 3: Element C: Emphasis on Primary Preventive Services	0.00% 0	18.18% 2	81.82% 9	11	4.64
▼ Standard 4: Element A-E Focus on empathetic care and communication between practitioners and patient/families. Provide training for techniques and best practices to support patients and improve care experience.	18.18% 2	27.27% 3	54.55% 6	11	3.73
▼ Standard 4: Element A Identify patients for care management that include 95% empanelment, with 75% risk stratification, and 80% of care management for high risk patients	0.00% 0	81.82% 9	18.18% 2	11	3.36
▼ Standard 4: Element A Oral Health Conditions: profile of patient assessments A diagnosis of an oral health issue (e.g. oral health risk/disease assessment of caries, periodontal disease and cancer detection); A positive diagnosis by dentist or oral HP	18.18% 2	45.45% 5	36.36% 4	11	3.36
▼ Standard 4: Element E Focus on shared decision making communications between patient and practitioner (taking into account patient preferences)	9.09% 1	18.18% 2	72.73% 8	11	4.27
▼ Standard 4: Element E Improve educational materials and resources available to patients.	36.36% 4	36.36% 4	27.27% 3	11	2.82
▼ Standard 4: Element E Identify two target health conditions for self-care and shared decision-making for the practice's population	0.00% 0	72.73% 8	27.27% 3	11	3.55
▼ Standard 5: Element B Collaborative agreements with at least 2 groups of high-volume specialties to improve care transitions	18.18% 2	36.36% 4	45.45% 5	11	3.55
▼ Standard 5: Element C1: Proactively identifies patients with unplanned hospital admissions and emergency department visits	18.18% 2	27.27% 3	54.55% 6	11	3.73
▼ Standard 5: Element C2: Shares clinical information with admitting hospitals and emergency departments	9.09% 1	36.36% 4	54.55% 6	11	3.91
▼ Standard 5: Element C Practice responsible to contact 75% of patients who were hospitalized within 72	18.18% 2	36.36% 4	45.45% 5	11	3.55

hours					
<ul style="list-style-type: none"> Standard 6: Element DSet goals and address at least one identified disparity in care/service for identified vulnerable population 	0.00% 0	36.36% 4	63.64% 7	11	4.27
<ul style="list-style-type: none"> CT AMH Specific (not in NCQA 2014)Track provider satisfaction pre- and post- AMH program 	18.18% 2	36.36% 4	45.45% 5	11	3.55

Community: [Developers](#) • [Facebook](#) • [Twitter](#) • [LinkedIn](#) • [Our Blog](#) • [Google+](#) • [YouTube](#)

About Us: [Management Team](#) • [Board of Directors](#) • [Partners](#) • [Newsroom](#) • [Office Locations](#) • [Jobs](#) • [Sitemap](#) • [Help](#)

Policies: [Terms of Use](#) • [Privacy Policy](#) • [Anti-Spam Policy](#) • [Security Statement](#) • [Email Opt-In](#)



Language: [English](#) • [Español](#) • [Português](#) • [Deutsch](#) • [Nederlands](#) • [Français](#) • [Русский](#) • [Italiano](#) • [Dansk](#) • [Svenska](#) • [日本語](#) • [한국어](#) • [中文\(繁體\)](#) • [Türkçe](#) • [Norsk](#) • [Suomi](#)