

## **Draft Provisional SIM Quality Council Measure Set** 8-13-15

Consumer Experience Measure	NQF	ACO
PCMH – CAHPS	<mark>0005</mark>	
Care coordination/patient safety	NQF	ACO
Documentation of current medications in the medical record	0419	39
Annual monitoring for persistent medications (roll-up)	<mark>2371</mark>	
Plan all-cause readmission	<mark>1768</mark>	
Skilled Nursing Facility 30-day All-Cause Readmission Measure (SNFRM)	2510	35
All-cause unplanned admissions for patients with DM		36
All-cause unplanned admissions for patients with heart failure		37
All-cause unplanned admission for multiple chronic conditions (MCC)		38
Ambulatory Sensitive conditions admissions: chronic obstructive	0275	9
pulmonary disease (COPD) or asthma in older adults		
Ambulatory sensitive conditions admissions: heart failure (HF)	0277	10
Ambulatory sensitive condition composite admissions*		
Pediatric ambulatory care sensitive condition composite admissions		
Hospital admissions for asthma (adults)	0283	
Annual % asthma patients (2-20) with 1 or more asthma-related ED visits		
Potentially avoidable ER rate		
Hospital admissions for asthma (child)	0728	
Adult major depressive disorder (MDD): Coordination of care of patients with specific comorbid conditions		

n it se	NOF	4.00
Prevention Measure	NQF	ACO
Breast cancer screening	<mark>2372</mark>	<mark>20</mark>
Cervical cancer screening	<mark>0032</mark>	
Chlamydia screening in women	<mark>0033</mark>	
Colorectal cancer screening	0034	19
Adolescent female immunizations HPV	<mark>1959</mark>	
Weight assessment and counseling for nutrition and physical activity for	0024	
children/adolescents		
Preventative care and screening: BMI screening and follow up	0421	16
Developmental screening in the first three years of life	<mark>1448</mark>	
Well-child visits in the first 15 months of life	<mark>1392</mark>	
Well-child visits in the third, fourth, fifth and sixth years of life	<mark>1516</mark>	
Adolescent well-care visits		
Tobacco use screening and cessation intervention	0028	17
Preventive care and screening: screening for high blood pressure and		21
follow-up documented		
Prenatal Care & Postpartum care	<mark>1517</mark>	
Frequency of Ongoing Prenatal Care (FPC)	<mark>1391</mark>	
Oral health: Primary Caries Prevention	<del>1419</del>	
Screening for clinical depression and follow-up plan	0418	18
Oral Evaluation, Dental Services (Medicaid only)	<mark>2517</mark>	
Behavioral health screening (pediatric, Medicaid only, custom measure)		

<sup>\*</sup>There are three measure options including AHRQ/PQI and Anthem or NCQA customizations of the AHRQ/PQI

Acute & Chronic Care Measure	NQF	ACO
Medication management for people with asthma	<mark>1799</mark>	
Disease modifying anti-rheumatoid arthritis	0054	
DM: Hemoglobin A1c Poor Control (>9%)	0059	27
DM: Diabetes eye exam	<mark>0055</mark>	<mark>41</mark>
DM: Diabetes foot exam	0056	
DM: Diabetes: medical attention for nephropathy	<mark>0062</mark>	
HTN: Controlling high blood pressure	0018	28
CHF: beta-blocker therapy for left ventricular systolic dysfunction	0083	31
Use of spirometry testing in the assessment and diagnosis of COPD	0577	
CAD: Persistence of Beta blocker therapy after a heart attack	0071	
CAD: Medication adherence	<del>0543</del>	
Use of imaging studies for low back pain	<mark>0052</mark>	
Avoidance of antibiotic treatment in adults with acute bronchitis	<mark>0058</mark>	
Appr. treatment for children with upper respiratory infection	<mark>0069</mark>	
Ischemic vascular disease: use of aspirin or another antithrombotic	0068	30
Cardiac strss img: Preoperative eval in low risk surgery patients	0670	
Cardiac strss img: Testing in asymptomatic low risk patients	0672	

Behavioral Health Measure	NQF	ACO
Follow-up care for children prescribed ADHD medication	<mark>0108</mark>	
Depression Remission at 12 Twelve Months	0710	40
Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment	1365	
Unhealthy Alcohol Use – Screening	PQRS 173	

Obstetrics Measure	NQF	ACO
Elective Delivery	0469	

Measures UNDER REVIEW	NQF	ACO
Gap in HIV medical visits	2080	
HIV/AIDS: Screening for Chlamydia, Gonorrhea, and Syphilis	0409	
HIV viral load suppression	2082	

Recommended for Reporting	NQF	ACO
Anti-Depressant Medication Management	0105	
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	0004	
Follow up after hospitalization for mental illness, 7 & 30 days		
30 day readmission (MMDLN)		
% PCPs that meet Meaningful Use		11

Italicized measures = proposed data source is the Electronic Health Record NQF #s with strike out are no longer NQF endorsed

## Reporting Only Measures & Measures Not Currently Recommended for Payment



Consumer Experience Measure	NQF	ACO
ACO – CAHPS		1-7

Preventative Health	NQF	ACO
Lead screening in children		
Glaucoma screening		
Childhood immunizations DTaP and IPV		
Childhood immunizations MMR	0038	
Childhood immunizations VZV	0038	
Childhood immunizations status combo 2,3,4	0038	
Adolescent immunizations TDaP/TD & meningococcal	0038	
Adult BMI assessment		
Preventive care and screening: influenza immunization	0041	14
Pneumonia vaccination status, older adults**	0043	15
Osteoporosis management in women who had a fracture**	0053	
Medication Adherence, 81 years & older**		
Topical Fluoride for Children at Elevated Caries Risk, Dental Services	2528	
Preventive care and screening: screening for high		21
blood pressure and follow-up documented		
Pediatric behavioral health screening (Medicaid only, custom measure)	0722	
Maternal depression screening	<del>1401</del>	
Annual Dental Visit (ADV)	<del>1388</del>	
Annual Dental Visit (Medicaid, Chip)		

Acute Care	NQF	ACO
Appr. testing for children with pharyngitis	0002	
Episiotomy in vaginal deliveries	0470	
Use of appropriate medication for people with asthma	0036	

Behavioral Health Measure	NQF	ACO
Bipolar & Major Depression: Appraisal for Alcohol		
or Chemical Substance Use		
Depression Utilization of the PHQ-9 Tool	0712	
Adherence to Antipsychotic Medications for	1879	
Individuals with Schizophrenia		
Tobacco Use and Help with Quitting Among		
Adolescents		
% of adults given a new psychiatric diagnoses, and		
medication, by a PCP who received a F/U within 30		
days (DSS custom)		

<sup>\*\*</sup>Under consideration for older adults
NQF #s that are crossed out are no longer NQF endorsed

At-Risk Population	NQF	ACO
HTN: Serum creatinine testing	0605	
HTN: Diuretics Persistent use w lab mnitoring		
HTN: Medication adherence		
Ischemic stroke: Warfarin: PT/INR monitoring	0612	
Ischemic vascular disease: complete lipid panel and LDL control	<del>0073</del>	29
Ischemic vascular disease: MI, CABG, PCI or IVD with complete lipid profile		
Ischemic vascular disease: LDL>=100 and treated with lipid lowering agent, or LDL<100	<del>0075</del>	
Ischemic vascular disease : LDL-C screening for patients with cardiovascular conditions		
Heart failure: beta-blocker therapy	<del>0615</del>	
Digoxin: Persistent use with lab monitoring	2371	
COPD: Pharmacotherapy management of COPD exacerbation	0549	
CAD: Coronary artery disease all-or-nothing composite: Lipid Control	0074	32
CAD: Angiotensin-converting enzyme inhibitor or angiotensin receptor blocker (ACE-I/ARB) therapy—diabetes or left ventricular systolic dysfunction	0066	33
CAD: Antiplatelet therapy	2379	43
CAD: Symptom management – CAD pt seen within 12 months for angina symptoms		44
CAD: Beta blocker therapy prior MI or LVEF	0070	45
CAD: Lipid lowering drug for LDL>30		
CAD: Post-MI use of ACE-I/ARB w/ h/o, HTN, DM, or HF	0594	
CAD: Drug-eluting stent: antiplatelet therapy	2379	
Migraine: Frequent use of acute meds/ receiving prophylactic meds	0602	
Otitis Media with Effusion: Tympanostomy tube insertion: pediatric hearing test	0587	
Potentially harmful drug-disease interactions		
Care coordination/patient safety	NQF	ACO

Care coordination/patient safety	NQF	ACO	
Falls: screening for future fall risk**	0101	13	
Use of high-risk medications in the elderly**	0022		
% of prescribers that use e-prescribing			
Adverse event rate – outpatient procedures			
Risk standardized all condition readmission	1789	8	
% adlts w/ inptient "medicine" admissions w/ post-admission f/u w/i 7 days			

At-Risk Population	NQF	ACO
DM: High blood pressure control	0061	
DM: Hemoglobin A1C control (<8%)	0575	
DM: Tobacco non-use		
DM: Low density lipoprotein (LDL-C) control	<del>0064</del>	
DM: Low density lipoprotein (LDL-C) screening	0063	
Diabetes treatment medication for HTN	0546	
Diabetes: A1C testing	0057	
Diabetes: A1C testing pediatric	0061	
Diabetes kidney disease monitoring/urine		
protein screening		
Comprehensive diabetes care		
Diabetes: annual lipid profile		
Diabetes: blood pressure management		
(<140/80)		
Diab: LDL=>100 & lipid lowering agent use		
% OF Metformin use for diabetic and pre-		
diabetic members (UCLA study)		
Diabetes: Medication adherence	2468	
Epilepsy: Anticonvulsants: Persistent use with		
lab monitoring		
Epilepsy: Carbamazepine: Persistent use with lab monitoring		
Epilepsy: Phenobarbitol: Persistent use with		
lab monitoring		
Epilepsy: Phenytoin: Persistent use with lab monitoring		
Epilepsy: Valproic acid: Persistent use with lab monitoring		
Cesarean section rate in singleton low risk	0471	
deliveries	0471	
Colorectal cancer: follow-up after treatment		
CAD: ACE-I/ARB: Persistent use with lab	2371	
monitoring		

Access and Availability of Care	NQF	ACO
Children and adolescents access to	NQMC -	
primary care practitioners	9059	
Adults access to preventive/ambulatory	NCMC -	
health services	9058	
<u> </u>		

ER repeat visit rate
% of members with 3 or
more ER visits
EOC efficiency index
Amb Surgery Steerage
Radiology Steerage