

All Quality Measures
Ranked without regard to Category

#	Measure	Rank	NQF	ACO	Ctgry	Strong	Mod	Not Rec	Avg
18	Well-child visits in the first 15 months of life	1	1392		3	88.24	11.76	0	1.12
10	Breast cancer screening	2	2372	20	3	82.35	17.65	0	1.18
35	<i>HTN: Controlling high blood pressure</i>	3	18	28	4	82.35	17.65	0	1.18
1	PCMH – CAHPS measure	4	5		1	81.25	18.75	0	1.19
31	DM: HbA1c Screening (possible interim measure until NQF 0059 is available)	5	57		4	82.35	11.76	5.88	1.24
30	<i>DM: Hemoglobin A1c Poor Control (>9%)</i>	6	59	27	4	76.47	25.53	0	1.24
11	Cervical cancer screening	7	32		3	76.47	23.53	0	1.24
32	<i>DM: Diabetes eye exam</i>	8	55	41	4	76.47	23.53	0	1.24
13	Colorectal cancer screening	9	34	19	3	82.35	5.88	11.76	1.29
22	<i>Prenatal Care & Postpartum care</i>	10	1517		3	82.35	5.88	11.76	1.29
16	<i>Preventative care and screening: BMI screening and follow up</i>	11	421	16	3	76.47	17.65	5.88	1.29
15	<i>Weight assessment and counseling for nutrition and physical activity for children/adolescents</i>	12	24		3	70.59	23.53	5.88	1.35
4	Emergency Department Usage per 1000	13			2	64.71	35.29	0	1.35
19	Well-child visits in the third, fourth, fifth and sixth years of life	14	1516		3	64.71	35.29	0	1.35
2	Plan all-cause readmission	15	1768		2	70.59	17.65	11.76	1.41
12	Chlamydia screening in women	16	33		3	58.82	35.29	5.88	1.47
20	Adolescent well-care visits	17			3	58.82	35.29	5.88	1.47
17	<i>Developmental screening in the first three years of life</i>	18	1448		3	64.71	17.65	17.65	1.53
14	Adolescent female immunizations HPV	19	1959		3	58.82	29.41	11.76	1.53
21	<i>Tobacco use screening and cessation intervention</i>	20	28	17	3	58.82	29.41	11.76	1.53
38	Appr. treatment for children with upper respiratory infection	21	69		4	52.94	41.18	5.88	1.53
37	Avoidance of antibiotic treatment in adults with acute bronchitis	22	58		4	47.06	47.06	5.88	1.59
25	<i>Screening for clinical depression and follow-up plan</i>	23	418	18	3	58.82	17.65	23.53	1.65
43	<i>Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment</i>	24	1365		5	47.06	41.18	11.76	1.65
33	<i>DM: Diabetes foot exam</i>	25	56		4	41.18	47.06	11.76	1.71
34	DM: Diabetes: medical attention for nephropathy	26	62		4	41.18	47.06	11.76	1.71
40	Follow-up care for children prescribed ADHD medication	27	108		5	35.29	58.82	5.88	1.71
28	Medication management for people with asthma	28	1799		4	35.29	52.94	11.76	1.76
8	Asthma in younger adults admission rate	29	283		2	47.06	23.53	29.41	1.82
24	Oral health: Primary Caries Prevention	30	1419		3	47.06	23.53	29.41	1.82

All Quality Measures
Ranked without regard to Category

23	<i>Frequency of Ongoing Prenatal Care (FPC)</i>	31	1391	3	41.18	35.29	23.53	1.82	
29	<i>Asthma Medication Ratio</i>	32	1800	4	43.75	25	31.25	1.88	
36	<i>Use of imaging studies for low back pain</i>	33	52	4	41.18	29.41	29.41	1.88	
6	<i>Annual monitoring for persistent medications (roll-up)</i>	34	2371	2	35.29	41.18	23.53	1.88	
44	<i>Unhealthy Alcohol Use – Screening</i>	35		5	35.29	41.18	23.53	1.88	
3	<i>Asthma admission rate(child)</i>	36	728	2	31.25	43.75	25	1.94	
7	<i>Adult major depressive disorder (MDD): Coordination of care of patients with specific co-morbid conditions</i>	37		2	41.18	17.65	41.18	2	
9	<i>All-cause unplanned admissions for patients with DM</i>	38		36	2	35.29	23.53	41.18	2.06
42	<i>Depression Remission at 12 Twelve Months</i>	39	710	40	5	35.29	23.53	41.18	2.06
5	<i>Documentation of current medications in the medical record</i>	40	419	39	2	23.53	35.29	41.18	2.18
39	<i>Cardiac strss img: Testing in asymptomatic low risk patients</i>	41	672		4	23.53	29.41	47.06	2.24
26	<i>Oral Evaluation, Dental Services (Medicaid only)</i>	NR	2517		3				
27	<i>Behavioral health screening (pediatric, Medicaid only, custom measure)</i>	NR			3				
41	<i>Metabolic Monitoring for Children and Adolescents on Antipsychotics (pediatric, Medicaid only, custom measure)</i>	NR			5				

**All Quality Measures
Ranked within Each Category**

#	Measure	Ranking	NQF	ACO	Category	Strongly Rec	Mod Rec	Not Rec	Avg
Consumer Engagement									
1	PCMH – CAHPS measure	4	5		1	81.25	18.75	0	1.19
Care Coordination									
4	Emergency Department Usage per 1000	13			2	64.71	35.29	0	1.35
2	Plan all-cause readmission	15	1768		2	70.59	17.65	11.76	1.41
8	Asthma in younger adults admission rate	29	283		2	47.06	23.53	29.41	1.82
6	Annual monitoring for persistent medications (roll-up)	34	2371		2	35.29	41.18	23.53	1.88
3	Asthma admission rate(child)	36	728		2	31.25	43.75	25	1.94
7	Adult major depressive disorder (MDD): Coordination of care of patients with specific co-morbid conditions	37			2	41.18	17.65	41.18	2
9	All-cause unplanned admissions for patients with DM	38		36	2	35.29	23.53	41.18	2.06
5	Documentation of current medications in the medical record	40	419	39	2	23.53	35.29	41.18	2.18
Prevention									
18	Well-child visits in the first 15 months of life	1	1392		3	88.24	11.76	0	1.12
10	Breast cancer screening	2	2372	20	3	82.35	17.65	0	1.18
11	Cervical cancer screening	7	32		3	76.47	23.53	0	1.24
13	Colorectal cancer screening	9	34	19	3	82.35	5.88	11.76	1.29
22	Prenatal Care & Postpartum care	10	1517		3	82.35	5.88	11.76	1.29
16	Preventative care and screening: BMI screening and follow up	11	421	16	3	76.47	17.65	5.88	1.29
15	Weight assessment and counseling for nutrition and physical activity for children/adolescents	12	24		3	70.59	23.53	5.88	1.35
19	Well-child visits in the third, fourth, fifth and sixth years of life	14	1516		3	64.71	35.29	0	1.35
12	Chlamydia screening in women	16	33		3	58.82	35.29	5.88	1.47
20	Adolescent well-care visits	17			3	58.82	35.29	5.88	1.47
17	Developmental screening in the first three years of life	18	1448		3	64.71	17.65	17.65	1.53
14	Adolescent female immunizations HPV	19	1959		3	58.82	29.41	11.76	1.53
21	Tobacco use screening and cessation intervention	20	28	17	3	58.82	29.41	11.76	1.53
25	Screening for clinical depression and follow-up plan	23	418	18	3	58.82	17.65	23.53	1.65
24	Oral health: Primary Caries Prevention	30	1419		3	47.06	23.53	29.41	1.82
23	Frequency of Ongoing Prenatal Care (FPC)	31	1391		3	41.18	35.29	23.53	1.82
26	Oral Evaluation, Dental Services (Medicaid only)	NR	2517		3				

**All Quality Measures
Ranked within Each Category**

27	Behavioral health screening (pediatric, Medicaid only, custom measure)	NR			3				
Acute & Chronic Care									
35	HTN: Controlling high blood pressure	3	18	28	4	82.35	17.65	0	1.18
31	DM: HbA1c Screening (possible interim measure until NQF 0059 is available)	5	57		4	82.35	11.76	5.88	1.24
30	DM: Hemoglobin A1c Poor Control (>9%)	6	59	27	4	76.47	25.53	0	1.24
32	DM: Diabetes eye exam	8	55	41	4	76.47	23.53	0	1.24
38	Appr. treatment for children with upper respiratory infection	21	69		4	52.94	41.18	5.88	1.53
37	Avoidance of antibiotic treatment in adults with acute bronchitis	22	58		4	47.06	47.06	5.88	1.59
33	DM: Diabetes foot exam	25	56		4	41.18	47.06	11.76	1.71
34	DM: Diabetes: medical attention for nephropathy	26	62		4	41.18	47.06	11.76	1.71
28	Medication management for people with asthma	28	1799		4	35.29	52.94	11.76	1.76
29	Asthma Medication Ratio	32	1800		4	43.75	25	31.25	1.88
36	Use of imaging studies for low back pain	33	52		4	41.18	29.41	29.41	1.88
39	Cardiac strss img: Testing in asymptomatic low risk patients	41	672		4	23.53	29.41	47.06	2.24
Behavioral Health									
43	Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment	24	1365		5	47.06	41.18	11.76	1.65
40	Follow-up care for children prescribed ADHD medication	27	108		5	35.29	58.82	5.88	1.71
44	Unhealthy Alcohol Use – Screening	35			5	35.29	41.18	23.53	1.88
42	Depression Remission at 12 Twelve Months	39	710	40	5	35.29	23.53	41.18	2.06
41	Metabolic Monitoring for Children and Adolescents on Antipsychotics (pediatric, Medicaid only, custom measure)	NR			5				

Core Quality Measures (26)
Ranked within Each Category

#	Measure	Ranking	NQF	ACO	Category	Strongly Rec	Mod Rec	Not Rec	Avg
Consumer Engagement									
1	PCMH – CAHPS measure	4	5		1	81.25	18.75	0	1.19
Care Coordination									
4	Emergency Department Usage per 1000	13			2	64.71	35.29	0	1.35
2	Plan all-cause readmission	15	1768		2	70.59	17.65	11.76	1.41
Prevention									
18	Well-child visits in the first 15 months of life	1	1392		3	88.24	11.76	0	1.12
10	Breast cancer screening	2	2372	20	3	82.35	17.65	0	1.18
11	Cervical cancer screening	7	32		3	76.47	23.53	0	1.24
13	Colorectal cancer screening	9	34	19	3	82.35	5.88	11.76	1.29
22	Prenatal Care & Postpartum care	10	1517		3	82.35	5.88	11.76	1.29
16	Preventative care and screening: BMI screening and follow up	11	421	16	3	76.47	17.65	5.88	1.29
15	Weight assessment and counseling for nutrition and physical activity for children/adolescents	12	24		3	70.59	23.53	5.88	1.35
19	Well-child visits in the third, fourth, fifth and sixth years of life	14	1516		3	64.71	35.29	0	1.35
12	Chlamydia screening in women	16	33		3	58.82	35.29	5.88	1.47
20	Adolescent well-care visits	17			3	58.82	35.29	5.88	1.47
17	Developmental screening in the first three years of life	18	1448		3	64.71	17.65	17.65	1.53
14	Adolescent female immunizations HPV	19	1959		3	58.82	29.41	11.76	1.53
21	Tobacco use screening and cessation intervention	20	28	17	3	58.82	29.41	11.76	1.53
25	Screening for clinical depression and follow-up plan	23	418	18	3	58.82	17.65	23.53	1.65
Acute & Chronic Care									
35	HTN: Controlling high blood pressure	3	18	28	4	82.35	17.65	0	1.18
31	DM: HbA1c Screening (possible interim measure until NQF 0059 is available)	5	57		4	82.35	11.76	5.88	1.24
30	DM: Hemoglobin A1c Poor Control (>9%)	6	59	27	4	76.47	25.53	0	1.24
32	DM: Diabetes eye exam	8	55	41	4	76.47	23.53	0	1.24
38	Appr. treatment for children with upper respiratory infection	21	69		4	52.94	41.18	5.88	1.53
37	Avoidance of antibiotic treatment in adults with acute bronchitis	22	58		4	47.06	47.06	5.88	1.59
33	DM: Diabetes foot exam	25	56		4	41.18	47.06	11.76	1.71
34	DM: Diabetes: medical attention for nephropathy	26	62		4	41.18	47.06	11.76	1.71
Behavioral Health									
43	Child & Adlscnt MDD: Suicide Risk Assessment	24	1365		5	47.06	41.18	11.76	1.65

**Supplemental Measures (12)
Ranked within Each Category**

#	Measure	Ranking	NQF	ACO	Category	Strongly Rec	Mod Rec	Not Rec	Avg
Care Coordination									
6	Annual monitoring for persistent medications (roll-up)	34	2371		2	35.29	41.18	23.53	1.88
3	Asthma admission rate (child)	36	728		2	31.25	43.75	25	1.94
7	Adult major depressive disorder (MDD): Coordination of care of patients with specific co-morbid conditions	37			2	41.18	17.65	41.18	2
5	Documentation of current medications in the medical record	40	419	39	2	23.53	35.29	41.18	2.18
Prevention									
24	Oral health: Primary Caries Prevention	30	1419		3	47.06	23.53	29.41	1.82
23	Frequency of Ongoing Prenatal Care (FPC)	31	1391		3	41.18	35.29	23.53	1.82
Acute & Chronic Care									
28	Medication management for people w/ asthma	28	1799		4	35.29	52.94	11.76	1.76
29	Asthma Medication Ratio	32	1800		4	43.75	25	31.25	1.88
36	Use of imaging studies for low back pain	33	52		4	41.18	29.41	29.41	1.88
Behavioral Health									
40	Follow-up care for children prescribed ADHD medication	27	108		5	35.29	58.82	5.88	1.71
44	Unhealthy Alcohol Use – Screening	35			5	35.29	41.18	23.53	1.88
42	Depression Remission at 12 Twelve Months	39	710	40	5	35.29	23.53	41.18	2.06

Reporting Only Measures / Development Set

Ranking	Number	Reporting Only	NQF	ACO	Category
		Anti-Depressant Medication Management	105		
		Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	4		
		Follow up after hospitalization for mental illness, 7 & 30 days			
		30 day readmission (MMDLN)			
		ED Use (observed to expected) – New NCQA			
		% PCPs that meet Meaningful Use		11	
40	39	<i>Cardiac strss img: Testing in asymptomatic low risk patients</i>	672		4
Ranking	Number	Development Set	NQF	ACO	Category
		<i>Gap in HIV medical visits</i>	2080		
		<i>HIV/AIDS: Screening for Chlamydia, Gonorrhea, and Syphilis</i>	409		
		<i>HIV viral load suppression</i>	2082		
		Annual % asthma patients (2-20) with 1 or more asthma-related ED visits			
		ASC admissions: chronic obstructive pulmonary disease (COPD) or asthma in older adults	275	9	
		ASC: heart failure (HF)	277	10	
		All-cause unplanned admission for MCC		38	
		All-cause unplanned admissions for patients with heart failure		37	
33	9	All-cause unplanned admissions for patients with DM		36	2
22	8	Asthma in younger adults admission rate	283		
		Preventable hospitalization composite (NCQA)/Ambulatory Care Sensitive Condition composite (AHRQ)			