#	Measure	NQF	ACO		2014 CT Commercial						edicaid (licaid Qu				
				<25	25-49	50-74	75-89	90-94	95-100	<25	25-49	50-74	75-89	90-94	95-100
2	Documentation of Current Medications in the Medical Record	0419	39	Г											
3	Annual Monitoring of Persistent Medications (roll-up)	2371				2015									
4	Plan All-Cause Readmission	1768				2015									
5	Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)	2510	35												
6	'All-Cause Unplanned Admissions for Patients with Diabetes		36												
7	All-Cause Unplanned Admissions for Patients with Heart Failure		37												
8	All-Cause Unplanned Admissions for Patients with Multiple Chronic Conditions		38												
9	Chronic Obstructive Pulmonary Disease	0275	9	Г											
10	Congestive Heart Failure Admission Rate	0277	10												
11	Rate of Hospitalization for Ambulatory Care- Sensitive Conditions: PQI Composite														
12	Pediatric ambulatory care sensitive condition composite (ped.)														
13	Asthma in Younger Adults Admission Rate (ped.)	0283		Г											
14	Annual % asthma patients (2-20) with 1 or more asthma-related ED visits (ped.)														
15	Potentially Avoidable ED visits														
16	Hospital Admissions for Pediatric Asthma, per 100,000 children (ped.)	0728													
17	Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific														

Domain: Care Coordination / Patient Safety

Ambulatory Care: ED visits/1000 (rate)							
Ambulatory Care: Outpatient visits/1000							
(rate)							

Note: Regional means regional data is used when CT specific data is unavailable

		_		
_		~.		_
	lor	(TI	ш	-

Little or no opportunity for improvement > 90%
Low but significant opportunity for improvement 75-89%
Moderate opportunity for improvement 50-74%
Substantial opportunity for improvement 25-49%
Very substantial opportunity for improvement 25-49%

#	Measure	NQF	ACO		mmerc ta) all I						caid Com Iedicaid				
				<25	25-49	50-74	75-89	90-94	95-100	<25	25-49	50-74	75-89	90-94	95-100
18	Breast cancer screening	2372	20							Г					
19	Cervical cancer screening	0032					2015								
20	Chlamydia screening in women	0033								г					
21	Colorectal cancer screening	0034	19												
22	Preventive care and screening: influenza immunization((adlt + ped.)	0041	14												
23	Adolescent female immunizations HDV	1959													
24	Weight assessment and counseling for nutrition and physical activity for children/adolescents (ped.)	0024											regional		
25	Preventative care and screening: BMI screening and follow up	0421	16												
26	Develonmental screening in the first three years of life	1448													
27	Well-child visits in the first 15 months of life (ped.)	1392					6 visits					6 visits			
28	Well-child visits in the third, fourth, fifth and sixth years of life (ped.)	1516								г					
29	Adalaseest well some visit (god)														
30	Tobacco use screening and cessation intervention	0028	17												
31	Preventive care and screening: screening for high blood pressure and follow-up documented		21												
32	Prenatal Care & Postpartum care (see below)	1517													
33	Frequency of Ongoing Prenatal Care (FPC)	1391													
34	Oral health: Primary Caries Prevention (ned)	1419													
35	Screening for clinical depression and follow-up plan (adlt + ped.)	418	18												

Domain: Prevention

36	Maternal depression screening	1401							
37	Pediatric behavioral health screening (ped.)	0722							
	Flu Vaccinations for Adults Ages 18-64								
	Medical Assistance with Smoking & Tobacco Use Cessation: Advising smokers to quit						regional		
	Medical Assistance with Smoking & Tobacco Use Cessation: Discussing cessation medications						regional		
	Medical Assistance with Smoking & Tobacco Use Cessation: Discussing Cessation Strategies								regional
	Medical Assistance with Smoking & Tobacco Use Cessation: % Current Smokers (rate)*						regional		
	Prenatal Care & Postpartum care - Postpartum Care								
	Prenatal Care & Postpartum care - Timeliness of Prenatal Care								
	Weight assessment and counseling for nutrition and physical activity for children/adol- BMI percentile							regional	
	Weight assess. and counseling for nutrition & physical activity childn/adol BMI percentile- nutrition counseling							regional	
	Weight assess. and counseling for nutrition & physical activity childn/adol BMI percentile- physical counseling							regional	
	Well child visits first 15 months: 6 visits								
	Lead Screening in Children								

Note: Regional means regional data is used when CT specific data is unavailable Color Guide

Little or no opportunity for improvement > 90%
Low but significant opportunity for improvement 75-89%
Moderate opportunity for improvement 50-74%
Substantial opportunity for improvement 25-49%
Very substantial opportunity for improvement 25-49%

^{*}Graph reflects inverse of this measure

#	Measure	NQF	ACO		2014 CT Commercial						edicaid (licaid Qu				
				<25	25-49	50-74	75-89	90-94	95-100	<25	25-49	50-74	75-89	90-94	95-100
30	edication Management for People with	1799													
39 Di s	sease Modifying Anti-Rheumatic Drug erapy for Rheumatoid Arthritis	0054													
40 Co	omprehensive Diabetes Care: Hemoglobin Lc (HbA1c) Poor Control (>9.0%)	0059	27												
	omprehensive Diabetes Care: Eye Exam	0055	41												
42 Di	abetes: Foot Exam	0056													
4.5	omprehensive Diabetes Care: Medical tention for Nephropathy	0062													
44 Co	ontrolling High Blood Pressure	0018	28												
	eart Failure (HF): Beta- Blocker Therapy for ft Ventricular Systolic Dysfunction	0083	31												
40	se of Spirometry Testing in the Assessment ad Diagnosis of COPD	0577													
4/	ersistence of Beta-Blocker Treatment After a eart Attack	0071													
	AD: Medication adherence	0543													
49 Us	se of Imaging Studies for Low Back Pain	0052													
50	voidance of Antibiotic Treatment in Adults ith Acute Bronchitis	0058													
₅₁ Ap	opropriate Treatment for nildren with Upper Respiratory Infection	0069													
52 As	chemic Vascular Disease (IVD): Use of pirin or Another Antithrombotic (Used Asprin Use" from below as a proxy)	0068	30			regionl									
₅₃ Ca	ordiac Stress Imaging Not Meeting Oppropriate Use Criteria: Preoperative	0670													
₅₄ Ca	ordiac Stress Imaging Not Meeting Opropriate Use Criteria: Testing in	0672													

Appropriate Treatment for							
Children with Pharyngitis							
Asthma Medication Ratio							
Medication Management for People with							
Asthma: Medication Compliance 75%							
HbA1c Test		2012					
Aspirin Use		regionl					

Note: Regional means regional data is used when CT specific data is unavailable Color Guide

Little or no opportunity for improvement > 90%
Low but significant opportunity for improvement 75-89%
Moderate opportunity for improvement 50-74%
Substantial opportunity for improvement 25-49%
Very substantial opportunity for improvement 25-49%

Domain: Behavioral Health

#	Measure	NQF	ACO	2014 CT Commercial							ledicaid dicaid Q				
				<25	25-49	50-74	75-89	90-94	95-100	<25	25-49	50-74	75-89	90-94	95-100
55	Follow-Up Care for Children Prescribed Attention- Deficit/Hyperactivity Disorder Medication	0108													
56	Depression Remission at Twelve Months	0710	40												
57	Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	1365		Г											
58	Unhealthy alcohol use - screening														
	Antidepressnat Medication Management - Effective Acute Phase Treatment														
	Antidepressnat Medication Management - Effective Continuation Phase Treatment														
	Follow-Up Care After Hospitalization for Mental Illness - 30 Days											regional			
	Follow-Up Care After Hospitalization for Mental Illness - 7 Days														
	Initiation & Engagement of Alcohol & Other Drug Dependence Treatment												regional		
	Follow-Up Care for Children Prescribed ADHD Medication - Continuation & maintanence phase														
	Follow-Up Care for Children Prescribed ADHD Medication - Initiation phase					2012									

Note: Regional means regional data is used when CT specific data is unavailable Color Guide

20.0. 20.0.	_
	Little or no opportunity for improvement > 90%
	Low but significant opportunity for improvement 75-89%
	Moderate opportunity for improvement 50-74%
	Substantial opportunity for improvement 25-49%
	Very substantial opportunity for improvement 25-49%