

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

This document provides guidance and sample cold breakfast menus for ages 3-5 in child care centers, emergency shelters, at-risk afterschool care centers, and family day care homes that participate in the U.S. Department of Agriculture’s (USDA) Child and Adult Care Food Program (CACFP). These sample menus are based on the CACFP meal patterns for children, including the updates required by the USDA final rule, [Child Nutrition Programs: Meal Patterns Consistent with the 2020-2025 Dietary Guidelines for Americans](#).

For information on the CACFP meal patterns for children, visit the Connecticut State Department of Education’s (CSDE) [Meal Patterns for the Child and Adult Care Food Program](#) webpage. For information on the crediting requirements, visit the CSDE’s [Crediting Foods in the Child and Adult Care Food Program](#) webpage and [Crediting Documentation for the Child Nutrition Programs](#) webpage.



## Contents

- Overview of Breakfast Meal Pattern Requirements ..... 2
  - Meats/meat alternates (MMA) component ..... 2
  - Fruits component and vegetables component ..... 3
  - Grains component ..... 3
  - Milk component ..... 4
  - Noncreditable foods ..... 5
- Required Crediting Documentation ..... 6
- Sample Breakfast Menus ..... 7
  - Week 1 ..... 8
  - Week 2 ..... 9
  - Week 3 ..... 10
  - Week 4 ..... 11
  - Week 5 ..... 12
- Menu Planning Notes ..... 13
- Resources ..... 13

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Overview of Breakfast Meal Pattern Requirements

The CACFP breakfast meal pattern requires minimum servings of three meal components, including  $\frac{3}{4}$  cup of unflavored low-fat (1%) or fat-free milk;  $\frac{1}{2}$  cup of vegetables, fruits, or both; and 1 ounce equivalent (oz eq) of grains. Each meal component must provide at least the minimum meal pattern serving.

CACFP menus may include additional foods or larger servings beyond the minimum requirements. Serve nutrient-dense foods that are appropriate to children's nutrition needs.

Menu planners should consider the meal pattern requirements and recommendations below when planning CACFP menus. For guidance on crediting foods, refer to the CSDE's [Crediting Summary Charts for the Child and Adult Care Food Program](#) and visit the CSDE's [Crediting Foods in the Child and Adult Care Food Program](#) webpage and [Crediting Documentation for the Child Nutrition Programs](#) webpage.

### Meats/meat alternates (MMA) component

- The MMA component is not required at breakfast but may substitute for the entire grains component up to three times per week. A 1-oz eq serving of the MMA component substitutes for 1 oz eq of the grains component.
- The serving size of MMA refers to the edible portion of cooked lean meat, poultry, or fish, e.g., cooked lean meat without bone, breading, binders, fillers, or other ingredients. Commercial processed products (such as combination entrees, deli meats, hot dogs, and sausages) require a Child Nutrition (CN) label or product formulation statement (PFS) to document crediting information. For more information, refer to the CSDE's resources, [Crediting Commercial Meat/Meat Alternate Products in the Child and Adult Care Food Program](#) and [Crediting Deli Meats in the Child and Adult Care Food Program](#).
- Nut and seed butters credit by volume (tablespoons) not weight. For more information, refer to the CSDE's resource, [Crediting Nuts and Seeds in the Child and Adult Care Food Program](#).
- Yogurt and soy yogurt cannot exceed 12 grams of added sugars per 6 ounces (no more than 2 grams of added sugars per ounce). For more information, refer to the CSDE's resource, [Crediting Yogurt in the Child and Adult Care Food Program](#).

## Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

- The USDA's [CACFP best practices](#) recommend serving only lean meats, nuts, and beans, peas, and lentils; limiting processed meats to one serving per week; and serving only low-fat or reduced-fat natural cheese.

For more information, visit the "[Meats and Meat Alternates](#)" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.

### Fruits component and vegetables component

- Dried fruits credit as twice the volume served. For example, ¼ cup of raisins credits as ½ cup of the fruits component.
- Raw leafy greens such as lettuce or spinach credit as half the volume served. For example, ½ cup of lettuce credits as ¼ cup of the vegetables component.
- Pasteurized full-strength juice credits as either the vegetables component or fruits component at only one meal or snack per day. The juice limit includes fruit and vegetable juice, frozen pops made from 100 percent juice, and pureed fruits and vegetables in smoothies. Before planning juice at snack, make sure that the other daily meals and snacks do not contain juice. For more information, refer to the CSDE's resources, [Crediting Juices in the Child and Adult Care Food Program](#) and [Crediting Smoothies in the Child and Adult Care Food Program](#).
- The USDA's [CACFP best practices](#) recommend serving whole fruits (fresh, frozen, canned, and dried) more often than juice.

For more information, visit the "[Fruits](#)" section and the "[Vegetables](#)" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.

### Grains component

- At least one serving of grains per day must be whole grain-rich (WGR). The USDA's [CACFP best practices](#) recommend at least two servings of WGR grains per day. To meet the CACFP WGR criteria, foods must contain at least 50 percent whole grains and the remaining grain ingredients must be enriched, bran, or germ. For more information, refer to the CSDE's [Guide to Meeting the Whole Grain-rich Requirement for the Child and Adult Care Food Program](#) and visit "[Whole Grain-rich Requirement](#)" in the "Grains" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.

## Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

- To credit as the required oz eq, the serving of grain products and recipes must provide either: 1) the required serving weight (groups A-E) or volume (groups H-I) in the USDA's Exhibit A chart (refer to the CSDE's resources, [Grain Ounce Equivalents Chart for the Child and Adult Care Food Program](#) and [How to Use the Grain Ounce Equivalents Chart for the Child and Adult Care Food Program](#)); or 2) the minimum creditable grains per serving (refer to the CSDE's resources, [Calculation Methods for Grains Ounce Equivalents for the Child and Adult Care Food Program](#) and [When Commercial Grain Products Require a Product Formulation Statement to Credit in the Child and Adult Care Food Program](#)). For more information, visit "[Serving Requirements](#)" in the "Grains" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.
- Grain-based desserts do not credit. Examples include cookies, piecrusts in sweet pies, doughnuts, cereal bars, granola bars, sweet rolls, pastries, toaster pastries, cake, and brownies. Sweet crackers (such as graham crackers and animal crackers) are allowed but the CSDE recommends limiting them to no more than twice per week between all meals and snacks. For more information, visit the USDA's [Grain-based Desserts in the Child and Adult Care Food Program](#) webpage,
- Breakfast cereals must be WGR, enriched, or fortified and cannot exceed 6 grams of added sugars per dry ounce. For more information, refer to the CSDE's resources, [Crediting Breakfast Cereals in the Child and Adult Care Food Program](#), [Worksheet for Crediting Cooked Breakfast Cereals in the CACFP](#), and [Worksheet for Crediting Ready-to-eat \(RTE\) Breakfast Cereals in the CACFP](#).

For more information, visit the "[Grains](#)" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.

### **Milk component**

- The CACFP meal patterns for ages 3-5 require unflavored low-fat (1%) or fat-free milk.

For more information, visit the "[Milk](#)" section of the CSDE's Crediting Foods in the Child and Adult Care Food Program webpage.

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Noncreditable foods

Noncreditable foods are foods and beverages that do not count toward the meal components for reimbursable meals and snacks in the CACFP meal patterns. They include:

- foods and beverages served in amounts too small to credit, i.e., less than  $\frac{1}{4}$  oz eq for the grains component and MMA component and less than  $\frac{1}{8}$  cup for the fruits component and vegetables component; and
- foods and beverages that do not belong to any meal component, such as potato chips, pudding, ice cream, gelatin, cream cheese, bacon, condiments (e.g., syrup, jam, ketchup, mustard, mayonnaise, and butter), and water.

CACFP facilities may serve certain noncreditable foods in addition to the meal components to add variety, help improve acceptability of meals and snacks, and satisfy appetites. Examples include maple syrup on pancakes, salad dressing on tossed greens, and condiments such as ketchup or mustard on sandwiches and other entrees.

CACFP funds cannot be used to purchase noncreditable foods, except for condiments served with creditable foods, and herbs and spices used to prepare and enhance the flavor of meals. For example, CACFP funds cannot be used to purchase grain-based desserts, gelatin, pudding, or canned cream soups. For more information, refer to the CSDE's resource, [Noncreditable Foods in the Child and Adult Care Food Program](#).

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Required Crediting Documentation

CACFP facilities must be able to document that CACFP menus provide the minimum portion of each required meal component. Menu planners must use the USDA's [Food Buying Guide for Child Nutrition Programs](#) (FBG) to determine how foods credit and the amount that provides the required meal pattern serving.

Commercial processed foods not listed in the FBG require a Child Nutrition (CN) label or product formulation statement (PFS) to document crediting information. The USDA requires that CACFP facilities must verify PFS forms for accuracy prior to purchasing, serving, and claiming the product in reimbursable meals and snacks. For information on crediting documentation for processed foods, refer to the CSDE's resources, [Using Child Nutrition \(CN\) Labels in the Child and Adult Care Food Program](#), [Using Product Formulation Statements in the Child and Adult Care Food Program](#), and [Accepting Processed Product Documentation in the Child and Adult Care Food Program](#).

Foods made from scratch require a recipe that documents the crediting information per serving. The USDA recommends using standardized recipes because they ensure accurate meal component contributions and document that menus meet the meal pattern requirements. The USDA defines a standardized recipe as one that has been tried, adapted, and retried at least three times and has been found to produce the same good results and yield every time when the exact procedures are used with the same type of equipment and the same quantity and quality of ingredients.

For information on standardized recipes, refer to the Institute of Child Nutrition's [Recipe Standardization Guide for the Child and Adult Care Food Program](#) and visit the "[Standardized Recipes](#)" section of the CSDE's Crediting Documentation for the Child Nutrition Programs webpage.

Additional guidance is available on the CSDE's [Crediting Documentation for the Child Nutrition Programs](#) webpage. Training on the requirements for CN labels and PFS forms is available in Module 8: Meal Pattern Documentation for Crediting Commercial Processed Products, of the CSDE's training program, [What's in a Meal: Meal Patterns for Grades K-12 in the School Nutrition Programs](#).

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Sample Breakfast Menus

This section contains five sample cold breakfast menus. The servings in each menu meet at least the minimum requirements of the CACFP meal patterns for children and are indicated after each menu item. Servings may be adjusted as appropriate for other ages.

Notes for the numbers indicated after some menu items are located at the end of the sample menus (refer to "[Menu Planning Notes](#)" in this document).

The CSDE's sample menus are intended for informational purposes and do not guarantee compliance with the CACFP meal patterns for children. Crediting information for local child care menus will vary depending on the types of foods purchased by the CACFP facility, and the recipes and preparation techniques used by CACFP staff. CACFP facilities are responsible for ensuring that their menus meet the CACFP meal patterns for children and maintaining appropriate crediting documentation on file (refer to "[Required Crediting Documentation](#)" in this document)

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Week 1

## Meal Pattern Contribution

### Day 1

- Unflavored low-fat milk,  $\frac{3}{4}$  cup
- Low-fat yogurt (no more than 2 grams of added sugars per ounce),  $\frac{1}{4}$  cup  
**MMA substitute**
- Mixed berries,  $\frac{1}{2}$  cup

Milk component,  $\frac{3}{4}$  cup

Grains component,  $\frac{1}{2}$  oz eq

Vegetables/fruits component,  $\frac{1}{2}$  cup

### Day 2

- Unflavored low-fat milk,  $\frac{3}{4}$  cup
- *Cheese roll-up:*  
Whole-wheat tortilla **WGR**,  $\frac{1}{2}$  ounce  
Low-fat cheese,  $\frac{1}{4}$  ounce
- Pineapple chunks,  $\frac{1}{2}$  cup

Milk component,  $\frac{3}{4}$  cup

Grains component,  $\frac{1}{2}$  oz eq

None (additional food)

Vegetables/fruits component,  $\frac{1}{2}$  cup

### Day 3

- Unflavored low-fat milk,  $\frac{3}{4}$  cup
- Whole-grain bagel **WGR**,  $\frac{1}{2}$  ounce
- Sliced green grapes,  $\frac{1}{2}$  cup

Milk component,  $\frac{3}{4}$  cup

Grains component,  $\frac{1}{2}$  oz eq

Vegetables/fruits component,  $\frac{1}{2}$  cup

### Day 4

- Unflavored low-fat milk,  $\frac{3}{4}$  cup
- Whole-grain puffed cereal (no more than 6 grams of added sugars per dry ounce),  $\frac{3}{4}$  cup **WGR**
- Banana slices,  $\frac{1}{2}$  cup

Milk component,  $\frac{3}{4}$  cup

Grains component,  $\frac{1}{2}$  oz eq

Vegetables/fruits component,  $\frac{1}{2}$  cup

### Day 5

- Unflavored low-fat milk,  $\frac{3}{4}$  cup
- Enriched blueberry muffin, 1 ounce
- Diced apricots,  $\frac{1}{4}$  cup <sup>1</sup>

Milk component,  $\frac{3}{4}$  cup

Grains component,  $\frac{1}{2}$  oz eq

Vegetables/fruits component,  $\frac{1}{2}$  cup

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Week 2

## Meal Pattern Contribution

### Day 1

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Low-fat cottage cheese, <math>\frac{1}{8}</math> cup<br/><b>MMA substitute</b></li> <li>• Pineapple tidbits in juice, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 2

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-grain round cereal (no more than 6 grams of added sugars per dry ounce) <b>WGR</b>, <math>\frac{1}{2}</math> cup</li> <li>• Blueberries, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

### Day 3

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• <i>Yogurt-fruit parfait:</i><br/>Vanilla Greek yogurt (no more 2 grams of added sugars per ounce), <math>\frac{1}{4}</math> cup<br/><b>MMA substitute</b><br/>Sliced strawberries, <math>\frac{1}{4}</math> cup<br/>Diced peaches, <math>\frac{1}{4}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{4}</math> cup</p> <p>Vegetables/fruits component, <math>\frac{1}{4}</math> cup</p> |
|--|---|

### Day 4

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Enriched banana bread, 1 ounce</li> <li>• Almond butter, <math>\frac{1}{2}</math> tablespoon</li> <li>• Applesauce, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>None (additional food)</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 5

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-wheat roll <b>WGR</b>, <math>\frac{1}{2}</math> ounce</li> <li>• Orange slices, <math>\frac{1}{2}</math> cup</li> <li>• Margarine or jelly, 1 teaspoon</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> <p>None</p> |
|---|--|

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Week 3

## Meal Pattern Contribution

### Day 1

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Hard-boiled egg, <math>\frac{1}{2}</math> large <b>MMA substitute</b></li> <li>• Cantaloupe cubes, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, 1 oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|---|

### Day 2

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• <i>Cold quinoa fruit salad</i><sup>2</sup>:<br/>Cooked quinoa <b>WGR</b>, <math>\frac{1}{4}</math> cup<br/>Diced grapes, bananas, peaches,<br/>strawberries, <math>\frac{1}{2}</math> cup<br/>Honey yogurt sauce, 1 tablespoon</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> <p>None</p> |
|---|--|

### Day 3

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-wheat roll <b>WGR</b>, <math>\frac{1}{2}</math> ounce</li> <li>• Low-fat cheese, <math>\frac{1}{4}</math> ounce</li> <li>• Diced fresh pears, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>None (additional food)</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 4

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Enriched buttermilk biscuit, <math>\frac{1}{2}</math> ounce</li> <li>• Sliced ham, <math>\frac{1}{4}</math> ounce</li> <li>• Clementine, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>None (additional food)</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

### Day 5

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-grain granola cereal (no more than 6 grams of added sugars per dry ounce) <b>WGR</b>, <math>\frac{1}{8}</math> cup</li> <li>• Sliced cherries, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Week 4

## Meal Pattern Contribution

### Day 1

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Enriched corn muffin <b>WGR</b>, 1 ounce</li> <li>• Banana slices, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

### Day 2

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Cheddar cheese, <math>\frac{1}{2}</math> ounce <b>MMA substitute</b></li> <li>• Apple slices, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 3

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• <i>Cold pancake roll-up:</i><br/>Whole-grain pancake <b>WGR</b>, 1 ounce<br/>Diced strawberries, <math>\frac{1}{2}</math> cup<br/>Syrup, 1 teaspoon</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> <p>None</p> |
|--|--|

### Day 4

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-grain puffed cereal (no more than 6 grams of added sugars per dry ounce), <math>\frac{3}{4}</math> cup</li> <li>• Honeydew melon, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 5

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-wheat English muffin <b>WGR</b>, <math>\frac{1}{2}</math> ounce</li> <li>• Sunflower butter, 1 teaspoon</li> <li>• Sliced peaches, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>None (additional food)</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Week 5

## Meal Pattern Contribution

### Day 1

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Whole-grain flaked cereal (no more than 6 grams of added sugars per dry ounce) <b>WGR</b>, <math>\frac{1}{2}</math> cup</li> <li>• Orange slices, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 2

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Cinnamon cottage cheese, <math>\frac{1}{8}</math> cup<br/><b>MMA substitute</b></li> <li>• Sliced red grapes, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|---|--|

### Day 3

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• <i>Peach-mango smoothie</i> <sup>2</sup>:<br/>Low-fat yogurt (no more than 2 grams of added sugars per ounce), <math>\frac{1}{4}</math> cup<br/><b>MMA substitute</b><br/>Pureed peaches, <math>\frac{1}{4}</math> cup<br/>Pureed mangos, <math>\frac{1}{4}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{4}</math> cup</p> <p>Vegetables/fruits component, <math>\frac{1}{4}</math> cup</p> |
|---|---|

### Day 4

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• <i>Apple roll-up</i>:<br/>Whole-grain tortilla, <math>\frac{1}{2}</math> ounce<br/>Diced apples, <math>\frac{1}{2}</math> cup<br/>Almond butter, 2 teaspoons</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> <p>None</p> |
|---|--|

### Day 5

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Unflavored low-fat milk, <math>\frac{3}{4}</math> cup</li> <li>• Enriched pumpkin-cranberry bread, 1 ounce</li> <li>• Cantaloupe cubes, <math>\frac{1}{2}</math> cup</li> </ul> | <p>Milk component, <math>\frac{3}{4}</math> cup</p> <p>Grains component, <math>\frac{1}{2}</math> oz eq</p> <p>Vegetables/fruits component, <math>\frac{1}{2}</math> cup</p> |
|--|--|

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

## Menu Planning Notes

- <sup>1</sup> Dried fruits credit as twice the volume served.
- <sup>2</sup> The meal pattern contribution per serving must be documented with a Child Nutrition (CN) label or PFS for commercial products and a recipe for foods made from scratch. For more information, refer to the CSDE's resources, [Using Child Nutrition \(CN\) Labels in the Child and Adult Care Food Program](#) and [Using Product Formulation Statements in the Child and Adult Care Food Program](#), and visit the "[Standardized Recipes](#)" section of the CSDE's Crediting Documentation for the Child Nutrition Programs webpage.

## Resources

[Breakfast](#) ("Menu Planning" section of CSDE's Meal Patterns for the Child and Adult Care Food Program webpage):

<https://portal.ct.gov/sde/nutrition/meal-patterns-for-the-child-and-adult-care-food-program/menu-planning#Breakfast>

[Crediting Documentation for the Child Nutrition Programs](#) (CSDE webpage):

<https://portal.ct.gov/sde/nutrition/crediting-documentation-for-the-child-nutrition-programs>

[Crediting Foods in the Child and Adult Care Food Program](#) (CSDE webpage):

<https://portal.ct.gov/sde/nutrition/crediting-foods-in-the-child-and-adult-care-food-program>

[Crediting Summary Charts for the Child and Adult Care Food Program](#) (CSDE):

[https://portal.ct.gov/-/media/sde/nutrition/cacfp/crediting/crediting\\_summary\\_charts\\_cacfp.pdf](https://portal.ct.gov/-/media/sde/nutrition/cacfp/crediting/crediting_summary_charts_cacfp.pdf)

[Cycle Menus for Child Care: Preschoolers](#) (Institute of Child Nutrition):

<https://theicn.org/resources/1575/cycle-menus-for-child-care-preschoolers/118740/cycle-menus-for-child-care-preschoolers.pdf>

[Meal Patterns for the Child and Adult Care Food Program](#) (CSDE webpage):

<https://portal.ct.gov/sde/nutrition/meal-patterns-for-the-child-and-adult-care-food-program>

[Menu Planning](#) (CSDE's Meal Patterns for the Child and Adult Care Food Program webpage):

<https://portal.ct.gov/sde/nutrition/meal-patterns-for-the-child-and-adult-care-food-program/menu-planning>

# Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

[Menu Planning Basics: A Guide for CACFP Operators in Child Care](https://theicn.org/icn-resources-a-z/menu-planning-basics-cacfp) (Institute of Child Nutrition):  
<https://theicn.org/icn-resources-a-z/menu-planning-basics-cacfp>

[Recipes for Child Nutrition Programs](https://portal.ct.gov/sde/nutrition/menu-planning/recipes-for-child-nutrition-programs) (CSDE's Menu Planning for Child Nutrition Programs  
webpage):  
<https://portal.ct.gov/sde/nutrition/menu-planning/recipes-for-child-nutrition-programs>

[Resources for the Child and Adult Care Food Program Meal Patterns](https://portal.ct.gov/-/media/sde/nutrition/cacfp/mealpattern/resources_cacfp_meal_patterns.pdf) (CSDE):  
[https://portal.ct.gov/-/media/sde/nutrition/cacfp/mealpattern/resources\\_cacfp\\_meal\\_patterns.pdf](https://portal.ct.gov/-/media/sde/nutrition/cacfp/mealpattern/resources_cacfp_meal_patterns.pdf)

For more information, visit the CSDE's [Meal Patterns for the Child and Adult Care Food Program](#) webpage and [Crediting Foods in the Child and Adult Care Food Program](#) webpage or contact the [CACFP staff](#) at the Connecticut State Department of Education, Bureau of Child Nutrition Programs, 450 Columbus Boulevard, Suite 504, Hartford, CT 06103-1841. This document is available at [https://portal.ct.gov/-/media/sde/nutrition/cacfp/mealpattern/menu\\_cacfp\\_breakfast\\_cold.pdf](https://portal.ct.gov/-/media/sde/nutrition/cacfp/mealpattern/menu_cacfp_breakfast_cold.pdf).



## Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

In accordance with federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (e.g., Braille, large print, audiotape, American Sign Language), should contact the responsible state or local agency that administers the program or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a Complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at: <https://www.usda.gov/sites/default/files/documents/ad-3027.pdf>, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to USDA. The letter must contain the complainant's name, address, telephone number, and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights (ASCR) about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to USDA by:

1. mail: U.S. Department of Agriculture  
Office of the Assistant Secretary for Civil Rights  
1400 Independence Avenue, SW  
Washington, D.C. 20250-9410; or
2. fax: (833) 256-1665 or (202) 690-7442; or
3. email: [program.intake@usda.gov](mailto:program.intake@usda.gov)

This institution is an equal opportunity provider.

## Sample Cold Breakfast Menus for Child Care Centers and Family Day Care Homes in the Child and Adult Care Food Program

The Connecticut State Department of Education is committed to a policy of equal opportunity/affirmative action for all qualified persons. The Connecticut Department of Education does not discriminate in any employment practice, education program, or educational activity on the basis of race; color; religious creed; age; sex; pregnancy; sexual orientation; workplace hazards to reproductive systems, gender identity or expression; marital status; national origin; ancestry; retaliation for previously opposed discrimination or coercion, intellectual disability; genetic information; learning disability; physical disability (including, but not limited to, blindness); mental disability (past/present history thereof); military or veteran status; status as a victim of domestic violence; or criminal record in state employment, unless there is a bona fide occupational qualification excluding persons in any of the aforementioned protected classes. Inquiries regarding the Connecticut State Department of Education's nondiscrimination policies should be directed to: Attorney Louis Todisco, Connecticut State Department of Education, by mail 450 Columbus Boulevard, Hartford, CT 06103-1841; or by telephone 860-713-6594; or by email [louis.todisco@ct.gov](mailto:louis.todisco@ct.gov).