

## Connecticut State Fire Safety Code

### Modifications Approved from April 1, 2001 - March 31, 2002

FM-0378-01	10-2.1.1	means of egress requirements
FM-0506-01	10-2.5.3	rooms>1000 sq ft 2 exits
FM-0156-02	10-2.9	emergency lighting
FM-0066-02	10-3.5	automatic sprinklers
FM-0240-01	10-3.6	corridor opening protectives
FM-0443-01	10-3.7	subdivision of building spaces
FM-0101-02	11-2.1.1	means of egress requirements
FM-0260-01	11-2.11.1	windows for rescue and ventillation
FM-0519-01	11-2.11.1	windows for rescue and ventillation
FM-0385-01	11-2.11.1 ex 1	windows for rescue and ventillation
FM-0499-01	11-2.5.1	dead end
FM-0505-01	11-2.5.4	door swing into corridors
FM-0518-01	11-2.6	travel distance
FM-0468-01	11-2.6 ex 1	travel distance
FM-0397-01	11-2.6 ex 1	travel distance
FM-0422-01	11-3.2.1(b)(2)	protection from hazards-maintenance shops
FM-0103-02	11-3.5	automatic sprinklers
FM-0495-01	11-3.6	interior corridors
FM-0616-01	11-3.6	exist hollow metal door frames
FM-0322-01	11-3.6	interior corridors
FM-0221-01	11-3.6.1	interior corridor doors-self closers
FM-0220-01	11-3.6.1	interior corridor doors-self closers
FM-0219-01	11-3.6.1	interior corridor doors-self closers
FM-0218-01	11-3.6.1	interior corridor doors-self closers
FM-0217-01	11-3.6.1	interior corridor doors-self closers
FM-0216-01	11-3.6.1	interior corridor doors-self closers
FM-0215-01	11-3.6.1	interior corridor doors-self closers
FM-0213-01	11-3.6.1	interior corridor doors-self closers
FM-0212-01	11-3.6.1	interior corridor doors-self closers
FM-0211-01	11-3.6.1	interior corridor doors-self closers
FM-0210-01	11-3.6.1	interior corridor doors-self closers
FM-0209-01	11-3.6.1	interior corridor doors-self closers
FM-0214-01	11-3.6.1	interior corridor doors-self closers
FM-0018-02	11-5.1	building utilities
FM-0022-02	11-5.1	building utilities

FM-0296-01	13-2.2.2.4	locks on egress doors
FM-0057-02	13-3.1	protection of vertical openings
FM-0575-02	15-3.7.3	smoke barrier construction
FM-0448-01	16-2.10	floor proximity exit signs
FM-0485-01	17-2.2.1	means of egress components
FM-0194-01	17-2.2.2.1	doors in the means of egress
FM-0663-02	17-2.2.3	stair dimensions
FM-0368-01	17-2.2.9	fire escape stairs
FM-0567-01	17-3.1.1	vertical opening protection
FM-0198-01	17-3.5.1	omit sprinklers
FM-0248-01	18-3.5.2	automatic fire sprinklers
FM-0180-01	18-3.5.2	automatic fire sprinklers
FM-0629-01	19-2.1.1	means of egress requirements
FM-0261-01	19-2.1.1	means of egress requirements
FM-0276-01	19-2.1.1	jmeans of egress requirements
FM-0275-01	19-2.1.1	means of egress requirements
FM-0621-01	19-2.1.1	means of egress requirements
FM-0188-01	19-2.1.1	means of egress requirements
FM-0274-01	19-2.2.3	stairs in means of egress
FM-0393-01	19-2.2.3.1	stair dimensions
FM-0398-01	19-2.2.3.1	stair dimensions
FM-0452-01	19-2.2.3.1	stair dimensions
FM-0091-02	19-2.2.3.2	location of dwelling units
FM-0462-01	19-2.2.9	fire escape stairs
FM-0369-01	19-2.4	number of exits
FM-0283-01	19-2.4	number of exits
FM-0464-01	19-2.4	number of exits
FM-0096-02	19-2.4	number of exits
FM-0635-01	19-2.4 ex 1(a)	number of exits-ground level door
FM-0634-01	19-2.4 ex 1(a)	number of exits-ground level door
FM-0205-01	19-2.4 ex 2	number of exits-sprinklers
FM-0026-02	19-2.4 ex 3	number of exits-stories in building
FM-0317-01	19-3.1.1	vertical opening protection
FM-0318-01	19-3.1.1	vertical opening protection
FM-0311-01	19-3.2.1	protection from hazards
FM-0243-01	19-3.2.1	protection from hazards
FM-0253-01	19-3.2.1	protection from hazards
FM-0234-01	19-3.2.1	protection from hazards
FM-0238-01	19-3.2.1	protection from hazards
FM-0539-01	19-3.2.1	protection from hazards

FM-0554-01	19-3.2.1	protection from hazards
FM-0561-01	19-3.2.1	protection from hazards
FM-0595-01	19-3.2.1	protection from hazards
FM-0597-01	19-3.2.1	protection from hazards
FM-0598-01	19-3.2.1	protection from hazards
FM-0601-01	19-3.2.1	protection from hazards
FM-0202-01	19-3.2.1	protection from hazards
FM-0529-01	19-3.2.1	protection from hazards
FM-0449-01	19-3.2.1	protection from hazards
FM-0362-01	19-3.2.1	protection from hazards
FM-0372-01	19-3.2.1	protection from hazards
FM-0414-01	19-3.2.1	protection from hazards
FM-0415-01	19-3.2.1	protection from hazards
FM-0384-01	19-3.2.1	protection from hazards
FM-0352-01	19-3.2.1	protection from hazards
FM-0343-01	19-3.2.1	protection from hazards
FM-0389-01	19-3.2.1	protection from hazards
FM-0399-01	19-3.2.1	protection from hazards
FM-0193-01	19-3.2.1	protection from hazards
FM-0429-01	19-3.2.1	protection from hazards
FM-0024-02	19-3.2.1	protection from hazards
FM-0301-01	19-3.2.1	protection from hazards
FM-0270-01	19-3.2.1	protection from hazards
FM-0472-01	19-3.2.1	protection from hazards
FM-0294-01	19-3.2.1	protection from hazards
FM-0236-01	19-3.2.1	protection from hazards
FM-0630-01	19-3.2.1	protection from hazards
FM-0360-01	19-3.2.1	protection from hazards
FM-0281-01	19-3.2.1	protection from hazards
FM-0442-01	19-3.2.1	protection from hazards
FM-0454-01	19-3.2.1	protection from hazards
FM-0466-01	19-3.2.1	protection from hazards
FM-0491-01	19-3.2.1	protection from hazards
FM-0273-01	19-3.2.1	protection from hazards
FM-0434-01	19-3.2.1	protection from hazards
FM-0105-02	19-3.2.1	protection from hazards
FM-0038-02	19-3.2.1	protection from hazards
FM-0098-02	19-3.2.1	protection from hazards
FM-0150-02	19-3.2.1	protection from hazards
FM-0040-02	19-3.2.1	protection from hazards

FM-0110-02	19-3.2.1	protection from hazards
FM-0094-02	19-3.2.1	protection from hazards
FM-0113-02	19-3.2.1	protection from hazards
FM-0086-02	19-3.2.1	protection from hazards
FM-0112-02	19-3.2.1	protection from hazards
FM-0642-01	19-3.2.1	protection from hazards
FM-0107-02	19-3.2.1	protection from hazards
FM-0126-02	19-3.2.1	protection from hazards
FM-0061-02	19-3.2.1	protection from hazards
FM-0638-01	19-3.2.1	protection from hazards
FM-0060-02	19-3.3.2	existing interior finish
FM-0258-01	19-3.6.2	corridor wall doors
FM-0590-01	19-3.6.4	unprotected openings corridor walls
FM-0310-01	19-3.7.1	smoke barriers
FM-0070-02	20-3.1.1 ex 3	stair enclosures
FM-0523-01	21-2.2.3	secondary means of escape
FM-0129-02	22-2.2.6.1	corridor wall construction
FM-0011-02	22-2.3.5.1	automatic fire sprinklers
FM-0336-01	24-2.4	number of exits
FM-0177-01	24-3.2.1	protection from hazards
FM-0381-01	24-5.2	duct smoke detection
FM-0589-01	25-1.2.2.3	multiple dwelling units above mercantile
FM-0226-01	25-2.5.3	common path of travel
FM-0319-01	25-3.2.1	protection from hazards
FM-0320-01	25-3.2.1	protection from hazards
FM-0191-01	25-3.2.1	protection from hazards
FM-0365-01	25-3.2.1	protection from hazards
FM-0576-01	25-3.2.1	protection from hazards
FM-0321-01	25-3.2.1	protection from hazards
FM-0568-01	25-3.2.1	protection from hazards
FM-0071-02	25-3.2.1	protection from hazards
FM-0013-02	25-3.2.1	haz area separation
FM-0087-02	25-3.2.1	protection from hazards
FM-0259-01	25-3.2.1	protection from hazards
FM-0089-02	25-3.2.1	protection from hazards
FM-0014-02	25-3.2.1	exist non rated door frames
FM-0012-02	25-3.2.1	protection from hazards
FM-0286-01	25-3.2.1	protection from hazards
FM-0284-01	26-2.3.2	corridor width
FM-0374-01	26-2.4	number of exits

FM-0245-01	26-2.4	number of exits
FM-0566-01	26-2.4 ex 2	number of exits
FM-0628-01	26-2.4 ex 2	number of exits
FM-0069-01	26-2.4 ex 4	number of exits
FM-0262-01	26-2.4 ex 4	number of exits
FM-0418-01	26-2.5.2	dead end corridor
FM-0484-01	26-3.1.1	vertical opening protection
FM-0420-01	26-3.1.1	vertical opening protection
FM-0403-01	26-3.1.1	vertical opening protection
FM-0623-01	26-3.2.1	protection from hazards
FM-0516-01	26-3.2.1	hazardous area separation
FM-0231-01	26-3.2.1	protection from hazards
FM-0631-01	26-3.6.1	corridor wall ratings
FM-0559-01	26-5.2	building services-HVAC
FM-0264-01	27-1.2.2.1	dwelling unit means of egress
FM-0298-01	27-2.2.3.1	stair dimensions
FM-0419-01	27-2.4.2	number of exits
FM-0227-01	27-2.4.2	number of exits
FM-0536-01	27-2.4.2 ex 1	number of exits
FM-0035-02	27-2.4.2 ex 2	number of exits
FM-0076-02	27-2.4.2 ex 2	number of exits
FM-0083-02	27-2.4.2 ex 2	number of exits
FM-0148-02	27-2.4.2 ex 2	number of exits
FM-0325-01	27-2.4.2 ex 4	not sprinklered throughout
FM-0326-01	27-2.4.2 ex 4	number of exits
FM-0513-01	27-2.5.2	dead end corridors
FM-0277-01	27-2.5.3 ex 1	common path of travel-sprinklered building
FM-0330-01	27-2.5.3 ex 1	common path of travel-sprinklered building
FM-0278-01	27-2.5.3 ex 1	common path of travel-sprinklered building
FM-0469-01	27-3.2.1	protection from hazards
FM-0053-02	27-3.2.1	protection from hazards
FM-0348-01	27-3.2.1	protection from hazards
FM-0272-01	27-3.2.1	protection from hazards
FM-0307-01	27-3.2.1	protection from hazards
FM-0400-01	29-2.2.2.1	means of egress doors
FM-0347-01	29-8.2.6 ex 2	travel distance-parking structure
FM-0520-01	30-2.11.1	windows for rescue & ventilation
FM-0521-01	31-1.2	separation-mixed occupancies
FM-0515-01	31-3.2.1	protection from hazards
FM-0323-01	31-3.6 ex 3	corridor doors

FM-0557-01	5-1.3.2.1(a)	separation rating of exit enclosure
FM-0552-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0257-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0528-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0430-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0154-02	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0413-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0450-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0183-01	5-1.3.2.1(a)	separation rating of exit enclosure
FM-0636-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0151-02	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0254-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0579-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0459-01	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0111-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0476-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0341-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0361-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0114-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0359-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0477-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0478-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0363-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0093-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0388-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0109-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0370-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0304-01	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0073-02	5-1.3.2.1(d)	opening in exit enclosures
FM-0387-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0335-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0339-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0106-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0390-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0345-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0192-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0392-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0108-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0592-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0137-02	5-1.3.2.1(d)	openings in exit enclosures

FM-0537-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0242-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0267-01	5-1.3.2.1(d)	sidelites and transoms to remain
FM-0556-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0558-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0563-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0575-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0578-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0252-01	5-1.3.2.1(d)	openings in exit enclosure
FM-0251-01	5-1.3.2.1(d)	openings in exit enclosure
FM-0228-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0591-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0207-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0593-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0594-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0227-00	5-1.3.2.1(d)	openings into exit enclosures
FM-0604-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0605-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0607-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0641-01	5-1.3.2.1(d)	openings in exit enclosure
FM-0109-01	5-1.3.2.1(d)	unoccupied area into exit enclosure
FM-0196-01	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0639-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0256-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0244-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0583-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0460-01	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0127-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0293-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0017-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0058-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0237-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0020-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0056-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0054-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0145-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0208-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0433-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0225-00	5-1.3.2.1(d)	opening protectives in exit enclosures
FM-0226-00	5-1.3.2.1(d)	openings into exit enclosures

FM-0489-01	5-1.3.2.1(d)	unprotected area opening into an exit enclosure
FM-0039-02	5-1.3.2.1(d)	openings in exit enclosure
FM-0497-01	5-1.3.2.1(d)	openings in exit enclosures
FM-0465-01	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0048-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0425-01	5-1.3.2.1(e)	penetrations into an exit enclosure
FM-0498-01	5-1.3.2.1(e)	penetrations into an exit enclosure
FM-0380-01	5-1.3.2.1(e)	HVAC Duct into exit enclosures
FM-0340-01	5-1.3.2.1(f)	penetrations between adjacent exit enclosures
FM-0309-01	5-1.3.2.3	interference of exit enclosure
FM-0139-02	5-1.5	low headroom
FM-0405-01	5-1.5	low headroom
FM-0131-02	5-1.5	low headroom
FM-0115-02	5-1.5	low headroom
FM-0140-02	5-1.5	low headroom
FM-0116-02	5-1.5	low headroom
FM-0149-02	5-1.5	low headroom
FM-0332-01	5-1.5	low headroom
FM-0085-02	5-1.5	low headroom
FM-0092-02	5-1.5	low headroom
FM-0428-01	5-1.5	low headroom
FM-0088-02	5-1.5	low headroom
FM-0222-01	5-1.5	low headroom
FM-0569-01	5-1.5	low headroom
FM-0427-01	5-1.5	low headroom
FM-0097-02	5-1.5	low headroom
FM-0409-01	5-1.5	low headroom
FM-0622-01	5-1.5	low headroom
FM-0366-01	5-1.5	low headroom
FM-0104-02	5-1.5 ex 1	low headroom
FM-0445-01	5-2.1.2.2	minimum door width
FM-0479-01	5-2.1.3	floor level at door openings
FM-0063-02	5-2.1.3	floor level at door openings
FM-0444-01	5-2.1.3	floor level at door openings
FM-0086-01	5-2.1.3	floor level at door openings
FM-0084-02	5-2.1.4.1	exit door-obstruction of egress width
FM-0424-01	5-2.1.4.2	exit door swing
FM-0291-01	5-2.1.4.4	exit door swing obstruction of egress width
FM-0124-02	5-2.1.7	panic & fire exit hardware
FM-0289-01	5-2.2.2.1	stair dimensions



FM-0059-02	5-2.2.2.1	stair dimensions
FM-0357-01	5-2.2.2.1	stair dimensions
FM-0581-01	5-2.2.2.1	stair dimensions
FM-0132-02	5-2.2.2.1	stair dimensions
FM-0047-02	5-2.2.2.1	stair dimensions
FM-0290-01	5-2.2.2.1	stair dimensions
FM-0213-02	5-2.2.2.1	stair dimensions
FM-0152-02	5-2.2.2.1	stair dimensions
FM-0122-02	5-2.2.2.1	stair dimensions
FM-0620-01	5-2.2.2.1 (b)	stair dimensions
FM-0037-02	5-2.2.2.1(a)	stair dimensions
FM-0458-01	5-2.2.2.1(b)	stair dimensions
FM-0080-02	5-2.2.2.1(b)	stair dimensions
FM-0029-02	5-2.2.2.1(b)	stair dimensions
FM-0404-01	5-2.2.2.1(b)	stair dimensions
FM-0141-02	5-2.2.2.1(b)	stair dimensions
FM-0081-02	5-2.2.2.1(b)	stair dimensions
FM-0223-01	5-2.2.2.1(b)	stair dimensions
FM-0082-02	5-2.2.2.1(b)	stair dimensions
FM-0142-02	5-2.2.2.1(b)	stair dimensions
FM-0143-02	5-2.2.2.1(b)	stair dimensions
FM-0031-02	5-2.2.2.1(b)	stair dimensions
FM-0019-02	5-2.2.2.1(b)	stair dimensions
FM-0344-01	5-2.2.2.1(b)	stair dimensions
FM-0603-01	5-2.2.2.1(b)	stair dimensions
FM-0407-01	5-2.2.2.1(b)	stair dimensions
FM-0602-01	5-2.2.2.1(b)	stair dimensions
FM-0406-01	5-2.2.2.1(b)	stair dimensions
FM-0333-01	5-2.2.2.1(b)	stair dimensions
FM-0079-02	5-2.2.2.1(b)	stair dimensions
FM-0580-01	5-2.2.2.1(b)	exist stair < 36 " wide
FM-0032-02	5-2.2.2.1(b)	stair dimensions
FM-0471-01	5-2.2.2.1(b)	stair dimensions
FM-0077-02	5-2.2.2.1(b)	stair dimensions
FM-0206-01	5-2.2.2.1(b)	stair dimensions
FM-0064-02	5-2.2.2.1(b)	stair dimensions
FM-0078-02	5-2.2.2.1(b)	stair dimensions
FM-0334-01	5-2.2.2.1(b)	stair dimensions
FM-0637-01	5-2.2.2.5	winder stairs
FM-0337-01	5-2.2.3.2	stair landings

FM-0329-01	5-2.2.3.3	stair tread & landing surfaces
FM-0015-02	5-2.2.3.5	measurement of stair riser & treads
FM-0577-01	5-2.2.4.1	guards on stairs
FM-0136-02	5-2.2.4.2	handrails on stairs
FM-0586-01	5-2.2.4.5	handrail details
FM-0255-01	5-2.2.4.5(a)	handrail heights
FM-0555-01	5-2.2.4.5(a)	handrail heights
FM-0553-01	5-2.2.4.5(a)	handrail heights
FM-0172-01	5-2.2.4.5(c)	handrail dimensions
FM-0030-02	5-2.2.4.5(e)	handrail continuity
FM-0171-01	5-2.2.4.6(b)	guard height
FM-0099-02	5-2.2.5.2	exposures to stairs
FM-0395-01	5-2.2.5.2	exposures to stairs
FM-0292-01	5-2.2.5.2	exposures to stairs
FM-0135-02	5-2.2.5.2	exposures to stairs
FM-0282-01	5-2.2.5.2	exposures to stairs
FM-0486-01	5-2.2.5.3	usable space in exit enclosures
FM-0461-01	5-2.2.5.3	usable space in exit enclosures
FM-0530-01	5-2.2.5.3	usable space in exit enclosures
FM-0065-02	5-2.5.3.2(a)	landings for ramps
FM-0021-02	5-2.8.1.2	fire escape stairs-means of egress
FM-0203-01	5-2.8.2	fire escape stairs-protection of openings
FM-0067-02	5-2.8.2.	fire escape stairs-protection of openings
FM-0470-01	5-2.8.4(a)	fire escape stair dimensions
FM-0481-01	5-3.3.1	egress capacity factors
FM-0377-01	5-3.4.1	36" wide passageway
FM-0371-01	5-3.4.1	means of egress-minimum width
FM-0221-00	5-3.4.1	means of egress-minimum width
FM-0402-01	5-4.1.1	number of means of egress
FM-0170-01	5-4.1.1	number of means of egress
FM-0367-01	5-4.1.1	number of means of egress
FM-0074-02	5-5.1.3	remoteness of exits
FM-0229-01	5-5.1.6	dead end corridors
FM-0176-01	5-5.1.7	exit access-intervening rooms
FM-0055-02	5-7.1	exit discharge-exterior/public way
FM-0524-01	5-7.2	exit discharge-interior
FM-0480-01	5-7.2	exit discharge-interior
FM-0287-01	5-7.2(b)	exit discharge-interior-separation/sprinklers
FM-0041-02	5-7.2(b)	exit discharge-interior-separation/sprinklers
FM-0475-01	6-2.3.1.1	fire resistance of fire barriers

FM-0611-01	6-2.3.2	opening protectives in fire barriers
FM-0626-01	6-2.3.2.2	fire window assemblies in fire barriers
FM-0492-01	6-2.3.2.2(a)	fire window assemblies in fire barriers
FM-0585-01	6-2.3.2.3.1	opening protectives in fire barriers
FM-0386-01	6-2.3.2.3.1	opening protectives in fire barriers
FM-0246-01	6-2.3.2.3.1 ex 2	opening protectives in corridor walls
FM-0300-01	6-2.3.2.3.1 ex 5	1 3/4" doors for single exit
FM-0299-01	6-2.3.2.3.1 ex 5	space opening protectives in fire barriers-exiting doors & frame
FM-0376-01	6-2.3.2.3.1(a)	opening protectives in 2 hr fire barriers
FM-0410-01	6-2.3.2.3.1(b)	opening protectives in 1 hr fire barriers
FM-0582-01	6-2.3.2.3.1(b)	opening protectives in 1 hr fire barrier
FM-0095-02	6-2.3.2.4	penetrations & miscellaneous openings in fire barriers
FM-0504-01	6-2.4.2	vertical opening protection
FM-0131-01	6-2.4.4	fire resistance rating of vertical openings
FM-0068-02	6-2.4.5	vertical openings-"mini-atriums"
FM-0342-01	6-2.4.5	vertical openings-"mini-atrium"
FM-0124-01	6-2.4.5	vertical openings-"mini-atriums"
FM-0285-01	6-2.4.5(c)	vertical openings-"mini'atriums"
FM-0441-01	6-2.4.5(c)	vertical openings-"mini-atriums"
FM-0023-02	6-2.4.5(d)	vertical openings-"mini-atriums"
FM-0288-01	6-2.4.5(e)	vertical openings-"mini-atriums"
FM-0140-01	6-2.4.6(e)	vertical openings-atriums
FM-0503-01	6-2.4.8(d)	vertical openings-convenience openings
FM-0382-01	6-2.5.2.1	mezzanine area limitations
FM-0421-01	6-2.5.2.1	mezzanine area limitations
FM-0173-01	6-3.4.2(a)	smoke barrier-opening protectives
FM-0383-01	6-5.8.1	fire retardant coatings
FM-0446-01	7-2.1	building services-HVAC
FM-0134-02	7-2.3	building services-commercial cooking equipment
FM-0046-02	7-6.2.9	fire alarm-partial smoke detection
FM-0239-01	7-6.2.9	fire alarm-partial smoke detection
FM-0640-01	7-6.2.9	fire alarm-partial smoke detection
FM-0128-02	8-1.7.1	occupant load factor
FM-0527-01	8-1.7.1	occupant load factor
FM-0375-01	8-1.7.1	occupant load factor
FM-0401-01	8-1.7.1	occupant load factor
FM-0117-02	8-1.7.1(b)	occupant load factor
FM-0482-01	8-2.3.3	main entrance/exit < 1/2 OL
FM-0230-01	8-3.1	protection of vertical openings
FM-0327-01	8-3.1	protection of vertical openings

FM-0042-02	8-3.1	protection of vertical openings
FM-0338-01	8-3.5.1	automatic fire sprinklers
FM-0168-01	8-4.2.4	smoke protected seating
FM-0617-01	8-5.2	omit smoke dampers in natatorium
FM-0356-01	8-7.4.2	furnishings, decorations & scenery
FM-0069-02	9-1.2.2	occupant load less than 75
FM-0219-00	9-2.1	means of egress requirements
FM-0457-01	9-2.2.2.1	doors in means of egress
FM-0220-00	9-2.2.3	stairs in means of egress
FM-0222-00	9-2.2.3	stairs in means of egress
FM-0043-02	9-2.2.3.1	stairs in means of egress
FM-0507-01	9-2.3.3	main entrance/exit
FM-0010-02	9-2.3.3	main entrance/exit
FM-0200-01	9-2.3.3	main entrance/exit
FM-0560-01	9-2.5.6.3(a)	clear width of an aisle
FM-0186-01	9-2.6.1	travel distance to an exit
FM-0265-01	9-3.1	protection of vertical openings
FM-0147-01	9-3.2.1.3	protection from hazards
FM-0609-01	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0608-01	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0610-01	9-3.2.1.3(a)(2)	protection from hazards-combustible supplies
FM-0529-00	9-3.2.1.3(b) (1)	protection from hazards-laundries
FM-0488-01	9-3.4.3.2	fire alarm-voice evacuation
FM-0312-01	9-3.5.2	automatic fire sprinklers
FM-0440-01	9-4.5.12	standpipes on stages
FM-0328-01	9-4.5.12	standpipes on stages
FM-0453-01	9-4.5.12	standpipes on stages
FM-0522-01	9-7.1.2	hood termination