

Pharmacy Mobile Inspection Form

The State of Connecticut Drug Control Division is utilizing all-inclusive mobile inspection forms that encompass multiple inspection types and business models. Inspection sections and/or inspection fields may intentionally remain blank when such sections and/or fields do not apply to the inspection type and/or business model for which the mobile inspection forms are being utilized. Please contact the Drug Control Agent who conducted your inspection if you feel an inspection section and/or inspection field was inadvertently left blank.

Controlled Drug Safe Inspection Form

General Questions

Yes No Advised

Specific-ations		Yes	No	Advised
	Safe Manufacturer's Name			
	Safe Model Number			
	Safe Serial Number			
1	Is the pharmacy's new safe for the storage of controlled drug stock equipped with a day lock?			
2	Does the pharmacy's new safe for the storage of controlled drug stock have a minimum of a "B" burglary rate? [Section 21a-262-1(f)(1)]			
3	Is the pharmacy's new safe for the storage of controlled drug stock equipped with a re-locking device? [Section 21a-262-1(f)(2)]			
4	Does the pharmacy's new safe for the storage of controlled drug stock weigh at least 750 pounds or is such safe rendered immobile by being securely anchored to a permanent structure of the building? [Section 21a-262-1(f)(3)]			
5	Does the pharmacy's new safe for the storage of controlled drug stock have adequate interior space to store all controlled drugs required to be kept within the safe? [Section 21a-262-1(f)(4)]			

6	Does the pharmacy's new safe for the storage of controlled drug stock have any unused anchor holes?			
7	Did the pharmacy secure the unused anchor holes with carriage bolts, concrete anchoring adhesive, cement epoxy, or an equivalent?			
Additional Comments		Yes	No	
1	Does the inspecting agent have any additional comments with respect to this pharmacy inspection?			

SAMPLE