

**CC SOP-03 - Hard Drive Removal Protocol - Desktop
Computer**

Approved by Director: Dr. Guy Vallaro

Document ID: 1056
Revision: 4
Effective Date: 3/8/2023
Status: Retired
Page 1 of 3

A. Purpose:

To outline the steps taken to remove the hard drive(s) from desktop computers that have been submitted to the CCEEU for analysis while maintaining the integrity of the evidence.

B. Responsibility:

CCEEU forensic examiners.

C. Definitions:

Refer to SOP-CC-26 - Definitions and Abbreviations.

D. Procedure:

1. Retrieve the evidence and update the chain of custody.
2. Prepare Laboratory Notes (QR-CC-5) for the submitted computer by filling in the Laboratory Case #, Submission #, Start Date and Examiner fields.
3. Initial submission barcode label.
4. Use the Laboratory Notes (QR-CC-5) to record computer information, hard drive(s) information and as a narrative to describe actions and observations made during processing.
5. If submission is packaged, photograph, with a unique identifier present, the unopened package focusing on:
 - a. Evidence labels and any other identifying markers
 - b. Notable marks or damage
6. Remove the packaging.
7. Photograph, with a unique identifier present, the exterior of the computer focusing on:
 - a. Top and front face
 - b. Rear and all connectors
 - c. Serial numbers, evidence labels and any other identifying markers
 - d. Notable marks or damage
8. Record relevant information about the computer to include Make, Model and serial# and any observations in the Laboratory Notes (QR-CC-5).
9. Open the computer case and note your access into the computer by putting the Laboratory Case Number, Submission Number and your initials on the frame inside the computer.
10. Photograph, with a unique identifier present, the interior of the computer focusing on:
 - a. Overall view of the inside of the computer
 - b. Location of the hard drive(s)
 - c. Close-up of the hard drive(s)
 - d. Anything notable inside the case
11. Remove power and data cables, if necessary, from the hard drive(s) and write the following on the cables to indicate the hard drive(s) that the cables were connected to:
 - a. Your initials

Approved by Director: Dr. Guy Vallaro

- b. Hard drive designator (e.g. “HD1” for hard drive 1, “HD2” for hard drive 2, etc.)
- 12. Remove hard drive(s) and photograph, with unique identifier present, the hard drive(s) focusing on:
 - a. Top of hard drive(s)
 - b. Jumper settings
 - c. Make, model, serial number, LBA and any other identifying markers
- 13. Sub-itemize and containerize the hard drive within JusticeTrax to signify that it is being separated from the rest of the submission. The barcode generated should include the following information:
 - a. Appropriate sub-item label
Sub-item number following the guidance provided in GL4 “LIMS”. The evidence description should have the hard drive number in the description ie- S1_HD1
 - b. Make, model, serial number, and size of drive
 - c. Your initials once affixed
 - d. If the drive is too small and a barcode cannot be placed, record this in the Laboratory Notes (QR-CC-5). Label the drive by hand with the proper sub-item label, the lab case number, and your initials
- 14. Record relevant information about the hard drive(s) in the Laboratory Notes (QR-CC-5). This should include the assigned sub-item#, Make, Model, serial#, interface type, manufacture’s total sectors and capacity.
- 15. Examine the computer’s peripheral devices and package for any additional digital media. If additional digital media exists:
 - a. Record relevant information about the media in the Laboratory Notes (QR-CC-5). This should include the assigned sub-item#, Make, Model, serial#, type, manufacture’s total sectors and capacity. Also record where the media was located.
 - b. Photograph the digital media with unique identifier present
 - c. Sub-itemize and containerize within JusticeTrax following the same procedures as step 13:
 - i. Sub-item number as outlined in SOP-CC-31 - Sub-item Labeling Standards.
 - ii. Your initials
 - d. Refer to SOP-CC-6 - Removable Media Imaging Protocol for processing details.
- 16. Process the BIOS as follows:
 - a. With hard drives removed from the computer connect the computer to a monitor and keyboard
 - b. Turn the computer on
 - c. Break into the setup screens by entering the appropriate keystrokes
 - d. Record the appropriate BIOS information to include actual date and time; CMOS date and time and boot sequence in the Laboratory Notes (QR-CC-5).

Approved by Director: Dr. Guy Vallaro

- e. In certain instances it may not be possible to gain access to the BIOS settings. In these cases, document any attempts made and make note in the Laboratory Notes (QR-CC-5) that attempts to access the BIOS were unsuccessful.
- 17. Refer to SOP-CC-5 – Hard Drive Imaging Protocol for imaging details.
 - a. While the hard drive(s) and/or removable media are being examined, the rest of the submission should be kept in a secured storage area controlled by the examiner.
- 18. Complete Laboratory Notes (QR-CC-5).
- 19. Reassemble the computer leaving the data and power cables disconnected from the hard drive(s).
- 20. Repackage the computer if necessary.
- 21. If additional digital media was found, appropriately package it and adhere it to the computer or place it within the computer's packaging.
- 22. Update the chain of custody in JusticeTrax and return the computer to the evidence area.

RETIRED