# Connecticut Behavioral Risk Factor Survey

(CT BRFSS)

## Prevalence Estimates for Risk Factors and Health Indicators

## Selected Summary Tables

## 2024

*January, 2026*

*State of Connecticut Department of Public Health*

CONNECTICUT
Public Health

# Acknowledgments

Manisha Juthani, MD
Commissioner
Connecticut Department of Public Health

Adora Harizaj, MPH, CPH, CIC
CT BRFSSS Coordinator
Health Statistics and Surveillance Section
Connecticut Department of Public Health

This report was prepared by:
Alexander Duarte, MPH
Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health

The CT BRFSS team gratefully acknowledges the time contributed by nearly 7,213 citizen volunteers within the State of Connecticut who responded anonymously to the 2024 BRFSS. The results presented in this report would not have been possible without their participation.

For questions or comments about this report, please contact:
Alexander Duarte, MPH
Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health
Hartford, Connecticut, 06106
Alexander.Duarte@ct.gov
(860-509-7447)

Find more BRFSS fact sheets, reports, and publications at the Connecticut Department of Public Health BRFSS website: http://www.ct.gov/dph/BRFSS.

# Contents

**Acknowledgments** ..... 2
Introduction ..... 6
Summary of Adult Measures ..... 7
Summary of Child Measures ..... 9
Adult Health Indicators ..... 10
- Fair or Poor Health ..... 10
- Poor Physical Health ..... 11
- Poor Mental Health ..... 12
- Activities Limited by Poor Physical or Mental Health ..... 13
- Disability ..... 14
- Overweight ..... 15
- Obese ..... 16
- Insurance Coverage ..... 17
- Private Insurance ..... 18
- Medicare ..... 19
- Medicaid or Other State Program ..... 20
- No Insurance (18-64) ..... 21
- At Least One Regular Doctor ..... 22
- Skip Doctor Visit Due to Cost ..... 23
- Skip Prescribed Medicine Due to Cost ..... 24
- No Leisure Time Physical Activities ..... 25
- Current Smoker ..... 26
- Current Cigar Use ..... 27
- Current E-cigarette Use ..... 28
- Secondhand Exposure to Smoke ..... 29
- Binge Drinking ..... 30
- Heavy Drinking ..... 31
- Excessive Drinking ..... 32
- Routine Checkup in the Past Year ..... 33
- Flu Vaccine in the Past Year ..... 34
- Flu Vaccine in the Past Year (65+) ..... 35
- Ever Had Pneumonia Vaccine ..... 36

Ever Had Pneumonia Vaccine (65+) ..... 37
Ever Tested for HIV ..... 38
Dental Visit in the Past Year ..... 39
Breast Cancer Screening (Women 40 and over) ..... 40
Breast Cancer Screening (Women 40-74) ..... 41
Cervical Cancer Screening ..... 42
Colorectal Cancer Screening (45-75 years old) ..... 43
Current Asthma ..... 44
Chronic Obstructive Pulmonary Diseases ..... 45
Arthritis ..... 46
Cardiovascular Diseases or Stroke ..... 47
Diabetes ..... 48
Kidney Disease ..... 49
Depression ..... 50
Life Satisfaction ..... 51
Social or Emotional Support ..... 52
Assisted a Friend or Family Member with Health Problem or Disability ..... 53
Lost Employment ..... 54
Housing Insecurity ..... 55
Transportation Barriers ..... 56
Felt Lonely ..... 57
Neighborhood Safety ..... 58
Racial Treatment ..... 59
Firearm Storage ..... 60
Child Health Indicators ..... 61
Child Overweight ..... 61
Child Obese ..... 62
Ever Breastfed ..... 63
Exclusively Breastfed for 3 months ..... 64
Exclusively Breastfed for 6 months ..... 65
Excessive Screen Time ..... 66
Soda Consumption ..... 67
Fast Food Consumption ..... 68

Dentist Visit in the Past Year ..... 69
Dental Sealants ..... 70
Dental Decay in the Past Year ..... 71
Current Asthma ..... 72

# Introduction

The Connecticut Behavioral Risk Factor Surveillance System (CT BRFSS) is an ongoing, statewide voluntary phone survey of Connecticut citizen volunteers aged 18 years and older. It is funded by the Centers for Disease Control and Prevention (CDC) in all 50 states, the District of Columbia, and three U.S. territories. The BRFSS has been implemented in Connecticut since 1989.

For the 2024 CT BRFSS, the landline sample was a disproportionate stratified random digit dial (RDD) sample, stratified by geography and listed status. Within each contacted household, one adult was randomly selected to be interviewed. The cell phone sample was also stratified RDD sample drawn from dedicated cellular telephone banks with equal probability. An adult contacted by cell phone was eligible to complete the survey if they lived in a private residence or college housing either without a landline present or with a landline but with at least 90 percent of all calls received by cell phone. Each month, survey data from Connecticut is sent to CDC for editing and checking. At the end of each year, data are compiled and weighted to represent the state and returned to states for analysis and use in planning and monitoring health programs. Summary data for all states are available on the CDC BRFSS website (http://www.cdc.gov/BRFSS).

In 2024, the total sample size of completed interviews for the core survey was 7,213 (land line=612; cell phone=6,601). Due to variability in response rates to individual questions and differences in specific sub-populations of interest for particular questions, not all estimates are based on a total sample size of 7,213. Prevalence estimates and 95% confidence intervals (CI) were computed using SAS PROC SURVEYFREQ, which can properly compute variances for complex sampling plans. Any responses of “Not Known/Not sure” or “Refused” were classified as missing.

In an effort to provide the most reliable information possible, coefficients of variation (CV), defined as the ratio of the standard deviation to the mean and serving as a measure of the dispersion of the data points around the mean, were used to assess the validity of each estimate. Prevalence estimates with a CV of between 15% and 20%, inclusive, are marked with a single asterisk (*). Prevalence estimates with a CV between 20.1% and 30%, inclusive, are marked with two asterisks (**) to indicate that caution should be exercised when interpreting these estimates. Prevalence estimates with a CV greater than 30% are suppressed due to poor validity are marked with three asterisks (***). Only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to CT BRFSS estimates from 2011-2024 and not to CT BRFSS estimates from years prior to 2011.

If you have any questions regarding any of the estimates within the following tables, please contact Alexander Duarte at Alexander.Duarte@ct.gov. To access the 2024 CT BRFSS questionnaire, please visit the CT BRFSS web page at: www.ct.gov/dph/brfss.

## Summary of Adult Measures

| | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|
| **Health Status** | | | |
| Fair or poor health | 15.7 | 14.5 | 16.9 |
| Poor physical health | 12.1 | 11.0 | 13.2 |
| Poor mental health | 13.9 | 12.8 | 15.1 |
| Limited activities due to poor physical or poor mental health | 38.8 | 35.2 | 42.4 |
| Disability | 25.8 | 24.3 | 27.3 |
| Overweight | 35.9 | 34.3 | 37.5 |
| Obese | 32.0 | 30.4 | 33.6 |
| Insurance coverage | 93.0 | 92.2 | 93.8 |
| Private insurance (18-64 years old) | 66.3 | 64.4 | 68.2 |
| Medicare (18-64 years old) | 5.2 | 4.3 | 6.1 |
| Medicaid or other state program (18-64 years old) | 14.7 | 13.3 | 16.2 |
| No insurance (18-64 years old) | 9.1 | 8.0 | 10.2 |
| At least one regular doctor | 88.2 | 87.1 | 89.3 |
| Skip doctor visits due to cost | 9.9 | 8.9 | 10.9 |
| Skip prescribed medicine due to the cost | 6.7 | 5.8 | 7.5 |
| **Risk Behaviors** | | | |
| No leisure time physical activities | 20.8 | 19.4 | 22.1 |
| Current smoker | 9.0 | 8.1 | 10.0 |
| Current cigar use | 4.0 | 3.4 | 4.7 |
| Current E-cigarette use | 5.6 | 4.8 | 6.4 |
| Secondhand exposure to smoke | 35.0 | 33.4 | 36.7 |
| Binge drinking | 15.1 | 13.8 | 16.4 |
| Heavy drinking | 5.4 | 4.6 | 6.2 |
| Excessive drinking | 16.5 | 15.2 | 17.9 |
| **Clinical Preventive Practice** | | | |
| Routine check-up in the past year | 80.9 | 79.6 | 82.2 |
| Had flu vaccine in the past year (all ages) | 47.3 | 45.6 | 49.0 |
| Had flu vaccine in the past year (65+) | 69.5 | 66.4 | 72.6 |
| Ever had a Pneumonia vaccine (all ages) | 34.9 | 33.2 | 36.6 |
| Ever had a Pneumonia vaccine (65+) | 71.6 | 68.5 | 74.6 |
| Ever tested for HIV | 41.8 | 40.1 | 43.6 |
| Dental visit in the past year | 75.2 | 73.8 | 76.6 |
| Had mammogram in the past two years (women 40+) | 80.7 | 78.5 | 82.8 |
| Had mammogram in the past two years (women 40-74 years old) | 82.5 | 80.3 | 84.8 |
| Cervical cancer screening (PAP test in past 3 years or H.P.V. test in past 5 years) | 59.6 | 57.1 | 62.1 |
| Colorectal cancer screening | 78.5 | 76.6 | 80.4 |

| | | | |
|---|---|---|---|
| **Chronic Diseases** | | | |
| Current asthma | 11.7 | 10.7 | 12.8 |
| Former asthma | 4.5 | 3.8 | 5.2 |
| Chronic obstructive pulmonary disease (COPD) | 5.7 | 4.9 | 6.5 |
| Arthritis | 25.3 | 23.9 | 26.6 |
| Cardiovascular diseases or stroke | 8.8 | 7.9 | 9.6 |
| Diabetes | 11.7 | 10.7 | 12.7 |
| Kidney disease | 3.4 | 2.8 | 4.0 |
| Depression | 18.4 | 17.2 | 19.7 |
| **Other Topics** | | | |
| **Special Population** | | | |
| Prevalence of LGBTQ+ population | 10.3 | 9.1 | 11.5 |
| **Social Determinants of Health and Health Equity** | | | |
| Satisfied or very satisfied with their life | 93.8 | 92.9 | 94.8 |
| Always or usually get the social and emotional support they need | 75.4 | 73.8 | 77.0 |
| Assisted a friend or family member regularly who has a health problem or disability | 30.4 | 28.7 | 32.1 |
| Lost employment or reduced hours during the past 12 months (18-64 years old) | 13.0 | 11.6 | 14.4 |
| Had a time when they were unable to pay their mortgage, rent, or utility bills during the past 12 months | 9.0 | 8.0 | 10.0 |
| Lack of reliable transportation kept them from medical appointments, meetings, work, or getting things needed for daily living | 7.2 | 6.1 | 8.2 |
| Always or usually felt lonely | 5.6 | 4.8 | 6.4 |
| Considered neighborhood to be safe or extremely safe | 95.2 | 94.5 | 95.9 |
| Felt treated worse than people of other races in the past 12 months | 4.7 | 3.8 | 5.5 |
| **Firearm Safety** | | | |
| Store firearm in secure location | 83.7 | 80.6 | 86.8 |

## Summary of Child Measures

| | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|
| Overweight (5-17 years old) | 12.1 | 8.8 | 15.3 |
| Obese (5-17 years old) | 20.4 | 15.7 | 25.2 |
| Ever breastfed | 83.9 | 80.7 | 87.1 |
| • Exclusive breastfed for at least 3 months | 62.3 | 57.8 | 66.8 |
| • Exclusive breastfed for at least 6 months | 50.7 | 43.4 | 58.0 |
| Excessive screen time (2-17 years old) | 58.3 | 53.2 | 63.4 |
| Drank soda or sugary drinks at least once daily (2-17 years old) | 28.9 | 24.6 | 33.2 |
| Ate fast food at least twice weekly (2-17 years old) | 43.8 | 39.0 | 48.6 |
| Visited dentist in the past year | 85.3 | 82.4 | 88.3 |
| Ever received dental sealant on permanent teeth (5-17 years old) | 40.4 | 35.1 | 45.7 |
| Had dental decay in the past 12 months | 15.7 | 12.1 | 19.3 |
| Current asthma | 7.8 | 6.0 | 9.6 |
| Former asthma | 3.4 | 2.1 | 4.8 |

# Adult Health Indicators

## Fair or Poor Health

Indicator Description: Among all adults, the proportion who reported that their health, in general, was either fair or poor.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 15.7 | 14.5 | 16.9 |
| Age | 18-24* | 13.2 | 8.6 | 17.8 |
| | 25-44 | 13.0 | 11.1 | 15.0 |
| | 45-64 | 16.9 | 14.8 | 18.9 |
| | 65 and over | 18.9 | 16.4 | 21.5 |
| Sexual Orientation | LGBTQ+ | 21.9 | 16.6 | 27.2 |
| | Non-LGBTQ+ | 14.1 | 12.8 | 15.3 |
| Sex | Male | 14.3 | 12.8 | 15.8 |
| | Female | 17.0 | 15.1 | 18.9 |
| Race/ Ethnicity | Non-Hispanic White | 13.1 | 11.6 | 14.6 |
| | Non-Hispanic Black | 16.3 | 12.8 | 19.9 |
| | Hispanic | 25.1 | 21.5 | 28.6 |
| | Non-Hispanic Other* | 13.9 | 9.6 | 18.1 |
| Income | Less than $35K | 32.3 | 28.5 | 36.2 |
| | $35K<$75K | 16.8 | 13.8 | 19.7 |
| | $75K and more | 7.6 | 6.2 | 9.1 |
| Insurance Status | Insured | 14.8 | 13.5 | 16.1 |
| | Uninsured | 26.9 | 21.4 | 32.4 |
| Disability Status | Disabled | 39.2 | 35.8 | 42.7 |
| | Non-disabled | 7.4 | 6.4 | 8.4 |
| Education Achievement | High School or Less | 26.6 | 23.8 | 29.4 |
| | Some College | 13.8 | 11.7 | 15.9 |
| | College or More | 6.6 | 5.6 | 7.6 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Poor Physical Health

Indicator Description: Among all adults, the proportion who reported 14 days or more of poor physical health, which includes physical illness and injury, during the past 30 days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 12.1 | 11.0 | 13.2 |
| Age | 18-24** | 11.2 | 6.7 | 15.7 |
| | 25-44 | 8.3 | 6.7 | 10.0 |
| | 45-64 | 12.9 | 11.1 | 14.8 |
| | 65 and over | 16.9 | 14.4 | 19.4 |
| Sexual Orientation | LGBTQ+* | 15.1 | 10.5 | 19.7 |
| | Non-LGBTQ+ | 11.2 | 10.0 | 12.3 |
| Sex | Male | 9.9 | 8.5 | 11.3 |
| | Female | 14.1 | 12.4 | 15.8 |
| Race/ Ethnicity | Non-Hispanic White | 11.9 | 10.5 | 13.4 |
| | Non-Hispanic Black | 12.9 | 9.4 | 16.3 |
| | Hispanic | 12.8 | 10.1 | 15.4 |
| | Non-Hispanic Other* | 9.9 | 6.4 | 13.3 |
| Income | Less than $35K | 21.8 | 18.3 | 25.2 |
| | $35K<$75K | 12.9 | 10.2 | 15.7 |
| | $75K and more | 7.8 | 6.3 | 9.2 |
| Insurance Status | Insured | 12.4 | 11.2 | 13.6 |
| | Uninsured* | 10.5 | 7.0 | 14.0 |
| Disability Status | Disabled | 31.7 | 28.3 | 35.1 |
| | Non-disabled | 5.6 | 4.7 | 6.5 |
| Education Achievement | High School or Less | 15.8 | 13.4 | 18.2 |
| | Some College | 13.6 | 11.4 | 15.8 |
| | College or More | 7.6 | 6.5 | 8.8 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Poor Mental Health

Indicator Description: Among all adults, the proportion who reported 14 days or more of poor mental health, during the past 30 days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 13.9 | 12.8 | 15.1 |
| Age | 18-24 | 18.2 | 13.5 | 22.8 |
| | 25-44 | 17.7 | 15.6 | 19.8 |
| | 45-64 | 12.9 | 11.0 | 14.7 |
| | 65 and over | 8.8 | 6.9 | 10.6 |
| Sexual Orientation | LGBTQ+ | 24.2 | 19.2 | 29.1 |
| | Non-LGBTQ+ | 12.9 | 11.7 | 14.1 |
| Sex | Male | 11.5 | 10.1 | 12.9 |
| | Female | 16.2 | 14.5 | 18.0 |
| Race/ Ethnicity | Non-Hispanic White | 13.8 | 12.3 | 15.3 |
| | Non-Hispanic Black | 16.5 | 12.7 | 20.3 |
| | Hispanic | 13.5 | 10.9 | 16.0 |
| | Non-Hispanic Other* | 12.4 | 8.8 | 16.1 |
| Income | Less than $35K | 22.2 | 18.8 | 25.6 |
| | $35K<$75K | 17.4 | 14.5 | 20.3 |
| | $75K and more | 10.7 | 9.2 | 12.2 |
| Insurance Status | Insured | 13.9 | 12.7 | 15.1 |
| | Uninsured | 13.7 | 10.0 | 17.5 |
| Disability Status | Disabled | 29.6 | 26.4 | 32.8 |
| | Non-disabled | 8.7 | 7.6 | 9.7 |
| Education Achievement | High School or Less | 16.4 | 14.0 | 18.7 |
| | Some College | 15.8 | 13.5 | 18.1 |
| | College or More | 10.7 | 9.4 | 12.0 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Activities Limited by Poor Physical or Mental Health

Indicator Description: Among all adults, the proportion who reported poor physical or mental health kept them from doing usual activities such as self-care, work, or recreation for 14 days or more during the past 30 days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 38.8 | 35.2 | 42.4 |
| Age | 18-24** | 24.0 | 13.3 | 34.8 |
| | 25-44 | 32.0 | 26.2 | 37.7 |
| | 45-64 | 49.3 | 43.1 | 55.5 |
| | 65 and over | 43.4 | 36.0 | 50.8 |
| Sexual Orientation | LGBTQ+* | 31.5 | 22.1 | 40.9 |
| | Non-LGBTQ+ | 39.8 | 35.7 | 43.8 |
| Sex | Male | 34.3 | 29.2 | 39.5 |
| | Female | 41.9 | 37.1 | 46.8 |
| Race/ Ethnicity | Non-Hispanic White | 38.5 | 33.8 | 43.2 |
| | Non-Hispanic Black | 40.1 | 29.6 | 50.5 |
| | Hispanic | 36.2 | 28.1 | 44.2 |
| | Non-Hispanic Other* | 44.5 | 30.9 | 58.2 |
| Income | Less than $35K | 47.2 | 40.1 | 54.3 |
| | $35K<$75K | 41.1 | 33.3 | 48.9 |
| | $75K and more | 30.4 | 24.3 | 36.5 |
| Insurance Status | Insured | 40.4 | 36.6 | 44.3 |
| | Uninsured* | 30.6 | 19.8 | 41.4 |
| Disability Status | Disabled | 51.8 | 46.5 | 57.1 |
| | Non-disabled | 22.7 | 18.3 | 27.1 |
| Education Achievement | High School or Less | 43.2 | 36.9 | 49.6 |
| | Some College | 37.4 | 31.3 | 43.4 |
| | College or More | 34.0 | 28.8 | 39.2 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Disability

Indicator Description: Among all adults, the proportion who reported being blind, or deaf, or have a serious difficulty walking or climbing stairs, or difficulty dressing or bathing, or limited in any activities because of physical, mental, or emotional problems, or reported that they required use of special equipment (such as a cane, wheelchair, special bed, or a special telephone) due to a health problem.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 25.8 | 24.3 | 27.3 |
| Age | 18-24 | 22.9 | 17.3 | 28.5 |
| | 25-44 | 20.4 | 17.9 | 22.9 |
| | 45-64 | 23.0 | 20.7 | 25.3 |
| | 65 and over | 37.0 | 33.9 | 40.1 |
| Sexual Orientation | LGBTQ+ | 42.5 | 36.3 | 48.8 |
| | Non-LGBTQ+ | 23.3 | 21.8 | 24.9 |
| Sex | Male | 21.3 | 19.4 | 23.1 |
| | Female | 30.0 | 27.7 | 32.3 |
| Race/ Ethnicity | Non-Hispanic White | 24.1 | 22.2 | 26.0 |
| | Non-Hispanic Black | 27.9 | 23.1 | 32.6 |
| | Hispanic | 29.7 | 25.8 | 33.6 |
| | Non-Hispanic Other | 25.2 | 19.7 | 30.8 |
| Income | Less than $35K | 43.8 | 39.6 | 47.9 |
| | $35K<$75K | 29.7 | 26.2 | 33.3 |
| | $75K and more | 15.6 | 13.8 | 17.4 |
| Insurance Status | Insured | 25.3 | 23.8 | 26.9 |
| | Uninsured | 27.8 | 21.9 | 33.6 |
| Education Achievement | High School or Less | 36.5 | 33.4 | 39.7 |
| | Some College | 25.9 | 23.1 | 28.7 |
| | College or More | 16.1 | 14.4 | 17.8 |

## Overweight

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 25.0, but less than 30.0.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 35.9 | 34.3 | 37.5 |
| Age | 18-24 | 26.4 | 20.9 | 31.9 |
| | 25-44 | 36.5 | 33.5 | 39.4 |
| | 45-64 | 36.2 | 33.4 | 38.9 |
| | 65 and over | 39.2 | 36.1 | 42.3 |
| Sexual Orientation | LGBTQ+ | 31.2 | 25.7 | 36.7 |
| | Non-LGBTQ+ | 36.5 | 34.7 | 38.3 |
| Sex | Male | 40.6 | 38.3 | 42.9 |
| | Female | 30.9 | 28.6 | 33.2 |
| Race/ Ethnicity | Non-Hispanic White | 36.9 | 34.9 | 38.9 |
| | Non-Hispanic Black | 34.4 | 29.1 | 39.7 |
| | Hispanic | 34.5 | 30.1 | 38.9 |
| | Non-Hispanic Other | 33.0 | 27.1 | 38.9 |
| Income | Less than $35K | 32.1 | 28.2 | 36.0 |
| | $35K<$75K | 33.8 | 30.3 | 37.4 |
| | $75K and more | 37.6 | 35.3 | 40.0 |
| Insurance Status | Insured | 35.8 | 34.1 | 37.5 |
| | Uninsured | 38.4 | 31.6 | 45.2 |
| Disability Status | Disabled | 31.6 | 28.4 | 34.8 |
| | Non-disabled | 37.2 | 35.3 | 39.1 |
| Education Achievement | High School or Less | 35.9 | 32.7 | 39.0 |
| | Some College | 32.5 | 29.2 | 35.8 |
| | College or More | 38.1 | 35.8 | 40.3 |

## Obese

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 30.0.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 32.0 | 30.4 | 33.6 |
| Age | 18-24* | 18.3 | 12.8 | 23.9 |
| | 25-44 | 34.0 | 31.0 | 36.9 |
| | 45-64 | 37.8 | 35.0 | 40.6 |
| | 65 and over | 29.2 | 26.2 | 32.1 |
| Sexual Orientation | LGBTQ+ | 34.7 | 28.4 | 41.0 |
| | Non-LGBTQ+ | 32.2 | 30.5 | 33.9 |
| Sex | Male | 30.9 | 28.7 | 33.0 |
| | Female | 33.2 | 30.8 | 35.6 |
| Race/ Ethnicity | Non-Hispanic White | 30.6 | 28.6 | 32.6 |
| | Non-Hispanic Black | 39.9 | 34.5 | 45.2 |
| | Hispanic | 37.3 | 32.9 | 41.6 |
| | Non-Hispanic Other | 21.4 | 16.0 | 26.7 |
| Income | Less than $35K | 38.5 | 34.4 | 42.6 |
| | $35K<$75K | 36.7 | 32.9 | 40.5 |
| | $75K and more | 29.8 | 27.6 | 32.1 |
| Insurance Status | Insured | 32.4 | 30.7 | 34.1 |
| | Uninsured | 26.2 | 20.2 | 32.2 |
| Disability Status | Disabled | 41.1 | 37.6 | 44.7 |
| | Non-disabled | 29.1 | 27.3 | 31.0 |
| Education Achievement | High School or Less | 36.6 | 33.4 | 39.8 |
| | Some College | 36.9 | 33.4 | 40.3 |
| | College or More | 24.7 | 22.8 | 26.7 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Insurance Coverage

Indicator Description: Among all adults, the proportion who reported having health care coverage including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Indian Health Services.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 93.0 | 92.2 | 93.8 |
| Age | 18-24 | 91.2 | 87.9 | 94.5 |
| | 25-44 | 86.5 | 84.5 | 88.4 |
| | 45-64 | 95.2 | 94.1 | 96.4 |
| | 65 and over | 98.9 | 98.3 | 99.5 |
| Sexual Orientation | LGBTQ+ | 92.4 | 89.5 | 95.4 |
| | Non-LGBTQ+ | 94.3 | 93.5 | 95.1 |
| Sex | Male | 91.9 | 90.7 | 93.2 |
| | Female | 94.0 | 92.9 | 95.1 |
| Race/ Ethnicity | Non-Hispanic White | 98.3 | 97.8 | 98.8 |
| | Non-Hispanic Black | 93.9 | 91.6 | 96.2 |
| | Hispanic | 72.8 | 69.2 | 76.5 |
| | Non-Hispanic Other | 96.5 | 94.6 | 98.5 |
| Income | Less than $35K | 81.3 | 78.1 | 84.5 |
| | $35K<$75K | 94.6 | 93.0 | 96.2 |
| | $75K and more | 98.2 | 97.5 | 98.9 |
| Disability Status | Disabled | 92.6 | 90.9 | 94.4 |
| | Non-disabled | 93.4 | 92.4 | 94.4 |
| Education Achievement | High School or Less | 86.0 | 84.0 | 88.1 |
| | Some College | 95.3 | 94.1 | 96.5 |
| | College or More | 98.0 | 97.4 | 98.6 |

## Private Insurance

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having private insurance.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 66.3 | 64.4 | 68.2 |
| Age | 18-24 | 61.6 | 54.7 | 68.4 |
| | 25-44 | 63.4 | 60.6 | 66.1 |
| | 45-64 | 70.8 | 68.3 | 73.3 |
| Sexual Orientation | LGBTQ+ | 56.8 | 50.1 | 63.5 |
| | Non-LGBTQ+ | 69.0 | 67.1 | 71.0 |
| Sex | Male | 68.4 | 65.9 | 71.0 |
| | Female | 64.2 | 61.4 | 66.9 |
| Race/ Ethnicity | Non-Hispanic White | 79.0 | 76.8 | 81.1 |
| | Non-Hispanic Black | 59.3 | 53.7 | 64.9 |
| | Hispanic | 35.8 | 31.4 | 40.2 |
| | Non-Hispanic Other | 71.3 | 65.1 | 77.6 |
| Income | Less than $35K | 16.9 | 13.1 | 20.6 |
| | $35K<$75K | 59.4 | 54.9 | 64.0 |
| | $75K and more | 89.1 | 87.3 | 90.9 |
| Disability Status | Disabled | 44.2 | 39.7 | 48.6 |
| | Non-disabled | 73.4 | 71.4 | 75.5 |
| Education Achievement | High School or Less | 44.5 | 40.6 | 48.3 |
| | Some College | 64.0 | 60.1 | 67.8 |
| | College or More | 86.8 | 85.1 | 88.5 |

## Medicare

Indicator Description: Among adults aged 18-64 years old, the proportion who reported their current primary source of health insurance is Medicare or Medigap.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 5.2 | 4.3 | 6.1 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 3.7 | 2.8 | 4.6 |
| | 45-64 | 6.1 | 4.8 | 7.3 |
| Sexual Orientation | LGBTQ+** | 9.1 | 4.8 | 13.4 |
| | Non-LGBTQ+ | 4.6 | 3.8 | 5.5 |
| Sex | Male | 4.4 | 3.3 | 5.5 |
| | Female | 6.0 | 4.5 | 7.4 |
| Race/ Ethnicity | Non-Hispanic White | 3.9 | 2.9 | 4.9 |
| | Non-Hispanic Black* | 6.3 | 4.0 | 8.6 |
| | Hispanic* | 8.0 | 5.3 | 10.6 |
| | Non-Hispanic Other*** | . | . | . |
| Income | Less than $35K | 13.6 | 9.8 | 17.4 |
| | $35K<$75K* | 6.7 | 4.6 | 8.8 |
| | $75K and more** | 1.4 | 0.7 | 2.1 |
| Disability Status | Disabled | 10.9 | 8.2 | 13.6 |
| | Non-disabled | 3.6 | 2.6 | 4.5 |
| Education Achievement | High School or Less | 8.0 | 5.9 | 10.1 |
| | Some College* | 6.6 | 4.6 | 8.6 |
| | College or More* | 2.0 | 1.4 | 2.5 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Medicaid or Other State Program

Indicator Description: Among adults aged 18-64 years old, the proportion who reported their current primary source of health insurance is Medicaid, Children's Health Insurance Program (CHIP), or other state program.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 14.7 | 13.3 | 16.2 |
| Age | 18-24* | 16.0 | 10.5 | 21.4 |
| | 25-44 | 15.1 | 13.0 | 17.2 |
| | 45-64 | 13.9 | 12.0 | 15.8 |
| Sexual Orientation | LGBTQ+ | 21.6 | 15.7 | 27.6 |
| | Non-LGBTQ+ | 13.9 | 12.4 | 15.4 |
| Sex | Male | 11.5 | 9.7 | 13.3 |
| | Female | 17.9 | 15.6 | 20.1 |
| Race/ Ethnicity | Non-Hispanic White | 10.8 | 9.1 | 12.5 |
| | Non-Hispanic Black | 22.0 | 17.3 | 26.7 |
| | Hispanic | 22.0 | 18.1 | 25.8 |
| | Non-Hispanic Other* | 14.6 | 9.6 | 19.7 |
| Income | Less than $35K | 39.5 | 34.5 | 44.6 |
| | $35K<$75K | 18.8 | 15.2 | 22.4 |
| | $75K and more* | 3.5 | 2.3 | 4.6 |
| Disability Status | Disabled | 25.4 | 21.5 | 29.2 |
| | Non-disabled | 10.8 | 9.3 | 12.3 |
| Education Achievement | High School or Less | 23.2 | 20.0 | 26.5 |
| | Some College | 17.8 | 14.7 | 20.8 |
| | College or More | 5.7 | 4.6 | 6.8 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## No Insurance (18-64)

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having no health insurance.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 9.1 | 8.0 | 10.2 |
| Age | 18-24* | 8.8 | 5.5 | 12.1 |
| | 25-44 | 13.5 | 11.6 | 15.4 |
| | 45-64 | 4.8 | 3.6 | 5.9 |
| Sexual Orientation | LGBTQ+** | 8.3 | 5.0 | 11.6 |
| | Non-LGBTQ+ | 7.6 | 6.5 | 8.7 |
| Sex | Male | 10.3 | 8.7 | 12.0 |
| | Female | 7.9 | 6.4 | 9.4 |
| Race/ Ethnicity | Non-Hispanic White* | 2.3 | 1.6 | 3.0 |
| | Non-Hispanic Black* | 7.4 | 4.5 | 10.3 |
| | Hispanic | 28.5 | 24.6 | 32.3 |
| | Non-Hispanic Other*** | . | . | . |
| Income | Less than $35K | 24.3 | 20.2 | 28.5 |
| | $35K<$75K* | 8.1 | 5.7 | 10.5 |
| | $75K and more* | 2.2 | 1.4 | 3.0 |
| Disability Status | Disabled | 11.0 | 8.3 | 13.7 |
| | Non-disabled | 8.2 | 7.0 | 9.4 |
| Education Achievement | High School or Less | 18.5 | 15.8 | 21.3 |
| | Some College | 5.9 | 4.3 | 7.5 |
| | College or More* | 2.4 | 1.7 | 3.2 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## At Least One Regular Doctor

Indicator Description: Among all adults, the proportion who reported having at least one person they consider their personal doctor or health care provider.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 88.2 | 87.1 | 89.3 |
| Age | 18-24 | 78.6 | 72.9 | 84.3 |
| | 25-44 | 79.1 | 76.8 | 81.4 |
| | 45-64 | 92.7 | 91.3 | 94.1 |
| | 65 and over | 98.1 | 97.4 | 98.8 |
| Sexual Orientation | LGBTQ+ | 88.6 | 85.2 | 91.9 |
| | Non-LGBTQ+ | 89.5 | 88.4 | 90.7 |
| Sex | Male | 85.6 | 83.9 | 87.4 |
| | Female | 90.5 | 89.1 | 92.0 |
| Race/ Ethnicity | Non-Hispanic White | 94.4 | 93.5 | 95.4 |
| | Non-Hispanic Black | 88.9 | 85.6 | 92.2 |
| | Hispanic | 66.6 | 62.5 | 70.7 |
| | Non-Hispanic Other | 90.6 | 87.2 | 94.1 |
| Income | Less than $35K | 77.2 | 73.8 | 80.7 |
| | $35K<$75K | 88.7 | 86.3 | 91.1 |
| | $75K and more | 92.7 | 91.2 | 94.2 |
| Insurance Status | Insured | 92.5 | 91.5 | 93.5 |
| | Uninsured | 33.9 | 28.1 | 39.8 |
| Disability Status | Disabled | 90.6 | 88.6 | 92.5 |
| | Non-disabled | 87.7 | 86.3 | 89.0 |
| Education Achievement | High School or Less | 81.0 | 78.4 | 83.5 |
| | Some College | 91.2 | 89.4 | 93.1 |
| | College or More | 93.3 | 92.2 | 94.3 |

## Skip Doctor Visit Due to Cost

Indicator Description: Among all adults, the proportion who in the past 12 months, could not see a doctor when needed due to the cost.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 9.9 | 8.9 | 10.9 |
| Age | 18-24* | 11.9 | 7.6 | 16.2 |
| | 25-44 | 15.6 | 13.5 | 17.6 |
| | 45-64 | 9.5 | 7.9 | 11.1 |
| | 65 and over* | 2.9 | 2.0 | 3.8 |
| Sexual Orientation | LGBTQ+ | 15.3 | 11.0 | 19.5 |
| | Non-LGBTQ+ | 8.5 | 7.5 | 9.5 |
| Sex | Male | 9.2 | 7.8 | 10.5 |
| | Female | 10.6 | 9.2 | 12.1 |
| Race/ Ethnicity | Non-Hispanic White | 6.2 | 5.1 | 7.3 |
| | Non-Hispanic Black | 11.6 | 8.4 | 14.8 |
| | Hispanic | 21.7 | 18.4 | 25.0 |
| | Non-Hispanic Other** | 8.4 | 5.0 | 11.8 |
| Income | Less than $35K | 19.5 | 16.4 | 22.6 |
| | $35K<$75K | 11.6 | 9.3 | 13.8 |
| | $75K and more | 5.0 | 3.8 | 6.2 |
| Insurance Status | Insured | 7.4 | 6.4 | 8.3 |
| | Uninsured | 43.2 | 37.1 | 49.4 |
| Disability Status | Disabled | 15.1 | 12.8 | 17.5 |
| | Non-disabled | 8.1 | 7.0 | 9.2 |
| Education Achievement | High School or Less | 12.8 | 10.9 | 14.8 |
| | Some College | 11.4 | 9.1 | 13.6 |
| | College or More | 5.8 | 4.8 | 6.8 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Skip Prescribed Medicine Due to Cost

Indicator Description: Among all adults, the proportion who in the past 12 months, could not take their medicine as prescribed because of the cost.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 6.65 | 5.80 | 7.49 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 9.1 | 7.3 | 10.9 |
| | 45-64 | 6.8 | 5.4 | 8.2 |
| | 65 and over | 4.1 | 3.0 | 5.2 |
| Sexual Orientation | LGBTQ+* | 11.4 | 7.3 | 15.5 |
| | Non-LGBTQ+ | 5.6 | 4.8 | 6.3 |
| Sex | Male | 5.4 | 4.3 | 6.5 |
| | Female | 7.8 | 6.5 | 9.1 |
| Race/ Ethnicity | Non-Hispanic White | 5.1 | 4.1 | 6.0 |
| | Non-Hispanic Black* | 8.4 | 5.2 | 11.6 |
| | Hispanic | 11.7 | 9.1 | 14.4 |
| | Non-Hispanic Other** | 5.3 | 2.7 | 7.9 |
| Income | Less than $35K | 11.9 | 9.4 | 14.4 |
| | $35K<$75K | 7.6 | 5.8 | 9.4 |
| | $75K and more | 4.6 | 3.4 | 5.9 |
| Insurance Status | Insured | 5.6 | 4.8 | 6.5 |
| | Uninsured | 19.6 | 14.5 | 24.8 |
| Disability Status | Disabled | 14.0 | 11.6 | 16.3 |
| | Non-disabled | 4.4 | 3.5 | 5.2 |
| Education Achievement | High School or Less | 9.1 | 7.2 | 11.0 |
| | Some College | 6.9 | 5.3 | 8.5 |
| | College or More | 4.0 | 3.2 | 4.9 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## No Leisure Time Physical Activities

Indicator Description: Among all adults, the proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise during the past month.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 20.8 | 19.4 | 22.1 |
| Age | 18-24* | 14.9 | 10.0 | 19.8 |
| | 25-44 | 18.7 | 16.5 | 21.0 |
| | 45-64 | 22.7 | 20.4 | 25.1 |
| | 65 and over | 23.4 | 20.8 | 26.1 |
| Sexual Orientation | LGBTQ+ | 20.5 | 15.5 | 25.5 |
| | Non-LGBTQ+ | 20.0 | 18.6 | 21.5 |
| Sex | Male | 17.3 | 15.6 | 19.0 |
| | Female | 24.0 | 22.0 | 26.1 |
| Race/ Ethnicity | Non-Hispanic White | 15.7 | 14.2 | 17.2 |
| | Non-Hispanic Black | 28.4 | 23.6 | 33.3 |
| | Hispanic | 33.1 | 29.2 | 37.0 |
| | Non-Hispanic Other | 19.8 | 15.2 | 24.5 |
| Income | Less than $35K | 36.1 | 32.1 | 40.1 |
| | $35K<$75K | 23.2 | 20.1 | 26.4 |
| | $75K and more | 11.8 | 10.1 | 13.4 |
| Insurance Status | Insured | 18.9 | 17.5 | 20.2 |
| | Uninsured | 37.4 | 31.3 | 43.5 |
| Disability Status | Disabled | 35.4 | 32.0 | 38.8 |
| | Non-disabled | 15.5 | 14.1 | 16.9 |
| Education Achievement | High School or Less | 31.8 | 28.9 | 34.7 |
| | Some College | 20.2 | 17.6 | 22.7 |
| | College or More | 10.8 | 9.5 | 12.1 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Current Smoker

Indicator Description: Among all adults, the proportion who reported ever smoking at least 100 cigarettes in their lifetime and currently smoking cigarettes either every day or on some days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 9.0 | 8.1 | 10.0 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 8.7 | 7.1 | 10.3 |
| | 45-64 | 12.7 | 10.7 | 14.7 |
| | 65 and over | 8.6 | 6.6 | 10.6 |
| Sexual Orientation | LGBTQ+** | 7.6 | 4.5 | 10.6 |
| | Non-LGBTQ+ | 9.6 | 8.5 | 10.7 |
| Sex | Male | 9.6 | 8.2 | 11.0 |
| | Female | 8.5 | 7.2 | 9.8 |
| Race/ Ethnicity | Non-Hispanic White | 8.8 | 7.5 | 10.0 |
| | Non-Hispanic Black* | 9.8 | 6.8 | 12.8 |
| | Hispanic | 9.2 | 6.9 | 11.6 |
| | Non-Hispanic Other** | 7.2 | 4.3 | 10.1 |
| Income | Less than $35K | 15.4 | 12.5 | 18.3 |
| | $35K<$75K | 11.8 | 9.2 | 14.4 |
| | $75K and more | 6.3 | 5.1 | 7.5 |
| Insurance Status | Insured | 8.9 | 7.9 | 9.9 |
| | Uninsured* | 12.7 | 8.7 | 16.6 |
| Disability Status | Disabled | 15.0 | 12.4 | 17.6 |
| | Non-disabled | 6.9 | 6.0 | 7.9 |
| Education Achievement | High School or Less | 13.9 | 11.7 | 16.1 |
| | Some College | 10.8 | 8.9 | 12.7 |
| | College or More | 3.6 | 2.8 | 4.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Current Cigar Use

Indicator Description: Among all adults, the proportion who currently smoke cigars, cigarillos, or little cigars every day or on some days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 4.0 | 3.4 | 4.7 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 5.5 | 4.2 | 6.8 |
| | 45-64 | 4.1 | 3.0 | 5.3 |
| | 65 and over** | 2.6 | 1.6 | 3.6 |
| Sexual Orientation | LGBTQ+*** | . | . | . |
| | Non-LGBTQ+ | 4.2 | 3.5 | 4.9 |
| Sex | Male | 7.0 | 5.8 | 8.3 |
| | Female** | 1.2 | 0.7 | 1.6 |
| Race/ Ethnicity | Non-Hispanic White | 4.4 | 3.5 | 5.2 |
| | Non-Hispanic Black** | 3.5 | 1.7 | 5.2 |
| | Hispanic** | 2.6 | 1.2 | 4.0 |
| | Non-Hispanic Other*** | . | . | . |
| Income | Less than $35K** | 4.0 | 2.3 | 5.7 |
| | $35K<$75K** | 3.9 | 2.3 | 5.5 |
| | $75K and more | 4.3 | 3.4 | 5.3 |
| Insurance Status | Insured | 4.0 | 3.3 | 4.8 |
| | Uninsured** | 5.4 | 2.6 | 8.3 |
| Disability Status | Disabled* | 4.9 | 3.4 | 6.4 |
| | Non-disabled | 3.7 | 3.0 | 4.4 |
| Education Achievement | High School or Less | 4.2 | 3.0 | 5.4 |
| | Some College* | 4.7 | 3.3 | 6.2 |
| | College or More | 3.4 | 2.5 | 4.3 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Current E-cigarette Use

Indicator Description: Among all adults, the proportion who reported using E-cigarettes or other electronic vaping products every day or on some days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 5.6 | 4.8 | 6.4 |
| Age | 18-24* | 12.8 | 8.7 | 16.9 |
| | 25-44 | 9.0 | 7.2 | 10.8 |
| | 45-64 | 3.1 | 2.2 | 3.9 |
| | 65 and over*** | . | . | . |
| Sexual Orientation | LGBTQ+* | 11.4 | 7.6 | 15.3 |
| | Non-LGBTQ+ | 5.1 | 4.2 | 5.9 |
| Sex | Male | 5.8 | 4.7 | 7.0 |
| | Female | 5.4 | 4.2 | 6.6 |
| Race/ Ethnicity | Non-Hispanic White | 5.2 | 4.2 | 6.2 |
| | Non-Hispanic Black** | 6.1 | 3.4 | 8.9 |
| | Hispanic* | 5.8 | 3.6 | 8.0 |
| | Non-Hispanic Other** | 7.0 | 3.9 | 10.1 |
| Income | Less than $35K | 8.0 | 5.7 | 10.4 |
| | $35K<$75K | 7.1 | 5.0 | 9.1 |
| | $75K and more | 4.3 | 3.2 | 5.4 |
| Insurance Status | Insured | 5.7 | 4.8 | 6.6 |
| | Uninsured** | 5.4 | 2.6 | 8.2 |
| Disability Status | Disabled | 7.7 | 6.0 | 9.5 |
| | Non-disabled | 4.8 | 3.9 | 5.8 |
| Education Achievement | High School or Less | 6.9 | 5.4 | 8.5 |
| | Some College | 7.4 | 5.4 | 9.4 |
| | College or More | 3.2 | 2.4 | 4.0 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Secondhand Exposure to Smoke

Indicator Description: Among all adults, the proportion who breathed or smelled the smoke or aerosol from someone who was smoking or vaping tobacco, marijuana, or cannabis product within the past 7 days.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 35.0 | 33.4 | 36.7 |
| Age | 18-24 | 45.5 | 38.4 | 52.5 |
| | 25-44 | 44.3 | 41.1 | 47.4 |
| | 45-64 | 36.0 | 33.2 | 38.7 |
| | 65 and over | 19.5 | 17.0 | 22.0 |
| Sexual Orientation | LGBTQ+ | 38.6 | 32.6 | 44.6 |
| | Non-LGBTQ+ | 35.1 | 33.3 | 36.9 |
| Sex | Male | 38.9 | 36.4 | 41.3 |
| | Female | 31.4 | 29.1 | 33.7 |
| Race/ Ethnicity | Non-Hispanic White | 36.7 | 34.6 | 38.8 |
| | Non-Hispanic Black | 30.9 | 25.9 | 35.9 |
| | Hispanic | 34.0 | 29.6 | 38.4 |
| | Non-Hispanic Other | 29.4 | 23.7 | 35.1 |
| Income | Less than $35K | 33.7 | 29.5 | 37.9 |
| | $35K<$75K | 35.3 | 31.5 | 39.2 |
| | $75K and more | 38.1 | 35.6 | 40.6 |
| Insurance Status | Insured | 35.6 | 33.8 | 37.4 |
| | Uninsured | 35.5 | 28.6 | 42.3 |
| Disability Status | Disabled | 34.6 | 31.2 | 38.0 |
| | Non-disabled | 35.2 | 33.3 | 37.2 |
| Education Achievement | High School or Less | 33.7 | 30.5 | 36.8 |
| | Some College | 40.8 | 37.2 | 44.4 |
| | College or More | 32.5 | 30.3 | 34.7 |

## Binge Drinking

Indicator Description: Among all adults, the proportion who reported consuming five or more alcoholic drinks per occasion for men, or four or more alcoholic drinks per occasion for women, at least once in the previous month.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 15.1 | 13.8 | 16.4 |
| Age | 18-24 | 22.8 | 16.9 | 28.7 |
| | 25-44 | 19.3 | 17.0 | 21.7 |
| | 45-64 | 15.7 | 13.6 | 17.9 |
| | 65 and over | 5.3 | 3.9 | 6.8 |
| Sexual Orientation | LGBTQ+ | 14.5 | 10.8 | 18.3 |
| | Non-LGBTQ+ | 15.4 | 13.9 | 16.8 |
| Sex | Male | 18.2 | 16.2 | 20.1 |
| | Female | 12.2 | 10.4 | 13.9 |
| Race/ Ethnicity | Non-Hispanic White | 15.5 | 13.9 | 17.1 |
| | Non-Hispanic Black* | 11.2 | 7.5 | 14.9 |
| | Hispanic | 18.9 | 14.9 | 22.8 |
| | Non-Hispanic Other* | 8.3 | 5.5 | 11.2 |
| Income | Less than $35K | 14.8 | 11.4 | 18.2 |
| | $35K<$75K | 13.2 | 10.5 | 15.9 |
| | $75K and more | 18.0 | 15.9 | 20.0 |
| Insurance Status | Insured | 15.3 | 13.9 | 16.7 |
| | Uninsured* | 13.4 | 9.1 | 17.7 |
| Disability Status | Disabled | 11.5 | 9.2 | 13.7 |
| | Non-disabled | 16.3 | 14.7 | 17.9 |
| Education Achievement | High School or Less | 15.6 | 13.0 | 18.2 |
| | Some College | 14.0 | 11.4 | 16.5 |
| | College or More | 15.5 | 13.8 | 17.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Heavy Drinking

Indicator Description: Among all adults, the proportion who reported consuming an average of more than two alcoholic drinks per day for men, or more than one alcoholic drink per day for women, in the previous month.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 5.4 | 4.6 | 6.2 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 4.6 | 3.5 | 5.7 |
| | 45-64 | 6.1 | 4.7 | 7.5 |
| | 65 and over | 5.7 | 4.3 | 7.0 |
| Sexual Orientation | LGBTQ+** | 4.0 | 2.1 | 5.9 |
| | Non-LGBTQ+ | 5.5 | 4.6 | 6.4 |
| Sex | Male | 4.2 | 3.2 | 5.3 |
| | Female | 6.5 | 5.3 | 7.7 |
| Race/ Ethnicity | Non-Hispanic White | 6.4 | 5.4 | 7.5 |
| | Non-Hispanic Black*** | . | . | . |
| | Hispanic** | 4.3 | 2.2 | 6.4 |
| | Non-Hispanic Other** | 2.5 | 1.1 | 3.9 |
| Income | Less than $35K* | 4.6 | 2.8 | 6.3 |
| | $35K<$75K* | 4.3 | 2.8 | 5.8 |
| | $75K and more | 6.4 | 5.0 | 7.7 |
| Insurance Status | Insured | 5.7 | 4.8 | 6.5 |
| | Uninsured** | 3.0 | 1.3 | 4.7 |
| Disability Status | Disabled* | 5.3 | 3.7 | 6.8 |
| | Non-disabled | 5.5 | 4.5 | 6.4 |
| Education Achievement | High School or Less* | 5.3 | 3.6 | 7.0 |
| | Some College | 5.4 | 3.8 | 6.9 |
| | College or More | 5.5 | 4.5 | 6.5 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Excessive Drinking

Indicator Description: Among all adults, the proportion who drank alcohol excessively (either heavy or binge drinkers).

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 16.5 | 15.2 | 17.9 |
| Age | 18-24 | 23.2 | 17.3 | 29.2 |
| | 25-44 | 20.2 | 17.8 | 22.6 |
| | 45-64 | 17.1 | 14.9 | 19.3 |
| | 65 and over | 8.2 | 6.6 | 9.9 |
| Sexual Orientation | LGBTQ+ | 15.2 | 11.4 | 19.1 |
| | Non-LGBTQ+ | 17.0 | 15.5 | 18.5 |
| Sex | Male | 19.0 | 17.0 | 21.0 |
| | Female | 14.2 | 12.5 | 16.0 |
| Race/ Ethnicity | Non-Hispanic White | 17.4 | 15.8 | 19.1 |
| | Non-Hispanic Black* | 11.9 | 8.1 | 15.6 |
| | Hispanic | 19.5 | 15.5 | 23.5 |
| | Non-Hispanic Other* | 8.7 | 5.8 | 11.7 |
| Income | Less than $35K | 15.6 | 12.2 | 19.0 |
| | $35K<$75K | 14.3 | 11.5 | 17.1 |
| | $75K and more | 19.5 | 17.4 | 21.6 |
| Insurance Status | Insured | 16.9 | 15.4 | 18.3 |
| | Uninsured* | 14.3 | 9.9 | 18.6 |
| Disability Status | Disabled | 12.7 | 10.4 | 15.0 |
| | Non-disabled | 17.8 | 16.2 | 19.5 |
| Education Achievement | High School or Less | 16.7 | 14.0 | 19.3 |
| | Some College | 15.9 | 13.2 | 18.6 |
| | College or More | 17.0 | 15.2 | 18.7 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Routine Checkup in the Past Year

Indicator Description: Among all adults, the proportion who reported having a routine checkup in the past year.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 80.9 | 79.6 | 82.2 |
| Age | 18-24 | 68.7 | 62.6 | 74.9 |
| | 25-44 | 70.0 | 67.4 | 72.6 |
| | 45-64 | 86.1 | 84.3 | 88.0 |
| | 65 and over | 93.6 | 92.1 | 95.0 |
| Sexual Orientation | LGBTQ+ | 77.6 | 72.7 | 82.5 |
| | Non-LGBTQ+ | 81.8 | 80.4 | 83.2 |
| Sex | Male | 77.8 | 75.8 | 79.8 |
| | Female | 83.9 | 82.2 | 85.6 |
| Race/ Ethnicity | Non-Hispanic White | 83.9 | 82.4 | 85.4 |
| | Non-Hispanic Black | 83.8 | 80.0 | 87.5 |
| | Hispanic | 68.9 | 64.8 | 72.9 |
| | Non-Hispanic Other | 83.2 | 78.8 | 87.5 |
| Income | Less than $35K | 76.3 | 73.0 | 79.7 |
| | $35K<$75K | 81.1 | 78.1 | 84.0 |
| | $75K and more | 82.9 | 81.0 | 84.8 |
| Insurance Status | Insured | 83.9 | 82.6 | 85.2 |
| | Uninsured | 47.1 | 40.8 | 53.4 |
| Disability Status | Disabled | 84.0 | 81.4 | 86.5 |
| | Non-disabled | 80.2 | 78.6 | 81.8 |
| Education Achievement | High School or Less | 75.7 | 73.0 | 78.5 |
| | Some College | 83.2 | 80.8 | 85.7 |
| | College or More | 84.3 | 82.7 | 85.9 |

## Flu Vaccine in the Past Year

Indicator Description: Among all adults, the proportion who reported having a flu vaccine in the past year.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 47.3 | 45.6 | 49.0 |
| Age | 18-24 | 39.7 | 32.9 | 46.5 |
| | 25-44 | 33.0 | 30.1 | 35.8 |
| | 45-64 | 46.4 | 43.5 | 49.2 |
| | 65 and over | 69.5 | 66.4 | 72.6 |
| Sexual Orientation | LGBTQ+ | 51.3 | 45.0 | 57.7 |
| | Non-LGBTQ+ | 47.7 | 45.9 | 49.6 |
| Sex | Male | 43.3 | 40.9 | 45.7 |
| | Female | 51.1 | 48.6 | 53.6 |
| Race/ Ethnicity | Non-Hispanic White | 54.5 | 52.4 | 56.7 |
| | Non-Hispanic Black | 37.8 | 32.4 | 43.2 |
| | Hispanic | 31.6 | 27.3 | 35.9 |
| | Non-Hispanic Other | 40.3 | 33.8 | 46.9 |
| Income | Less than $35K | 38.5 | 34.3 | 42.7 |
| | $35K<$75K | 45.3 | 41.5 | 49.2 |
| | $75K and more | 51.6 | 49.1 | 54.1 |
| Insurance Status | Insured | 49.6 | 47.8 | 51.4 |
| | Uninsured | 18.0 | 12.9 | 23.2 |
| Disability Status | Disabled | 49.4 | 45.8 | 53.0 |
| | Non-disabled | 46.4 | 44.4 | 48.4 |
| Education Achievement | High School or Less | 39.4 | 36.1 | 42.7 |
| | Some College | 44.5 | 40.9 | 48.0 |
| | College or More | 56.4 | 54.1 | 58.7 |

## Flu Vaccine in the Past Year (65+)

Indicator Description: Among adults 65 years and older, the proportion who reported having a flu vaccine in the past year.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 69.5 | 66.4 | 72.6 |
| Sexual Orientation | LGBTQ+ | 73.3 | 61.3 | 85.4 |
| | Non-LGBTQ+ | 70.1 | 66.8 | 73.4 |
| Sex | Male | 65.9 | 61.1 | 70.7 |
| | Female | 72.6 | 68.6 | 76.6 |
| Race/ Ethnicity | Non-Hispanic White | 73.8 | 70.8 | 76.8 |
| | Non-Hispanic Black | 53.5 | 40.0 | 67.1 |
| | Hispanic* | 51.5 | 31.4 | 71.6 |
| | Non-Hispanic Other* | 50.0 | 32.8 | 67.1 |
| Income | Less than $35K | 62.8 | 55.6 | 70.0 |
| | $35K<$75K | 71.1 | 64.8 | 77.4 |
| | $75K and more | 75.8 | 71.7 | 80.0 |
| Insurance Status | Insured | 70.1 | 66.9 | 73.3 |
| | Uninsured** | 55.7 | 25.7 | 85.7 |
| Disability Status | Disabled | 68.6 | 63.2 | 74.0 |
| | Non-disabled | 70.1 | 66.2 | 73.9 |
| Education Achievement | High School or Less | 65.1 | 59.2 | 70.9 |
| | Some College | 62.6 | 55.7 | 69.6 |
| | College or More | 78.4 | 74.9 | 81.8 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Ever Had Pneumonia Vaccine

Indicator Description: Among all adults, the proportion who reported ever having a Pneumococcal vaccine.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 34.9 | 33.2 | 36.6 |
| Age | 18-24 | 31.1 | 24.1 | 38.2 |
| | 25-44 | 16.8 | 14.3 | 19.2 |
| | 45-64 | 21.6 | 19.3 | 23.9 |
| | 65 and over | 71.6 | 68.5 | 74.6 |
| Sexual Orientation | LGBTQ+ | 34.2 | 27.5 | 40.9 |
| | Non-LGBTQ+ | 36.0 | 34.2 | 37.8 |
| Sex | Male | 32.1 | 29.8 | 34.4 |
| | Female | 37.5 | 35.1 | 40.0 |
| Race/ Ethnicity | Non-Hispanic White | 42.1 | 39.9 | 44.3 |
| | Non-Hispanic Black | 27.9 | 22.9 | 32.9 |
| | Hispanic | 15.4 | 11.9 | 18.9 |
| | Non-Hispanic Other | 30.3 | 23.3 | 37.4 |
| Income | Less than $35K | 32.2 | 28.1 | 36.2 |
| | $35K<$75K | 38.7 | 34.8 | 42.6 |
| | $75K and more | 33.0 | 30.6 | 35.4 |
| Insurance Status | Insured | 36.5 | 34.7 | 38.3 |
| | Uninsured* | 13.2 | 8.6 | 17.8 |
| Disability Status | Disabled | 46.8 | 43.1 | 50.5 |
| | Non-disabled | 30.8 | 28.9 | 32.7 |
| Education Achievement | High School or Less | 31.4 | 28.2 | 34.6 |
| | Some College | 37.1 | 33.6 | 40.6 |
| | College or More | 37.0 | 34.6 | 39.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Ever Had Pneumonia Vaccine (65+)

Indicator Description: Among adults 65 years and older, the proportion who reported ever having a Pneumococcal vaccine.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 71.6 | 68.5 | 74.6 |
| Sexual Orientation | LGBTQ+ | 69.8 | 57.1 | 82.5 |
| | Non-LGBTQ+ | 72.4 | 69.3 | 75.6 |
| Sex | Male | 69.3 | 64.9 | 73.7 |
| | Female | 73.5 | 69.3 | 77.7 |
| Race/ Ethnicity | Non-Hispanic White | 75.3 | 72.3 | 78.3 |
| | Non-Hispanic Black | 50.2 | 36.6 | 63.8 |
| | Hispanic* | 56.1 | 36.5 | 75.6 |
| | Non-Hispanic Other | 60.9 | 43.5 | 78.2 |
| Income | Less than $35K | 64.4 | 56.9 | 71.9 |
| | $35K<$75K | 73.8 | 67.5 | 80.1 |
| | $75K and more | 77.5 | 73.5 | 81.4 |
| Insurance Status | Insured | 72.1 | 69.0 | 75.2 |
| | Uninsured** | 54.4 | 25.6 | 83.2 |
| Disability Status | Disabled | 74.6 | 69.3 | 79.9 |
| | Non-disabled | 69.9 | 66.1 | 73.7 |
| Education Achievement | High School or Less | 66.6 | 60.6 | 72.6 |
| | Some College | 68.2 | 61.7 | 74.7 |
| | College or More | 78.7 | 75.2 | 82.2 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Ever Tested for HIV

Indicator Description: Among all adults, the proportion who reported ever having been tested for HIV, apart from tests that were part of a blood donation.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 41.8 | 40.1 | 43.6 |
| Age | 18-24 | 23.6 | 18.0 | 29.1 |
| | 25-44 | 56.4 | 53.3 | 59.5 |
| | 45-64 | 51.0 | 48.0 | 53.9 |
| | 65 and over | 22.0 | 19.1 | 24.9 |
| Sexual Orientation | LGBTQ+ | 48.5 | 42.0 | 54.9 |
| | Non-LGBTQ+ | 41.2 | 39.3 | 43.0 |
| Sex | Male | 38.9 | 36.5 | 41.4 |
| | Female | 44.6 | 42.1 | 47.1 |
| Race/ Ethnicity | Non-Hispanic White | 36.4 | 34.3 | 38.4 |
| | Non-Hispanic Black | 60.8 | 55.2 | 66.5 |
| | Hispanic | 52.8 | 48.1 | 57.5 |
| | Non-Hispanic Other | 37.2 | 30.8 | 43.7 |
| Income | Less than $35K | 47.7 | 43.3 | 52.1 |
| | $35K<$75K | 39.0 | 35.1 | 42.8 |
| | $75K and more | 43.8 | 41.2 | 46.3 |
| Insurance Status | Insured | 42.6 | 40.7 | 44.4 |
| | Uninsured | 47.3 | 40.3 | 54.3 |
| Disability Status | Disabled | 44.8 | 41.1 | 48.4 |
| | Non-disabled | 40.8 | 38.8 | 42.8 |
| Education Achievement | High School or Less | 38.6 | 35.3 | 41.9 |
| | Some College | 43.6 | 40.0 | 47.2 |
| | College or More | 43.6 | 41.3 | 46.0 |

## Dental Visit in the Past Year

Indicator Description: Among all adults, the proportion who reported having visited a dentist or dental clinic for any reason in the previous year.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 75.2 | 73.8 | 76.6 |
| Age | 18-24 | 79.8 | 74.9 | 84.8 |
| | 25-44 | 67.4 | 64.7 | 70.1 |
| | 45-64 | 77.4 | 75.1 | 79.7 |
| | 65 and over | 79.3 | 76.8 | 81.9 |
| Sexual Orientation | LGBTQ+ | 76.6 | 72.0 | 81.2 |
| | Non-LGBTQ+ | 76.1 | 74.5 | 77.6 |
| Sex | Male | 73.0 | 71.0 | 75.1 |
| | Female | 77.2 | 75.3 | 79.2 |
| Race/ Ethnicity | Non-Hispanic White | 81.1 | 79.5 | 82.6 |
| | Non-Hispanic Black | 66.4 | 61.5 | 71.3 |
| | Hispanic | 61.2 | 57.1 | 65.3 |
| | Non-Hispanic Other | 75.8 | 70.7 | 80.8 |
| Income | Less than $35K | 56.4 | 52.3 | 60.4 |
| | $35K<$75K | 75.0 | 71.8 | 78.1 |
| | $75K and more | 82.6 | 80.7 | 84.4 |
| Insurance Status | Insured | 77.6 | 76.2 | 79.1 |
| | Uninsured | 42.1 | 35.9 | 48.3 |
| Disability Status | Disabled | 69.8 | 66.7 | 72.8 |
| | Non-disabled | 77.3 | 75.7 | 78.9 |
| Education Achievement | High School or Less | 65.2 | 62.3 | 68.1 |
| | Some College | 75.3 | 72.5 | 78.1 |
| | College or More | 84.7 | 83.1 | 86.3 |

## Breast Cancer Screening (Women 40 and over)

Indicator Description: Among women aged 40 and over, the proportion who reported having had a mammogram in the past two years.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 80.7 | 78.5 | 82.8 |
| Sexual Orientation | LGBTQ+ | 73.0 | 62.9 | 83.1 |
| | Non-LGBTQ+ | 82.0 | 79.8 | 84.2 |
| Race/ Ethnicity | Non-Hispanic White | 81.9 | 79.3 | 84.4 |
| | Non-Hispanic Black | 85.6 | 79.9 | 91.4 |
| | Hispanic | 74.0 | 67.6 | 80.4 |
| | Non-Hispanic Other | 74.3 | 63.4 | 85.2 |
| Income | Less than $35K | 65.2 | 58.7 | 71.7 |
| | $35K<$75K | 82.6 | 78.4 | 86.9 |
| | $75K and more | 87.1 | 84.5 | 89.7 |
| Insurance Status | Insured | 82.3 | 80.1 | 84.5 |
| | Uninsured | 58.4 | 45.2 | 71.7 |
| Disability Status | Disabled | 73.0 | 68.5 | 77.6 |
| | Non-disabled | 84.2 | 81.9 | 86.6 |
| Education Achievement | High School or Less | 72.8 | 67.8 | 77.8 |
| | Some College | 82.5 | 78.6 | 86.5 |
| | College or More | 85.7 | 83.2 | 88.1 |

## Breast Cancer Screening (Women 40-74)

Indicator Description: Among women aged 40-74 years old, the proportion who reported having had a mammogram in the past two years.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 82.5 | 80.3 | 84.8 |
| Sexual Orientation | LGBTQ+ | 72.0 | 61.3 | 82.7 |
| | Non-LGBTQ+ | 84.1 | 81.9 | 86.4 |
| Race/ Ethnicity | Non-Hispanic White | 84.9 | 82.3 | 87.4 |
| | Non-Hispanic Black | 85.7 | 79.5 | 91.9 |
| | Hispanic | 74.7 | 68.3 | 81.1 |
| | Non-Hispanic Other | 74.6 | 62.7 | 86.6 |
| Income | Less than $35K | 66.5 | 59.2 | 73.7 |
| | $35K<$75K | 84.4 | 79.9 | 89.0 |
| | $75K and more | 87.6 | 85.0 | 90.3 |
| Insurance Status | Insured | 84.3 | 82.1 | 86.5 |
| | Uninsured | 59.1 | 45.8 | 72.5 |
| Disability Status | Disabled | 75.2 | 70.1 | 80.3 |
| | Non-disabled | 85.3 | 82.9 | 87.7 |
| Education Achievement | High School or Less | 75.3 | 70.0 | 80.7 |
| | Some College | 82.9 | 78.6 | 87.3 |
| | College or More | 87.0 | 84.5 | 89.5 |

## Cervical Cancer Screening

Indicator Description: Among women, the proportion who reported having either a PAP test in the past 3 years or a H.P.V. test in the past 5 years.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 59.6 | 57.1 | 62.1 |
| Age | 18-24* | 23.5 | 16.0 | 31.1 |
| | 25-44 | 73.7 | 69.8 | 77.7 |
| | 45-64 | 74.8 | 71.3 | 78.3 |
| | 65 and over | 39.7 | 35.2 | 44.2 |
| Sexual Orientation | LGBTQ+ | 50.2 | 41.9 | 58.6 |
| | Non-LGBTQ+ | 62.1 | 59.4 | 64.8 |
| Race/ Ethnicity | Non-Hispanic White | 60.4 | 57.3 | 63.6 |
| | Non-Hispanic Black | 63.3 | 56.0 | 70.5 |
| | Hispanic | 55.9 | 49.4 | 62.4 |
| | Non-Hispanic Other | 54.2 | 44.4 | 64.0 |
| Income | Less than $35K | 46.5 | 40.5 | 52.4 |
| | $35K<$75K | 60.1 | 54.9 | 65.3 |
| | $75K and more | 69.1 | 65.2 | 73.0 |
| Insurance Status | Insured | 61.7 | 59.1 | 64.3 |
| | Uninsured | 48.0 | 37.7 | 58.4 |
| Disability Status | Disabled | 50.9 | 45.8 | 56.0 |
| | Non-disabled | 63.2 | 60.2 | 66.1 |
| Education Achievement | High School or Less | 44.4 | 39.3 | 49.5 |
| | Some College | 58.7 | 53.7 | 63.6 |
| | College or More | 72.5 | 69.6 | 75.4 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Colorectal Cancer Screening (45-75 years old)

Indicator Description: Among adults 45-75 years old, the proportion who have fully met the USPSTF recommendation.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 78.5 | 76.6 | 80.4 |
| Sexual Orientation | LGBTQ+ | 74.1 | 64.9 | 83.3 |
| | Non-LGBTQ+ | 79.8 | 77.9 | 81.7 |
| Sex | Male | 76.9 | 74.2 | 79.6 |
| | Female | 79.9 | 77.4 | 82.5 |
| Race/ Ethnicity | Non-Hispanic White | 82.2 | 80.2 | 84.2 |
| | Non-Hispanic Black | 80.5 | 74.6 | 86.3 |
| | Hispanic | 67.1 | 60.4 | 73.7 |
| | Non-Hispanic Other | 64.3 | 55.2 | 73.3 |
| Income | Less than $35K | 71.2 | 65.9 | 76.5 |
| | $35K<$75K | 79.6 | 75.6 | 83.6 |
| | $75K and more | 80.9 | 78.3 | 83.5 |
| Insurance Status | Insured | 80.7 | 78.9 | 82.5 |
| | Uninsured | 38.9 | 27.7 | 50.0 |
| Disability Status | Disabled | 79.0 | 75.2 | 82.9 |
| | Non-disabled | 78.5 | 76.3 | 80.6 |
| Education Achievement | High School or Less | 71.8 | 67.8 | 75.9 |
| | Some College | 78.1 | 74.4 | 81.7 |
| | College or More | 83.9 | 81.6 | 86.1 |

## Current Asthma

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor, nurse, or other healthcare professional they had asthma and still have it.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 11.7 | 10.7 | 12.8 |
| Age | 18-24* | 10.5 | 6.4 | 14.5 |
| | 25-44 | 12.7 | 10.8 | 14.7 |
| | 45-64 | 12.1 | 10.5 | 13.8 |
| | 65 and over | 9.5 | 7.8 | 11.2 |
| Sexual Orientation | LGBTQ+ | 18.7 | 14.0 | 23.4 |
| | Non-LGBTQ+ | 11.1 | 10.0 | 12.2 |
| Sex | Male | 7.2 | 6.1 | 8.4 |
| | Female | 15.9 | 14.2 | 17.7 |
| Race/ Ethnicity | Non-Hispanic White | 12.1 | 10.7 | 13.4 |
| | Non-Hispanic Black | 13.6 | 10.2 | 17.0 |
| | Hispanic | 11.8 | 9.2 | 14.4 |
| | Non-Hispanic Other** | 7.9 | 4.4 | 11.4 |
| Income | Less than $35K | 15.6 | 12.6 | 18.6 |
| | $35K<$75K | 11.2 | 8.9 | 13.5 |
| | $75K and more | 10.2 | 8.8 | 11.7 |
| Insurance Status | Insured | 12.3 | 11.1 | 13.4 |
| | Uninsured** | 6.0 | 3.6 | 8.4 |
| Disability Status | Disabled | 19.1 | 16.3 | 21.9 |
| | Non-disabled | 9.1 | 8.0 | 10.1 |
| Education Achievement | High School or Less | 12.3 | 10.1 | 14.5 |
| | Some College | 11.8 | 9.9 | 13.7 |
| | College or More | 11.2 | 9.8 | 12.6 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Chronic Obstructive Pulmonary Diseases

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema, or chronic bronchitis.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 5.7 | 4.9 | 6.5 |
| Age | 18-24*** | . | . | . |
| | 25-44** | 2.6 | 1.6 | 3.7 |
| | 45-64 | 5.2 | 3.9 | 6.5 |
| | 65 and over | 12.4 | 10.3 | 14.5 |
| Sexual Orientation | LGBTQ+** | 4.2 | 2.3 | 6.2 |
| | Non-LGBTQ+ | 5.9 | 5.1 | 6.8 |
| Sex | Male | 4.4 | 3.5 | 5.2 |
| | Female | 7.0 | 5.7 | 8.2 |
| Race/ Ethnicity | Non-Hispanic White | 6.8 | 5.7 | 7.9 |
| | Non-Hispanic Black** | 4.4 | 2.6 | 6.3 |
| | Hispanic** | 2.8 | 1.7 | 3.9 |
| | Non-Hispanic Other** | 5.8 | 2.9 | 8.8 |
| Income | Less than $35K | 11.0 | 8.3 | 13.7 |
| | $35K<$75K | 7.2 | 5.1 | 9.2 |
| | $75K and more | 3.3 | 2.5 | 4.1 |
| Insurance Status | Insured | 5.9 | 5.1 | 6.8 |
| | Uninsured*** | . | . | . |
| Disability Status | Disabled | 14.2 | 11.7 | 16.7 |
| | Non-disabled | 2.9 | 2.3 | 3.5 |
| Education Achievement | High School or Less | 8.4 | 6.6 | 10.1 |
| | Some College | 6.5 | 5.1 | 8.0 |
| | College or More | 2.8 | 2.1 | 3.5 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Arthritis

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 25.3 | 23.9 | 26.6 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 8.2 | 6.7 | 9.8 |
| | 45-64 | 30.8 | 28.3 | 33.3 |
| | 65 and over | 51.7 | 48.7 | 54.7 |
| Sexual Orientation | LGBTQ+ | 14.7 | 11.2 | 18.2 |
| | Non-LGBTQ+ | 27.2 | 25.7 | 28.7 |
| Sex | Male | 21.3 | 19.5 | 23.0 |
| | Female | 29.0 | 27.0 | 31.0 |
| Race/ Ethnicity | Non-Hispanic White | 29.8 | 28.1 | 31.5 |
| | Non-Hispanic Black | 25.3 | 20.7 | 29.8 |
| | Hispanic | 13.4 | 10.9 | 15.8 |
| | Non-Hispanic Other | 18.1 | 13.0 | 23.2 |
| Income | Less than $35K | 29.6 | 26.1 | 33.2 |
| | $35K<$75K | 29.4 | 26.1 | 32.7 |
| | $75K and more | 21.6 | 19.8 | 23.5 |
| Insurance Status | Insured | 27.1 | 25.7 | 28.6 |
| | Uninsured* | 7.8 | 5.0 | 10.6 |
| Disability Status | Disabled | 44.0 | 40.6 | 47.3 |
| | Non-disabled | 19.2 | 17.8 | 20.6 |
| Education Achievement | High School or Less | 26.9 | 24.3 | 29.5 |
| | Some College | 27.6 | 24.8 | 30.4 |
| | College or More | 22.5 | 20.8 | 24.2 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Cardiovascular Diseases or Stroke

Indicator Description: Among all adults, the proportion who reported being diagnosed with a heart attack, coronary heart disease, or stroke.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 8.8 | 7.9 | 9.6 |
| Age | 18-24*** | . | . | . |
| | 25-44** | 2.2 | 1.3 | 3.0 |
| | 45-64 | 9.0 | 7.5 | 10.5 |
| | 65 and over | 20.8 | 18.2 | 23.3 |
| Sexual Orientation | LGBTQ+* | 6.5 | 4.1 | 9.0 |
| | Non-LGBTQ+ | 9.3 | 8.3 | 10.3 |
| Sex | Male | 9.8 | 8.5 | 11.0 |
| | Female | 7.8 | 6.6 | 9.0 |
| Race/ Ethnicity | Non-Hispanic White | 9.4 | 8.3 | 10.5 |
| | Non-Hispanic Black* | 9.3 | 6.3 | 12.2 |
| | Hispanic | 7.0 | 5.0 | 8.9 |
| | Non-Hispanic Other** | 8.0 | 4.5 | 11.5 |
| Income | Less than $35K | 13.5 | 11.0 | 16.0 |
| | $35K<$75K | 10.5 | 8.2 | 12.8 |
| | $75K and more | 6.9 | 5.7 | 8.1 |
| Insurance Status | Insured | 9.0 | 8.1 | 9.9 |
| | Uninsured** | 6.7 | 3.7 | 9.8 |
| Disability Status | Disabled | 17.8 | 15.3 | 20.4 |
| | Non-disabled | 5.9 | 5.1 | 6.7 |
| Education Achievement | High School or Less | 10.9 | 9.0 | 12.7 |
| | Some College | 8.8 | 7.1 | 10.4 |
| | College or More | 6.7 | 5.7 | 7.7 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Diabetes

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor they had diabetes.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 11.7 | 10.7 | 12.7 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 4.5 | 3.3 | 5.6 |
| | 45-64 | 14.8 | 12.8 | 16.8 |
| | 65 and over | 21.1 | 18.7 | 23.4 |
| Sexual Orientation | LGBTQ+* | 7.3 | 5.0 | 9.6 |
| | Non-LGBTQ+ | 12.2 | 11.1 | 13.3 |
| Sex | Male | 12.7 | 11.2 | 14.2 |
| | Female | 10.7 | 9.4 | 12.1 |
| Race/ Ethnicity | Non-Hispanic White | 10.4 | 9.3 | 11.6 |
| | Non-Hispanic Black | 18.7 | 14.9 | 22.4 |
| | Hispanic | 11.0 | 8.7 | 13.3 |
| | Non-Hispanic Other* | 13.7 | 9.0 | 18.4 |
| Income | Less than $35K | 18.5 | 15.5 | 21.5 |
| | $35K<$75K | 13.0 | 10.8 | 15.2 |
| | $75K and more | 8.5 | 7.2 | 9.9 |
| Insurance Status | Insured | 11.8 | 10.8 | 12.9 |
| | Uninsured* | 7.2 | 4.5 | 9.9 |
| Disability Status | Disabled | 20.7 | 18.0 | 23.5 |
| | Non-disabled | 8.8 | 7.8 | 9.8 |
| Education Achievement | High School or Less | 15.6 | 13.5 | 17.8 |
| | Some College | 11.2 | 9.4 | 13.1 |
| | College or More | 8.3 | 7.2 | 9.4 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Kidney Disease

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had kidney disease.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 3.4 | 2.8 | 4.0 |
| Age | 18-24*** | . | . | . |
| | 25-44** | 1.5 | 0.7 | 2.3 |
| | 45-64 | 2.8 | 2.0 | 3.7 |
| | 65 and over | 8.3 | 6.5 | 10.2 |
| Sexual Orientation | LGBTQ+** | 3.0 | 1.5 | 4.6 |
| | Non-LGBTQ+ | 3.3 | 2.7 | 4.0 |
| Sex | Male | 3.3 | 2.6 | 4.1 |
| | Female | 3.5 | 2.6 | 4.4 |
| Race/ Ethnicity | Non-Hispanic White | 3.4 | 2.6 | 4.1 |
| | Non-Hispanic Black** | 4.5 | 2.5 | 6.4 |
| | Hispanic** | 2.6 | 1.4 | 3.8 |
| | Non-Hispanic Other*** | . | . | . |
| Income | Less than $35K* | 6.1 | 4.3 | 8.0 |
| | $35K<$75K* | 5.3 | 3.4 | 7.3 |
| | $75K and more* | 2.2 | 1.5 | 2.8 |
| Insurance Status | Insured | 3.5 | 2.9 | 4.1 |
| | Uninsured*** | . | . | . |
| Disability Status | Disabled | 8.1 | 6.2 | 10.0 |
| | Non-disabled | 2.0 | 1.5 | 2.5 |
| Education Achievement | High School or Less | 4.9 | 3.6 | 6.3 |
| | Some College* | 2.3 | 1.6 | 3.0 |
| | College or More | 2.8 | 2.1 | 3.5 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Depression

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major/minor depression, or dysthymia.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 18.4 | 17.2 | 19.7 |
| Age | 18-24 | 24.6 | 18.9 | 30.3 |
| | 25-44 | 21.6 | 19.3 | 24.0 |
| | 45-64 | 18.0 | 16.0 | 19.9 |
| | 65 and over | 13.2 | 11.4 | 15.0 |
| Sexual Orientation | LGBTQ+ | 41.5 | 35.4 | 47.6 |
| | Non-LGBTQ+ | 16.2 | 15.0 | 17.5 |
| Sex | Male | 13.4 | 11.9 | 15.0 |
| | Female | 23.1 | 21.2 | 25.1 |
| Race/ Ethnicity | Non-Hispanic White | 20.9 | 19.2 | 22.5 |
| | Non-Hispanic Black | 14.4 | 10.7 | 18.1 |
| | Hispanic | 16.0 | 12.8 | 19.3 |
| | Non-Hispanic Other | 12.8 | 9.2 | 16.4 |
| Income | Less than $35K | 24.0 | 20.5 | 27.5 |
| | $35K<$75K | 21.6 | 18.7 | 24.4 |
| | $75K and more | 16.8 | 14.9 | 18.6 |
| Insurance Status | Insured | 19.2 | 17.8 | 20.6 |
| | Uninsured* | 9.5 | 6.3 | 12.6 |
| Disability Status | Disabled | 35.0 | 31.8 | 38.2 |
| | Non-disabled | 13.2 | 11.9 | 14.5 |
| Education Achievement | High School or Less | 17.9 | 15.5 | 20.3 |
| | Some College | 22.6 | 19.9 | 25.4 |
| | College or More | 16.2 | 14.7 | 17.8 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Life Satisfaction

Indicator Description: Among all adults, the proportion who reported they were very satisfied or satisfied with their life.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 93.8 | 92.9 | 94.8 |
| Age | 18-24 | 87.6 | 82.5 | 92.6 |
| | 25-44 | 92.5 | 90.5 | 94.4 |
| | 45-64 | 95.1 | 93.8 | 96.4 |
| | 65 and over | 96.6 | 95.5 | 97.6 |
| Sexual Orientation | LGBTQ+ | 84.0 | 79.0 | 89.1 |
| | Non-LGBTQ+ | 95.1 | 94.3 | 96.0 |
| Sex | Male | 94.2 | 93.0 | 95.5 |
| | Female | 93.5 | 92.0 | 94.9 |
| Race/ Ethnicity | Non-Hispanic White | 93.8 | 92.6 | 95.0 |
| | Non-Hispanic Black | 93.3 | 90.3 | 96.2 |
| | Hispanic | 94.4 | 91.9 | 96.8 |
| | Non-Hispanic Other | 95.0 | 92.1 | 98.0 |
| Income | Less than $35K | 90.1 | 87.3 | 93.0 |
| | $35K<$75K | 91.1 | 88.5 | 93.6 |
| | $75K and more | 96.8 | 95.9 | 97.8 |
| Insurance Status | Insured | 94.2 | 93.3 | 95.2 |
| | Uninsured | 93.9 | 89.9 | 97.8 |
| Disability Status | Disabled | 86.2 | 83.4 | 89.0 |
| | Non-disabled | 96.6 | 95.7 | 97.4 |
| Education Achievement | High School or Less | 91.6 | 89.5 | 93.7 |
| | Some College | 92.9 | 90.9 | 94.8 |
| | College or More | 96.4 | 95.4 | 97.4 |

## Social or Emotional Support

Indicator Description: Among all adults, the proportion who reported they always or usually get the social and emotional support they need.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 75.4 | 73.8 | 77.0 |
| Age | 18-24 | 71.2 | 64.6 | 77.8 |
| | 25-44 | 71.2 | 68.2 | 74.2 |
| | 45-64 | 76.4 | 73.8 | 79.0 |
| | 65 and over | 80.3 | 77.6 | 83.0 |
| Sexual Orientation | LGBTQ+ | 73.2 | 67.5 | 78.8 |
| | Non-LGBTQ+ | 76.7 | 75.1 | 78.3 |
| Sex | Male | 73.9 | 71.7 | 76.2 |
| | Female | 76.8 | 74.5 | 79.0 |
| Race/ Ethnicity | Non-Hispanic White | 80.2 | 78.3 | 82.0 |
| | Non-Hispanic Black | 63.5 | 57.8 | 69.2 |
| | Hispanic | 67.5 | 62.7 | 72.2 |
| | Non-Hispanic Other | 71.3 | 65.4 | 77.3 |
| Income | Less than $35K | 62.9 | 58.3 | 67.4 |
| | $35K<$75K | 70.1 | 66.4 | 73.9 |
| | $75K and more | 83.4 | 81.4 | 85.3 |
| Insurance Status | Insured | 76.9 | 75.2 | 78.5 |
| | Uninsured | 56.3 | 48.5 | 64.2 |
| Disability Status | Disabled | 63.5 | 59.9 | 67.0 |
| | Non-disabled | 79.6 | 77.9 | 81.4 |
| Education Achievement | High School or Less | 66.7 | 63.3 | 70.0 |
| | Some College | 74.3 | 71.1 | 77.6 |
| | College or More | 83.6 | 81.9 | 85.4 |

## Assisted a Friend or Family Member with Health Problem or Disability

Indicator Description: Among all adults, the proportion who reported providing regular care or assistance to a friend or family member who has a health problem or disability.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 30.4 | 28.7 | 32.1 |
| Age | 18-24* | 18.5 | 12.8 | 24.3 |
| | 25-44 | 25.9 | 22.9 | 28.8 |
| | 45-64 | 36.4 | 33.5 | 39.3 |
| | 65 and over | 33.5 | 30.3 | 36.7 |
| Sexual Orientation | LGBTQ+ | 32.2 | 26.0 | 38.3 |
| | Non-LGBTQ+ | 30.7 | 28.9 | 32.5 |
| Sex | Male | 26.8 | 24.4 | 29.1 |
| | Female | 33.8 | 31.3 | 36.2 |
| Race/ Ethnicity | Non-Hispanic White | 32.4 | 30.3 | 34.4 |
| | Non-Hispanic Black | 34.8 | 29.1 | 40.5 |
| | Hispanic | 20.9 | 16.6 | 25.2 |
| | Non-Hispanic Other | 28.2 | 21.9 | 34.6 |
| Income | Less than $35K | 24.3 | 20.5 | 28.2 |
| | $35K<$75K | 34.1 | 30.2 | 38.0 |
| | $75K and more | 32.6 | 30.1 | 35.0 |
| Insurance Status | Insured | 32.4 | 30.6 | 34.2 |
| | Uninsured* | 15.3 | 10.3 | 20.2 |
| Disability Status | Disabled | 33.7 | 30.1 | 37.4 |
| | Non-disabled | 29.1 | 27.2 | 31.0 |
| Education Achievement | High School or Less | 26.8 | 23.6 | 30.1 |
| | Some College | 31.7 | 28.2 | 35.1 |
| | College or More | 33.0 | 30.6 | 35.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Lost Employment

Indicator Description: Among all adults 18-64 years old, the proportion who have lost employment or had work hours reduced in the past 12 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 13.0 | 11.6 | 14.4 |
| Age | 18-24* | 14.5 | 10.0 | 19.0 |
| | 25-44 | 14.5 | 12.3 | 16.7 |
| | 45-64 | 11.1 | 9.3 | 13.0 |
| Sexual Orientation | LGBTQ+* | 14.3 | 9.5 | 19.0 |
| | Non-LGBTQ+ | 12.3 | 10.9 | 13.7 |
| Sex | Male | 13.1 | 11.2 | 15.0 |
| | Female | 13.0 | 10.9 | 15.0 |
| Race/ Ethnicity | Non-Hispanic White | 9.7 | 8.1 | 11.2 |
| | Non-Hispanic Black* | 14.0 | 9.6 | 18.4 |
| | Hispanic | 23.2 | 19.0 | 27.4 |
| | Non-Hispanic Other** | 10.9 | 6.2 | 15.6 |
| Income | Less than $35K | 29.7 | 24.8 | 34.7 |
| | $35K<$75K | 14.6 | 11.3 | 18.0 |
| | $75K and more | 6.3 | 4.9 | 7.8 |
| Insurance Status | Insured | 11.2 | 9.8 | 12.6 |
| | Uninsured | 34.0 | 26.8 | 41.3 |
| Disability Status | Disabled | 21.1 | 17.4 | 24.9 |
| | Non-disabled | 10.8 | 9.3 | 12.3 |
| Education Achievement | High School or Less | 19.3 | 16.2 | 22.4 |
| | Some College | 11.5 | 8.9 | 14.1 |
| | College or More | 8.5 | 6.9 | 10.1 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Housing Insecurity

Indicator Description: Among all adults, the proportion who were unable to pay their mortgage, rent, or utility bills at least once during the past 12 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 9.0 | 7.9 | 10.0 |
| Age | 18-24** | 9.4 | 5.4 | 13.3 |
| | 25-44 | 13.8 | 11.6 | 16.1 |
| | 45-64 | 9.5 | 7.8 | 11.2 |
| | 65 and over* | 2.8 | 1.7 | 3.9 |
| Sexual Orientation | LGBTQ+* | 14.6 | 10.1 | 19.0 |
| | Non-LGBTQ+ | 8.0 | 7.0 | 9.0 |
| Sex | Male | 6.9 | 5.7 | 8.1 |
| | Female | 10.9 | 9.3 | 12.5 |
| Race/ Ethnicity | Non-Hispanic White | 4.6 | 3.7 | 5.4 |
| | Non-Hispanic Black | 17.0 | 12.5 | 21.5 |
| | Hispanic | 20.1 | 16.3 | 23.9 |
| | Non-Hispanic Other** | 11.4 | 6.5 | 16.3 |
| Income | Less than $35K | 24.0 | 20.3 | 27.8 |
| | $35K<$75K | 11.1 | 8.5 | 13.6 |
| | $75K and more | 2.5 | 1.8 | 3.2 |
| Insurance Status | Insured | 7.5 | 6.5 | 8.5 |
| | Uninsured | 29.5 | 23.0 | 35.9 |
| Disability Status | Disabled | 16.3 | 13.7 | 19.0 |
| | Non-disabled | 6.5 | 5.4 | 7.5 |
| Education Achievement | High School or Less | 14.6 | 12.2 | 17.0 |
| | Some College | 9.0 | 7.2 | 10.9 |
| | College or More | 3.9 | 3.0 | 4.8 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Transportation Barriers

Indicator Description: Among all adults, the proportion for whom a lack of reliable transportation kept them from medical appointments, meetings, work, or getting things needed for daily living.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 7.2 | 6.1 | 8.2 |
| Age | 18-24* | 15.7 | 10.1 | 21.3 |
| | 25-44 | 9.1 | 7.2 | 11.0 |
| | 45-64 | 5.2 | 4.0 | 6.4 |
| | 65 and over* | 3.7 | 2.3 | 5.0 |
| Sexual Orientation | LGBTQ+* | 12.6 | 7.9 | 17.2 |
| | Non-LGBTQ+ | 5.9 | 5.0 | 6.9 |
| Sex | Male | 6.0 | 4.7 | 7.2 |
| | Female | 8.3 | 6.7 | 9.8 |
| Race/ Ethnicity | Non-Hispanic White | 4.7 | 3.6 | 5.8 |
| | Non-Hispanic Black* | 9.5 | 5.9 | 13.1 |
| | Hispanic | 14.4 | 10.9 | 17.9 |
| | Non-Hispanic Other** | 7.3 | 4.1 | 10.4 |
| Income | Less than $35K | 17.6 | 13.7 | 21.5 |
| | $35K<$75K* | 7.6 | 5.2 | 10.1 |
| | $75K and more* | 2.9 | 2.0 | 3.8 |
| Insurance Status | Insured | 6.0 | 5.0 | 7.0 |
| | Uninsured | 22.1 | 15.8 | 28.4 |
| Disability Status | Disabled | 15.7 | 12.8 | 18.5 |
| | Non-disabled | 4.1 | 3.2 | 4.9 |
| Education Achievement | High School or Less | 11.7 | 9.4 | 14.0 |
| | Some College | 7.5 | 5.3 | 9.6 |
| | College or More | 3.0 | 2.2 | 3.9 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Felt Lonely

Indicator Description: Among all adults, the proportion who always or usually felt lonely.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 5.6 | 4.8 | 6.4 |
| Age | 18-24* | 11.1 | 6.9 | 15.4 |
| | 25-44 | 8.4 | 6.7 | 10.2 |
| | 45-64 | 3.9 | 2.9 | 4.8 |
| | 65 and over* | 2.4 | 1.7 | 3.2 |
| Sexual Orientation | LGBTQ+* | 9.7 | 6.1 | 13.4 |
| | Non-LGBTQ+ | 4.9 | 4.1 | 5.8 |
| Sex | Male | 4.4 | 3.5 | 5.3 |
| | Female | 6.7 | 5.4 | 8.0 |
| Race/ Ethnicity | Non-Hispanic White | 3.7 | 2.9 | 4.5 |
| | Non-Hispanic Black** | 6.0 | 3.5 | 8.6 |
| | Hispanic | 11.8 | 8.7 | 14.8 |
| | Non-Hispanic Other** | 8.0 | 4.7 | 11.2 |
| Income | Less than $35K | 13.1 | 9.9 | 16.3 |
| | $35K<$75K* | 5.6 | 4.0 | 7.3 |
| | $75K and more* | 2.4 | 1.7 | 3.2 |
| Insurance Status | Insured | 5.1 | 4.3 | 5.9 |
| | Uninsured** | 12.3 | 7.2 | 17.5 |
| Disability Status | Disabled | 12.5 | 10.1 | 14.8 |
| | Non-disabled | 3.3 | 2.5 | 4.0 |
| Education Achievement | High School or Less | 8.0 | 6.3 | 9.8 |
| | Some College | 6.8 | 5.1 | 8.6 |
| | College or More | 2.7 | 2.0 | 3.4 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Neighborhood Safety

Indicator Description: Among all adults, the proportion who considered their neighborhood to be safe and extremely safe.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 95.2 | 94.5 | 95.9 |
| Age | 18-24 | 94.6 | 91.7 | 97.4 |
| | 25-44 | 92.8 | 91.1 | 94.5 |
| | 45-64 | 95.4 | 94.4 | 96.5 |
| | 65 and over | 97.5 | 96.7 | 98.4 |
| Sexual Orientation | LGBTQ+ | 93.7 | 91.0 | 96.5 |
| | Non-LGBTQ+ | 95.6 | 94.8 | 96.3 |
| Sex | Male | 95.1 | 94.2 | 96.1 |
| | Female | 95.2 | 94.2 | 96.3 |
| Race/ Ethnicity | Non-Hispanic White | 97.9 | 97.4 | 98.5 |
| | Non-Hispanic Black | 89.1 | 86.0 | 92.3 |
| | Hispanic | 88.2 | 85.1 | 91.3 |
| | Non-Hispanic Other | 94.9 | 91.9 | 97.8 |
| Income | Less than $35K | 87.0 | 84.0 | 89.9 |
| | $35K<$75K | 96.1 | 94.7 | 97.4 |
| | $75K and more | 98.0 | 97.3 | 98.7 |
| Insurance Status | Insured | 96.0 | 95.3 | 96.7 |
| | Uninsured | 83.1 | 77.8 | 88.3 |
| Disability Status | Disabled | 92.0 | 90.2 | 93.7 |
| | Non-disabled | 96.4 | 95.6 | 97.1 |
| Education Achievement | High School or Less | 92.9 | 91.3 | 94.4 |
| | Some College | 94.8 | 93.3 | 96.4 |
| | College or More | 97.6 | 96.9 | 98.3 |

## Racial Treatment

Indicator Description: Among all adults, the proportion who felt they were treated worse than people of other races during the past 12 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 4.7 | 3.8 | 5.5 |
| Age | 18-24*** | . | . | . |
| | 25-44 | 6.5 | 4.7 | 8.2 |
| | 45-64 | 5.3 | 3.8 | 6.9 |
| | 65 and over*** | . | . | . |
| Sexual Orientation | LGBTQ+*** | . | . | . |
| | Non-LGBTQ+ | 4.6 | 3.7 | 5.5 |
| Sex | Male | 5.0 | 3.7 | 6.2 |
| | Female | 4.4 | 3.2 | 5.5 |
| Race/ Ethnicity | Non-Hispanic White* | 1.6 | 1.0 | 2.2 |
| | Non-Hispanic Black | 16.6 | 11.9 | 21.2 |
| | Hispanic** | 7.0 | 4.1 | 9.8 |
| | Non-Hispanic Other** | 8.1 | 4.5 | 11.8 |
| Income | Less than $35K* | 7.2 | 4.5 | 9.8 |
| | $35K<$75K** | 5.3 | 3.1 | 7.5 |
| | $75K and more | 3.7 | 2.6 | 4.7 |
| Insurance Status | Insured | 4.6 | 3.7 | 5.5 |
| | Uninsured*** | . | . | . |
| Disability Status | Disabled* | 6.1 | 4.2 | 7.9 |
| | Non-disabled | 4.2 | 3.3 | 5.2 |
| Education Achievement | High School or Less* | 3.6 | 2.4 | 4.8 |
| | Some College* | 6.7 | 4.3 | 9.0 |
| | College or More | 4.2 | 3.1 | 5.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Firearm Storage

Indicator Description: Among adults who own a firearm in or around the home, the proportion who reported the firearm was kept in a secured location where youth, other at-risk, or unauthorized persons are unable to access it.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 83.7 | 80.6 | 86.8 |
| Age | 18-24 | 96.5 | 91.5 | 100.0 |
| | 25-44 | 81.3 | 74.7 | 87.9 |
| | 45-64 | 81.0 | 75.8 | 86.2 |
| | 65 and over | 85.4 | 79.6 | 91.1 |
| Sexual Orientation | LGBTQ+ | 95.2 | 90.2 | 100.0 |
| | Non-LGBTQ+ | 82.7 | 79.3 | 86.0 |
| Sex | Male | 78.5 | 74.1 | 83.0 |
| | Female | 91.0 | 87.1 | 95.0 |
| Race/ Ethnicity | Non-Hispanic White | 83.8 | 80.3 | 87.2 |
| | Non-Hispanic Black | 75.5 | 59.8 | 91.2 |
| | Hispanic | 86.1 | 77.7 | 94.6 |
| | Non-Hispanic Other | 86.2 | 74.5 | 97.9 |
| Income | Less than $35K | 84.3 | 70.2 | 98.4 |
| | $35K<$75K | 86.3 | 80.5 | 92.0 |
| | $75K and more | 83.2 | 79.3 | 87.2 |
| Insurance Status | Insured | 83.2 | 80.0 | 86.5 |
| | Uninsured | 94.6 | 83.9 | 100.0 |
| Disability Status | Disabled | 85.9 | 80.2 | 91.6 |
| | Non-disabled | 83.2 | 79.5 | 86.8 |
| Education Achievement | High School or Less | 83.7 | 77.6 | 89.8 |
| | Some College | 84.0 | 78.2 | 89.7 |
| | College or More | 83.5 | 78.9 | 88.0 |

# Child Health Indicators

## Child Overweight

Indicator Description: Among children aged 5-17 years old, the proportion whose BMI was between the 85th and 95th percentile for children of the same age and sex.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 12.1 | 8.8 | 15.3 |
| | 5-11* | 13.2 | 8.1 | 18.3 |
| | 12-17* | 11.0 | 6.8 | 15.1 |
| Sex | Male* | 10.7 | 6.6 | 14.7 |
| | Female* | 13.5 | 8.4 | 18.5 |
| Race/Ethnicity | Non-Hispanic White* | 12.7 | 8.1 | 17.2 |
| | Non-Hispanic Black*** | . | . | . |
| | Hispanic*** | . | . | . |
| | Non-Hispanic Other*** | . | . | . |
| Household Income | Less than $35K** | 17.4 | 7.9 | 26.8 |
| | $35K<$75K** | 18.6 | 8.3 | 28.8 |
| | $75K and more* | 9.9 | 6.1 | 13.6 |
| Caregiver's Insurance | Insured | 12.1 | 8.7 | 15.5 |
| | Uninsured*** | . | . | . |
| Caregiver's Education | High School or Less** | 20.2 | 9.7 | 30.8 |
| | Some College** | 11.3 | 5.4 | 17.2 |
| | College or More* | 9.1 | 6.1 | 12.1 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Child Obese

Indicator Description: Among children aged 5-17 years old, the proportion whose BMI was above the 95th percentile for children of the same age and sex.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 20.4 | 15.7 | 25.2 |
| Age | 5-11 | 30.6 | 22.6 | 38.5 |
| | 12-17** | 11.0 | 6.3 | 15.7 |
| Sex | Male* | 23.9 | 16.5 | 31.2 |
| | Female* | 16.9 | 10.8 | 22.9 |
| Race/Ethnicity | Non-Hispanic White** | 13.5 | 8.1 | 18.8 |
| | Non-Hispanic Black** | 27.4 | 13.2 | 41.6 |
| | Hispanic* | 34.0 | 21.9 | 46.1 |
| | Non-Hispanic Other*** | . | . | . |
| Household Income | Less than $35K** | 42.3 | 25.3 | 59.3 |
| | $35K<$75K** | 29.6 | 15.7 | 43.6 |
| | $75K and more* | 14.4 | 9.5 | 19.3 |
| Caregiver's Insurance | Insured | 19.3 | 14.5 | 24.1 |
| | Uninsured*** | . | . | . |
| Caregiver's Education | High School or Less* | 30.7 | 19.2 | 42.3 |
| | Some College* | 36.0 | 22.9 | 49.1 |
| | College or More** | 10.7 | 6.0 | 15.3 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Ever Breastfed

Indicator Description: Among all children, the proportion who were ever breastfed or given pumped breast milk for any duration of time.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 83.9 | 80.7 | 87.1 |
| Age | 0-4 | 86.4 | 80.3 | 92.5 |
| | 5-11 | 83.0 | 77.1 | 89.0 |
| | 12-17 | 82.5 | 77.1 | 87.9 |
| Sex | Male | 81.2 | 76.4 | 86.0 |
| | Female | 86.6 | 82.4 | 90.8 |
| Race/Ethnicity | Non-Hispanic White | 86.9 | 82.9 | 90.9 |
| | Non-Hispanic Black | 80.9 | 71.2 | 90.6 |
| | Hispanic | 81.0 | 74.5 | 87.6 |
| | Non-Hispanic Other | 81.4 | 70.2 | 92.5 |
| Household Income | Less than $35K | 81.2 | 73.5 | 89.0 |
| | $35K<$75K | 74.1 | 64.3 | 84.0 |
| | $75K and more | 87.5 | 83.8 | 91.2 |
| Caregiver's Insurance | Insured | 84.6 | 81.3 | 88.0 |
| | Uninsured | 75.0 | 60.7 | 89.3 |
| Caregiver's Education | High School or Less | 74.2 | 66.9 | 81.4 |
| | Some College | 82.9 | 75.9 | 89.8 |
| | College or More | 88.7 | 84.8 | 92.7 |

## Exclusively Breastfed for 3 months

Indicator Description: Among all children who ever breastfed, the proportion that were exclusively breastfed or given pumped breast milk for 3 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 62.3 | 57.8 | 66.8 |
| Age | 0-4 | 52.2 | 43.1 | 61.3 |
| | 5-11 | 66.1 | 58.5 | 73.8 |
| | 12-17 | 64.0 | 56.1 | 72.0 |
| Sex | Male | 59.7 | 53.3 | 66.1 |
| | Female | 64.0 | 57.6 | 70.4 |
| Race/Ethnicity | Non-Hispanic White | 60.9 | 54.5 | 67.4 |
| | Non-Hispanic Black | 51.3 | 37.9 | 64.7 |
| | Hispanic | 67.5 | 58.5 | 76.4 |
| | Non-Hispanic Other | 67.7 | 56.2 | 79.1 |
| Household Income | Less than $35K | 59.5 | 48.4 | 70.6 |
| | $35K<$75K | 65.2 | 54.0 | 76.4 |
| | $75K and more | 62.3 | 56.3 | 68.2 |
| Caregiver's Insurance | Insured | 63.4 | 58.6 | 68.2 |
| | Uninsured | 57.1 | 42.0 | 72.1 |
| Caregiver's Education | High School or Less | 57.8 | 49.2 | 66.3 |
| | Some College | 58.0 | 47.0 | 69.1 |
| | College or More | 65.5 | 59.6 | 71.5 |

## Exclusively Breastfed for 6 months

Indicator Description: Among all children who ever breastfed, the proportion who were exclusively breastfed or given pumped breast milk for 6 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 50.7 | 43.4 | 58.0 |
| Age | 0-4 | 43.4 | 31.6 | 55.2 |
| | 5-11 | 58.4 | 45.6 | 71.1 |
| | 12-17 | 54.4 | 40.5 | 68.3 |
| Sex | Male | 51.3 | 41.2 | 61.5 |
| | Female | 50.0 | 39.4 | 60.6 |
| Race/Ethnicity | Non-Hispanic White | 61.0 | 50.8 | 71.2 |
| | Non-Hispanic Black* | 55.9 | 35.9 | 75.8 |
| | Hispanic* | 35.8 | 21.7 | 49.8 |
| | Non-Hispanic Other** | 40.4 | 21.3 | 59.4 |
| Household Income | Less than $35K* | 48.5 | 31.9 | 65.2 |
| | $35K<$75K** | 42.2 | 24.3 | 60.2 |
| | $75K and more | 54.0 | 44.3 | 63.6 |
| Caregiver's Insurance | Insured | 52.8 | 44.8 | 60.8 |
| | Uninsured*** | . | . | . |
| Caregiver's Education | High School or Less | 48.0 | 34.8 | 61.2 |
| | Some College* | 52.2 | 36.0 | 68.5 |
| | College or More | 52.1 | 41.6 | 62.6 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Excessive Screen Time

Indicator Description: Among children aged 2-17 years old, the proportion who had more than 2 hours of screen time daily.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 58.3 | 53.2 | 63.4 |
| Age | 0-4* | 32.4 | 22.0 | 42.9 |
| | 5-11 | 58.0 | 50.1 | 66.0 |
| | 12-17 | 73.8 | 67.0 | 80.7 |
| Sex | Male | 66.7 | 60.4 | 73.0 |
| | Female | 49.9 | 42.5 | 57.3 |
| Race/Ethnicity | Non-Hispanic White | 51.0 | 43.7 | 58.2 |
| | Non-Hispanic Black | 74.9 | 59.9 | 90.0 |
| | Hispanic | 60.8 | 51.5 | 70.1 |
| | Non-Hispanic Other | 62.9 | 47.2 | 78.5 |
| Household Income | Less than $35K | 62.1 | 49.6 | 74.5 |
| | $35K<$75K | 67.4 | 55.1 | 79.7 |
| | $75K and more | 56.3 | 49.8 | 62.8 |
| Caregiver's Insurance | Insured | 58.5 | 53.1 | 63.9 |
| | Uninsured* | 56.0 | 38.5 | 73.4 |
| Caregiver's Education | High School or Less | 67.8 | 59.3 | 76.2 |
| | Some College | 60.4 | 48.4 | 72.5 |
| | College or More | 53.9 | 47.0 | 60.9 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Soda Consumption

Indicator Description: Among children aged 2-17 years old, the proportion who drank soda or sugary drinks at least once daily.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 28.9 | 24.6 | 33.2 |
| Age | 0-4** | 18.7 | 9.6 | 27.9 |
| | 5-11 | 27.3 | 21.0 | 33.7 |
| | 12-17 | 36.9 | 29.6 | 44.1 |
| Sex | Male | 29.8 | 23.8 | 35.8 |
| | Female | 27.8 | 21.7 | 34.0 |
| Race/Ethnicity | Non-Hispanic White | 21.2 | 16.3 | 26.2 |
| | Non-Hispanic Black | 51.5 | 37.1 | 65.9 |
| | Hispanic | 39.4 | 29.9 | 48.8 |
| | Non-Hispanic Other** | 14.6 | 6.6 | 22.6 |
| Household Income | Less than $35K | 39.6 | 28.2 | 51.0 |
| | $35K<$75K* | 31.6 | 20.5 | 42.6 |
| | $75K and more | 24.7 | 19.3 | 30.2 |
| Caregiver's Insurance | Insured | 27.9 | 23.3 | 32.4 |
| | Uninsured** | 41.0 | 24.6 | 57.4 |
| Caregiver's Education | High School or Less | 40.2 | 31.1 | 49.3 |
| | Some College* | 35.5 | 24.9 | 46.1 |
| | College or More | 21.6 | 16.4 | 26.8 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Fast Food Consumption

Indicator Description: Among children aged 2-17 years old, the proportion who ate fast food at least twice weekly.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 43.8 | 39.0 | 48.6 |
| Age | 0-4* | 26.4 | 16.6 | 36.2 |
| | 5-11 | 46.7 | 39.0 | 54.4 |
| | 12-17 | 51.2 | 43.7 | 58.7 |
| Sex | Male | 45.0 | 38.3 | 51.6 |
| | Female | 42.3 | 35.3 | 49.4 |
| Race/Ethnicity | Non-Hispanic White | 41.0 | 34.0 | 47.9 |
| | Non-Hispanic Black | 49.9 | 35.5 | 64.2 |
| | Hispanic | 45.4 | 35.9 | 54.9 |
| | Non-Hispanic Other* | 45.9 | 31.7 | 60.1 |
| Household Income | Less than $35K* | 39.1 | 26.8 | 51.3 |
| | $35K<$75K | 48.4 | 36.6 | 60.3 |
| | $75K and more | 43.8 | 37.5 | 50.0 |
| Caregiver's Insurance | Insured | 45.6 | 40.4 | 50.8 |
| | Uninsured** | 34.4 | 18.1 | 50.7 |
| Caregiver's Education | High School or Less | 47.7 | 38.7 | 56.6 |
| | Some College | 40.3 | 29.7 | 50.8 |
| | College or More | 44.2 | 37.4 | 51.0 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Dentist Visit in the Past Year

Indicator Description: Among all children, the proportion who visited a dentist in the past year.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 85.3 | 82.4 | 88.3 |
| Age | 0-4 | 67.0 | 59.2 | 74.8 |
| | 5-11 | 94.0 | 90.2 | 97.8 |
| | 12-17 | 91.9 | 87.8 | 96.1 |
| Sex | Male | 83.6 | 78.9 | 88.2 |
| | Female | 87.2 | 83.6 | 90.9 |
| Race/Ethnicity | Non-Hispanic White | 88.9 | 85.9 | 91.9 |
| | Non-Hispanic Black | 88.6 | 79.7 | 97.4 |
| | Hispanic | 78.5 | 71.4 | 85.7 |
| | Non-Hispanic Other | 88.9 | 80.3 | 97.5 |
| Household Income | Less than $35K | 78.1 | 70.2 | 86.0 |
| | $35K<$75K | 84.6 | 77.2 | 92.0 |
| | $75K and more | 87.1 | 83.1 | 91.0 |
| Caregiver's Insurance | Insured | 86.4 | 83.3 | 89.6 |
| | Uninsured | 78.1 | 68.0 | 88.2 |
| Caregiver's Education | High School or Less | 78.6 | 72.2 | 85.0 |
| | Some College | 88.5 | 81.5 | 95.6 |
| | College or More | 87.0 | 83.3 | 90.7 |

## Dental Sealants

Indicator Description: Among children aged 5-17 years old, the proportion who ever received dental sealants on their permanent teeth.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 40.4 | 35.1 | 45.7 |
| Age | 5-11 | 33.5 | 26.7 | 40.3 |
| | 12-17 | 47.8 | 40.1 | 55.6 |
| Sex | Male | 37.4 | 30.2 | 44.5 |
| | Female | 43.0 | 35.2 | 50.8 |
| Race/Ethnicity | Non-Hispanic White | 47.6 | 39.5 | 55.8 |
| | Non-Hispanic Black* | 41.0 | 26.2 | 55.8 |
| | Hispanic | 39.1 | 28.2 | 50.0 |
| | Non-Hispanic Other** | 25.3 | 15.1 | 35.5 |
| Household Income | Less than $35K* | 30.1 | 19.1 | 41.0 |
| | $35K<$75K* | 35.2 | 23.0 | 47.3 |
| | $75K and more | 43.2 | 36.2 | 50.2 |
| Caregiver's Insurance | Insured | 41.1 | 35.5 | 46.7 |
| | Uninsured** | 40.5 | 21.1 | 59.9 |
| Caregiver's Education | High School or Less | 30.3 | 21.7 | 38.8 |
| | Some College | 51.8 | 41.1 | 62.4 |
| | College or More | 41.6 | 33.9 | 49.3 |

* estimates have a CV between 15% and 20%;
** estimates have a CV between 20.1% and 30%;
*** estimates were suppressed because of limited validity (CV>30%).

## Dental Decay in the Past Year

Indicator Description: Among all children, the proportion who were told they had dental decay in the past 12 months.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 15.7 | 12.1 | 19.3 |
| Age | 0-4*** | . | . | . |
| | 5-11* | 19.2 | 12.3 | 26.1 |
| | 12-17* | 15.7 | 10.7 | 20.7 |
| Sex | Male* | 16.5 | 11.3 | 21.7 |
| | Female* | 15.2 | 10.2 | 20.2 |
| Race/Ethnicity | Non-Hispanic White* | 11.2 | 6.9 | 15.5 |
| | Non-Hispanic Black** | 17.2 | 8.3 | 26.0 |
| | Hispanic* | 22.6 | 14.9 | 30.4 |
| | Non-Hispanic Other*** | . | . | . |
| Household Income | Less than $35K** | 25.7 | 14.3 | 37.0 |
| | $35K<$75K** | 22.6 | 12.3 | 32.9 |
| | $75K and more* | 11.4 | 7.6 | 15.1 |
| Caregiver's Insurance | Insured | 14.5 | 10.7 | 18.3 |
| | Uninsured** | 34.3 | 18.7 | 49.8 |
| Caregiver's Education | High School or Less* | 21.4 | 14.2 | 28.5 |
| | Some College** | 24.7 | 14.8 | 34.6 |
| | College or More** | 10.0 | 6.0 | 14.1 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).

## Current Asthma

Indicator Description: Among all children, the proportion who were ever diagnosed with asthma and still have it.

| Demographics | | Percent (%) | 95% Confidence Intervals | |
|---|---|---|---|---|
| Total | | 7.8 | 6.0 | 9.6 |
| Age | 0-4*** | . | . | . |
| | 5-11* | 9.2 | 6.2 | 12.3 |
| | 12-17* | 10.0 | 6.1 | 13.9 |
| Sex | Male | 9.2 | 6.5 | 11.9 |
| | Female* | 6.3 | 4.0 | 8.7 |
| Race/Ethnicity | Non-Hispanic White* | 8.2 | 5.3 | 11.1 |
| | Non-Hispanic Black*** | . | . | . |
| | Hispanic* | 9.0 | 5.6 | 12.4 |
| | Non-Hispanic Other*** | . | . | . |
| Household Income | Less than $35K** | 9.4 | 4.7 | 14.1 |
| | $35K<$75K** | 12.8 | 6.8 | 18.8 |
| | $75K and more* | 5.8 | 3.9 | 7.8 |
| Caregiver's Insurance | Insured | 7.8 | 5.9 | 9.7 |
| | Uninsured*** | . | . | . |
| Caregiver's Education | High School or Less** | 7.1 | 4.2 | 10.0 |
| | Some College** | 9.6 | 5.3 | 13.9 |
| | College or More* | 7.5 | 4.9 | 10.1 |

* estimates have a CV between 15% and 20%;

** estimates have a CV between 20.1% and 30%;

*** estimates were suppressed because of limited validity (CV>30%).