



CT DEPARTMENT OF PUBLIC HEALTH

**HEALTHCARE QUALITY AND SAFETY BRANCH
FACILITY LICENSING & INVESTIGATIONS SECTION
ENVIRONMENTAL LABORATORY CERTIFICATION**

**A LIST OF APPROVED
NON-COMMERCIAL ENVIRONMENTAL LABORATORIES
UPDATED
04/21/2026**

For Specific Confirmation of Any Individual Listing,
Please Contact The Program
Telephone: (860) 509-7389
Website Address:
www.ct.gov/dph/environmentallabs

*Laboratories that perform testing on environmental samples such as drinking water (well water), recreational waters, wastewater, soil and solid waste are required by Connecticut General Statutes and the Regulations of the Connecticut State Agencies to be approved for this purpose. The following listing gives relevant information on approved laboratories including their specific fields of testing.

ALL APPROVED NON-COMMERCIAL ENVIRONMENTAL LABORATORIES WITH APPROVED CERTIFICATIONS

City: Brooklyn NY

Laboratory Name: Interstate Environmental Commission **PH-NUM :** PH-0320
Laboratory Director: Evelyn Powers
 c/o BioBAT
 140 58th Street, Building A, 2nd Floor
 Brooklyn, NY 11220
 Telephone number: (646) 222-9617 Ext :

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC DEMANDS	INORGANIC MINERALS PARAMETERS
INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	MICROBIOLOGY/BACTERIA

City: Cheshire CT

Laboratory Name: Town of Cheshire WPCD **PH-NUM :** PH-0712
Laboratory Director: John Cronin
 1325 Cheshire Street

 Cheshire, CT 06410
 Telephone number: (203) 272-9105 Ext :

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC NUTRIENT PARAMETERS

City: Clinton CT

Laboratory Name: CTWC - MacKenzie WTP Laboratory **PH-NUM :** PH-0576
Laboratory Director: Kimberly Gottschall
 12 Kelseytown Bridge Road

 Clinton, CT 06413
 Telephone number: (860) 664-6181 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC MINERALS PARAMETERS	INORGANIC PHYSICAL PARAMETERS

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	INORGANIC PHYSICAL PARAMETERS
------------------------	-------------------------------

City: Cromwell CT

Laboratory Name: Mattabassett District **PH-NUM :** PH-0591
Laboratory Director: Kathleen Peloquin
245 Main Street

Cromwell, CT 06416
Telephone number: (860) 635-5550 Ext :X 217

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC DEMANDS	INORGANIC NUTRIENT PARAMETERS
METALS	

City: Danbury CT

Laboratory Name: Danbury Water Laboratory **PH-NUM :** PH-0403
Laboratory Director: David J. Scalzo
Margerie WTP
6 Peck Road
Danbury, CT 06811
Telephone number: (203) 796-1536 Ext :X 253

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	MICROBIOLOGY/BACTERIA

City: Groton

CT

Laboratory Name: Environmental Chem & Special Projects Lab

PH-NUM : PH-0785

Laboratory Director: Julie DuPont-Woody Ph.D.

Electric Boat Div.

75 Eastern Point Road, D341

Groton, CT 06340

Telephone number: (860) 433-3533 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC PHYSICAL PARAMETERS

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

METALS

SOLVENTS

VOLATILE ORGANICS

Matrix: SOLID WASTE/SOIL (RCRA)

Analyte Group

METALS

City: Groton

CT

Laboratory Name: Groton Utilities Water Treatment Plant Lab

PH-NUM : PH-0409

Laboratory Director: Stephen Dietrich

1268 POQUONNOCK ROAD

Groton, CT 06340

Telephone number: (860) 446-4080 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS

INORGANIC DISINFECTION BY-PRODUCTS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

METALS

MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA

City: Hartford CT

Laboratory Name: Metropolitan District Hartford Laboratory **PH-NUM :** PH-0425
Laboratory Director: Robert Rostkowski
240 Brainard Road

Hartford, CT 06114
Telephone number: (860) 278-7850 Ext :X 3517

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS	INORGANIC MINERALS PARAMETERS
INORGANIC PHYSICAL PARAMETERS	MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	INORGANIC DEMANDS
INORGANIC MINERALS PARAMETERS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	MICROBIOLOGY/BACTERIA

City: Howard PA

Laboratory Name: Niagara Bottling, LLC **PH-NUM :** PH-0822
Laboratory Director: Jill Risley
217 AquaPenn Drive

Howard, PA 16841
Telephone number: (814) 357-6084 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

MICROBIOLOGY/BACTERIA

City: Lebanon

CT

Laboratory Name: Deep River Water Purification Lab

PH-NUM : PH-0449

Laboratory Director: Stacie Stadnicki

54 Reservoir Road

Lebanon, CT 06249

Telephone number: (860) 823-4169 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

City: Manchester

CT

Laboratory Name: Manchester Water Laboratory

PH-NUM : PH-0460

Laboratory Director: Brenda Williams

125 SPRING STREET

Manchester, CT 06040

Telephone number: (860) 647-3209 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

MICROBIOLOGY/BACTERIA

City: Meriden **CT**

Laboratory Name: City of Meriden WPC Laboratory **PH-NUM :** PH-0128

Laboratory Director: Carmen L. Krzesik
226 Evansville Avenue

Meriden, CT 06451

Telephone number: (203) 630-4261 Ext :

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

MICROBIOLOGY/BACTERIA

City: Monroe **CT**

Laboratory Name: Aquarion Water Company Water Quality Lab **PH-NUM :** PH-0400

Laboratory Director: Patricia Esposito
200 Monroe Turnpike

Monroe, CT 06468

Telephone number: (203) 445-7362 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

City: Montville **CT**

Laboratory Name: Stony Brook Water Purification Laboratory **PH-NUM :** PH-0196

Laboratory Director: Stacie Stadnicki
260 CHERRY LANE

Montville, CT 06370

Telephone number: (860) 823-4169 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

City: Mystic

CT

Laboratory Name: Mystic Aquarium Environmental Quality Lab

PH-NUM : PH-0177

Laboratory Director: Allison Tuttle, DVM

55 Coogan Blvd

Mystic, CT 06355

Telephone number: (860) 572-5955 Ext :X 106

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

City: Naugatuck

CT

Laboratory Name: CTWC - W.C. Stewart WTP Laboratory

PH-NUM : PH-0781

Laboratory Director: Taylor Perrotta

119 Horton Hill Road

Naugatuck, CT 06770

Telephone number: (860) 664-6282 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC PHYSICAL PARAMETERS

City: New Canaan

CT

Laboratory Name: Norwalk Water Laboratory-First District

PH-NUM : PH-0415

Laboratory Director: Kori Bria

270 VALLEY ROAD

New Canaan, CT 06840

Telephone number: (203) 229-7273 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

City: Norwalk

CT

Laboratory Name: King Industries

PH-NUM : PH-0561

Laboratory Director: Harry Condos

SCIENCE ROAD

Norwalk, CT 06852

Telephone number: (203) 866-5551 Ext :

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS

INORGANIC PHYSICAL PARAMETERS

METALS

VOLATILE ORGANICS

City: Norwich

CT

Laboratory Name: Norwich Public Utilities Laboratory

PH-NUM : PH-0453

Laboratory Director: Stacie Stadnicki

43 Falls Avenue

Norwich, CT 06360

Telephone number: (860) 823-4169 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS	INORGANIC MINERALS PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
MICROBIOLOGY/BACTERIA	

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC DEMANDS	INORGANIC MINERALS PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
MICROBIOLOGY/BACTERIA	

City: Rockville CT

Laboratory Name: CTWC - Rockville WTP Laboratory **PH-NUM :** PH-0780
Laboratory Director: Jennifer Cross
Connecticut Water Company
10 Snipsic Street
Rockville, CT 06066
Telephone number: (860) 664-6112 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC MINERALS PARAMETERS	INORGANIC PHYSICAL PARAMETERS
MICROBIOLOGY/BACTERIA	

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS
INORGANIC PHYSICAL PARAMETERS

City: Stamford CT

Laboratory Name: Stamford WPCA **PH-NUM :** PH-0711
Laboratory Director: Matthew Holko
111 Harbor View Avenue
Stamford, CT 06902
Telephone number: (203) 977-4592 Ext :

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC NUTRIENT PARAMETERS

City: Storrs

CT

Laboratory Name: UCONN Cntr. Envir. Sciences & Engineering

PH-NUM : PH-0778

Laboratory Director: Christopher Perkins

Bldg. #4 Annex. Rm 133
3107 Horsebarn Hill Rd., U-4210
Storrs, CT 06269

Telephone number: (860) 486-2668 Ext :

Matrix: ANIMAL TISSUES

Analyte Group

METALS

ORGANICS

Matrix: DRINKING WATER (SDWA)

Analyte Group

PERFLUORINATED ALKYL COMPOUNDS

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

METALS

City: Wallingford

CT

Laboratory Name: Wallingford Water and Wastewater Lab.

PH-NUM : PH-0485

Laboratory Director: Stephanie Martin

Water and Wastewater Laboratory
155 John Street
Wallingford, CT 06492

Telephone number: (203) 949-2677 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

METALS

City: Waterford

CT

Laboratory Name: Millstone Power Station Environmental Lab

PH-NUM : PH-0290

Laboratory Director:

Susan Gonzalez

Dominion Nuclear CT, Inc.

314 Rope Ferry Road

Waterford, CT 06385

Telephone number: (800) 269-9994 Ext :X 4255

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC PHYSICAL PARAMETERS

City: Waterford

CT

Laboratory Name: Millstone Power Station Unit 2 Chem Lab

PH-NUM : PH-0294

Laboratory Director:

Kevin C. Villani

314 Rope Ferry Road

Waterford, CT 06385

Telephone number: (860) 447-1791 Ext :X 4255

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MISCELLANEOUS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

City: Waterford

CT

Laboratory Name: Millstone Power Station Unit 3 Chem Lab

PH-NUM : PH-0292

Laboratory Director:

Kevin C. Villani

Dominion Nuclear CT, Inc.

314 Rope Ferry Rd.

Waterford, CT 06385

Telephone number: (860) 447-1791 Ext :X 4255

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC MISCELLANEOUS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

City: West Hartford

CT

Laboratory Name: Metropolitan District Water Analysis Lab

PH-NUM : PH-0424

Laboratory Director: Robert Rostkowski
2900 Albany Avenue
Avon Mountain, Route 44
West Hartford, CT 06117

Telephone number: (860) 278-7850 Ext :X 3901

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS	INORGANIC DEMANDS
INORGANIC DISINFECTION BY-PRODUCTS	INORGANIC MINERALS PARAMETERS
INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	METALS
MICROBIOLOGY/BACTERIA	ORGANIC DISINFECTION BY-PRODUCTS
VOLATILE ORGANICS	

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS	
INORGANIC DEMANDS	INORGANIC DISINFECTION BY-PRODUCTS
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA

THIS IS THE LAST PAGE OF THE REPORT