

## COVID-19 Update August 12, 2021


As of **August 11, 2021**, the total of laboratory-confirmed and probable COVID-19 cases reported among Connecticut residents is **361294**, including **329441** laboratory-confirmed and **31853** probable cases. **Two hundred forty-seven** patients are currently hospitalized with laboratory-confirmed COVID-19. There have been **8307** COVID-19-associated deaths.

Overall Summary	Total*	Change Since Yesterday
COVID-19 Cases (confirmed and probable)	361294	+742
COVID-19 Tests Reported (molecular and antigen)	10141490	+21101
Daily Test Positivity*		3.52%
Patients Currently Hospitalized with COVID-19**	247	+17
	<u>Total</u>	<u>Change since 8/5/21</u>
COVID-19-Associated Deaths	8307	+11

\*Includes confirmed plus probable cases


\*\*Includes 190 unvaccinated or unknown vaccination status cases (77% of total census)

### Cases




**Total Cases: 361,294**

### Admissions




**Total Hospitalizations: 37,310**

### Hospital Census



**Hospital Census: 8/11/2021: 247**

### Deaths



**Total Deaths: 8307**

**COVID-19 Cases and Associated Deaths by County of Residence as of 08/11/21.**


County	COVID-19 Cases		COVID-19-Associated Deaths	
	Confirmed	Probable	Confirmed	Probable
Fairfield County	93,907	9,419	1,776	429
Hartford County	81,660	6,259	2,008	439
Litchfield County	13,337	1,795	259	39
Middlesex County	12,121	1,258	288	87
New Haven County	85,507	10,045	1,850	295
New London County	22,050	1,443	351	101
Tolland County	9,063	949	149	39
Windham County	10,757	510	154	42
Pending address validation	1,039	175	1	0
<b>Total</b>	<b>329441</b>	<b>31853</b>	<b>6836</b>	<b>1471</b>

[National COVID-19 statistics](#) and information about [preventing spread of COVID-19](#) are available from the Centers for Disease Control and Prevention.


**Day-to-day changes reflect newly reported cases, deaths, and tests that occurred over the last several days to week.** All data in this report are preliminary; data for previous dates will be updated as new reports are received and data errors are corrected. Hospitalization data were collected by the Connecticut Hospital Association. Deaths reported to either OCME or DPH are included in the daily COVID-19 update.

## COVID-19 Cases and Deaths Over Time

The chart below shows the number of new COVID-19 cases reported to CT DPH by week of specimen collection or onset of illness. Case data now includes probable cases based on positive antigen test results. During the past two weeks (July 25-August 07), there were 6586 new COVID-19 cases, including cases among people residing in the community and congregate settings, such as nursing homes, managed residential communities, and correctional facilities.




The graph below shows the number of COVID-19 associated deaths since August 1, 2020 by week of death and whether the person was residing in a congregate setting, such as a nursing home, managed residential community, or correctional facility.






Because towns with larger populations are likely to have more cases, it is also important to look at the number of new cases per 100,000 population. The maps below show the average number of new cases per 100,000 population per day, with darker colors indicating higher rates. Cases among people residing in nursing homes, assisted living facilities, and correctional facilities are excluded.



Among towns with at least 5 new cases during July 25-August 07, 39 towns had an average rate of 15 or more cases per 100,000 population per day, shown in red in the map below.



*Map does not include 33 cases pending address validation*

## **Epidemiology of COVID-19 by Vaccine Status**

These data are currently being updated and will be reported next week.



## SARS-CoV-2 Variant Surveillance

The Centers for Disease Control and Prevention (CDC) have identified three types of SARS-CoV-2 variants: variants of interest, variants of concern and variants of high consequence. The definitions for the three different variant categories and substitutions of therapeutic concern can be found here: [SARS-CoV-2 Variants of Concern | CDC](#).

Different terminology has been developed by international scientists for naming SARS-CoV-2 variants. Recently, the World Health Organization (WHO) developed new labels for describing these variants to the public. Below, both the Pango lineage and sub-lineages (used by CDC) and the WHO label are listed (if available) for each variant described.

Data provided are from the Global Initiative for Sharing Avian Influenza Data (GISAID). GISAID is a global science initiative established in 2008 that provides open-access to genomic data of influenza viruses and the SARS-CoV-2 virus responsible for the COVID-19 pandemic. Laboratories performing whole genome sequencing are encouraged to share their data on this website. More information about GISAID can be found at [GISAID - Initiative](#). This data source provides the ability to monitor all variants of the SARS-CoV-2 virus that are circulating and might be identified in the future.


Below are data on variants of concern, variants of interest and substitutions of therapeutic concern identified among Connecticut residents. No variants of high consequence have been defined by CDC to date.

Data are from GISAID as of 08/12/2021 and represent sequences from specimens with dates of collection from 3/2/2020–8/3/2021. **The total number of SARS-CoV-2 sequences in GISAID for Connecticut residents are 8,636.**

	Number	Percentage
<b>Variants of Concern</b>		
B.1.1.7 (Alpha)	3,374	39.1%
B.1.351/B.1.351.2/B.1.351.3 (Beta)	36	0.4%
B.1.617.2/AY.1/AY.2/AY.3 (Delta)	540	6.3%
P.1/P.1.1/P.1.2 (Gamma)	200	2.3%
<b>Variants of Interest</b>		
B.1.427	68	0.8%
B.1.429	141	1.6%
B.1.525 (Eta)	21	0.2%
B.1.526 (Iota)	1,126	13.0%
B.1.617.1 (Kappa)	2	0.02%
B.1.617.3	0	0%

## SARS-CoV-2 Variant Surveillance, continued.


The plot below, based on data extracted from GISAID on 8/12/2021, shows the change in proportion of circulating variants of concern by week. Data include sequences from specimens with dates of collection from 1/1/2021–8/3/2021.





Connecticut nursing homes are required by the Connecticut Department of Public Health (DPH) and the Centers for Medicare and Medicaid Services (CMS) to report on the impact of COVID-19 on their residents and staff through CDC’s National Healthcare Safety Network (NHSN). CT DPH uses data submitted to NHSN to produce a weekly nursing home report to depict recent COVID-19 activity in nursing homes. The following graph and table provide a quick overview of COVID-19 in CT nursing homes. For the complete DPH nursing home report, please see [Nursing Home and Assisted Living Facilities Data](#).

**Figure 1. Nursing Homes with Positive Staff or Residents October 6, 2020–August 10, 2021<sup>1,2</sup>**



<sup>1</sup> For more detailed information on COVID-19 reporting and NHSN, please see [here](#).

<sup>2</sup> Similar to DPH, CMS makes COVID-19 nursing home data, including vaccination rates, publicly available. Please see [CMS' COVID-19 Nursing Home Data website](#).

**Table 1: Statewide COVID-19 Vaccination coverage among nursing home residents and staff from NHSN<sup>1,2</sup>**


	Statewide COVID-19 Vaccination Rate Data as of August 1, 2021	
	Resident Vaccination Rates N= 205 homes	Staff Vaccination Rates N= 207 homes
Average Vaccination Rate	90%	72%
Median Vaccination Rate	91%	73%
Range of Vaccination Rates	30-100%	34-100%
% of the reporting nursing homes with vaccination rate ≥ 75%	95%	44%

<sup>1</sup> NHSN vaccine reporting instructions for nursing homes can be found [here](#).

<sup>2</sup> Similar to DPH, CMS makes COVID-19 nursing home data, including vaccination rates, publicly available. Please see [CMS' COVID-19 Nursing Home Data website](#).



Age Distribution of COVID-19 Cases with Specimen Collection or Onset During July 25-August 07, 2020




### Average Daily Incidence by Age Group

The chart below shows the average number of new COVID-19 cases per day per 100,000 population by age group. The rates in this chart are calculated by averaging the number of new cases diagnosed each day during the previous two weeks, dividing by the annual population in each age group, and then multiplying by 100,000.

### Average daily rate of COVID-19 cases by age group

As of 08/11/2021


2021-06-19 2021-06-26 2021-07-03 2021-07-10 2021-07-17 2021-07-24 2021-07-31 2021-08-07



### Average Daily Incidence by County



The chart below shows the average number of new COVID-19 cases per day per 100,000 population in the state of Connecticut and for each Connecticut county. The rates in this chart are calculated by averaging the number of new cases diagnosed each day during the previous two weeks, dividing by the annual estimated population, and then multiplying by 100,000.

Average daily rates of COVID-19 cases by county  
As of 08/11/2021



## Cumulative Number of COVID-19 Cases and COVID-19-Associated Deaths by Date

Test results may be reported several days after the result. Data are incomplete for most recent dates shaded in grey. Data from previous dates are routinely updated.




## Hospitalization Surveillance

The map below shows the number of patients currently hospitalized with laboratory-confirmed COVID-19 by county based on data collected by the Connecticut Hospital Association. The distribution is by location of hospital, not patient residence. The labels indicate the number of patients currently hospitalized with the change since yesterday in parentheses.

### Patients Currently Hospitalized by Connecticut County


*Distribution by location of hospital not patient residence. Data from the Connecticut Hospital Association.*



More information about hospitalized cases of COVID-19 in New Haven and Middlesex Counties is available from [COVID-NET](#).

### COVID-19 Hospital Census in Connecticut


The chart below shows the COVID-19 hospital census, which is the number of patients currently hospitalized with laboratory-confirmed COVID-19 on each day. Data were collected by the Connecticut Hospital Association and are shown since August 1, 2020





## Daycare Surveillance

Licensed daycare providers are required to report cases of COVID-19 among attendees and staff to the Department of Public Health (DPH) and the local health department. This figure shows the number of cases among daycare attendees and staff reported to DPH since September 1, 2020. Data are preliminary and like other passive surveillance systems, under reporting occurs and the true incidence of disease is more than the number of cases reported.




## Laboratory Surveillance

### Molecular Tests

To date, DPH has received reports on a total of 9,324,592 molecular COVID-19 laboratory tests; of these 9,119,186 test results were received via electronic laboratory reporting (ELR) methods from commercial laboratories, hospital laboratories, and the Dr. Katherine A. Kelley State Public Health Laboratory. The chart below shows the number of tests reported via ELR by date of specimen collection and test result.

*Test results may be reported several days after specimen collection. Data are incomplete for most recent dates shaded in grey. Data for previous dates are routinely updated.*




*Testing of recently collected specimens is ongoing and does not reflect a decrease in testing. Chart only includes test results received by electronic laboratory reporting.*

*ELR = Electronic Laboratory Reporting*

To date, DPH has received reports on a total of 816c,898 COVID-19 antigen laboratory tests. The chart below shows the number of antigen tests reported to DPH by specimen collection date and test result.



*Test results may be reported several days after specimen collection. Data are incomplete for most recent dates shaded in grey. Data for previous dates are routinely updated.*





*Testing of recently collected specimens is ongoing and does not reflect a decrease in testing.*

## Characteristics of COVID-19 Cases and Associated Deaths

Counts may not add up to total case count because demographic data may be missing.




Counts may not add up to total case count because demographic data may be missing.





## Cumulative Number of COVID-19 Cases by Town

Map does not include 1214 cases pending address validation




All data are preliminary and subject to change.

**APPENDIX A.** The following graphs show the number of cases per 100,000 Connecticut residents statewide and by county, age group, and gender. Population estimate from: [DPH Population Statistics](#)




### Rate of COVID-19 Cases by Age Group

As of 08/11/2021



### Rate of COVID-19-Associated Deaths by Age Group


As of 08/11/2021






### Rate of COVID-19 Cases by Gender

As of 08/11/2021





### Rate of COVID-19-Associated Deaths by Gender

As of 08/11/2021





**APPENDIX C.** The following graphs show the number of cases and deaths by race and ethnicity. Categories are mutually exclusive. The category “multiracial” includes people who answered ‘yes’ to more than one race category. NH=Non-Hispanic



The following graphs show the number of COVID-19 cases and COVID-19-associated deaths per 100,000 population by race and ethnicity. Crude rates represent the total cases or deaths per 100,000 people. Age-adjusted rates consider the age of the person at diagnosis or death when estimating the rate and use a standardized population to provide a fair comparison between population groups with different age distributions. Age-adjustment is important in Connecticut as the median age of among the non-Hispanic white population is 47 years, whereas it is 34 years among non-Hispanic blacks, and 29 years among Hispanics. Because most non-Hispanic white residents who died were over 75 years of age, the age-adjusted rates are lower than the unadjusted rates. In contrast, Hispanic residents who died tend to be younger than 75 years of age which results in higher age-adjusted rates.

The 2018 Connecticut and 2000 US Standard Million populations were used for age adjustment; population estimates from: [DPH Population Statistics](#). Categories are mutually exclusive. Cases missing data on race/ethnicity are excluded from calculation of rates. NH=Non-Hispanic



\*Age adjusted rates only calculated for groups with at least 30 deaths