

Student Medical Exemption Certificate for Required Immunizations

The information below must be entered in the Department of Public Health [Medical Exemptions portal](#). More information is available [here](#).

Name of Primary Care Provider granting exemption: _____

Please check one (practitioner granting exemption must be licensed as one of the following):

Physician (MD or DO) Physician Assistant APRN

CT License number: _____

NPI: _____

Phone number: _____ Email: _____

Directions:

Part 1. Please complete the demographics section on the patient/student.

Part 2. Please mark the contraindications/precautions that apply to this patient/student (indicate all that apply).

Part 3. If no contraindications or precautions apply in part 2, write a brief explanation of the reason the patient/student requires the exemption.

Part 4. Sign the Statement of Clinical Opinion and date the form.

Attach a copy of the patient/student's most current immunization record.

Part 1. Patient/Student Information:

First name (in full) _____ Middle initial _____ Last name _____

Date of Birth _____

Mailing Address _____ City _____

State _____ Zip _____

Parent/Guardian: First Name _____ Last name _____

Primary phone number _____

School name _____

School address _____

City _____

State _____ Zip _____

Current or Grade student is entering _____

Part 2. Please mark the vaccine(s), exemption duration, and all contraindications/precautions that apply to this patient/student for each vaccine.

Medical contraindications and precautions for immunizations are based upon the Advisory Committee on Immunization Practices (ACIP) [Comprehensive General Recommendations and Guidelines](#), published by the Centers for Disease Control and Prevention.

A **contraindication** is a condition in a recipient that increases the risk for a serious vaccine adverse event (VAE) or compromises the ability of the vaccine to produce immunity.

A **precaution** is a condition in a recipient that might increase the risk for a serious VAE or that might compromise the ability of the vaccine to produce immunity. Under normal conditions, vaccinations are deferred when a precaution is self-limiting, but can be administered if the precaution condition improves.

CDC Recognized Contraindications and Precautions

Vaccine	Exemption Duration	ACIP Contraindications and Precautions (Check all that apply)
<input type="checkbox"/> Diphtheria-Tetanus-and acellular Pertussis (DTaP)	<input type="checkbox"/> Temporary through: ____/____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Encephalopathy within seven days after receipt of previous dose of DTP or DTaP <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Progressive neurologic disorder, including infantile spasms, uncontrolled epilepsy, progressive encephalopathy: defer DTaP until neurologic status clarified and stabilized <input type="checkbox"/> GBS <6 weeks after previous dose of tetanus-toxoid-containing vaccine <input type="checkbox"/> Fever greater than 40.5°C (104.9°F) <48 hours after vaccination of previous dose of DTP or DTaP <input type="checkbox"/> History of Arthus-type hypersensitivity reactions after a previous dose of diphtheria-toxoid-containing or tetanus-toxoid-containing vaccine; defer vaccination until at least 10 years have elapsed since the last tetanus-toxoid-containing vaccine <input type="checkbox"/> Moderate or acute illness with or without fever
<input type="checkbox"/> Hepatitis A	<input type="checkbox"/> Temporary through: ____/____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Moderate or severe acute illness with or without fever

<input type="checkbox"/> Hepatitis B	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	Contraindications <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Hypersensitivity to yeast Precautions <input type="checkbox"/> Moderate or severe acute illness with or without fever
<input type="checkbox"/> <i>Haemophilus influenzae</i> type b (HiB)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	Contraindications <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Age <6 weeks Precautions <input type="checkbox"/> Moderate or severe acute illness with or without fever
<input type="checkbox"/> Inactivated Influenza Virus (IIV)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	Contraindications <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after previous dose of influenza vaccine or to vaccine component Precautions <input type="checkbox"/> GBS <6 weeks after a previous dose of influenza vaccine <input type="checkbox"/> Moderate or severe acute illness with or without fever <input type="checkbox"/> Egg allergy other than hives, e.g., angioedema, respiratory distress, lightheadedness, recurrent emesis; or required epinephrine or another emergency medical intervention (IIV may be administered in an inpatient or outpatient medical setting and under the supervision of a health care provider who is able to recognize and manage severe allergic conditions).
<input type="checkbox"/> Inactivated Polio Vaccine (IPV)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	Contraindications <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component Precautions <input type="checkbox"/> Pregnancy <input type="checkbox"/> Moderate or acute illness with or without fever

<input type="checkbox"/> Live Attenuated Influenza Virus (LAIV)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Concomitant use of aspirin or aspirin-containing medication in children and adolescents <input type="checkbox"/> LAIV4 should not be administered to persons who have taken oseltamivir or zanamivir within the previous 48 hours, peramivir within the previous 5 days, or baloxavir within the previous 17 days.(e) <input type="checkbox"/> Pregnancy <input type="checkbox"/> Children aged 2 through 4 years who have received a diagnosis of asthma or whose parents or caregivers report that a health care provider has told them during the preceding 12 months that their child had wheezing or asthma or whose medical record indicates a wheezing episode has occurred during the preceding 12 months. <input type="checkbox"/> Persons with active cerebrospinal fluid/oropharyngeal communications/leaks. <input type="checkbox"/> Close contacts and caregivers of severely immunosuppressed persons who require a protected environment. <input type="checkbox"/> Persons with cochlear implants (due to the potential for CSF leak, which might exist for some period of time after implantation. Providers might consider consultation with a specialist concerning risk of persistent CSF leak if an age-appropriate inactivated or recombinant vaccine cannot be used). <input type="checkbox"/> Altered Immunocompetence <input type="checkbox"/> Anatomic or functional asplenia (e.g. sickle cell disease) <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> GBS <6 weeks after a previous dose of influenza vaccine <input type="checkbox"/> Asthma in persons aged 5 years old or older <input type="checkbox"/> Medical conditions which might predispose to higher risk of complications attributable to influenza(d) <input type="checkbox"/> Moderate or severe acute illness with or without fever
<input type="checkbox"/> Meningococcal conjugate vaccines (MenACWY)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component, including yeast <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Moderate or severe acute illness with or without fever

<input type="checkbox"/> Measles-Mumps-Rubella (MMR)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Pregnancy <input type="checkbox"/> Known severe immunodeficiency (e.g., from hematologic and solid tumors, receipt of chemotherapy, congenital immunodeficiency, long-term immunosuppressive therapy (i) or patients with HIV infection who are severely immunocompromised) <input type="checkbox"/> Family history of altered immunocompetence (i) <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recent (≤ 11 months) receipt of antibody-containing blood product (specific interval depends on product) <input type="checkbox"/> History of thrombocytopenia or thrombocytopenic purpura <input type="checkbox"/> Need for tuberculin skin testing or interferon-gamma release assay (IGRA) testing (k) <input type="checkbox"/> Moderate or severe acute illness with or without fever
<input type="checkbox"/> Pneumococcal (PCV13)	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose of PCV13 or any diphtheria-toxoid-containing vaccine or to a component of a vaccine (PCV13 or any diphtheria-toxoid-containing vaccine), including yeast <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> Moderate or acute illness with or without fever
<input type="checkbox"/> Tdap	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <ul style="list-style-type: none"> <input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component <input type="checkbox"/> Encephalopathy (e.g., coma, decreased level of consciousness, prolonged seizures), not attributable to another identifiable cause, within 7 days of administration of previous dose of DTP, DTaP, or Tdap <p>Precautions</p> <ul style="list-style-type: none"> <input type="checkbox"/> GBS <6 weeks after a previous dose of tetanus-toxoid-containing vaccine <input type="checkbox"/> Progressive or unstable neurological disorder, uncontrolled seizures, or progressive encephalopathy until a treatment regimen has been established and the condition has stabilized <input type="checkbox"/> History of Arthus-type hypersensitivity reactions after a previous dose of diphtheria-toxoid-containing or tetanus-toxoid-

		<p>containing vaccine; defer vaccination until at least 10 years have elapsed since the last tetanus-toxoid-containing vaccine</p> <p><input type="checkbox"/> Moderate or severe acute illness with or without fever</p>
<input type="checkbox"/> Varicella	<input type="checkbox"/> Temporary through: _____/_____ mm/ yyyy <input type="checkbox"/> Permanent	<p>Contraindications</p> <p><input type="checkbox"/> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component</p> <p><input type="checkbox"/> Known severe immunodeficiency (e.g., from hematologic and solid tumors, receipt of chemotherapy, congenital immunodeficiency, long-term immunosuppressive therapy (i) or patients with HIV infection who are severely immunocompromised) (g)</p> <p><input type="checkbox"/> Pregnancy</p> <p><input type="checkbox"/> Family history of altered immunocompetence (i)</p> <p>Precautions</p> <p><input type="checkbox"/> Recent (≤ 11 months) receipt of antibody-containing blood product (specific interval depends on product)</p> <p><input type="checkbox"/> Moderate or acute illness with or without fever</p>

Part 3. Other Allergic Reactions/ Other Type of Medical Condition

Complete this section if claiming a medical exemption for a vaccine based on a condition that does meet any of the ACIP criteria for a contraindication or precaution listed in part 2.

Vaccine(s), list all that apply: _____

For each vaccine listed above, select the allergic or other reaction for which medical exemption is being submitted. Please check off any of the following that apply:

- This patient has an autoimmune disorder
- This patient has a family history of an autoimmune disorder
- This patient has a family history of a reaction to a vaccination
- This patient has a genetic predisposition to a reaction to a vaccination as determined through genetic testing
- This patient has a previous documented reaction that is correlated to a vaccination
- Other condition/reaction not listed above (must specify): _____

Please provide an explanation of the reaction/condition listed above:

Part 4. Statement of Clinical Opinion

In accord with the legal requirements of Public Act 21-6, the vaccine(s) indicated above is/are in my clinical opinion medically contraindicated for this patient/student due to the physical condition as explained above.

Clinician's Signature _____

Date _____

A person may be placed into quarantine or isolation when there are “reasonable grounds to believe to be infected with, or exposed to, a communicable disease or to be contaminated or exposed to contamination or at reasonable risk of having a communicable disease or being contaminated or passing such communicable disease or contamination to other persons if the commissioner determines that such individual or individuals pose a significant threat to the public health and that quarantine or isolation is necessary and the least restrictive alternative to protect or preserve the public health.” [Conn. Gen. Stat. § 19a-131b\(a\)](#).