



# STATE OF CONNECTICUT

## CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

[www.ct.gov/csc](http://www.ct.gov/csc)

### VIA ELECTRONIC MAIL

July 5, 2018

Aaron Meyers  
Centerline Communications  
750 West Center Street, Floor 3  
West Bridgewater, MA 02379

RE: **EM-CING-010-180620** - New Cingular Wireless PCS, LLC notice of intent to modify an existing telecommunications facility located at 310 Watertown Road (a/k/a 2579 Litchfield Road, Watertown), Bethlehem, Connecticut.

Dear Mr. Meyers:

The Connecticut Siting Council (Council) is in receipt of your email correspondence of June 28, 2018 submitted in response to the Council's June 22, 2018 notification and your email correspondence of July 2, 2018 submitted in response to the Council's June 29, 2018 notification of an incomplete request for exempt modification with regard to the above-referenced matter.

The submission renders the request for exempt modification complete and the Council will process the request in accordance with the Federal Communications Commission 60-day timeframe.

Thank you for your attention and cooperation.

Sincerely,

Melanie A. Bachman  
Executive Director

MAB/CMW/jmb



**From:** Aaron Meyers [<mailto:ameyers@clinellc.com>]

**Sent:** Monday, July 02, 2018 11:00 AM

**To:** Barton, Jenna <[Jenna.Barton@ct.gov](mailto:Jenna.Barton@ct.gov)>

**Subject:** RE: Councils Supplemental Incomplete Letter for EM-CING-010-180620-WatertownRd-Bethlehem

Hello Jenna,

Per the letter you sent me, please find shipping labels for the appropriate parties as well as the revised cover letter.

Thanks,  
Aaron



Aaron Meyers, Site Acquisition  
c/o New Cingular Wireless, PCS LLC (AT&T)  
Centerline Communications, LLC  
750 W. Center St., Floor 3  
West Bridgewater, MA 02379  
Mobile: (774) 420-4202  
[ameyers@clinellc.com](mailto:ameyers@clinellc.com)

DATE July 2, 2018

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**RE: Notice of Exempt Modification // Site Number: CT1174  
310 Watertown Rd. (a/k/a 2579 Litchfield Road, Watertown), Bethlehem, CT  
(Morris)  
N 41.667219 // W -73.170516**

Dear Ms. Bachman:

New Cingular Wireless, PCS, LLC (“AT&T”) currently maintains nine (9) antennas at the 165-foot level of the existing 195-foot Monopole tower at 310 Watertown. Rd., Morris, CT 06763. The tower is owned by SBA Communications Corp.. The property is owned by Gary and Amy Swingle. AT&T now intends to swap three (3) Antennas for its LTE upgrade. These Antennas would be installed at the 116-foot level of the tower. AT&T also intends to add (9) Remote Radio Units and (1) Surge Arrestor with ancillary cables.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Leonard Assard as the First Selectman for the town of Bethlehem, Joel Skilton as the Building Official for the town of Bethlehem, Robert Scarnell as the Town Manager for the town of Watertown, Moosa Raffey as the Zoning Enforcement Officer for the town of Watertown, as well as the tower owner, SBA Communications Corp. and the ground owner, Gary and Amy Swingle.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

Attached to accommodate this filing are construction drawings dated March 20, 2018 by Infinigy, a structural analysis dated April 10, 2018 by Tower Engineering Solutions and an Emissions Analysis Report dated May 10, 2018 by Centerline Communications, LLC.

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading as shown in the attached structural analysis by American Tower Corporation, dated February 1, 2018

For the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

---

Aaron Meyers, Site Acquisition  
c/o New Cingular Wireless, PCS LLC (AT&T)  
Centerline Communications, LLC  
750 W. Center St., Floor 3  
West Bridgewater, MA 02379  
Mobile: (774) 420-4202  
[ameyers@centerlincommunications.com](mailto:ameyers@centerlincommunications.com)

#### Attachments

cc: Leonard Assard - as elected official (Town of Bethlehem)  
Robert Scarnell - as elected official (Town of Watertown)  
SBA Communications Corp. - as tower owner  
Gary and Amy Swingle - as property owner  
Joel Skilton – Building Official (Town of Bethlehem)  
Moosa Rafey – Zoning Enforcement Officer (Town of Watertown)



Aaron Meyers, Site Acquisition  
c/o New Cingular Wireless, PCS LLC (AT&T)  
Centerline Communications, LLC  
750 W. Center St., Floor 3  
West Bridgewater, MA 02379  
Mobile: (774) 420-4202  
[ameyers@clinellc.com](mailto:ameyers@clinellc.com)

DATE June 18, 2018

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**RE: Notice of Exempt Modification // Site Number: CT1174  
310 Watertown Rd., Morris, CT 06763 (Morris)  
N 41.667219 // W -73.170516**

Dear Ms. Bachman:

New Cingular Wireless, PCS, LLC (“AT&T”) currently maintains nine (9) antennas at the 165-foot level of the existing 195-foot Monopole tower at 310 Watertown. Rd., Morris, CT 06763. The tower is owned by SBA Communications Corp.. The property is owned by Sugar Mountain Farms. AT&T now intends to swap three (3) Antennas for its LTE upgrade. These Antennas would be installed at the 116-foot level of the tower. AT&T also intends to add (9) Remote Radio Units and (1) Surge Arrestor with ancillary cables.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Tom Weik as the First Selectman, as well as the tower owner, SBA Communications Corp. the ground owner, Sugar Mountain Farms, and the Planning & Zoning Chairman of Morris, CT, Robert McIntosh.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

Attached to accommodate this filing are construction drawings dated March 20, 2018 by Infinigy, a structural analysis dated April 10, 2018 by Tower Engineering Solutions and an Emissions Analysis Report dated May 10, 2018 by Centerline Communications, LLC.

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require the extension of the site boundary.

3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading as shown in the attached structural analysis by American Tower Corporation, dated February 1, 2018

For the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

---

Aaron Meyers, Site Acquisition  
c/o New Cingular Wireless, PCS LLC (AT&T)  
Centerline Communications, LLC  
750 W. Center St., Floor 3  
West Bridgewater, MA 02379  
Mobile: (774) 420-4202  
[ameyers@centerlincommunications.com](mailto:ameyers@centerlincommunications.com)

#### Attachments

cc: Tom Weik, First Selectman - as elected official  
SBA Communications Corp. - as tower owner  
Sugar Mountain Farm - as property owner  
Robert McIntosh - as Zoning & Planning Chairman



# Radio Frequency Emissions Analysis Report

AT&T Existing Facility

Site ID: CT1174

FA#: 10107954

Morris CT  
310 Watertown Road  
Morris, CT 06763

**May 10, 2018**

**Centerline Communications Project Number: 950012-098**

Site Compliance Summary	
Compliance Status:	<b>COMPLIANT</b>
Site total MPE% of FCC general population allowable limit:	<b>5.23 %</b>



May 10, 2018

AT&T Mobility – New England  
Attn: John Benedetto, RF Manager  
550 Cochituate Road  
Suite 550 – 13&14  
Framingham, MA 06040

### Emissions Analysis for Site: **CT1174 – Morris CT**

Centerline Communications, LLC (“Centerline”) was directed to analyze the proposed AT&T facility located at **310 Watertown Road, Morris, CT**, for the purpose of determining whether the emissions from the Proposed AT&T Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The number of  $\mu\text{W}/\text{cm}^2$  calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Population exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The general population exposure limits for the 700 and 850 MHz Bands are approximately  $467 \mu\text{W}/\text{cm}^2$  and  $567 \mu\text{W}/\text{cm}^2$  respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 2300 MHz (WCS) bands is  $1000 \mu\text{W}/\text{cm}^2$ . Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.





Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.



## CALCULATIONS

Calculations were performed for the proposed AT&T Wireless antenna facility located at **310 Watertown Road, Morris, CT**, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since AT&T is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was focused at the base of the tower. For this report the sample point is the top of a 6-foot person standing at the base of the tower.

Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. All power values expressed and analyzed are maximum power levels expected to be used on all radios.

All emissions values for additional carriers were taken from the Connecticut Siting Council (CSC) active MPE database. Values in this database are provided by the individual carriers themselves

For each sector the following channel counts, frequency bands and power levels were utilized as shown in *Table 1*:

Technology	Frequency Band	Channel Count	Transmit Power per Channel (W)
Technology	850 MHz	2	30
Technology	700 MHz (Band 14)	4	40
Technology	1900 MHz (PCS)	4	40
Technology	700 MHz	2	40

*Table 1: Channel Data Table*



The following antennas listed in *Table 2* were used in the modeling for transmission in the 700 MHz, 850 MHz and 1900 MHz (PCS) frequency bands. This is based on feedback from the carrier with regards to anticipated antenna selection. Maximum gain values for all antennas are listed in the Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

Sector	Antenna Number	Antenna Make / Model	Antenna Centerline (ft)
A	1	Powerwave 7770	165
A	2	Kathrein 800-10965	165
A	3	KMW AM-X-CD-16-65-00T-RET	165
B	1	Powerwave 7770	165
B	2	Kathrein 800-10964	165
B	3	Kathrein 800-10764	165
C	1	Powerwave 7770	165
C	2	Kathrein 800-10964	165
C	3	Kathrein 800-10764	165

*Table 2: Antenna Data*

All calculations were done with respect to uncontrolled / general population threshold limits.



## RESULTS

Per the calculations completed for the proposed AT&T configurations *Table 3* shows resulting emissions power levels and percentages of the FCC’s allowable general population limit.

Antenna ID	Antenna Make / Model	Frequency Bands	Antenna Gain (dBd)	Channel Count	Total TX Power (W)	ERP (W)	MPE %
Antenna A1	Powerwave 7770	850 MHz	11.4	2	60	828.23	0.21
Antenna A2	Kathrein 800-10965	700 MHz (Band 14) / 1900 MHz (PCS)	12.65 / 15.65	8	320	8,821.75	1.73
Antenna A3	KMW AM-X-CD-16-65-00T-RET	700 MHz	13.35	2	80	1,730.17	0.53
Sector A Composite MPE%							<b>2.47</b>
Antenna B1	Powerwave 7770	850 MHz	11.4	2	60	828.23	0.21
Antenna B2	Kathrein 800-10964	700 MHz (Band 14) / 1900 MHz (PCS)	11.45 / 15.15	8	320	7,471.64	1.43
Antenna B3	Kathrein 800-10764	700 MHz	12.15	2	80	1,312.47	0.40
Sector B Composite MPE%							<b>2.03</b>
Antenna C1	Powerwave 7770	850 MHz	11.4	2	60	828.23	0.21
Antenna C2	Kathrein 800-10964	700 MHz (Band 14) / 1900 MHz (PCS)	11.45 / 15.15	8	320	7,471.64	1.43
Antenna C3	Kathrein 800-10764	700 MHz	12.15	2	80	1,312.47	0.40
Sector C Composite MPE%							<b>2.03</b>

*Table 3: AT&T Emissions Levels*



The Following table (*table 4*) shows all additional carriers on site and their MPE% as recorded in the CSC active MPE database for this facility along with the newly calculated maximum AT&T MPE contributions per this report. FCC OET 65 specifies that for carriers utilizing directional antennas that the highest recorded sector value be used for composite site MPE values due to their greatly reduced emissions contributions in the directions of the adjacent sectors. For this site, the sector with the largest calculated MPE% is Sector A. *Table 5* below shows a summary for each AT&T Sector as well as the composite MPE value for the site.

<b>Site Composite MPE%</b>	
<b>Carrier</b>	<b>MPE%</b>
AT&T – Sector A (Max Value)	<b>2.47 %</b>
Nextel	0.18 %
Sprint	0.23 %
Verizon Wireless	0.98 %
T-Mobile	1.37 %
<b>Site Total MPE %:</b>	<b>5.23 %</b>

*Table 4: All Carrier MPE Contributions*

AT&T Sector A Total:	2.47 %
AT&T Sector B Total:	2.03 %
AT&T Sector C Total:	2.03 %
Site Total:	5.23 %

*Table 5: Site MPE Summary*



FCC OET 65 specifies that for carriers utilizing directional antennas that the highest recorded sector value be used for composite site MPE values due to their greatly reduced emissions contributions in the directions of the adjacent sectors. *Table 6* below details a breakdown by frequency band and technology for the MPE power values for the maximum calculated AT&T sector(s). For this site, the sector with the largest calculated MPE% is Sector A.

AT&T _ Frequency Band / Technology Max Power Values (Sector A)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ( $\mu\text{W}/\text{cm}^2$ )	Frequency (MHz)	Allowable MPE ( $\mu\text{W}/\text{cm}^2$ )	Calculated % MPE
AT&T 850 MHz UMTS – Antenna 1	2	414.12	165	1.18	850 MHz	567	0.21%
AT&T 700 MHz LTE (Band 14) – Antenna 2	4	736.31	165	4.19	700 MHz	467	0.90%
AT&T 1900 MHz (PCS) LTE – Antenna 2	4	1,469.13	165	8.36	1900 MHz (PCS)	1000	0.84%
AT&T 700 MHz LTE – Antenna 3	2	865.09	165	2.46	700 MHz	467	0.53%
						<b>Total:</b>	<b>2.47%</b>

*Table 6: AT&T Maximum Sector MPE Power Values*

## Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the AT&T facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

AT&T Sector	Power Density Value (%)
Sector A:	2.47 %
Sector B:	2.03 %
Sector C:	2.03 %
AT&T Maximum Total (per sector):	2.47 %
Site Total:	5.23 %
Site Compliance Status:	<b>COMPLIANT</b>

The anticipated composite MPE value for this site assuming all carriers present is **5.23 %** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.



Scott Heffernan  
 RF Engineering Director  
**Centerline Communications, LLC**  
 95 Ryan Drive, Suite 1  
 Raynham, MA 02767



**Tower Engineering Solutions**

Phone (972) 483-0607, Fax (972) 975-9615  
8445 Freeport Parkway, Suite 375, Irving, Texas 75063

---

**Structural Analysis Report**

**Existing 195 ft Nudd Corporation Monopole**

**Customer Name: SBA Communications Corp**

**Customer Site Number: CT01501-S**

**Customer Site Name: Morris**

**Carrier Name: AT&T**

**Carrier Site ID / Name: CT1174 / 1449-Morris**

**Site Location: 310 Watertown Road**

**Bethlehem, Connecticut**

**Litchfield County**

**Latitude: 41.667219**

**Longitude: -73.170516**

**Analysis Result:**

**Max Structural Usage: 82.3% [Pass]**

**Max Foundation Usage: 76.1% [Pass]**

**Additional Usage Caused by New Mount/Mount Modification: N/A**

**Report Prepared By: Mariana Franco**



*M. Franco*  
*4/10/18*





**Tower Engineering Solutions**

Phone (972) 483-0607, Fax (972) 975-9615  
8445 Freeport Parkway, Suite 375, Irving, Texas 75063

---

## **Structural Analysis Report**

**Existing 195 ft Nudd Corporation Monopole**

**Customer Name: SBA Communications Corp**

**Customer Site Number: CT01501-S**

**Customer Site Name: Morris**

**Carrier Name: AT&T**

**Carrier Site ID / Name: CT1174 / 1449-Morris**

**Site Location: 310 Watertown Road**

**Bethlehem, Connecticut**

**Litchfield County**

**Latitude: 41.667219**

**Longitude: -73.170516**

### **Analysis Result:**

**Max Structural Usage: 82.3% [Pass]**

**Max Foundation Usage: 76.1% [Pass]**

**Additional Usage Caused by New Mount/Mount Modification: N/A**

**Report Prepared By: Mariana Franco**

## Introduction

The purpose of this report is to summarize the analysis results on the 195 ft Nudd Corporation Monopole to support the proposed antennas and transmission lines in addition to those currently installed. Any modification listed under Sources of Information was assumed completed and was included in this analysis.

## Sources of Information

<b>Tower Drawings</b>	Fred A. Nudd Corporation (Drawing No. 00-7627-1) original design drawings dated May 8, 2000 o2wireless Solutions (Job No. 2230-043) Monopole Tower Structural Analysis Report dated September 4, 2002
<b>Foundation Drawing</b>	Fred A. Nudd Corporation (Drawing No. 00-7627-1) original design drawings dated May 8, 2000
<b>Geotechnical Report</b>	Jaworski Geotech, Inc., Project # 99290G, Dated 11/17/1999
<b>Modification Drawings</b>	N/A

## Analysis Criteria

The rigorous analysis was performed in accordance with the requirements and stipulations of the ANSI/TIA/EIA 222-G. In accordance with this standard, the structure was analyzed using **TESPoles**, a proprietary analysis software. The program considers the structure as an elastic 3-D model with second-order effects and temperature effects incorporated in the analysis. The analysis was performed using multiple wind directions.

<b>Wind Speed Used in the Analysis:</b>	Ultimate Design Wind Speed $V_{ult} = 120.0$ mph (3-Sec. Gust)/ Nominal Design Wind Speed $V_{asd} = 93.0$ mph (3-Sec. Gust)
<b>Wind Speed with Ice:</b>	40 mph (3-Sec. Gust) with 1" radial ice concurrent
<b>Operational Wind Speed:</b>	60 mph + 0" Radial ice
<b>Standard/Codes:</b>	ANSI/TIA/EIA 222-G / 2012 IBC / 2016 Connecticut State Building Code
<b>Exposure Category:</b>	C
<b>Structure Class:</b>	II
<b>Topographic Category:</b>	1
<b>Crest Height:</b>	0 ft

This structural analysis is based upon the tower being classified as a Structure Class II; however, if a different classification is required subsequent to the date hereof, the tower classification will be changed to meet such requirement and a new structural analysis will be run.

## Existing Antennas, Mounts and Transmission Lines

The table below summarizes the antennas, mounts and transmission lines that were considered in the analysis as existing on the tower.

Items	Elevation (ft)	Qty.	Antenna Descriptions	Mount Type & Qty.	Transmission Lines	Owner
1	195.0	3	RFS APXVSP18-C-A20 - Panel	Low Profile Platform & RRH Collar Mount	(3) 1 1/4"	Sprint
2		3	ALU 800MHz RRH			
3		4	RFS ACU-A20-N			
4		3	ALU 1900MHz RRH			
5		3	ALU 800MHz Filter			
6	175.0	6	Commscope JAHH-65B-R3B - Panel	Low Profile Platform & [(3) Commscope BSAMNT-SDS-2-2]	(6) 1 5/8" (2) 1 5/8" Hybrid	Verizon
7		6	Antel LPA-80080/6CF - Panel			
8		3	Alcatel-Lucent B66A - RRU			
9		3	Alcatel-Lucent B13 RRH4X30-4R - RRU			
10	165.0	1	RFS DB-C1-12C-24AB-OZ	Low Profile Platform	(12) 1 5/8" (2) 3/4" DC (1) 7/16" Fiber	AT&T
-		6	Powerwave 7770.00 - Panel			
-		12	Powerwave LGP2140X TMA			
-		6	Ericsson RRUS-11			
-		1	KMW AM-X-CD-16-65-00T-RET - Panel			
-		1	Andrew ABT-DF-DMADBH			
-		1	Raycap DC6-48-60-18-8F			
-	2	Kathrein 800 10764 - Panel				
22	155.0	3	RFS APXV18-209014-CT2 - Panel	Low Profile Platform	(12) 1 5/8"	T-Mobile
23		3	Kathrein 782 11056 Bias T			
24		3	Commscope LNX-6565DS - Panel			
25		3	REMC S20057A1			
26		3	Ericsson KRY 112 144/1 TMA			

\* (2) 3/4" DC and (1) 7/16" Fiber are inside (1) 3" Conduit.

## Proposed Carrier's Final Configuration of Antennas, Mounts and Transmission Lines

Information pertaining to the proposed carrier's final configuration of antennas and transmission lines was provided by SBA Communications Corp. The proposed antennas and lines are listed below.

Items	Elevation (ft)	Qty.	Antenna Descriptions	Mount Type & Qty.	Transmission Lines	Owner
11	165.0	1	Kathrein 800 10965 - Panel	Low Profile Platform	(12) RFS 1 5/8" (4) 3/4" DC (2) 7/16" Fiber	AT&T
12		2	Kathrein 800 10964 - Panel			
13		3	Ericsson RRUS 32 B2			
14		3	Ericsson B14 4478			
15		3	Powerwave 7770 - Panel			
16		12	Powerwave LGP21401 TMA			
17		3	Ericsson RRUS-11			
18		1	KMW AM-X-CD-16-65-00T-RET (54")- Panel			
19		3	Andrew ABT-DFDM-ADBH			
20		2	Raycap DC6-48-60-18-8F			
21		2	Kathrein 800 10764 K - Panel			

\* (2) 3/4" DC and (1) 7/16" Fiber are inside (1) 3" Conduit.

All transmission lines are considered running inside of the pole shafts.

## **Analysis Results**

The results of the structural analysis, performed for the wind and ice loading and antenna equipment as defined above, are summarized as the following:

	Pole shafts	Anchor Bolts
Max. Usage:	<b>82.3%</b>	<b>59.3%</b>
Pass/Fail	<b>Pass</b>	<b>Pass</b>

## **Foundations**

	Moment (Kip-Ft)	Shear (Kips)
Original Design Reactions	4878.0	35.6
Analysis Reactions	4956.3	36.6
Factored Reactions*	6585.3	48.1
% of Design Reactions	75.3%	76.1%

\* Per section 15.5.1 of the TIA-222-G standard, factored reactions were obtained by multiplying a 1.35 factor to the original design reactions.

The foundation has been investigated using the supplied documents and soils report and was found adequate. Therefore, no modification to the foundation will be required.

## **Operational Condition (Rigidity):**

Operational characteristics of the tower are found to be within the limits prescribed by ANSI/TIA/EIA 222-G for the installed antennas. The maximum twist/sway at the elevation of the proposed equipment is 1.8524 degrees under the operational wind speed as specified in the Analysis Criteria.

## **Conclusions**

Based on the analysis results, the existing structure and its foundation were found to be adequate to safely support the existing and proposed equipment and meet the minimum requirements per the ANSI/TIA/EIA 222-G Standard under the design basic wind speed as specified in the Analysis Criteria.

## Standard Conditions

1. This analysis was performed based on the information supplied to **(TES) Tower Engineering Solutions, LLC**. Verification of the information provided was not included in the Scope of Work for **TES**. The accuracy of the analysis is dependent on the accuracy of the information provided.
2. The analysis is based on the presumption that the tower members and components along with any existing reinforcement items have been correctly and properly designed, manufactured, installed and maintained.
3. All the existing structural members were assumed to be in good condition with no physical damage or deterioration associated with corrosion.
4. An initial tension of 10% of the break strength on all the existing guy wires was assumed in all the structural analyses of guyed towers unless different values were provided by the client. **TES** cannot take responsibility for the deviations in the analysis results because of differences in the initial tension forces of the existing guy wires.
5. Secondary component or connection secondary components, welds and bolts are assumed to be able to carry their intended original design loads. **TES** cannot take responsibility for verification of the adequacy on the connections, bolts and welds present in the structure.
6. The analyses will be performed based on the codes as specified by the client or based on the best knowledge of the engineering staff of **TES**. In the absence of information to the contrary, all work will be performed in accordance with the latest relevant revision of ANSI/TIA-222. If wind speed and/or ice loads are different from the minimum values recommended by the EIA/TIA-222 standard or other codes, **TES** should be notified in writing and the applicable minimum values provided by the client.
7. The configuration of the existing mounts, antennas, coax and other appurtenances were supplied by the customer for the current structural analysis. **TES** has not visited the tower site to verify the adequacy of the information provided. If there is any discrepancy found in the report regarding the existing conditions, **TES** should be notified immediately to evaluate the effect of the discrepancy on the analysis results.
8. The client will assume responsibility for rework associated with the differences in initially provided information, including tower and foundation information, existing and/or proposed equipment and transmission lines.
9. If a feasibility analysis was performed, final acceptance of changed conditions shall be based upon a rigorous structural analysis.

# Usage Diagram - Max Ratio 82.29% at 0.0ft

**Structure:** CT01501-S-SBA  
**Site Name:** Morris  
**Height:** 195.00 (ft)  
**Base Elev:** 0.000 (ft)

**Code:** EIA/TIA-222-G  
**Exposure:** C  
**Gh:** 1.1


4/10/2018



Page: 1


Dead Load Factor: 1.20  
 Wind Load Factor: 1.60

**Load Case : 1.2D + 1.6W 93 mph Wind**



**Iterations:** 27

*Copyright © 2018 by Tower Engineering Solutions, LLC. All rights reserved.*



## Structure: CT01501-S-SBA

**Type:** Custom  
**Site Name:** Morris  
**Height:** 195.00 (ft)  
**Base Elev:** 0.00 (ft)

**Base Shape:** 18 Sided  
**Taper:** 0.00000

4/10/2018

Page: 2



### Shaft Properties


Seq	Length (ft)	Top (in)	Bottom (in)	Thick (in)	Joint Type	Taper	Grade (ksi)
1	48.00	53.20	64.50	0.375		0.23542	65
2	40.00	46.18	55.60	0.375	Slip	0.23542	65
3	10.00	43.83	46.18	0.313	Butt	0.23542	65
4	50.00	34.09	45.86	0.313	Slip	0.23542	65
5	50.00	24.00	35.77	0.250	Slip	0.23542	65
6	15.00	24.00	24.00	0.281	Butt	0.00000	65

### Discrete Appurtenances

Attach Elev (ft)	Force Elev (ft)	Qty	Description	Carrier
195.00	195.00	3	APXVSP18-C-A20	Sprint Nextel
195.00	195.00	3	800 Mhz	Sprint Nextel
195.00	195.00	4	ACU-A20-N	Sprint Nextel
195.00	195.00	3	1900MHz RRH	Sprint Nextel
195.00	195.00	3	800 Mhz Filter	Sprint Nextel
195.00	195.00	1	Low Profile Platform	Sprint Nextel
193.00	193.00	1	Collar Mount	Sprint Nextel
175.00	175.00	1	Low Profile Platform	Verizon
175.00	175.00	1	(3) mounting kit	Verizon
175.00	175.00	6	JAHH-65B-R3B	Verizon
175.00	175.00	6	LPA-80063/6cf	Verizon
175.00	175.00	3	B66A	Verizon
175.00	175.00	3	B13 RRH4X30-4R	Verizon
175.00	175.00	1	DB-C1-12C-24AB-0Z	Verizon
165.00	165.00	1	800 10965	AT&T
165.00	165.00	2	800 10964	AT&T
165.00	165.00	3	RRUS 32 B2	AT&T
165.00	165.00	3	B14 4478	AT&T
165.00	165.00	3	7770.00	AT&T
165.00	165.00	12	LGP21401 TMA	AT&T
165.00	165.00	3	RRUS-11	AT&T
165.00	165.00	1	AM-X-CD-16-65-00T-RET	AT&T
165.00	165.00	3	ABT-DFDM-ADBH	AT&T
165.00	165.00	2	DC6-48-60-18-8F	AT&T
165.00	165.00	2	800 10764	AT&T
165.00	165.00	1	Low Profile Platform	AT&T
155.00	155.00	3	APXV18-209014-CT2	T-Mobile
155.00	155.00	3	782 11056	T-Mobile
155.00	155.00	3	LNx-6565DS	T-Mobile
155.00	155.00	3	S20057A1	T-Mobile
155.00	155.00	3	KRY 112 144/1	T-Mobile
155.00	155.00	1	Low Profile Platform	T-Mobile

### Linear Appurtenances

Elev From (ft)	Elev To (ft)	Placement	Description	Carrier
0.00	195.00	Inside	1-1/4" Hybrid	Sprint Nextel
0.00	175.00	Inside	1 5/8" Coax	Verizon
0.00	175.00	Inside	1 5/8" Hybrid	Verizon
0.00	165.00	Inside	1 5/8" Coax	AT&T
0.00	165.00	Inside	3" Conduit	AT&T
0.00	165.00	Inside	3/4" DC	AT&T
0.00	165.00	Inside	7/16" Fiber	AT&T
0.00	155.00	Inside	1 5/8" Coax	T-Mobile





**Structure: CT01501-S-SBA**

**Type:** Custom  
**Site Name:** Morris  
**Height:** 195.00 (ft)  
**Base Elev:** 0.00 (ft)

**Base Shape:** 18 Sided  
**Taper:** 0.00000

4/10/2018

Page: 3



**Anchor Bolts**

Qty	Specifications	Grade (ksi)	Arrangement
24	2.00" A687	105.0	Radial

**Base Plate**

Thickness (in)	Specifications (in)	Grade (ksi)	Geometry
1.5000	77.0	45.0	Round

**Reactions**

Load Case	Moment (FT-Kips)	Shear (Kips)	Axial (Kips)
1.2D + 1.6W 93 mph Wind	4956.3	36.6	58.9
0.9D + 1.6W 93 mph Wind	4885.2	36.5	44.2
1.2D + 1.0Di + 1.0Wi 40 mph Wind	1095.5	7.8	98.9
1.0D + 1.0W 60 mph Wind	1279.6	9.5	49.1


# Structure: CT01501-S-SBA - Coax Line Placement

Type: Monopole  
Site Name: Morris  
Height: 195.00 (ft)

4/10/2018



Page: 4



## Shaft Properties

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 5

Sec. No.	Shape	Length (ft)	Thick (in)	Fy (ksi)	Joint Type	Overlap (in)	Weight (lb)
1	18	48.000	0.3750	65		0.00	11,368
2	18	40.000	0.3750	65	Slip	84.00	8,183
3	18	10.000	0.3125	65	Flange	0.00	1,508
4	18	50.000	0.3125	65	Slip	72.00	6,694
5	18	50.000	0.2500	65	Slip	60.00	4,001
6	18	15.000	0.2810	65	Flange	0.00	1,080
<b>Total Shaft Weight:</b>							<b>32,834</b>

Bottom

Top

Sec. No.	Dia (in)	Elev (ft)	Area (sqin)	Ix (in^4)	W/t Ratio	D/t Ratio	Dia (in)	Elev (ft)	Area (sqin)	Ix (in^4)	W/t Ratio	D/t Ratio	Taper
1	64.50	0.00	76.32	39651.33	28.92	172.00	53.20	48.00	62.87	22166.3	23.60	141.8	0.235417
2	55.60	41.00	65.73	25324.08	24.73	148.26	46.18	81.00	54.52	14452.7	20.30	123.1	0.235417
3	46.18	81.00	45.49	12093.31	24.65	147.78	43.83	91.00	43.16	10325.2	23.32	140.2	0.235417
4	45.86	85.00	45.18	11844.57	24.47	146.77	34.09	135.00	33.51	4830.83	17.83	109.1	0.235417
5	35.77	130.0	28.18	4492.97	23.82	143.08	24.00	180.00	18.84	1343.00	15.52	96.00	0.235417
6	24.00	180.0	21.15	1503.63	13.65	85.41	24.00	195.00	21.15	1503.63	13.65	85.41	0.000000

## Load Summary

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 6

### Discrete Appurtenances

No.	Elev (ft)	Description	Qty	No Ice			Ice			Hor. Ecc. (ft)	Vert Ecc (ft)
				Weight (lb)	CaAa (sf)	CaAa Factor	Weight (lb)	CaAa (sf)	CaAa Factor		
1	195.00	APXVSP18-C-A20	3	57.00	8.02	0.83	293.60	11.844	0.83	0.00	0.00
2	195.00	800 Mhz	3	68.30	3.46	0.67	192.10	5.258	0.67	0.00	0.00
3	195.00	ACU-A20-N	4	1.00	0.14	0.79	6.88	0.546	0.79	0.00	0.00
4	195.00	1900MHz RRH	3	44.00	3.80	0.88	193.42	5.703	0.88	0.00	0.00
5	195.00	800 Mhz Filter	3	10.00	0.49	0.70	31.97	1.258	0.70	0.00	0.00
6	195.00	Low Profile Platform	1	1500.00	22.00	1.00	3291.61	46.175	1.00	0.00	0.00
7	193.00	Collar Mount	1	350.00	5.00	1.00	750.91	9.773	1.00	0.00	0.00
8	175.00	Low Profile Platform	1	1500.00	22.00	1.00	3272.33	45.915	1.00	0.00	0.00
9	175.00	(3) mounting kit	1	350.00	5.00	1.00	747.00	9.726	1.00	0.00	0.00
10	175.00	JAHH-65B-R3B	6	63.30	9.11	0.83	394.71	10.972	0.83	0.00	0.00
11	175.00	LPA-80063/6cf	6	21.00	4.33	1.70	303.47	5.980	1.70	0.00	0.00
12	175.00	B66A	3	56.80	2.54	0.82	180.75	3.509	0.82	0.00	0.00
13	175.00	B13 RRH4X30-4R	3	57.20	2.16	0.88	141.55	2.987	0.88	0.00	0.00
14	175.00	DB-C1-12C-24AB-0Z	1	32.00	3.79	1.00	187.32	5.083	1.00	0.00	0.00
15	165.00	800 10965	1	108.60	13.81	0.71	530.87	15.970	0.71	0.00	0.00
16	165.00	800 10964	2	94.80	10.00	0.71	422.29	11.779	0.71	0.00	0.00
17	165.00	RRUS 32 B2	3	53.00	2.74	0.67	181.49	3.748	0.67	0.00	0.00
18	165.00	B14 4478	3	59.40	1.65	0.67	115.22	2.348	0.67	0.00	0.00
19	165.00	7770.00	3	35.00	5.50	0.73	231.52	6.966	0.73	0.00	0.00
20	165.00	LGP21401 TMA	12	19.00	1.30	0.67	52.48	2.450	0.67	0.00	0.00
21	165.00	RRUS-11	3	51.00	2.52	0.71	148.29	3.373	0.71	0.00	0.00
22	165.00	AM-X-CD-16-65-00T-RET	1	48.50	8.02	1.00	266.94	11.781	1.00	0.00	0.00
23	165.00	ABT-DFDM-ADBH	3	1.10	0.05	1.00	4.10	0.309	1.00	0.00	0.00
24	165.00	DC6-48-60-18-8F	2	31.80	0.92	1.00	115.02	1.510	1.00	0.00	0.00
25	165.00	800 10764	2	40.80	5.88	0.90	212.45	8.764	0.90	0.00	0.00
26	165.00	Low Profile Platform	1	1500.00	22.00	1.00	3261.93	45.774	1.00	0.00	0.00
27	155.00	APXV18-209014-CT2	3	18.70	3.58	0.74	150.00	4.865	0.74	0.00	0.00
28	155.00	782 11056	3	5.30	0.28	0.87	17.94	0.817	0.87	0.00	0.00
29	155.00	LNx-6565DS	3	50.80	11.46	0.80	358.06	15.816	0.80	0.00	0.00
30	155.00	S20057A1	3	11.00	0.82	0.73	36.25	1.753	0.73	0.00	0.00
31	155.00	KRY 112 144/1	3	11.00	0.41	0.70	25.42	1.046	0.70	0.00	0.00
32	155.00	Low Profile Platform	1	1500.00	22.00	1.00	3250.95	45.626	1.00	0.00	0.00
<b>Totals:</b>			<b>91</b>	<b>9,730.50</b>			<b>28,810.69</b>				

### Linear Appurtenances

Bottom Elev. (ft)	Top Elev. (ft)	Description	Exposed Width	Exposed
0.00	195.00	(3) 1-1/4" Hybrid	0.00	Inside
0.00	175.00	(6) 1 5/8" Coax	0.00	Inside
0.00	175.00	(2) 1 5/8" Hybrid	0.00	Inside
0.00	165.00	(12) 1 5/8" Coax	0.00	Inside
0.00	165.00	(1) 3" Conduit	0.00	Inside
0.00	165.00	(4) 3/4" DC	0.00	Inside
0.00	165.00	(2) 7/16" Fiber	0.00	Inside
0.00	155.00	(12) 1 5/8" Coax	0.00	Inside

## Discrete Appurtenances

No.	Elev (ft)	Description	Qty	No Ice			Ice			Hor. Ecc. (ft)	Vert Ecc (ft)
				Weight (lb)	CaAa (sf)	CaAa Factor	Weight (lb)	CaAa (sf)	CaAa Factor		

## Shaft Section Properties

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 8

**Increment Length:** 5 (ft)

Elev (ft)	Description	Thick (in)	Dia (in)	Area (in <sup>2</sup> )	Ix (in <sup>4</sup> )	W/t Ratio	D/t Ratio	Fpy (ksi)	S (in <sup>3</sup> )	Weight (lb)
0.00		0.3750	64.500	76.322	39651.3	28.92	172.00	67.4	1210.	0.0
5.00		0.3750	63.323	74.921	37507.6	28.36	168.86	68.0	1166.	1286.6
10.00		0.3750	62.146	73.520	35442.6	27.81	165.72	68.7	1123.	1262.8
15.00		0.3750	60.969	72.119	33454.9	27.26	162.58	69.3	1080.	1238.9
20.00		0.3750	59.792	70.718	31542.8	26.70	159.44	70.0	1039.	1215.1
25.00		0.3750	58.615	69.317	29705.1	26.15	156.31	70.6	998.2	1191.3
30.00		0.3750	57.437	67.916	27940.1	25.60	153.17	71.3	958.1	1167.4
35.00		0.3750	56.260	66.515	26246.5	25.04	150.03	71.9	918.9	1143.6
40.00		0.3750	55.083	65.114	24622.7	24.49	146.89	72.6	880.4	1119.8
41.00	Bot - Section 2	0.3750	54.848	64.834	24306.2	24.38	146.26	72.7	872.8	1221.1
45.00		0.3750	53.906	63.713	23067.4	23.94	143.75	73.2	842.8	761.8
48.00	Top - Section 1	0.3750	53.950	63.765	23124.0	23.96	143.87	0.0	0.0	1301.3
50.00		0.3750	53.479	63.205	22519.6	23.74	142.61	73.5	829.4	432.1
55.00		0.3750	52.302	61.804	21055.1	23.18	139.47	74.1	792.9	1063.4
60.00		0.3750	51.125	60.403	19655.5	22.63	136.33	74.8	757.2	1039.6
65.00		0.3750	49.948	59.002	18319.3	22.08	133.19	75.4	722.4	1015.8
70.00		0.3750	48.771	57.601	17045.1	21.52	130.06	76.1	688.4	991.9
75.00		0.3750	47.594	56.200	15831.4	20.97	126.92	76.7	655.2	968.1
80.00		0.3750	46.417	54.799	14676.7	20.41	123.78	77.4	622.8	944.3
81.00	Top - Section 2	0.3750	46.181	54.519	14452.7	20.30	123.15	77.5	616.4	186.0
81.00	Bot - Section 3	0.3125	46.181	45.494	12093.3	24.36	147.78	72.4	515.8	
85.00	Bot - Section 4	0.3125	45.240	44.560	11363.7	24.12	144.77	73.0	494.7	612.9
90.00		0.3125	44.062	43.393	10493.7	23.45	141.00	73.8	469.1	1507.0
91.00	Top - Section 3	0.3125	44.452	43.779	10776.5	23.67	142.25	0.0	0.0	296.6
95.00		0.3125	43.510	42.845	10101.4	23.14	139.23	74.2	457.3	589.5
100.00		0.3125	42.333	41.678	9298.0	22.48	135.47	75.0	432.6	719.0
105.00		0.3125	41.156	40.510	8538.3	21.81	131.70	75.7	408.6	699.2
110.00		0.3125	39.979	39.343	7821.2	21.15	127.93	76.5	385.3	679.3
115.00		0.3125	38.802	38.175	7145.4	20.48	124.17	77.3	362.7	659.4
120.00		0.3125	37.625	37.008	6509.6	19.82	120.40	78.1	340.8	639.6
125.00		0.3125	36.448	35.841	5912.8	19.15	116.63	78.9	319.5	619.7
130.00	Bot - Section 5	0.3125	35.271	34.673	5353.6	18.49	112.87	79.7	299.0	599.9
135.00	Top - Section 4	0.2500	34.594	27.251	4060.9	22.99	138.37	0.0	0.0	1051.6
140.00		0.2500	33.417	26.317	3657.5	22.16	133.67	75.3	215.6	455.7
145.00		0.2500	32.240	25.383	3281.8	21.33	128.96	76.3	200.5	439.8
150.00		0.2500	31.062	24.449	2932.7	20.50	124.25	77.3	186.0	423.9
155.00		0.2500	29.885	23.515	2609.3	19.67	119.54	78.3	172.0	408.0
160.00		0.2500	28.708	22.581	2310.5	18.84	114.83	79.2	158.5	392.1
165.00		0.2500	27.531	21.647	2035.5	18.01	110.12	80.2	145.6	376.2
170.00		0.2500	26.354	20.713	1783.3	17.18	105.42	81.2	133.3	360.4
175.00		0.2500	25.177	19.779	1552.7	16.35	100.71	82.2	121.5	344.5
180.00	Top - Section 5	0.2500	24.000	18.845	1343.0	15.52	96.00	82.5	110.2	328.6
180.00	Bot - Section 6	0.2810	24.000	21.154	1503.6	13.80	85.41	82.5	123.4	
185.00		0.2810	24.000	21.154	1503.6	13.65	85.41	82.5	123.4	359.9
190.00		0.2810	24.000	21.154	1503.6	13.65	85.41	82.5	123.4	359.9
193.00		0.2810	24.000	21.154	1503.6	13.65	85.41	82.5	123.4	215.9
195.00		0.2810	24.000	21.154	1503.6	13.65	85.41	82.5	123.4	144.0

**32833.6**


## Wind Loading - Shaft

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



**Load Case:** 1.2D + 1.6W 93 mph Wind

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.60



**Iterations** 27

Elev (ft)	Description	Kzt	Kz	qz (psf)	qzGh (psf)	C (mph-ft)	Cf	Ice Thick (in)	Tributary (ft)	Aa (sf)	CfAa (sf)	Wind Force X (lb)	Dead Load Ice (lb)	Tot Dead Load (lb)
0.00		1.00	0.85	17.879	19.67	467.97	0.650	0.000	0.00	0.000	0.00	0.0	0.0	0.0
5.00		1.00	0.85	17.879	19.67	459.43	0.650	0.000	5.00	27.041	17.58	553.1	0.0	1543.9
10.00		1.00	0.85	17.879	19.67	450.89	0.650	0.000	5.00	26.543	17.25	542.9	0.0	1515.3
15.00		1.00	0.85	17.879	19.67	442.35	0.650	0.000	5.00	26.045	16.93	532.7	0.0	1486.7
20.00		1.00	0.90	18.971	20.87	446.85	0.650	0.000	5.00	25.547	16.61	554.4	0.0	1458.1
25.00		1.00	0.95	19.883	21.87	448.47	0.650	0.000	5.00	25.049	16.28	569.8	0.0	1429.5
30.00		1.00	0.98	20.661	22.73	447.98	0.650	0.000	5.00	24.550	15.96	580.3	0.0	1400.9
35.00		1.00	1.01	21.343	23.48	445.98	0.650	0.000	5.00	24.052	15.63	587.3	0.0	1372.3
40.00		1.00	1.04	21.951	24.15	442.83	0.650	0.000	5.00	23.554	15.31	591.5	0.0	1343.7
41.00	Bot - Section 2	1.00	1.05	22.065	24.27	442.08	0.650	0.000	1.00	4.651	3.02	117.4	0.0	265.3
45.00		1.00	1.07	22.502	24.75	438.77	0.650	0.000	4.00	18.659	12.13	480.3	0.0	2114.2
48.00	Top - Section 1	1.00	1.08	22.810	25.09	435.97	0.650	0.000	3.00	13.785	8.96	359.7	0.0	1561.6
50.00		1.00	1.09	23.007	25.31	440.15	0.650	0.000	2.00	9.091	5.91	239.3	0.0	518.5
55.00		1.00	1.12	23.473	25.82	434.80	0.650	0.000	5.00	22.378	14.55	600.9	0.0	1276.1
60.00		1.00	1.14	23.907	26.30	428.93	0.650	0.000	5.00	21.880	14.22	598.4	0.0	1247.5
65.00		1.00	1.16	24.313	26.74	422.60	0.650	0.000	5.00	21.382	13.90	594.7	0.0	1218.9
70.00		1.00	1.17	24.696	27.17	415.87	0.650	0.000	5.00	20.884	13.57	590.0	0.0	1190.3
75.00		1.00	1.19	25.057	27.56	408.79	0.650	0.000	5.00	20.386	13.25	584.4	0.0	1161.7
80.00		1.00	1.21	25.400	27.94	401.40	0.650	0.000	5.00	19.888	12.93	577.9	0.0	1133.1
81.00	Top - Section 2	1.00	1.21	25.466	28.01	399.88	0.650	0.000	1.00	3.918	2.55	114.1	0.0	223.2
85.00	Bot - Section 4	1.00	1.22	25.726	28.30	393.72	0.650	0.000	4.00	15.472	10.06	455.3	0.0	735.4
90.00		1.00	1.24	26.037	28.64	385.79	0.650	0.000	5.00	19.156	12.45	570.6	0.0	1808.4
91.00	Top - Section 3	1.00	1.24	26.098	28.71	384.18	0.650	0.000	1.00	3.771	2.45	112.6	0.0	356.0
95.00		1.00	1.25	26.336	28.97	383.13	0.650	0.000	4.00	14.887	9.68	448.5	0.0	707.4
100.00		1.00	1.27	26.621	29.28	374.79	0.650	0.000	5.00	18.160	11.80	553.1	0.0	862.8
105.00		1.00	1.28	26.896	29.59	366.24	0.650	0.000	5.00	17.662	11.48	543.4	0.0	839.0
110.00		1.00	1.29	27.161	29.88	357.51	0.650	0.000	5.00	17.164	11.16	533.3	0.0	815.2
115.00		1.00	1.30	27.416	30.16	348.61	0.650	0.000	5.00	16.666	10.83	522.7	0.0	791.3
120.00		1.00	1.32	27.663	30.43	339.56	0.650	0.000	5.00	16.168	10.51	511.7	0.0	767.5
125.00		1.00	1.33	27.902	30.69	330.35	0.650	0.000	5.00	15.670	10.19	500.2	0.0	743.7
130.00	Bot - Section 5	1.00	1.34	28.133	30.95	321.00	0.650	0.000	5.00	15.172	9.86	488.3	0.0	719.8
135.00	Top - Section 4	1.00	1.35	28.358	31.19	311.53	0.650	0.000	5.00	14.885	9.68	482.9	0.0	1261.9
140.00		1.00	1.36	28.576	31.43	306.51	0.650	0.000	5.00	14.387	9.35	470.3	0.0	546.8
145.00		1.00	1.37	28.788	31.67	296.81	0.650	0.000	5.00	13.889	9.03	457.4	0.0	527.8
150.00		1.00	1.38	28.994	31.89	286.99	0.650	0.000	5.00	13.391	8.70	444.2	0.0	508.7
155.00	Appurtenance(s)	1.00	1.39	29.195	32.11	277.07	0.650	0.000	5.00	12.893	8.38	430.6	0.0	489.6
160.00		1.00	1.40	29.390	32.33	267.05	0.650	0.000	5.00	12.395	8.06	416.8	0.0	470.6
165.00	Appurtenance(s)	1.00	1.41	29.581	32.54	256.93	0.650	0.000	5.00	11.897	7.73	402.6	0.0	451.5
170.00		1.00	1.42	29.768	32.74	246.72	0.650	0.000	5.00	11.399	7.41	388.2	0.0	432.4
175.00	Appurtenance(s)	1.00	1.42	29.950	32.95	236.42	0.650	0.000	5.00	10.901	7.09	373.5	0.0	413.4
180.00	Top - Section 5	1.00	1.43	30.128	33.14	226.04	0.650	0.000	5.00	10.403	6.76	358.6	0.0	394.3
185.00		1.00	1.44	30.303	33.33	226.69	0.650	0.000	5.00	10.154	6.60	352.0	0.0	431.9
190.00		1.00	1.45	30.473	33.52	227.33	0.650	0.000	5.00	10.154	6.60	354.0	0.0	431.9
193.00	Appurtenance(s)	1.00	1.45	30.574	33.63	227.70	0.650	0.000	3.00	6.093	3.96	213.1	0.0	259.1
195.00	Appurtenance(s)	1.00	1.46	30.640	33.70	227.95	0.650	0.000	2.00	4.062	2.64	142.4	0.0	172.8
<b>Totals:</b>									<b>195.00</b>			<b>19,895.4</b>		<b>39,400.3</b>

## Discrete Appurtenance Forces


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 10

**Load Case:** 1.2D + 1.6W 93 mph Wind

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.60



**Iterations** 27

No.	Elev (ft)	Description	Qty	qz (psf)	qzGh (psf)	CaAa x Ka	Ka	Total CaAa (sf)	Dead Load (lb)	Horiz Ecc (ft)	Vert Ecc (ft)	Wind FX (lb)	Mom Y (lb-ft)	Mom Z (lb-ft)
1	195.00	800 Mhz Filter	3	30.640	33.704	0.63	0.90	0.93	36.00	0.000	0.000	49.94	0.00	0.00
2	195.00	1900MHz RRH	3	30.640	33.704	0.79	0.90	9.03	158.40	0.000	0.000	486.89	0.00	0.00
3	195.00	ACU-A20-N	4	30.640	33.704	0.71	0.90	0.40	4.80	0.000	0.000	21.47	0.00	0.00
4	195.00	800 Mhz	3	30.640	33.704	0.60	0.90	6.26	245.88	0.000	0.000	337.54	0.00	0.00
5	195.00	APXVSP18-C-A20	3	30.640	33.704	0.75	0.90	17.97	205.20	0.000	0.000	969.22	0.00	0.00
6	195.00	Low Profile Platform	1	30.640	33.704	1.00	1.00	22.00	1800.00	0.000	0.000	1186.39	0.00	0.00
7	193.00	Collar Mount	1	30.574	33.631	1.00	1.00	5.00	420.00	0.000	0.000	269.05	0.00	0.00
8	175.00	JAHH-65B-R3B	6	29.950	32.945	0.66	0.80	36.29	455.76	0.000	0.000	1913.15	0.00	0.00
9	175.00	Low Profile Platform	1	29.950	32.945	1.00	1.00	22.00	1800.00	0.000	0.000	1159.67	0.00	0.00
10	175.00	(3) mounting kit	1	29.950	32.945	1.00	1.00	5.00	420.00	0.000	0.000	263.56	0.00	0.00
11	175.00	DB-C1-12C-24AB-OZ	1	29.950	32.945	1.00	1.00	3.79	38.40	0.000	0.000	199.78	0.00	0.00
12	175.00	LPA-80063/6cf	6	29.950	32.945	1.36	0.80	35.33	151.20	0.000	0.000	1862.47	0.00	0.00
13	175.00	B66A	3	29.950	32.945	0.66	0.80	5.00	204.48	0.000	0.000	263.49	0.00	0.00
14	175.00	B13 RRH4X30-4R	3	29.950	32.945	0.70	0.80	4.56	205.92	0.000	0.000	240.47	0.00	0.00
15	165.00	Low Profile Platform	1	29.581	32.540	1.00	1.00	22.00	1800.00	0.000	0.000	1145.39	0.00	0.00
16	165.00	800 10764	2	29.581	32.540	0.72	0.80	8.47	97.92	0.000	0.000	440.83	0.00	0.00
17	165.00	DC6-48-60-18-8F	2	29.581	32.540	1.00	1.00	1.84	76.32	0.000	0.000	95.80	0.00	0.00
18	165.00	B14 4478	3	29.581	32.540	0.54	0.80	2.65	213.84	0.000	0.000	138.13	0.00	0.00
19	165.00	800 10965	1	29.581	32.540	0.57	0.80	7.84	130.32	0.000	0.000	408.39	0.00	0.00
20	165.00	800 10964	2	29.581	32.540	0.57	0.80	11.36	227.52	0.000	0.000	591.44	0.00	0.00
21	165.00	RRUS 32 B2	3	29.581	32.540	0.54	0.80	4.41	190.80	0.000	0.000	229.39	0.00	0.00
22	165.00	ABT-DFDM-ADBH	3	29.581	32.540	1.00	1.00	0.15	3.96	0.000	0.000	7.81	0.00	0.00
23	165.00	7770.00	3	29.581	32.540	0.58	0.80	9.64	126.00	0.000	0.000	501.68	0.00	0.00
24	165.00	LGP21401 TMA	12	29.581	32.540	0.54	0.80	8.36	273.60	0.000	0.000	435.33	0.00	0.00
25	165.00	RRUS-11	3	29.581	32.540	0.57	0.80	4.29	183.60	0.000	0.000	223.56	0.00	0.00
26	165.00	AM-X-CD-16-65-00T-RET	1	29.581	32.540	1.00	1.00	8.02	58.20	0.000	0.000	417.55	0.00	0.00
27	155.00	Low Profile Platform	1	29.195	32.114	1.00	1.00	22.00	1800.00	0.000	0.000	1130.41	0.00	0.00
28	155.00	KRY 112 144/1	3	29.195	32.114	0.56	0.80	0.69	39.60	0.000	0.000	35.39	0.00	0.00
29	155.00	S20057A1	3	29.195	32.114	0.58	0.80	1.44	39.60	0.000	0.000	73.82	0.00	0.00
30	155.00	LNx-6565DS	3	29.195	32.114	0.64	0.80	22.00	182.88	0.000	0.000	1130.58	0.00	0.00
31	155.00	782 11056	3	29.195	32.114	0.70	0.80	0.58	19.08	0.000	0.000	30.04	0.00	0.00
32	155.00	APXV18-209014-CT2	3	29.195	32.114	0.59	0.80	6.36	67.32	0.000	0.000	326.69	0.00	0.00
<b>Totals:</b>									<b>11,676.60</b>			<b>16,585.32</b>		



## Total Applied Force Summary


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 11

**Load Case:** 1.2D + 1.6W 93 mph Wind

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.60



**Iterations** 27

Elev (ft)	Description	Lateral FX (-) (lb)	Axial FY (-) (lb)	Torsion MY (lb-ft)	Moment MZ (lb-ft)
0.00		0.00	0.00	0.00	0.00
5.00		553.08	1781.73	0.00	0.00
10.00		542.90	1753.13	0.00	0.00
15.00		532.71	1724.53	0.00	0.00
20.00		554.42	1695.92	0.00	0.00
25.00		569.76	1667.32	0.00	0.00
30.00		580.28	1638.72	0.00	0.00
35.00		587.26	1610.11	0.00	0.00
40.00		591.50	1581.51	0.00	0.00
41.00		117.41	312.87	0.00	0.00
45.00		480.33	2304.42	0.00	0.00
48.00		359.72	1704.29	0.00	0.00
50.00		239.26	613.58	0.00	0.00
55.00		600.92	1513.92	0.00	0.00
60.00		598.40	1485.32	0.00	0.00
65.00		594.72	1456.72	0.00	0.00
70.00		590.00	1428.12	0.00	0.00
75.00		584.36	1399.51	0.00	0.00
80.00		577.88	1370.91	0.00	0.00
81.00		114.14	270.75	0.00	0.00
85.00		455.35	925.68	0.00	0.00
90.00		570.60	2046.16	0.00	0.00
91.00		112.60	403.51	0.00	0.00
95.00		448.50	897.67	0.00	0.00
100.00		553.06	1100.63	0.00	0.00
105.00		543.45	1076.80	0.00	0.00
110.00		533.32	1052.96	0.00	0.00
115.00		522.72	1029.13	0.00	0.00
120.00		511.66	1005.29	0.00	0.00
125.00		500.18	981.45	0.00	0.00
130.00		488.30	957.62	0.00	0.00
135.00		482.90	1499.69	0.00	0.00
140.00		470.33	784.63	0.00	0.00
145.00		457.42	765.56	0.00	0.00
150.00		444.18	746.49	0.00	0.00
155.00	(16) attachments	3157.56	2875.90	0.00	0.00
160.00		416.76	633.47	0.00	0.00
165.00	(36) attachments	5037.92	3996.48	0.00	0.00
170.00		388.20	500.23	0.00	0.00
175.00	(21) attachments	6276.10	3756.93	0.00	0.00
180.00		358.57	411.46	0.00	0.00
185.00		352.01	449.07	0.00	0.00
190.00		353.99	449.07	0.00	0.00
193.00	(1) attachments	482.15	689.44	0.00	0.00
195.00	(17) attachments	3193.82	2629.91	0.00	0.00
<b>Totals:</b>		<b>36,480.70</b>	<b>58,978.61</b>	<b>0.00</b>	<b>0.00</b>

## Calculated Forces


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



**Load Case:** 1.2D + 1.6W 93 mph Wind

**Iterations** 27

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.60



Seg Elev (ft)	Pu FY (-) (kips)	Vu FX (-) (kips)	Tu MY (-) (ft-kips)	Mu MZ (ft-kips)	Mu MX (ft-kips)	Resultant Moment (ft-kips)	phi Pn (kips)	phi Vn (kips)	phi Tn (ft-kips)	phi Mn (ft-kips)	Total Deflect (in)	Rotation Sway (deg)	Rotation Twist (deg)	Stress Ratio
0.00	-58.92	-36.57	0.00	-4956.2	0.00	4956.27	4628.91	2314.46	12221.1	6119.66	0.00	0.000	0.000	0.823
5.00	-57.03	-36.19	0.00	-4773.4	0.00	4773.41	4587.84	2293.92	11889.0	5953.37	0.09	-0.175	0.000	0.814
10.00	-55.17	-35.81	0.00	-4592.4	0.00	4592.46	4545.12	2272.56	11556.8	5787.00	0.37	-0.352	0.000	0.806
15.00	-53.33	-35.44	0.00	-4413.3	0.00	4413.39	4500.76	2250.38	11224.6	5620.67	0.84	-0.533	0.000	0.797
20.00	-51.53	-35.03	0.00	-4236.2	0.00	4236.21	4454.76	2227.38	10892.7	5454.49	1.50	-0.717	0.000	0.788
25.00	-49.76	-34.60	0.00	-4061.0	0.00	4061.05	4407.12	2203.56	10561.4	5288.58	2.35	-0.904	0.000	0.779
30.00	-48.02	-34.15	0.00	-3888.0	0.00	3888.05	4357.84	2178.92	10230.9	5123.07	3.40	-1.094	0.000	0.770
35.00	-46.30	-33.69	0.00	-3717.2	0.00	3717.28	4306.92	2153.46	9901.44	4958.08	4.65	-1.288	0.000	0.761
40.00	-44.67	-33.15	0.00	-3548.8	0.00	3548.82	4254.35	2127.17	9573.22	4793.73	6.10	-1.485	0.000	0.751
41.00	-44.30	-33.11	0.00	-3515.6	0.00	3515.66	4243.64	2121.82	9507.75	4760.94	6.42	-1.526	0.000	0.749
45.00	-41.93	-32.67	0.00	-3383.2	0.00	3383.24	4200.14	2100.07	9246.51	4630.13	7.76	-1.687	0.000	0.741
48.00	-40.18	-32.33	0.00	-3285.2	0.00	3285.24	4202.19	2101.09	9258.62	4636.19	8.86	-1.810	0.000	0.718
50.00	-39.49	-32.17	0.00	-3220.5	0.00	3220.58	4180.07	2090.03	9128.39	4570.98	9.64	-1.894	0.000	0.714
55.00	-37.89	-31.65	0.00	-3059.7	0.00	3059.75	4123.62	2061.81	8804.12	4408.60	11.73	-2.092	0.000	0.703
60.00	-36.32	-31.12	0.00	-2901.5	0.00	2901.53	4065.54	2032.77	8481.93	4247.27	14.03	-2.294	0.000	0.692
65.00	-34.78	-30.59	0.00	-2745.9	0.00	2745.93	4005.81	2002.90	8162.06	4087.10	16.54	-2.498	0.000	0.681
70.00	-33.27	-30.06	0.00	-2592.9	0.00	2592.99	3944.44	1972.22	7844.75	3928.21	19.27	-2.705	0.000	0.669
75.00	-31.79	-29.52	0.00	-2442.7	0.00	2442.70	3881.43	1940.71	7530.24	3770.72	22.21	-2.915	0.000	0.656
80.00	-30.39	-28.94	0.00	-2295.1	0.00	2295.10	3816.78	1908.39	7218.77	3614.75	25.38	-3.128	0.000	0.643
81.00	-30.07	-28.87	0.00	-2266.1	0.00	2266.16	3803.65	1901.82	7156.86	3583.75	26.04	-3.172	0.000	0.640
81.00	-30.07	-28.87	0.00	-2266.1	0.00	2266.16	2964.89	1482.44	5593.90	2801.11	26.04	-3.172	0.000	0.820
85.00	-29.06	-28.47	0.00	-2150.6	0.00	2150.68	2929.08	1464.54	5412.12	2710.08	28.77	-3.346	0.000	0.804
90.00	-26.98	-27.85	0.00	-2008.3	0.00	2008.32	2882.85	1441.42	5186.17	2596.94	32.41	-3.607	0.000	0.783
91.00	-26.52	-27.78	0.00	-1980.4	0.00	1980.47	2898.33	1449.17	5260.79	2634.30	33.17	-3.661	0.000	0.761
95.00	-25.54	-27.37	0.00	-1869.3	0.00	1869.36	2860.60	1430.30	5080.74	2544.15	36.33	-3.873	0.000	0.744
100.00	-24.36	-26.85	0.00	-1732.4	0.00	1732.49	2811.95	1405.98	4857.28	2432.25	40.52	-4.127	0.000	0.721
105.00	-23.21	-26.34	0.00	-1598.2	0.00	1598.22	2761.66	1380.83	4635.80	2321.34	44.97	-4.381	0.000	0.697
110.00	-22.09	-25.82	0.00	-1466.5	0.00	1466.55	2709.73	1354.87	4416.54	2211.55	49.69	-4.637	0.000	0.672
115.00	-21.00	-25.31	0.00	-1337.4	0.00	1337.45	2656.16	1328.08	4199.76	2103.00	54.68	-4.892	0.000	0.644
120.00	-19.93	-24.80	0.00	-1210.9	0.00	1210.91	2600.95	1300.48	3985.68	1995.80	59.93	-5.145	0.000	0.615
125.00	-18.89	-24.29	0.00	-1086.9	0.00	1086.92	2544.10	1272.05	3774.55	1890.08	65.45	-5.396	0.000	0.583
130.00	-17.89	-23.79	0.00	-965.47	0.00	965.47	2485.60	1242.80	3566.61	1785.96	71.23	-5.643	0.000	0.548
135.00	-16.35	-23.23	0.00	-846.52	0.00	846.52	1823.78	911.89	2575.19	1289.51	77.26	-5.884	0.000	0.666
140.00	-15.52	-22.74	0.00	-730.39	0.00	730.39	1784.40	892.20	2432.60	1218.11	83.54	-6.116	0.000	0.609
145.00	-14.71	-22.27	0.00	-616.67	0.00	616.67	1743.38	871.69	2291.70	1147.55	90.07	-6.378	0.000	0.546
150.00	-13.93	-21.80	0.00	-505.31	0.00	505.31	1700.71	850.36	2152.72	1077.96	96.87	-6.621	0.000	0.478
155.00	-11.38	-18.37	0.00	-396.31	0.00	396.31	1656.41	828.20	2015.90	1009.45	103.91	-6.840	0.000	0.400
160.00	-10.75	-17.91	0.00	-304.46	0.00	304.46	1610.46	805.23	1881.48	942.14	111.16	-7.031	0.000	0.330
165.00	-7.37	-12.44	0.00	-214.90	0.00	214.90	1562.88	781.44	1749.71	876.15	118.60	-7.191	0.000	0.250
170.00	-6.90	-12.00	0.00	-152.72	0.00	152.72	1513.65	756.82	1620.81	811.61	126.18	-7.319	0.000	0.193
175.00	-3.97	-5.30	0.00	-92.71	0.00	92.71	1462.77	731.39	1495.04	748.63	133.88	-7.417	0.000	0.127
180.00	-3.61	-4.90	0.00	-66.21	0.00	66.21	1400.09	700.04	1362.73	682.38	141.67	-7.490	0.000	0.100
180.00	-3.61	-4.90	0.00	-66.21	0.00	66.21	1571.64	785.82	1525.71	763.99	141.67	-7.490	0.000	0.089
185.00	-3.21	-4.49	0.00	-41.73	0.00	41.73	1571.64	785.82	1525.71	763.99	149.53	-7.547	0.000	0.057
190.00	-2.81	-4.08	0.00	-19.27	0.00	19.27	1571.64	785.82	1525.71	763.99	157.42	-7.576	0.000	0.027
193.00	-2.19	-3.51	0.00	-7.03	0.00	7.03	1571.64	785.82	1525.71	763.99	162.17	-7.583	0.000	0.011
195.00	0.00	-3.19	0.00	0.00	0.00	0.00	1571.64	785.82	1525.71	763.99	165.34	-7.585	0.000	0.000

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



## Wind Loading - Shaft


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 14

**Load Case:** 0.9D + 1.6W 93 mph Wind

**Dead Load Factor** 0.90  
**Wind Load Factor** 1.60



**Iterations** 26

Elev (ft)	Description	Kzt	Kz	qz (psf)	qzGh (psf)	C (mph-ft)	Cf	Ice Thick (in)	Tributary (ft)	Aa (sf)	CfAa (sf)	Wind Force X (lb)	Dead Load Ice (lb)	Tot Dead Load (lb)
0.00		1.00	0.85	17.879	19.67	467.97	0.650	0.000	0.00	0.000	0.00	0.0	0.0	0.0
5.00		1.00	0.85	17.879	19.67	459.43	0.650	0.000	5.00	27.041	17.58	553.1	0.0	1158.0
10.00		1.00	0.85	17.879	19.67	450.89	0.650	0.000	5.00	26.543	17.25	542.9	0.0	1136.5
15.00		1.00	0.85	17.879	19.67	442.35	0.650	0.000	5.00	26.045	16.93	532.7	0.0	1115.1
20.00		1.00	0.90	18.971	20.87	446.85	0.650	0.000	5.00	25.547	16.61	554.4	0.0	1093.6
25.00		1.00	0.95	19.883	21.87	448.47	0.650	0.000	5.00	25.049	16.28	569.8	0.0	1072.1
30.00		1.00	0.98	20.661	22.73	447.98	0.650	0.000	5.00	24.550	15.96	580.3	0.0	1050.7
35.00		1.00	1.01	21.343	23.48	445.98	0.650	0.000	5.00	24.052	15.63	587.3	0.0	1029.2
40.00		1.00	1.04	21.951	24.15	442.83	0.650	0.000	5.00	23.554	15.31	591.5	0.0	1007.8
41.00	Bot - Section 2	1.00	1.05	22.065	24.27	442.08	0.650	0.000	1.00	4.651	3.02	117.4	0.0	199.0
45.00		1.00	1.07	22.502	24.75	438.77	0.650	0.000	4.00	18.659	12.13	480.3	0.0	1585.6
48.00	Top - Section 1	1.00	1.08	22.810	25.09	435.97	0.650	0.000	3.00	13.785	8.96	359.7	0.0	1171.2
50.00		1.00	1.09	23.007	25.31	440.15	0.650	0.000	2.00	9.091	5.91	239.3	0.0	388.8
55.00		1.00	1.12	23.473	25.82	434.80	0.650	0.000	5.00	22.378	14.55	600.9	0.0	957.1
60.00		1.00	1.14	23.907	26.30	428.93	0.650	0.000	5.00	21.880	14.22	598.4	0.0	935.6
65.00		1.00	1.16	24.313	26.74	422.60	0.650	0.000	5.00	21.382	13.90	594.7	0.0	914.2
70.00		1.00	1.17	24.696	27.17	415.87	0.650	0.000	5.00	20.884	13.57	590.0	0.0	892.7
75.00		1.00	1.19	25.057	27.56	408.79	0.650	0.000	5.00	20.386	13.25	584.4	0.0	871.3
80.00		1.00	1.21	25.400	27.94	401.40	0.650	0.000	5.00	19.888	12.93	577.9	0.0	849.8
81.00	Top - Section 2	1.00	1.21	25.466	28.01	399.88	0.650	0.000	1.00	3.918	2.55	114.1	0.0	167.4
85.00	Bot - Section 4	1.00	1.22	25.726	28.30	393.72	0.650	0.000	4.00	15.472	10.06	455.3	0.0	551.6
90.00		1.00	1.24	26.037	28.64	385.79	0.650	0.000	5.00	19.156	12.45	570.6	0.0	1356.3
91.00	Top - Section 3	1.00	1.24	26.098	28.71	384.18	0.650	0.000	1.00	3.771	2.45	112.6	0.0	267.0
95.00		1.00	1.25	26.336	28.97	383.13	0.650	0.000	4.00	14.887	9.68	448.5	0.0	530.6
100.00		1.00	1.27	26.621	29.28	374.79	0.650	0.000	5.00	18.160	11.80	553.1	0.0	647.1
105.00		1.00	1.28	26.896	29.59	366.24	0.650	0.000	5.00	17.662	11.48	543.4	0.0	629.3
110.00		1.00	1.29	27.161	29.88	357.51	0.650	0.000	5.00	17.164	11.16	533.3	0.0	611.4
115.00		1.00	1.30	27.416	30.16	348.61	0.650	0.000	5.00	16.666	10.83	522.7	0.0	593.5
120.00		1.00	1.32	27.663	30.43	339.56	0.650	0.000	5.00	16.168	10.51	511.7	0.0	575.6
125.00		1.00	1.33	27.902	30.69	330.35	0.650	0.000	5.00	15.670	10.19	500.2	0.0	557.7
130.00	Bot - Section 5	1.00	1.34	28.133	30.95	321.00	0.650	0.000	5.00	15.172	9.86	488.3	0.0	539.9
135.00	Top - Section 4	1.00	1.35	28.358	31.19	311.53	0.650	0.000	5.00	14.885	9.68	482.9	0.0	946.4
140.00		1.00	1.36	28.576	31.43	306.51	0.650	0.000	5.00	14.387	9.35	470.3	0.0	410.1
145.00		1.00	1.37	28.788	31.67	296.81	0.650	0.000	5.00	13.889	9.03	457.4	0.0	395.8
150.00		1.00	1.38	28.994	31.89	286.99	0.650	0.000	5.00	13.391	8.70	444.2	0.0	381.5
155.00	Appurtenance(s)	1.00	1.39	29.195	32.11	277.07	0.650	0.000	5.00	12.893	8.38	430.6	0.0	367.2
160.00		1.00	1.40	29.390	32.33	267.05	0.650	0.000	5.00	12.395	8.06	416.8	0.0	352.9
165.00	Appurtenance(s)	1.00	1.41	29.581	32.54	256.93	0.650	0.000	5.00	11.897	7.73	402.6	0.0	338.6
170.00		1.00	1.42	29.768	32.74	246.72	0.650	0.000	5.00	11.399	7.41	388.2	0.0	324.3
175.00	Appurtenance(s)	1.00	1.42	29.950	32.95	236.42	0.650	0.000	5.00	10.901	7.09	373.5	0.0	310.0
180.00	Top - Section 5	1.00	1.43	30.128	33.14	226.04	0.650	0.000	5.00	10.403	6.76	358.6	0.0	295.7
185.00		1.00	1.44	30.303	33.33	226.69	0.650	0.000	5.00	10.154	6.60	352.0	0.0	323.9
190.00		1.00	1.45	30.473	33.52	227.33	0.650	0.000	5.00	10.154	6.60	354.0	0.0	323.9
193.00	Appurtenance(s)	1.00	1.45	30.574	33.63	227.70	0.650	0.000	3.00	6.093	3.96	213.1	0.0	194.4
195.00	Appurtenance(s)	1.00	1.46	30.640	33.70	227.95	0.650	0.000	2.00	4.062	2.64	142.4	0.0	129.6
<b>Totals:</b>								<b>195.00</b>			<b>19,895.4</b>	<b>29,550.2</b>		

## Discrete Appurtenance Forces


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 15

**Load Case:** 0.9D + 1.6W 93 mph Wind

**Dead Load Factor** 0.90  
**Wind Load Factor** 1.60



**Iterations** 26

No.	Elev (ft)	Description	Qty	qz (psf)	qzGh (psf)	CaAa x Ka	Ka	Total CaAa (sf)	Dead Load (lb)	Horiz Ecc (ft)	Vert Ecc (ft)	Wind FX (lb)	Mom Y (lb-ft)	Mom Z (lb-ft)
1	195.00	800 Mhz Filter	3	30.640	33.704	0.63	0.90	0.93	27.00	0.000	0.000	49.94	0.00	0.00
2	195.00	1900MHz RRH	3	30.640	33.704	0.79	0.90	9.03	118.80	0.000	0.000	486.89	0.00	0.00
3	195.00	ACU-A20-N	4	30.640	33.704	0.71	0.90	0.40	3.60	0.000	0.000	21.47	0.00	0.00
4	195.00	800 Mhz	3	30.640	33.704	0.60	0.90	6.26	184.41	0.000	0.000	337.54	0.00	0.00
5	195.00	APXVSP18-C-A20	3	30.640	33.704	0.75	0.90	17.97	153.90	0.000	0.000	969.22	0.00	0.00
6	195.00	Low Profile Platform	1	30.640	33.704	1.00	1.00	22.00	1350.00	0.000	0.000	1186.39	0.00	0.00
7	193.00	Collar Mount	1	30.574	33.631	1.00	1.00	5.00	315.00	0.000	0.000	269.05	0.00	0.00
8	175.00	JAHH-65B-R3B	6	29.950	32.945	0.66	0.80	36.29	341.82	0.000	0.000	1913.15	0.00	0.00
9	175.00	Low Profile Platform	1	29.950	32.945	1.00	1.00	22.00	1350.00	0.000	0.000	1159.67	0.00	0.00
10	175.00	(3) mounting kit	1	29.950	32.945	1.00	1.00	5.00	315.00	0.000	0.000	263.56	0.00	0.00
11	175.00	DB-C1-12C-24AB-OZ	1	29.950	32.945	1.00	1.00	3.79	28.80	0.000	0.000	199.78	0.00	0.00
12	175.00	LPA-80063/6cf	6	29.950	32.945	1.36	0.80	35.33	113.40	0.000	0.000	1862.47	0.00	0.00
13	175.00	B66A	3	29.950	32.945	0.66	0.80	5.00	153.36	0.000	0.000	263.49	0.00	0.00
14	175.00	B13 RRH4X30-4R	3	29.950	32.945	0.70	0.80	4.56	154.44	0.000	0.000	240.47	0.00	0.00
15	165.00	Low Profile Platform	1	29.581	32.540	1.00	1.00	22.00	1350.00	0.000	0.000	1145.39	0.00	0.00
16	165.00	800 10764	2	29.581	32.540	0.72	0.80	8.47	73.44	0.000	0.000	440.83	0.00	0.00
17	165.00	DC6-48-60-18-8F	2	29.581	32.540	1.00	1.00	1.84	57.24	0.000	0.000	95.80	0.00	0.00
18	165.00	B14 4478	3	29.581	32.540	0.54	0.80	2.65	160.38	0.000	0.000	138.13	0.00	0.00
19	165.00	800 10965	1	29.581	32.540	0.57	0.80	7.84	97.74	0.000	0.000	408.39	0.00	0.00
20	165.00	800 10964	2	29.581	32.540	0.57	0.80	11.36	170.64	0.000	0.000	591.44	0.00	0.00
21	165.00	RRUS 32 B2	3	29.581	32.540	0.54	0.80	4.41	143.10	0.000	0.000	229.39	0.00	0.00
22	165.00	ABT-DFDM-ADBH	3	29.581	32.540	1.00	1.00	0.15	2.97	0.000	0.000	7.81	0.00	0.00
23	165.00	7770.00	3	29.581	32.540	0.58	0.80	9.64	94.50	0.000	0.000	501.68	0.00	0.00
24	165.00	LGP21401 TMA	12	29.581	32.540	0.54	0.80	8.36	205.20	0.000	0.000	435.33	0.00	0.00
25	165.00	RRUS-11	3	29.581	32.540	0.57	0.80	4.29	137.70	0.000	0.000	223.56	0.00	0.00
26	165.00	AM-X-CD-16-65-00T-RET	1	29.581	32.540	1.00	1.00	8.02	43.65	0.000	0.000	417.55	0.00	0.00
27	155.00	Low Profile Platform	1	29.195	32.114	1.00	1.00	22.00	1350.00	0.000	0.000	1130.41	0.00	0.00
28	155.00	KRY 112 144/1	3	29.195	32.114	0.56	0.80	0.69	29.70	0.000	0.000	35.39	0.00	0.00
29	155.00	S20057A1	3	29.195	32.114	0.58	0.80	1.44	29.70	0.000	0.000	73.82	0.00	0.00
30	155.00	LNx-6565DS	3	29.195	32.114	0.64	0.80	22.00	137.16	0.000	0.000	1130.58	0.00	0.00
31	155.00	782 11056	3	29.195	32.114	0.70	0.80	0.58	14.31	0.000	0.000	30.04	0.00	0.00
32	155.00	APXV18-209014-CT2	3	29.195	32.114	0.59	0.80	6.36	50.49	0.000	0.000	326.69	0.00	0.00
<b>Totals:</b>									<b>8,757.45</b>			<b>16,585.32</b>		

## Total Applied Force Summary


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 16

**Load Case:** 0.9D + 1.6W 93 mph Wind

**Dead Load Factor** 0.90  
**Wind Load Factor** 1.60



**Iterations** 26

Elev (ft)	Description	Lateral FX (-) (lb)	Axial FY (-) (lb)	Torsion MY (lb-ft)	Moment MZ (lb-ft)
0.00		0.00	0.00	0.00	0.00
5.00		553.08	1336.30	0.00	0.00
10.00		542.90	1314.85	0.00	0.00
15.00		532.71	1293.39	0.00	0.00
20.00		554.42	1271.94	0.00	0.00
25.00		569.76	1250.49	0.00	0.00
30.00		580.28	1229.04	0.00	0.00
35.00		587.26	1207.58	0.00	0.00
40.00		591.50	1186.13	0.00	0.00
41.00		117.41	234.65	0.00	0.00
45.00		480.33	1728.31	0.00	0.00
48.00		359.72	1278.22	0.00	0.00
50.00		239.26	460.18	0.00	0.00
55.00		600.92	1135.44	0.00	0.00
60.00		598.40	1113.99	0.00	0.00
65.00		594.72	1092.54	0.00	0.00
70.00		590.00	1071.09	0.00	0.00
75.00		584.36	1049.63	0.00	0.00
80.00		577.88	1028.18	0.00	0.00
81.00		114.14	203.06	0.00	0.00
85.00		455.35	694.26	0.00	0.00
90.00		570.60	1534.62	0.00	0.00
91.00		112.60	302.63	0.00	0.00
95.00		448.50	673.25	0.00	0.00
100.00		553.06	825.48	0.00	0.00
105.00		543.45	807.60	0.00	0.00
110.00		533.32	789.72	0.00	0.00
115.00		522.72	771.84	0.00	0.00
120.00		511.66	753.97	0.00	0.00
125.00		500.18	736.09	0.00	0.00
130.00		488.30	718.21	0.00	0.00
135.00		482.90	1124.76	0.00	0.00
140.00		470.33	588.47	0.00	0.00
145.00		457.42	574.17	0.00	0.00
150.00		444.18	559.87	0.00	0.00
155.00	(16) attachments	3157.56	2156.93	0.00	0.00
160.00		416.76	475.10	0.00	0.00
165.00	(36) attachments	5037.92	2997.36	0.00	0.00
170.00		388.20	375.18	0.00	0.00
175.00	(21) attachments	6276.10	2817.69	0.00	0.00
180.00		358.57	308.59	0.00	0.00
185.00		352.01	336.80	0.00	0.00
190.00		353.99	336.80	0.00	0.00
193.00	(1) attachments	482.15	517.08	0.00	0.00
195.00	(17) attachments	3193.82	1972.43	0.00	0.00
<b>Totals:</b>		<b>36,480.70</b>	<b>44,233.95</b>	<b>0.00</b>	<b>0.00</b>

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II




Page: 17

**Load Case:** 0.9D + 1.6W 93 mph Wind

**Iterations** 26

**Dead Load Factor** 0.90  
**Wind Load Factor** 1.60



Seg Elev (ft)	Pu FY (-) (kips)	Vu FX (-) (kips)	Tu MY (-) (ft-kips)	Mu MZ (ft-kips)	Mu MX (ft-kips)	Resultant Moment (ft-kips)	phi Pn (kips)	phi Vn (kips)	phi Tn (ft-kips)	phi Mn (ft-kips)	Total Deflect (in)	Rotation Sway (deg)	Rotation Twist (deg)	Stress Ratio
0.00	-44.18	-36.55	0.00	-4885.2	0.00	4885.20	4628.91	2314.46	12221.1	6119.66	0.00	0.000	0.000	0.808
5.00	-42.73	-36.12	0.00	-4702.4	0.00	4702.47	4587.84	2293.92	11889.0	5953.37	0.09	-0.172	0.000	0.799
10.00	-41.31	-35.70	0.00	-4521.8	0.00	4521.86	4545.12	2272.56	11556.8	5787.00	0.37	-0.347	0.000	0.791
15.00	-39.91	-35.28	0.00	-4343.3	0.00	4343.36	4500.76	2250.38	11224.6	5620.67	0.83	-0.525	0.000	0.782
20.00	-38.53	-34.84	0.00	-4166.9	0.00	4166.95	4454.76	2227.38	10892.7	5454.49	1.47	-0.706	0.000	0.773
25.00	-37.18	-34.37	0.00	-3992.7	0.00	3992.76	4407.12	2203.56	10561.4	5288.58	2.31	-0.890	0.000	0.764
30.00	-35.85	-33.89	0.00	-3820.9	0.00	3820.91	4357.84	2178.92	10230.9	5123.07	3.34	-1.077	0.000	0.754
35.00	-34.54	-33.39	0.00	-3651.4	0.00	3651.47	4306.92	2153.46	9901.44	4958.08	4.57	-1.267	0.000	0.745
40.00	-33.31	-32.84	0.00	-3484.5	0.00	3484.51	4254.35	2127.17	9573.22	4793.73	6.00	-1.460	0.000	0.735
41.00	-33.02	-32.77	0.00	-3451.6	0.00	3451.67	4243.64	2121.82	9507.75	4760.94	6.31	-1.500	0.000	0.733
45.00	-31.22	-32.32	0.00	-3320.5	0.00	3320.58	4200.14	2100.07	9246.51	4630.13	7.64	-1.659	0.000	0.725
48.00	-29.90	-31.98	0.00	-3223.6	0.00	3223.61	4202.19	2101.09	9258.62	4636.19	8.72	-1.780	0.000	0.703
50.00	-29.37	-31.80	0.00	-3159.6	0.00	3159.66	4180.07	2090.03	9128.39	4570.98	9.49	-1.862	0.000	0.699
55.00	-28.15	-31.25	0.00	-3000.6	0.00	3000.68	4123.62	2061.81	8804.12	4408.60	11.54	-2.057	0.000	0.688
60.00	-26.95	-30.71	0.00	-2844.4	0.00	2844.42	4065.54	2032.77	8481.93	4247.27	13.80	-2.254	0.000	0.677
65.00	-25.78	-30.16	0.00	-2690.9	0.00	2690.90	4005.81	2002.90	8162.06	4087.10	16.27	-2.454	0.000	0.665
70.00	-24.63	-29.61	0.00	-2540.1	0.00	2540.11	3944.44	1972.22	7844.75	3928.21	18.95	-2.657	0.000	0.653
75.00	-23.51	-29.06	0.00	-2392.0	0.00	2392.07	3881.43	1940.71	7530.24	3770.72	21.84	-2.863	0.000	0.641
80.00	-22.45	-28.48	0.00	-2246.7	0.00	2246.77	3816.78	1908.39	7218.77	3614.75	24.95	-3.072	0.000	0.628
81.00	-22.20	-28.40	0.00	-2218.2	0.00	2218.29	3803.65	1901.82	7156.86	3583.75	25.60	-3.115	0.000	0.625
81.00	-22.20	-28.40	0.00	-2218.2	0.00	2218.29	2964.89	1482.44	5593.90	2801.11	25.60	-3.115	0.000	0.800
85.00	-21.43	-27.98	0.00	-2104.7	0.00	2104.72	2929.08	1464.54	5412.12	2710.08	28.28	-3.285	0.000	0.784
90.00	-19.85	-27.37	0.00	-1964.8	0.00	1964.81	2882.85	1441.42	5186.17	2596.94	31.85	-3.540	0.000	0.764
91.00	-19.50	-27.29	0.00	-1937.4	0.00	1937.44	2898.33	1449.17	5260.79	2634.30	32.60	-3.593	0.000	0.743
95.00	-18.75	-26.87	0.00	-1828.2	0.00	1828.29	2860.60	1430.30	5080.74	2544.15	35.70	-3.800	0.000	0.726
100.00	-17.85	-26.34	0.00	-1693.9	0.00	1693.94	2811.95	1405.98	4857.28	2432.25	39.81	-4.048	0.000	0.703
105.00	-16.97	-25.81	0.00	-1562.2	0.00	1562.24	2761.66	1380.83	4635.80	2321.34	44.18	-4.297	0.000	0.679
110.00	-16.11	-25.29	0.00	-1433.1	0.00	1433.17	2709.73	1354.87	4416.54	2211.55	48.81	-4.547	0.000	0.654
115.00	-15.28	-24.77	0.00	-1306.7	0.00	1306.71	2656.16	1328.08	4199.76	2103.00	53.70	-4.796	0.000	0.627
120.00	-14.47	-24.26	0.00	-1182.8	0.00	1182.85	2600.95	1300.48	3985.68	1995.80	58.85	-5.044	0.000	0.599
125.00	-13.68	-23.76	0.00	-1061.5	0.00	1061.54	2544.10	1272.05	3774.55	1890.08	64.26	-5.289	0.000	0.567
130.00	-12.91	-23.26	0.00	-942.76	0.00	942.76	2485.60	1242.80	3566.61	1785.96	69.92	-5.530	0.000	0.533
135.00	-11.75	-22.71	0.00	-826.48	0.00	826.48	1823.78	911.89	2575.19	1289.51	75.83	-5.765	0.000	0.648
140.00	-11.12	-22.23	0.00	-712.92	0.00	712.92	1784.40	892.20	2432.60	1218.11	81.98	-5.992	0.000	0.592
145.00	-10.50	-21.76	0.00	-601.76	0.00	601.76	1743.38	871.69	2291.70	1147.55	88.38	-6.248	0.000	0.531
150.00	-9.91	-21.30	0.00	-492.96	0.00	492.96	1700.71	850.36	2152.72	1077.96	95.04	-6.485	0.000	0.464
155.00	-8.07	-17.94	0.00	-386.48	0.00	386.48	1656.41	828.20	2015.90	1009.45	101.94	-6.698	0.000	0.388
160.00	-7.60	-17.49	0.00	-296.78	0.00	296.78	1610.46	805.23	1881.48	942.14	109.04	-6.884	0.000	0.320
165.00	-5.20	-12.14	0.00	-209.31	0.00	209.31	1562.88	781.44	1749.71	876.15	116.32	-7.040	0.000	0.242
170.00	-4.86	-11.72	0.00	-148.61	0.00	148.61	1513.65	756.82	1620.81	811.61	123.75	-7.165	0.000	0.187
175.00	-2.84	-5.14	0.00	-90.01	0.00	90.01	1462.77	731.39	1495.04	748.63	131.29	-7.260	0.000	0.122
180.00	-2.58	-4.75	0.00	-64.30	0.00	64.30	1400.09	700.04	1362.73	682.38	138.91	-7.331	0.000	0.096
180.00	-2.58	-4.75	0.00	-64.30	0.00	64.30	1571.64	785.82	1525.71	763.99	138.91	-7.331	0.000	0.086
185.00	-2.28	-4.36	0.00	-40.54	0.00	40.54	1571.64	785.82	1525.71	763.99	146.60	-7.387	0.000	0.055
190.00	-1.99	-3.97	0.00	-18.74	0.00	18.74	1571.64	785.82	1525.71	763.99	154.33	-7.415	0.000	0.026
193.00	-1.54	-3.42	0.00	-6.84	0.00	6.84	1571.64	785.82	1525.71	763.99	158.98	-7.422	0.000	0.010
195.00	0.00	-3.19	0.00	0.00	0.00	0.00	1571.64	785.82	1525.71	763.99	162.08	-7.423	0.000	0.000

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 18



## Wind Loading - Shaft


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 19

**Load Case:** 1.2D + 1.0Di + 1.0Wi 40 mph Wind

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.00



**Iterations** 26

Elev (ft)	Description	Kzt	Kz	qz (psf)	qzGh (psf)	C (mph-ft)	Cf	Ice Thick (in)	Tributary (ft)	Aa (sf)	CfAa (sf)	Wind Force X (lb)	Dead Load Ice (lb)	Tot Dead Load (lb)
0.00		1.00	0.85	3.308	3.64	0.00	1.200	0.000	0.00	0.000	0.00	0.0	0.0	0.0
5.00		1.00	0.85	3.308	3.64	0.00	1.200	1.656	5.00	28.421	34.10	124.1	674.1	2218.0
10.00		1.00	0.85	3.308	3.64	0.00	1.200	1.775	5.00	28.022	33.63	122.3	710.7	2226.0
15.00		1.00	0.85	3.308	3.64	0.00	1.200	1.848	5.00	27.585	33.10	120.4	727.3	2214.0
20.00		1.00	0.90	3.509	3.86	0.00	1.200	1.902	5.00	27.132	32.56	125.7	735.1	2193.2
25.00		1.00	0.95	3.678	4.05	0.00	1.200	1.945	5.00	26.670	32.00	129.5	737.9	2167.4
30.00		1.00	0.98	3.822	4.20	0.00	1.200	1.981	5.00	26.201	31.44	132.2	737.3	2138.2
35.00		1.00	1.01	3.948	4.34	0.00	1.200	2.012	5.00	25.729	30.87	134.1	734.3	2106.6
40.00		1.00	1.04	4.061	4.47	0.00	1.200	2.039	5.00	25.253	30.30	135.4	729.4	2073.2
41.00	Bot - Section 2	1.00	1.05	4.082	4.49	0.00	1.200	2.044	1.00	4.992	5.99	26.9	145.7	411.0
45.00		1.00	1.07	4.163	4.58	0.00	1.200	2.063	4.00	20.035	24.04	110.1	586.3	2700.5
48.00	Top - Section 1	1.00	1.08	4.220	4.64	0.00	1.200	2.076	3.00	14.823	17.79	82.6	437.2	1998.8
50.00		1.00	1.09	4.256	4.68	0.00	1.200	2.085	2.00	9.785	11.74	55.0	290.2	808.7
55.00		1.00	1.12	4.342	4.78	0.00	1.200	2.105	5.00	24.132	28.96	138.3	717.2	1993.3
60.00		1.00	1.14	4.423	4.86	0.00	1.200	2.123	5.00	23.649	28.38	138.1	708.1	1955.6
65.00		1.00	1.16	4.498	4.95	0.00	1.200	2.140	5.00	23.165	27.80	137.5	698.2	1917.1
70.00		1.00	1.17	4.569	5.03	0.00	1.200	2.156	5.00	22.681	27.22	136.8	687.7	1878.0
75.00		1.00	1.19	4.635	5.10	0.00	1.200	2.171	5.00	22.195	26.63	135.8	676.6	1838.4
80.00		1.00	1.21	4.699	5.17	0.00	1.200	2.185	5.00	21.709	26.05	134.6	665.1	1798.2
81.00	Top - Section 2	1.00	1.21	4.711	5.18	0.00	1.200	2.188	1.00	4.282	5.14	26.6	132.5	355.7
85.00	Bot - Section 4	1.00	1.22	4.759	5.24	0.00	1.200	2.198	4.00	16.938	20.33	106.4	522.5	1257.9
90.00		1.00	1.24	4.817	5.30	0.00	1.200	2.211	5.00	20.999	25.20	133.5	649.4	2457.7
91.00	Top - Section 3	1.00	1.24	4.828	5.31	0.00	1.200	2.214	1.00	4.140	4.97	26.4	129.4	485.3
95.00		1.00	1.25	4.872	5.36	0.00	1.200	2.223	4.00	16.369	19.64	105.3	509.3	1216.8
100.00		1.00	1.27	4.925	5.42	0.00	1.200	2.234	5.00	20.022	24.03	130.2	623.6	1486.4
105.00		1.00	1.28	4.976	5.47	0.00	1.200	2.245	5.00	19.533	23.44	128.3	610.2	1449.2
110.00		1.00	1.29	5.025	5.53	0.00	1.200	2.256	5.00	19.044	22.85	126.3	596.6	1411.8
115.00		1.00	1.30	5.072	5.58	0.00	1.200	2.266	5.00	18.554	22.27	124.2	582.7	1374.0
120.00		1.00	1.32	5.117	5.63	0.00	1.200	2.276	5.00	18.064	21.68	122.0	568.5	1336.0
125.00		1.00	1.33	5.162	5.68	0.00	1.200	2.285	5.00	17.574	21.09	119.7	554.1	1297.8
130.00	Bot - Section 5	1.00	1.34	5.204	5.72	0.00	1.200	2.294	5.00	17.083	20.50	117.4	539.5	1259.3
135.00	Top - Section 4	1.00	1.35	5.246	5.77	0.00	1.200	2.303	5.00	16.804	20.17	116.4	531.9	1793.8
140.00		1.00	1.36	5.286	5.81	0.00	1.200	2.311	5.00	16.313	19.58	113.8	516.9	1063.7
145.00		1.00	1.37	5.325	5.86	0.00	1.200	2.319	5.00	15.822	18.99	111.2	501.7	1029.5
150.00		1.00	1.38	5.364	5.90	0.00	1.200	2.327	5.00	15.331	18.40	108.5	486.4	995.1
155.00	Appurtenance(s)	1.00	1.39	5.401	5.94	0.00	1.200	2.335	5.00	14.839	17.81	105.8	470.9	960.5
160.00		1.00	1.40	5.437	5.98	0.00	1.200	2.342	5.00	14.347	17.22	103.0	455.2	925.8
165.00	Appurtenance(s)	1.00	1.41	5.472	6.02	0.00	1.200	2.349	5.00	13.855	16.63	100.1	439.4	890.9
170.00		1.00	1.42	5.507	6.06	0.00	1.200	2.356	5.00	13.363	16.04	97.1	423.4	855.8
175.00	Appurtenance(s)	1.00	1.42	5.541	6.09	0.00	1.200	2.363	5.00	12.871	15.44	94.1	407.3	820.7
180.00	Top - Section 5	1.00	1.43	5.574	6.13	0.00	1.200	2.370	5.00	12.378	14.85	91.1	391.1	785.4
185.00		1.00	1.44	5.606	6.17	0.00	1.200	2.376	5.00	12.134	14.56	89.8	392.2	824.1
190.00		1.00	1.45	5.637	6.20	0.00	1.200	2.383	5.00	12.140	14.57	90.3	393.4	825.3
193.00	Appurtenance(s)	1.00	1.45	5.656	6.22	0.00	1.200	2.386	3.00	7.286	8.74	54.4	236.4	495.6
195.00	Appurtenance(s)	1.00	1.46	5.668	6.24	0.00	1.200	2.389	2.00	4.858	5.83	36.3	157.8	330.6
<b>Totals:</b>								<b>195.00</b>				<b>4,697.6</b>		<b>62,620.7</b>

## Discrete Appurtenance Forces


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 20

**Load Case:** 1.2D + 1.0Di + 1.0Wi 40 mph Wind

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.00



**Iterations** 26

No.	Elev (ft)	Description	Qty	qz (psf)	qzGh (psf)	CaAa x Ka	Ka	Total CaAa (sf)	Dead Load (lb)	Horiz Ecc (ft)	Vert Ecc (ft)	Wind FX (lb)	Mom Y (lb-ft)	Mom Z (lb-ft)	
1	195.00	800 Mhz Filter	3	5.668	6.235	0.63	0.90	2.38	88.10	0.000	0.000	14.82	0.00	0.00	
2	195.00	1900MHz RRH	3	5.668	6.235	0.79	0.90	13.55	513.06	0.000	0.000	84.48	0.00	0.00	
3	195.00	ACU-A20-N	4	5.668	6.235	0.71	0.90	1.55	23.12	0.000	0.000	9.68	0.00	0.00	
4	195.00	800 Mhz	3	5.668	6.235	0.60	0.90	9.51	539.59	0.000	0.000	59.31	0.00	0.00	
5	195.00	APXVSP18-C-A20	3	5.668	6.235	0.75	0.90	26.54	766.49	0.000	0.000	165.49	0.00	0.00	
6	195.00	Low Profile Platform	1	5.668	6.235	1.00	1.00	46.17	3291.61	0.000	0.000	287.90	0.00	0.00	
7	193.00	Collar Mount	1	5.656	6.222	1.00	1.00	9.77	720.91	0.000	0.000	60.80	0.00	0.00	
8	175.00	JAHH-65B-R3B	6	5.541	6.095	0.66	0.80	43.71	2444.22	0.000	0.000	266.40	0.00	0.00	
9	175.00	Low Profile Platform	1	5.541	6.095	1.00	1.00	45.91	3272.33	0.000	0.000	279.83	0.00	0.00	
10	175.00	(3) mounting kit	1	5.541	6.095	1.00	1.00	9.73	717.00	0.000	0.000	59.28	0.00	0.00	
11	175.00	DB-C1-12C-24AB-OZ	1	5.541	6.095	1.00	1.00	5.08	168.72	0.000	0.000	30.98	0.00	0.00	
12	175.00	LPA-80063/6cf	6	5.541	6.095	1.36	0.80	48.80	1846.02	0.000	0.000	297.41	0.00	0.00	
13	175.00	B66A	3	5.541	6.095	0.66	0.80	6.91	576.32	0.000	0.000	42.09	0.00	0.00	
14	175.00	B13 RRH4X30-4R	3	5.541	6.095	0.70	0.80	6.31	413.06	0.000	0.000	38.45	0.00	0.00	
15	165.00	Low Profile Platform	1	5.472	6.020	1.00	1.00	45.77	3261.93	0.000	0.000	275.54	0.00	0.00	
16	165.00	800 10764	2	5.472	6.020	0.72	0.80	12.62	368.21	0.000	0.000	75.97	0.00	0.00	
17	165.00	DC6-48-60-18-8F	2	5.472	6.020	1.00	1.00	3.02	207.36	0.000	0.000	18.17	0.00	0.00	
18	165.00	B14 4478	3	5.472	6.020	0.54	0.80	3.78	353.09	0.000	0.000	22.72	0.00	0.00	
19	165.00	800 10965	1	5.472	6.020	0.57	0.80	9.07	552.59	0.000	0.000	54.60	0.00	0.00	
20	165.00	800 10964	2	5.472	6.020	0.57	0.80	13.38	882.50	0.000	0.000	80.54	0.00	0.00	
21	165.00	RRUS 32 B2	3	5.472	6.020	0.54	0.80	6.03	576.26	0.000	0.000	36.27	0.00	0.00	
22	165.00	ABT-DFDM-ADBH	3	5.472	6.020	1.00	1.00	0.93	10.87	0.000	0.000	5.58	0.00	0.00	
23	165.00	7770.00	3	5.472	6.020	0.58	0.80	12.21	715.57	0.000	0.000	73.47	0.00	0.00	
24	165.00	LGP21401 TMA	12	5.472	6.020	0.54	0.80	15.76	590.12	0.000	0.000	94.84	0.00	0.00	
25	165.00	RRUS-11	3	5.472	6.020	0.57	0.80	5.75	427.46	0.000	0.000	34.59	0.00	0.00	
26	165.00	AM-X-CD-16-65-00T-RET	1	5.472	6.020	1.00	1.00	11.78	230.14	0.000	0.000	70.91	0.00	0.00	
27	155.00	Low Profile Platform	1	5.401	5.941	1.00	1.00	45.63	3250.95	0.000	0.000	271.06	0.00	0.00	
28	155.00	KRY 112 144/1	3	5.401	5.941	0.56	0.80	1.76	73.57	0.000	0.000	10.44	0.00	0.00	
29	155.00	S20057A1	3	5.401	5.941	0.58	0.80	3.07	99.15	0.000	0.000	18.25	0.00	0.00	
30	155.00	LNx-6565DS	3	5.401	5.941	0.64	0.80	30.37	907.27	0.000	0.000	180.40	0.00	0.00	
31	155.00	782 11056	3	5.401	5.941	0.70	0.80	1.71	48.89	0.000	0.000	10.13	0.00	0.00	
32	155.00	APXV18-209014-CT2	3	5.401	5.941	0.59	0.80	8.64	461.22	0.000	0.000	51.33	0.00	0.00	
<b>Totals:</b>									<b>28,397.69</b>						<b>3,081.78</b>

## Total Applied Force Summary

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II




Page: 21

**Load Case:** 1.2D + 1.0Di + 1.0Wi 40 mph Wind

**Dead Load Factor** 1.20

**Wind Load Factor** 1.00



**Iterations** 26

Elev (ft)	Description	Lateral FX (-) (lb)	Axial FY (-) (lb)	Torsion MY (lb-ft)	Moment MZ (lb-ft)
0.00		0.00	0.00	0.00	0.00
5.00		124.08	2455.82	0.00	0.00
10.00		122.34	2463.81	0.00	0.00
15.00		120.43	2451.81	0.00	0.00
20.00		125.69	2431.04	0.00	0.00
25.00		129.49	2405.19	0.00	0.00
30.00		132.19	2375.99	0.00	0.00
35.00		134.09	2344.38	0.00	0.00
40.00		135.36	2310.95	0.00	0.00
41.00		26.90	458.53	0.00	0.00
45.00		110.09	2890.71	0.00	0.00
48.00		82.57	2141.45	0.00	0.00
50.00		54.98	903.79	0.00	0.00
55.00		138.32	2231.14	0.00	0.00
60.00		138.06	2193.38	0.00	0.00
65.00		137.53	2154.91	0.00	0.00
70.00		136.77	2115.81	0.00	0.00
75.00		135.80	2076.15	0.00	0.00
80.00		134.65	2036.00	0.00	0.00
81.00		26.63	403.29	0.00	0.00
85.00		106.40	1448.16	0.00	0.00
90.00		133.51	2695.53	0.00	0.00
91.00		26.39	532.88	0.00	0.00
95.00		105.26	1406.99	0.00	0.00
100.00		130.16	1724.23	0.00	0.00
105.00		128.29	1687.03	0.00	0.00
110.00		126.31	1649.55	0.00	0.00
115.00		124.22	1611.80	0.00	0.00
120.00		122.03	1573.80	0.00	0.00
125.00		119.74	1535.56	0.00	0.00
130.00		117.36	1497.11	0.00	0.00
135.00		116.36	2031.57	0.00	0.00
140.00		113.83	1301.52	0.00	0.00
145.00		111.22	1267.28	0.00	0.00
150.00		108.54	1232.87	0.00	0.00
155.00	(16) attachments	647.40	6039.32	0.00	0.00
160.00		102.97	1088.66	0.00	0.00
165.00	(36) attachments	943.32	9229.89	0.00	0.00
170.00		97.13	923.64	0.00	0.00
175.00	(21) attachments	1108.57	10326.13	0.00	0.00
180.00		91.07	802.53	0.00	0.00
185.00		89.79	841.31	0.00	0.00
190.00		90.34	842.45	0.00	0.00
193.00	(1) attachments	115.20	1226.78	0.00	0.00
195.00	(17) attachments	658.04	5559.40	0.00	0.00
<b>Totals:</b>		<b>7,779.40</b>	<b>98,920.12</b>	<b>0.00</b>	<b>0.00</b>

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II




Page: 22

**Load Case:** 1.2D + 1.0Di + 1.0Wi 40 mph Wind

**Iterations** 26

**Dead Load Factor** 1.20  
**Wind Load Factor** 1.00



Seg Elev (ft)	Pu FY (-) (kips)	Vu FX (-) (kips)	Tu MY (-) (ft-kips)	Mu MZ (ft-kips)	Mu MX (ft-kips)	Resultant Moment (ft-kips)	phi Pn (kips)	phi Vn (kips)	phi Tn (ft-kips)	phi Mn (ft-kips)	Total Deflect (in)	Rotation Sway (deg)	Rotation Twist (deg)	Stress Ratio
0.00	-98.92	-7.81	0.00	-1095.5	0.00	1095.50	4628.91	2314.46	12221.1	6119.66	0.00	0.000	0.000	0.200
5.00	-96.46	-7.75	0.00	-1056.4	0.00	1056.44	4587.84	2293.92	11889.0	5953.37	0.02	-0.039	0.000	0.198
10.00	-93.99	-7.69	0.00	-1017.6	0.00	1017.67	4545.12	2272.56	11556.8	5787.00	0.08	-0.078	0.000	0.197
15.00	-91.53	-7.63	0.00	-979.20	0.00	979.20	4500.76	2250.38	11224.6	5620.67	0.19	-0.118	0.000	0.195
20.00	-89.09	-7.57	0.00	-941.03	0.00	941.03	4454.76	2227.38	10892.7	5454.49	0.33	-0.159	0.000	0.193
25.00	-86.68	-7.49	0.00	-903.20	0.00	903.20	4407.12	2203.56	10561.4	5288.58	0.52	-0.200	0.000	0.190
30.00	-84.30	-7.41	0.00	-865.73	0.00	865.73	4357.84	2178.92	10230.9	5123.07	0.75	-0.243	0.000	0.188
35.00	-81.95	-7.33	0.00	-828.66	0.00	828.66	4306.92	2153.46	9901.44	4958.08	1.03	-0.286	0.000	0.186
40.00	-79.64	-7.22	0.00	-792.01	0.00	792.01	4254.35	2127.17	9573.22	4793.73	1.35	-0.330	0.000	0.184
41.00	-79.18	-7.22	0.00	-784.78	0.00	784.78	4243.64	2121.82	9507.75	4760.94	1.42	-0.339	0.000	0.184
45.00	-76.29	-7.14	0.00	-755.90	0.00	755.90	4200.14	2100.07	9246.51	4630.13	1.72	-0.375	0.000	0.181
48.00	-74.14	-7.07	0.00	-734.49	0.00	734.49	4202.19	2101.09	9258.62	4636.19	1.97	-0.403	0.000	0.176
50.00	-73.23	-7.05	0.00	-720.35	0.00	720.35	4180.07	2090.03	9128.39	4570.98	2.14	-0.421	0.000	0.175
55.00	-71.00	-6.95	0.00	-685.11	0.00	685.11	4123.62	2061.81	8804.12	4408.60	2.60	-0.466	0.000	0.173
60.00	-68.80	-6.85	0.00	-650.37	0.00	650.37	4065.54	2032.77	8481.93	4247.27	3.12	-0.511	0.000	0.170
65.00	-66.64	-6.74	0.00	-616.14	0.00	616.14	4005.81	2002.90	8162.06	4087.10	3.68	-0.557	0.000	0.167
70.00	-64.52	-6.64	0.00	-582.43	0.00	582.43	3944.44	1972.22	7844.75	3928.21	4.28	-0.603	0.000	0.165
75.00	-62.44	-6.53	0.00	-549.24	0.00	549.24	3881.43	1940.71	7530.24	3770.72	4.94	-0.650	0.000	0.162
80.00	-60.41	-6.40	0.00	-516.59	0.00	516.59	3816.78	1908.39	7218.77	3614.75	5.65	-0.698	0.000	0.159
81.00	-60.00	-6.40	0.00	-510.19	0.00	510.19	3803.65	1901.82	7156.86	3583.75	5.80	-0.708	0.000	0.158
81.00	-60.00	-6.40	0.00	-510.19	0.00	510.19	2964.89	1482.44	5593.90	2801.11	5.80	-0.708	0.000	0.202
85.00	-58.55	-6.32	0.00	-484.61	0.00	484.61	2929.08	1464.54	5412.12	2710.08	6.41	-0.747	0.000	0.199
90.00	-55.85	-6.19	0.00	-453.00	0.00	453.00	2882.85	1441.42	5186.17	2596.94	7.22	-0.806	0.000	0.194
91.00	-55.31	-6.18	0.00	-446.81	0.00	446.81	2898.33	1449.17	5260.79	2634.30	7.39	-0.818	0.000	0.189
95.00	-53.90	-6.10	0.00	-422.09	0.00	422.09	2860.60	1430.30	5080.74	2544.15	8.10	-0.866	0.000	0.185
100.00	-52.18	-6.00	0.00	-391.57	0.00	391.57	2811.95	1405.98	4857.28	2432.25	9.03	-0.923	0.000	0.180
105.00	-50.49	-5.89	0.00	-361.57	0.00	361.57	2761.66	1380.83	4635.80	2321.34	10.03	-0.981	0.000	0.174
110.00	-48.83	-5.79	0.00	-332.10	0.00	332.10	2709.73	1354.87	4416.54	2211.55	11.09	-1.039	0.000	0.168
115.00	-47.22	-5.68	0.00	-303.15	0.00	303.15	2656.16	1328.08	4199.76	2103.00	12.21	-1.097	0.000	0.162
120.00	-45.64	-5.57	0.00	-274.75	0.00	274.75	2600.95	1300.48	3985.68	1995.80	13.39	-1.154	0.000	0.155
125.00	-44.10	-5.47	0.00	-246.88	0.00	246.88	2544.10	1272.05	3774.55	1890.08	14.63	-1.211	0.000	0.148
130.00	-42.60	-5.36	0.00	-219.54	0.00	219.54	2485.60	1242.80	3566.61	1785.96	15.93	-1.267	0.000	0.140
135.00	-40.57	-5.23	0.00	-192.75	0.00	192.75	1823.78	911.89	2575.19	1289.51	17.28	-1.322	0.000	0.172
140.00	-39.27	-5.13	0.00	-166.58	0.00	166.58	1784.40	892.20	2432.60	1218.11	18.70	-1.375	0.000	0.159
145.00	-38.00	-5.02	0.00	-140.94	0.00	140.94	1743.38	871.69	2291.70	1147.55	20.17	-1.435	0.000	0.145
150.00	-36.76	-4.92	0.00	-115.82	0.00	115.82	1700.71	850.36	2152.72	1077.96	21.70	-1.490	0.000	0.129
155.00	-30.74	-4.14	0.00	-91.23	0.00	91.23	1656.41	828.20	2015.90	1009.45	23.29	-1.541	0.000	0.109
160.00	-29.65	-4.03	0.00	-70.55	0.00	70.55	1610.46	805.23	1881.48	942.14	24.93	-1.585	0.000	0.093
165.00	-20.45	-2.84	0.00	-50.42	0.00	50.42	1562.88	781.44	1749.71	876.15	26.61	-1.622	0.000	0.071
170.00	-19.53	-2.72	0.00	-36.24	0.00	36.24	1513.65	756.82	1620.81	811.61	28.32	-1.652	0.000	0.058
175.00	-9.24	-1.32	0.00	-22.63	0.00	22.63	1462.77	731.39	1495.04	748.63	30.07	-1.676	0.000	0.037
180.00	-8.44	-1.20	0.00	-16.05	0.00	16.05	1400.09	700.04	1362.73	682.38	31.83	-1.693	0.000	0.030
180.00	-8.44	-1.20	0.00	-16.05	0.00	16.05	1571.64	785.82	1525.71	763.99	31.83	-1.693	0.000	0.026
185.00	-7.60	-1.09	0.00	-10.03	0.00	10.03	1571.64	785.82	1525.71	763.99	33.61	-1.707	0.000	0.018
190.00	-6.76	-0.98	0.00	-4.58	0.00	4.58	1571.64	785.82	1525.71	763.99	35.41	-1.714	0.000	0.010
193.00	-5.54	-0.82	0.00	-1.65	0.00	1.65	1571.64	785.82	1525.71	763.99	36.48	-1.716	0.000	0.006
195.00	0.00	-0.66	0.00	0.00	0.00	0.00	1571.64	785.82	1525.71	763.99	37.20	-1.716	0.000	0.000

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 23

## Wind Loading - Shaft


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 24

**Load Case:** 1.0D + 1.0W 60 mph Wind

**Dead Load Factor** 1.00  
**Wind Load Factor** 1.00



**Iterations** 25

Elev (ft)	Description	Kzt	Kz	qz (psf)	qzGh (psf)	C (mph-ft)	Cf	Ice Thick (in)	Tributary (ft)	Aa (sf)	CfAa (sf)	Wind Force X (lb)	Dead Load Ice (lb)	Tot Dead Load (lb)
0.00		1.00	0.85	7.442	8.19	301.92	0.650	0.000	0.00	0.000	0.00	0.0	0.0	0.0
5.00		1.00	0.85	7.442	8.19	296.41	0.650	0.000	5.00	27.041	17.58	143.9	0.0	1286.6
10.00		1.00	0.85	7.442	8.19	290.90	0.650	0.000	5.00	26.543	17.25	141.2	0.0	1262.8
15.00		1.00	0.85	7.442	8.19	285.39	0.650	0.000	5.00	26.045	16.93	138.6	0.0	1238.9
20.00		1.00	0.90	7.896	8.69	288.29	0.650	0.000	5.00	25.547	16.61	144.2	0.0	1215.1
25.00		1.00	0.95	8.276	9.10	289.33	0.650	0.000	5.00	25.049	16.28	148.2	0.0	1191.3
30.00		1.00	0.98	8.600	9.46	289.02	0.650	0.000	5.00	24.550	15.96	151.0	0.0	1167.4
35.00		1.00	1.01	8.883	9.77	287.73	0.650	0.000	5.00	24.052	15.63	152.8	0.0	1143.6
40.00		1.00	1.04	9.137	10.05	285.69	0.650	0.000	5.00	23.554	15.31	153.9	0.0	1119.8
41.00	Bot - Section 2	1.00	1.05	9.184	10.10	285.21	0.650	0.000	1.00	4.651	3.02	30.5	0.0	221.1
45.00		1.00	1.07	9.366	10.30	283.08	0.650	0.000	4.00	18.659	12.13	125.0	0.0	1761.8
48.00	Top - Section 1	1.00	1.08	9.494	10.44	281.27	0.650	0.000	3.00	13.785	8.96	93.6	0.0	1301.3
50.00		1.00	1.09	9.576	10.53	283.97	0.650	0.000	2.00	9.091	5.91	62.2	0.0	432.1
55.00		1.00	1.12	9.770	10.75	280.52	0.650	0.000	5.00	22.378	14.55	156.3	0.0	1063.4
60.00		1.00	1.14	9.951	10.95	276.73	0.650	0.000	5.00	21.880	14.22	155.7	0.0	1039.6
65.00		1.00	1.16	10.120	11.13	272.64	0.650	0.000	5.00	21.382	13.90	154.7	0.0	1015.8
70.00		1.00	1.17	10.279	11.31	268.30	0.650	0.000	5.00	20.884	13.57	153.5	0.0	991.9
75.00		1.00	1.19	10.430	11.47	263.74	0.650	0.000	5.00	20.386	13.25	152.0	0.0	968.1
80.00		1.00	1.21	10.572	11.63	258.97	0.650	0.000	5.00	19.888	12.93	150.3	0.0	944.3
81.00	Top - Section 2	1.00	1.21	10.600	11.66	257.99	0.650	0.000	1.00	3.918	2.55	29.7	0.0	186.0
85.00	Bot - Section 4	1.00	1.22	10.708	11.78	254.01	0.650	0.000	4.00	15.472	10.06	118.5	0.0	612.9
90.00		1.00	1.24	10.838	11.92	248.90	0.650	0.000	5.00	19.156	12.45	148.4	0.0	1507.0
91.00	Top - Section 3	1.00	1.24	10.863	11.95	247.86	0.650	0.000	1.00	3.771	2.45	29.3	0.0	296.6
95.00		1.00	1.25	10.962	12.06	247.18	0.650	0.000	4.00	14.887	9.68	116.7	0.0	589.5
100.00		1.00	1.27	11.081	12.19	241.80	0.650	0.000	5.00	18.160	11.80	143.9	0.0	719.0
105.00		1.00	1.28	11.195	12.31	236.29	0.650	0.000	5.00	17.662	11.48	141.4	0.0	699.2
110.00		1.00	1.29	11.305	12.44	230.65	0.650	0.000	5.00	17.164	11.16	138.7	0.0	679.3
115.00		1.00	1.30	11.412	12.55	224.91	0.650	0.000	5.00	16.666	10.83	136.0	0.0	659.4
120.00		1.00	1.32	11.514	12.67	219.07	0.650	0.000	5.00	16.168	10.51	133.1	0.0	639.6
125.00		1.00	1.33	11.614	12.78	213.13	0.650	0.000	5.00	15.670	10.19	130.1	0.0	619.7
130.00	Bot - Section 5	1.00	1.34	11.710	12.88	207.10	0.650	0.000	5.00	15.172	9.86	127.0	0.0	599.9
135.00	Top - Section 4	1.00	1.35	11.803	12.98	200.99	0.650	0.000	5.00	14.885	9.68	125.6	0.0	1051.6
140.00		1.00	1.36	11.894	13.08	197.75	0.650	0.000	5.00	14.387	9.35	122.4	0.0	455.7
145.00		1.00	1.37	11.982	13.18	191.49	0.650	0.000	5.00	13.889	9.03	119.0	0.0	439.8
150.00		1.00	1.38	12.068	13.27	185.16	0.650	0.000	5.00	13.391	8.70	115.6	0.0	423.9
155.00	Appurtenance(s)	1.00	1.39	12.152	13.37	178.76	0.650	0.000	5.00	12.893	8.38	112.0	0.0	408.0
160.00		1.00	1.40	12.233	13.46	172.29	0.650	0.000	5.00	12.395	8.06	108.4	0.0	392.1
165.00	Appurtenance(s)	1.00	1.41	12.313	13.54	165.76	0.650	0.000	5.00	11.897	7.73	104.7	0.0	376.2
170.00		1.00	1.42	12.390	13.63	159.18	0.650	0.000	5.00	11.399	7.41	101.0	0.0	360.4
175.00	Appurtenance(s)	1.00	1.42	12.466	13.71	152.53	0.650	0.000	5.00	10.901	7.09	97.2	0.0	344.5
180.00	Top - Section 5	1.00	1.43	12.540	13.79	145.83	0.650	0.000	5.00	10.403	6.76	93.3	0.0	328.6
185.00		1.00	1.44	12.613	13.87	146.25	0.650	0.000	5.00	10.154	6.60	91.6	0.0	359.9
190.00		1.00	1.45	12.684	13.95	146.66	0.650	0.000	5.00	10.154	6.60	92.1	0.0	359.9
193.00	Appurtenance(s)	1.00	1.45	12.726	14.00	146.91	0.650	0.000	3.00	6.093	3.96	55.4	0.0	215.9
195.00	Appurtenance(s)	1.00	1.46	12.753	14.03	147.07	0.650	0.000	2.00	4.062	2.64	37.0	0.0	144.0
<b>Totals:</b>									<b>195.00</b>			<b>5,175.7</b>		<b>32,833.6</b>

## Discrete Appurtenance Forces


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 25

**Load Case:** 1.0D + 1.0W 60 mph Wind

**Dead Load Factor** 1.00  
**Wind Load Factor** 1.00



**Iterations** 25

No.	Elev (ft)	Description	Qty	qz (psf)	qzGh (psf)	CaAa x Ka	Ka	Total CaAa (sf)	Dead Load (lb)	Horiz Ecc (ft)	Vert Ecc (ft)	Wind FX (lb)	Mom Y (lb-ft)	Mom Z (lb-ft)
1	195.00	800 Mhz Filter	3	12.753	14.029	0.63	0.90	0.93	30.00	0.000	0.000	12.99	0.00	0.00
2	195.00	1900MHz RRH	3	12.753	14.029	0.79	0.90	9.03	132.00	0.000	0.000	126.66	0.00	0.00
3	195.00	ACU-A20-N	4	12.753	14.029	0.71	0.90	0.40	4.00	0.000	0.000	5.59	0.00	0.00
4	195.00	800 Mhz	3	12.753	14.029	0.60	0.90	6.26	204.90	0.000	0.000	87.81	0.00	0.00
5	195.00	APXVSP18-C-A20	3	12.753	14.029	0.75	0.90	17.97	171.00	0.000	0.000	252.14	0.00	0.00
6	195.00	Low Profile Platform	1	12.753	14.029	1.00	1.00	22.00	1500.00	0.000	0.000	308.63	0.00	0.00
7	193.00	Collar Mount	1	12.726	13.998	1.00	1.00	5.00	350.00	0.000	0.000	69.99	0.00	0.00
8	175.00	JAHH-65B-R3B	6	12.466	13.713	0.66	0.80	36.29	379.80	0.000	0.000	497.70	0.00	0.00
9	175.00	Low Profile Platform	1	12.466	13.713	1.00	1.00	22.00	1500.00	0.000	0.000	301.68	0.00	0.00
10	175.00	(3) mounting kit	1	12.466	13.713	1.00	1.00	5.00	350.00	0.000	0.000	68.56	0.00	0.00
11	175.00	DB-C1-12C-24AB-OZ	1	12.466	13.713	1.00	1.00	3.79	32.00	0.000	0.000	51.97	0.00	0.00
12	175.00	LPA-80063/6cf	6	12.466	13.713	1.36	0.80	35.33	126.00	0.000	0.000	484.51	0.00	0.00
13	175.00	B66A	3	12.466	13.713	0.66	0.80	5.00	170.40	0.000	0.000	68.55	0.00	0.00
14	175.00	B13 RRH4X30-4R	3	12.466	13.713	0.70	0.80	4.56	171.60	0.000	0.000	62.56	0.00	0.00
15	165.00	Low Profile Platform	1	12.313	13.544	1.00	1.00	22.00	1500.00	0.000	0.000	297.97	0.00	0.00
16	165.00	800 10764	2	12.313	13.544	0.72	0.80	8.47	81.60	0.000	0.000	114.68	0.00	0.00
17	165.00	DC6-48-60-18-8F	2	12.313	13.544	1.00	1.00	1.84	63.60	0.000	0.000	24.92	0.00	0.00
18	165.00	B14 4478	3	12.313	13.544	0.54	0.80	2.65	178.20	0.000	0.000	35.94	0.00	0.00
19	165.00	800 10965	1	12.313	13.544	0.57	0.80	7.84	108.60	0.000	0.000	106.24	0.00	0.00
20	165.00	800 10964	2	12.313	13.544	0.57	0.80	11.36	189.60	0.000	0.000	153.86	0.00	0.00
21	165.00	RRUS 32 B2	3	12.313	13.544	0.54	0.80	4.41	159.00	0.000	0.000	59.67	0.00	0.00
22	165.00	ABT-DFDM-ADBH	3	12.313	13.544	1.00	1.00	0.15	3.30	0.000	0.000	2.03	0.00	0.00
23	165.00	7770.00	3	12.313	13.544	0.58	0.80	9.64	105.00	0.000	0.000	130.51	0.00	0.00
24	165.00	LGP21401 TMA	12	12.313	13.544	0.54	0.80	8.36	228.00	0.000	0.000	113.25	0.00	0.00
25	165.00	RRUS-11	3	12.313	13.544	0.57	0.80	4.29	153.00	0.000	0.000	58.16	0.00	0.00
26	165.00	AM-X-CD-16-65-00T-RET	1	12.313	13.544	1.00	1.00	8.02	48.50	0.000	0.000	108.62	0.00	0.00
27	155.00	Low Profile Platform	1	12.152	13.367	1.00	1.00	22.00	1500.00	0.000	0.000	294.07	0.00	0.00
28	155.00	KRY 112 144/1	3	12.152	13.367	0.56	0.80	0.69	33.00	0.000	0.000	9.21	0.00	0.00
29	155.00	S20057A1	3	12.152	13.367	0.58	0.80	1.44	33.00	0.000	0.000	19.20	0.00	0.00
30	155.00	LNx-6565DS	3	12.152	13.367	0.64	0.80	22.00	152.40	0.000	0.000	294.12	0.00	0.00
31	155.00	782 11056	3	12.152	13.367	0.70	0.80	0.58	15.90	0.000	0.000	7.81	0.00	0.00
32	155.00	APXV18-209014-CT2	3	12.152	13.367	0.59	0.80	6.36	56.10	0.000	0.000	84.99	0.00	0.00
<b>Totals:</b>									<b>9,730.50</b>			<b>4,314.60</b>		

## Total Applied Force Summary


<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 26

**Load Case:** 1.0D + 1.0W 60 mph Wind

**Dead Load Factor** 1.00  
**Wind Load Factor** 1.00



**Iterations** 25

Elev (ft)	Description	Lateral FX (-) (lb)	Axial FY (-) (lb)	Torsion MY (lb-ft)	Moment MZ (lb-ft)
0.00		0.00	0.00	0.00	0.00
5.00		143.88	1484.78	0.00	0.00
10.00		141.23	1460.94	0.00	0.00
15.00		138.58	1437.10	0.00	0.00
20.00		144.23	1413.27	0.00	0.00
25.00		148.22	1389.43	0.00	0.00
30.00		150.96	1365.60	0.00	0.00
35.00		152.77	1341.76	0.00	0.00
40.00		153.88	1317.92	0.00	0.00
41.00		30.54	260.72	0.00	0.00
45.00		124.96	1920.35	0.00	0.00
48.00		93.58	1420.24	0.00	0.00
50.00		62.24	511.32	0.00	0.00
55.00		156.33	1261.60	0.00	0.00
60.00		155.67	1237.77	0.00	0.00
65.00		154.71	1213.93	0.00	0.00
70.00		153.49	1190.10	0.00	0.00
75.00		152.02	1166.26	0.00	0.00
80.00		150.33	1142.42	0.00	0.00
81.00		29.69	225.62	0.00	0.00
85.00		118.46	771.40	0.00	0.00
90.00		148.44	1705.14	0.00	0.00
91.00		29.29	336.26	0.00	0.00
95.00		116.68	748.06	0.00	0.00
100.00		143.88	917.20	0.00	0.00
105.00		141.38	897.33	0.00	0.00
110.00		138.74	877.47	0.00	0.00
115.00		135.98	857.61	0.00	0.00
120.00		133.11	837.74	0.00	0.00
125.00		130.12	817.88	0.00	0.00
130.00		127.03	798.02	0.00	0.00
135.00		125.62	1249.74	0.00	0.00
140.00		122.35	653.86	0.00	0.00
145.00		119.00	637.97	0.00	0.00
150.00		115.55	622.08	0.00	0.00
155.00	(16) attachments	821.42	2396.58	0.00	0.00
160.00		108.42	527.89	0.00	0.00
165.00	(36) attachments	1310.59	3330.40	0.00	0.00
170.00		100.99	416.86	0.00	0.00
175.00	(21) attachments	1632.70	3130.77	0.00	0.00
180.00		93.28	342.88	0.00	0.00
185.00		91.57	374.22	0.00	0.00
190.00		92.09	374.22	0.00	0.00
193.00	(1) attachments	125.43	574.53	0.00	0.00
195.00	(17) attachments	830.86	2191.59	0.00	0.00
<b>Totals:</b>		<b>9,490.30</b>	<b>49,148.84</b>	<b>0.00</b>	<b>0.00</b>



## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II




Page: 27

**Load Case:** 1.0D + 1.0W 60 mph Wind

**Iterations** 25

**Dead Load Factor** 1.00  
**Wind Load Factor** 1.00



Seg Elev (ft)	Pu FY (-) (kips)	Vu FX (-) (kips)	Tu MY (-) (ft-kips)	Mu MZ (ft-kips)	Mu MX (ft-kips)	Resultant Moment (ft-kips)	phi Pn (kips)	phi Vn (kips)	phi Tn (ft-kips)	phi Mn (ft-kips)	Total Deflect (in)	Rotation Sway (deg)	Rotation Twist (deg)	Stress Ratio
0.00	-49.14	-9.51	0.00	-1279.6	0.00	1279.64	4628.91	2314.46	12221.1	6119.66	0.00	0.000	0.000	0.220
5.00	-47.65	-9.40	0.00	-1232.0	0.00	1232.09	4587.84	2293.92	11889.0	5953.37	0.02	-0.045	0.000	0.217
10.00	-46.18	-9.30	0.00	-1185.0	0.00	1185.08	4545.12	2272.56	11556.8	5787.00	0.10	-0.091	0.000	0.215
15.00	-44.74	-9.19	0.00	-1138.6	0.00	1138.60	4500.76	2250.38	11224.6	5620.67	0.22	-0.138	0.000	0.213
20.00	-43.32	-9.08	0.00	-1092.6	0.00	1092.64	4454.76	2227.38	10892.7	5454.49	0.39	-0.185	0.000	0.210
25.00	-41.92	-8.96	0.00	-1047.2	0.00	1047.24	4407.12	2203.56	10561.4	5288.58	0.61	-0.233	0.000	0.208
30.00	-40.55	-8.84	0.00	-1002.4	0.00	1002.43	4357.84	2178.92	10230.9	5123.07	0.88	-0.282	0.000	0.205
35.00	-39.20	-8.71	0.00	-958.23	0.00	958.23	4306.92	2153.46	9901.44	4958.08	1.20	-0.332	0.000	0.202
40.00	-37.88	-8.57	0.00	-914.66	0.00	914.66	4254.35	2127.17	9573.22	4793.73	1.57	-0.383	0.000	0.200
41.00	-37.62	-8.56	0.00	-906.08	0.00	906.08	4243.64	2121.82	9507.75	4760.94	1.66	-0.393	0.000	0.199
45.00	-35.69	-8.44	0.00	-871.85	0.00	871.85	4200.14	2100.07	9246.51	4630.13	2.00	-0.435	0.000	0.197
48.00	-34.27	-8.35	0.00	-846.53	0.00	846.53	4202.19	2101.09	9258.62	4636.19	2.29	-0.467	0.000	0.191
50.00	-33.75	-8.31	0.00	-829.83	0.00	829.83	4180.07	2090.03	9128.39	4570.98	2.49	-0.488	0.000	0.190
55.00	-32.48	-8.17	0.00	-788.29	0.00	788.29	4123.62	2061.81	8804.12	4408.60	3.03	-0.540	0.000	0.187
60.00	-31.24	-8.03	0.00	-747.44	0.00	747.44	4065.54	2032.77	8481.93	4247.27	3.62	-0.591	0.000	0.184
65.00	-30.02	-7.89	0.00	-707.29	0.00	707.29	4005.81	2002.90	8162.06	4087.10	4.27	-0.644	0.000	0.181
70.00	-28.83	-7.75	0.00	-667.84	0.00	667.84	3944.44	1972.22	7844.75	3928.21	4.97	-0.697	0.000	0.177
75.00	-27.65	-7.61	0.00	-629.10	0.00	629.10	3881.43	1940.71	7530.24	3770.72	5.73	-0.752	0.000	0.174
80.00	-26.51	-7.46	0.00	-591.05	0.00	591.05	3816.78	1908.39	7218.77	3614.75	6.55	-0.806	0.000	0.170
81.00	-26.28	-7.44	0.00	-583.59	0.00	583.59	3803.65	1901.82	7156.86	3583.75	6.72	-0.818	0.000	0.170
81.00	-26.28	-7.44	0.00	-583.59	0.00	583.59	2964.89	1482.44	5593.90	2801.11	6.72	-0.818	0.000	0.217
85.00	-25.50	-7.33	0.00	-553.84	0.00	553.84	2929.08	1464.54	5412.12	2710.08	7.42	-0.863	0.000	0.213
90.00	-23.80	-7.18	0.00	-517.17	0.00	517.17	2882.85	1441.42	5186.17	2596.94	8.36	-0.930	0.000	0.207
91.00	-23.46	-7.15	0.00	-510.00	0.00	510.00	2898.33	1449.17	5260.79	2634.30	8.56	-0.943	0.000	0.202
95.00	-22.70	-7.05	0.00	-481.38	0.00	481.38	2860.60	1430.30	5080.74	2544.15	9.37	-0.998	0.000	0.197
100.00	-21.78	-6.91	0.00	-446.13	0.00	446.13	2811.95	1405.98	4857.28	2432.25	10.45	-1.063	0.000	0.191
105.00	-20.88	-6.78	0.00	-411.56	0.00	411.56	2761.66	1380.83	4635.80	2321.34	11.60	-1.129	0.000	0.185
110.00	-20.00	-6.65	0.00	-377.67	0.00	377.67	2709.73	1354.87	4416.54	2211.55	12.82	-1.195	0.000	0.178
115.00	-19.13	-6.51	0.00	-344.44	0.00	344.44	2656.16	1328.08	4199.76	2103.00	14.10	-1.260	0.000	0.171
120.00	-18.29	-6.38	0.00	-311.88	0.00	311.88	2600.95	1300.48	3985.68	1995.80	15.46	-1.326	0.000	0.163
125.00	-17.47	-6.25	0.00	-279.97	0.00	279.97	2544.10	1272.05	3774.55	1890.08	16.88	-1.390	0.000	0.155
130.00	-16.67	-6.12	0.00	-248.71	0.00	248.71	2485.60	1242.80	3566.61	1785.96	18.37	-1.454	0.000	0.146
135.00	-15.42	-5.98	0.00	-218.09	0.00	218.09	1823.78	911.89	2575.19	1289.51	19.93	-1.516	0.000	0.178
140.00	-14.76	-5.86	0.00	-188.18	0.00	188.18	1784.40	892.20	2432.60	1218.11	21.55	-1.576	0.000	0.163
145.00	-14.12	-5.74	0.00	-158.89	0.00	158.89	1743.38	871.69	2291.70	1147.55	23.24	-1.643	0.000	0.147
150.00	-13.50	-5.62	0.00	-130.20	0.00	130.20	1700.71	850.36	2152.72	1077.96	24.99	-1.706	0.000	0.129
155.00	-11.12	-4.73	0.00	-102.11	0.00	102.11	1656.41	828.20	2015.90	1009.45	26.81	-1.762	0.000	0.108
160.00	-10.59	-4.62	0.00	-78.43	0.00	78.43	1610.46	805.23	1881.48	942.14	28.68	-1.812	0.000	0.090
165.00	-7.30	-3.21	0.00	-55.34	0.00	55.34	1562.88	781.44	1749.71	876.15	30.60	-1.853	0.000	0.068
170.00	-6.89	-3.10	0.00	-39.31	0.00	39.31	1513.65	756.82	1620.81	811.61	32.56	-1.886	0.000	0.053
175.00	-3.81	-1.36	0.00	-23.83	0.00	23.83	1462.77	731.39	1495.04	748.63	34.55	-1.911	0.000	0.034
180.00	-3.47	-1.26	0.00	-17.02	0.00	17.02	1400.09	700.04	1362.73	682.38	36.56	-1.930	0.000	0.027
180.00	-3.47	-1.26	0.00	-17.02	0.00	17.02	1571.64	785.82	1525.71	763.99	36.56	-1.930	0.000	0.024
185.00	-3.10	-1.15	0.00	-10.73	0.00	10.73	1571.64	785.82	1525.71	763.99	38.59	-1.944	0.000	0.016
190.00	-2.73	-1.05	0.00	-4.96	0.00	4.96	1571.64	785.82	1525.71	763.99	40.63	-1.952	0.000	0.008
193.00	-2.16	-0.91	0.00	-1.81	0.00	1.81	1571.64	785.82	1525.71	763.99	41.86	-1.954	0.000	0.004
195.00	0.00	-0.83	0.00	0.00	0.00	0.00	1571.64	785.82	1525.71	763.99	42.68	-1.954	0.000	0.000

## Calculated Forces

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 28

## Final Analysis Summary

<b>Structure:</b> CT01501-S-SBA	<b>Code:</b> EIA/TIA-222-G	4/10/2018
<b>Site Name:</b> Morris	<b>Exposure:</b> C	
<b>Height:</b> 195.00 (ft)	<b>Crest Height:</b> 0.00	
<b>Base Elev:</b> 0.000 (ft)	<b>Site Class:</b> B - Competent Rock	
<b>Gh:</b> 1.1	<b>Topography:</b> 1	<b>Struct Class:</b> II



Page: 29

### Reactions

Load Case	Shear FX (kips)	Shear FZ (kips)	Axial FY (kips)	Moment MX (ft-kips)	Moment MY (ft-kips)	Moment MZ (ft-kips)
1.2D + 1.6W 93 mph Wind	36.6	0.00	58.92	0.00	0.00	4956.27
0.9D + 1.6W 93 mph Wind	36.5	0.00	44.18	0.00	0.00	4885.20
1.2D + 1.0Di + 1.0Wi 40 mph Wind	7.8	0.00	98.92	0.00	0.00	1095.50
1.0D + 1.0W 60 mph Wind	9.5	0.00	49.14	0.00	0.00	1279.64

### Max Stresses

Load Case	Pu FY (-) (kips)	Vu FX (-) (kips)	Tu MY (-) (ft-kips)	Mu MZ (ft-kips)	Mu MX (ft-kips)	Resultant Moment (ft-kips)	phi Pn (kips)	phi Vn (kips)	phi Tn (ft-kips)	phi Mn (ft-kips)	Elev (ft)	Stress Ratio
1.2D + 1.6W 93 mph Wind	-58.92	-36.57	0.00	-4956.2	0.00	-4956.2	4628.91	2314.4	12221.1	6119.66	0.00	0.823
0.9D + 1.6W 93 mph Wind	-44.18	-36.55	0.00	-4885.2	0.00	-4885.2	4628.91	2314.4	12221.1	6119.66	0.00	0.808
1.2D + 1.0Di + 1.0Wi 40 mph Wind	-60.00	-6.40	0.00	-510.19	0.00	-510.19	3803.65	1901.8	7156.86	3583.75	81.00	0.202
1.0D + 1.0W 60 mph Wind	-49.14	-9.51	0.00	-1279.6	0.00	-1279.6	4628.91	2314.4	12221.1	6119.66	0.00	0.220


SHEET INDEX

NO.	DESCRIPTION
T1	TITLE SHEET
C1	GENERAL NOTES
C2	GENERAL NOTES
Z1	SITE PLAN
C3	COMPOUND PLAN
C4	EQUIPMENT SITE PLAN
C5	ELEVATION VIEW
C6	EQUIPMENT DETAILS
C7	EQUIPMENT DETAILS
C8	SCHEMATICS, DIAGRAMS & NOTES
C9	PLUMBING DIAGRAM

DRIVING DIRECTIONS

- DEPART RT-30 WEST/COCHITUATE ROAD TOWARD BURR STREET.
- TURN BACK ON RT-30 EAST/COCHITUATE ROAD.
- TAKE RAMP RIGHT FOR I-90 WEST TOWARD SPRINGFIELD/WORCESTER.
- TAKE EXIT 9, TAKE RAMP RIGHT FOR I-84 TOWARD HARTFORD/NEW YORK CITY.
- AT EXIT 17, TAKE RAMP RIGHT FOR CT-64 TOWARD MIDDLEBURY/WATERTOWN.
- BEAR RIGHT ONTO CT-64/CHASE PARKWAY.
- TURN RIGHT ONTO CT-63 STRAITS TPKE.
- ARRIVE AT CT-63 WATERTOWN ROAD.

LOCATION MAP



**SITE NAME**  
**MORRIS CT**  
**PROJECT**  
**LTE 2C/3C**  
**SITE ID**  
**CT1174**  
**FA SITE NUMBER**  
**10107954**  
**PAGE ID**  
**MRCTB023543/MRCTB023597**  
**SITE ADDRESS**  
**310 WATERTOWN ROAD**  
**MORRIS, CT 06763**  
**STRUCTURE TYPE**  
**MONOPOLE TOWER**



PROJECT TEAM



95 Ryan Drive Suite 1 | Raynham, MA 02767  
 Office: 781.713.4725 - Fax: 413-541-8158  
**PROJECT MANAGER**



1033 Watervliet Shaker Rd  
 Albany, NY 12205  
 Office # (518) 690-0790  
 Fax # (518) 690-0793  
**ENGINEER**

SCOPE OF WORK:

- HANDICAP ACCESS REQUIREMENTS ARE NOT REQUIRED.
  - FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION.
  - FACILITY HAS NO PLUMBING OR REFRIGERANTS.
  - THIS FACILITY SHALL MEET OR EXCEED ALL FAA AND FCC REGULATORY REQUIREMENTS.
  - ALL NEW MATERIAL SHALL BE FURNISHED AND INSTALLED BY CONTRACTOR UNLESS NOTED OTHERWISE. EQUIPMENT, ANTENNAS/RRU AND CABLES FURNISHED BY OWNER AND INSTALLED BY CONTRACTOR.
  - ADD GROUND ISOLATION WHERE NEEDED.
- TOWER SCOPE**
- REMOVE (3) PANEL ANTENNAS
  - INSTALL (3) PANEL ANTENNAS
  - INSTALL (3) B14 4478 (700)
  - INSTALL (3) RRU-32 B2 (PCS)
  - INSTALL (1) DC6 SQUID WITH (2) DC CABLES, (1) 18P FIBER & (1) ALARM CABLE
- GROUND SCOPE**
- UPGRADE BASEBAND TO 5216
  - ADD XMU
  - INSTALL NEW COAX PORT
  - INSTALL (1) FIBER MANAGEMENT BOX TO ICE BRIDGE POST
  - INSTALL (1) FIBER STORAGE TRAY IN LTE RACK
  - INSTALL (3) INSERTS TO DC12 IN LTE RACK
  - INSTALL (2) 150 AMP POLE BREAKERS TO POWER PLANT
  - INSTALL (1) 48V CONVERTER SHELF WITH (4) MODULES
  - INSTALL (1) CONVERTER MODULE TO EXISTING 48V CONVERTER SHELF
  - INSTALL (3) 25 AMP BREAKERS & (3) 30 AMP BREAKERS TO EXISTING/PROPOSED 48V CONVERTER SHELF

PROJECT SUMMARY

<b>SITE NAME:</b>	MORRIS CT
<b>FA SITE NO.:</b>	10107954
<b>PAGE ID:</b>	MRCTB023543/MRCTB023597
<b>SITE ID:</b>	CT1174
<b>SITE ADDRESS:</b>	310 WATERTOWN ROAD MORRIS, CT 06763
<b>COUNTY:</b>	LITCHFIELD
<b>SITE COORDINATES:</b>	
<b>LATITUDE:</b>	41° 40' 02.06" N (NAD 83)
<b>LONGITUDE:</b>	73° 10' 13.77" W (NAD 83)
<b>GROUND ELEVATION:</b>	±696' (AMSL)
<b>ANTENNA RAD:</b>	±165' (AGL)
<b>JURISDICTION:</b>	TOWN OF BETHLEHEM
<b>PROPERTY OWNER:</b>	SBA TOWERS SBA SITE ID: 1149-MORRIS
<b>APPLICANT:</b>	AT&T MOBILITY 550 COCHITUATE ROAD FARMINGHAM, MA 01701
<b>PROJECT MANAGER:</b>	CENTERLINE 95 RYAN DRIVE SUITE 1 RAYNHAM, MA 02767
<b>CONTACT:</b>	PETER LAMONTAGNE (508) 341-7854
<b>ENGINEER:</b>	INFINIGY 1033 WATERVLIET SHAKER ROAD ALBANY, NY 12205
<b>CONTACT:</b>	ALEX WELLER (518) 690-0790
<b>BUILDING CODE:</b>	CT BUILDING CODE UNIFORM BUILDING CODE BUILDING OFFICIALS & CODE ADMINISTRATORS UNIFORM MECHANICAL CODE UNIFORM PLUMBING CODE LOCAL BUILDING CODE CITY/COUNTY ORDINANCES
<b>ELECTRICAL CODE:</b>	NATIONAL ELECTRICAL CODE (LATEST EDITION)

ENGINEER'S LICENSE

**CERTIFICATION STATEMENT:**  
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF CONNECTICUT.  
 LICENSED ENGINEER - STATE OF CONNECTICUT

APPROVALS


CONSTRUCTION MGR.	DATE
AT&T PROJECT MGR.	DATE
SITE ACQ.	DATE
SITE OWNER	NAME/COMPANY: TITLE:
	DATE



No.	ISSUED FOR PERMIT	DATE

Project Number: 555-022

Project Title: FA# 10107954  
 CT1174  
 MORRIS CT  
 310 WATERTOWN ROAD  
 MORRIS, CT 06763



Drawing Scale: AS NOTED  
 Date: 03/20/18

Drawing Title: **TITLE SHEET**

Drawing Number: **T1**

**GENERAL CONSTRUCTION NOTES:**

- FOR THE PURPOSE OF CONSTRUCTION DRAWINGS, THE FOLLOWING DEFINITIONS SHALL APPLY:  
GENERAL CONTRACTOR  
SUBCONTRACTOR - CONTRACTOR (CONSTRUCTION)  
OWNER - AT&T
- ALL SITE WORK SHALL BE COMPLETED AS INDICATED ON THE DRAWINGS AND AT&T PROJECT SPECIFICATIONS.
- GENERAL CONTRACTOR AND SUBCONTRACTOR SHALL VISIT THE SITE AND SHALL FAMILIARIZE HIMSELF WITH ALL CONDITIONS AFFECTING THE PROPOSED WORK AND SHALL MAKE PROVISIONS. GENERAL CONTRACTOR AND SUBCONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING THEMSELVES WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS, DIMENSIONS, AND CONFIRMING THAT THE WORK MAY BE ACCOMPLISHED AS SHOWN PRIOR TO PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT/ENGINEER PRIOR TO THE COMMENCEMENT OF WORK.
- ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. GENERAL CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF WORK.
- ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES, AND APPLICABLE REGULATIONS.
- UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS. PLANS ARE NOT TO BE SCALED. THESE PLANS ARE INTENDED TO BE A DIAGRAMMATIC OUTLINE ONLY UNLESS OTHERWISE NOTED. DIMENSIONS SHOWN ARE TO FINISH SURFACES UNLESS OTHERWISE NOTED. SPACING BETWEEN EQUIPMENT IS THE MINIMUM REQUIRED CLEARANCE. THEREFORE, IT IS CRITICAL TO FIELD VERIFY DIMENSIONS, SHOULD THERE BE ANY QUESTIONS REGARDING THE CONTRACT DOCUMENTS, THE SUBCONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE ARCHITECT/ENGINEER PRIOR TO PROCEEDING WITH THE WORK. DETAILS ARE INTENDED TO SHOW DESIGN INTENT. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS AND SUCH MODIFICATIONS SHALL BE INCLUDED AS PART OF WORK AND PREPARED BY THE ARCHITECT/ENGINEER PRIOR TO PROCEEDING WITH WORK.
- THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
- IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE SPACE FOR APPROVAL BY THE ARCHITECT/ENGINEER PRIOR TO PROCEEDING.
- GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFETY OF WORK AREA, ADJACENT AREAS AND BUILDING OCCUPANTS THAT ARE LIKELY TO BE AFFECTED BY THE WORK UNDER THIS CONTRACT. WORK SHALL CONFORM TO ALL OSHA REQUIREMENTS AND THE LOCAL JURISDICTION.
- GENERAL CONTRACTOR SHALL COORDINATE WORK AND SCHEDULE WORK ACTIVITIES WITH OTHER DISCIPLINE.
- ERECTION SHALL BE DONE IN A WORKMANLIKE MANNER BY COMPETENT EXPERIENCED WORKMEN IN ACCORDANCE WITH APPLICABLE CODES AND THE BEST ACCEPTED PRACTICE. ALL MEMBERS SHALL BE LAID PLUMB AND TRUE AS INDICATED ON THE DRAWINGS.
- SEAL PENETRATIONS THROUGH FIRE RATED AREAS WITH UL LISTED MATERIALS APPROVED BY LOCAL JURISDICTION. SUBCONTRACTOR SHALL KEEP AREA CLEAN, HAZARD FREE, AND DISPOSE OF ALL DEBRIS.
- WORK PREVIOUSLY COMPLETED IS REPRESENTED BY LIGHT SHADED LINES AND NOTES. THE SCOPE OF WORK FOR THIS PROJECT IS REPRESENTED BY DARK SHADED LINES AND NOTES. SUBCONTRACTOR SHALL NOTIFY THE GENERAL CONTRACTOR OF ANY EXISTING CONDITIONS THAT DEVIATE FROM THE DRAWINGS PRIOR TO BEGINNING CONSTRUCTION.
- SUBCONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO THE CONSTRUCTION MANAGER 48 HOURS PRIOR TO COMMENCEMENT OF WORK.
- THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.
- THE SUBCONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES PRIOR TO THE START OF CONSTRUCTION.
- GENERAL CONTRACTOR SHALL COORDINATE AND MAINTAIN ACCESS FOR ALL TRADES AND SUBCONTRACTORS TO THE SITE AND/OR BUILDING.
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR SECURITY OF THE SITE FOR THE DURATION OF CONSTRUCTION UNTIL JOB COMPLETION.
- THE GENERAL CONTRACTOR SHALL MAINTAIN IN GOOD CONDITION ONE COMPLETE SET OF PLANS WITH ALL REVISIONS, ADDENDA, AND CHANGE ORDERS ON THE PREMISES AT ALL TIMES.
- THE GENERAL CONTRACTOR AND SUBCONTRACTOR SHALL PROVIDE PORTABLE FIRE EXTINGUISHERS WITH A RATING OF NOT LESS THAN 2-A-10 2-A-10-B-C AND SHALL BE WITHIN 25 FEET OF TRAVEL DISTANCE TO ALL PORTIONS OF WHERE THE WORK IS BEING COMPLETED DURING CONSTRUCTION.
- ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES SHALL BE PROTECTED AT ALL TIMES, AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY THE ARCHITECT/ENGINEER. EXTREME CAUTION SHOULD BE USED BY THE SUBCONTRACTOR WHEN EXCAVATING OR DRILLING PIERIS AROUND OR NEAR UTILITIES. SUBCONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS SHALL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION, B) CONFINED SPACE, C) ELECTRICAL SAFETY, D) TRENCHING & EXCAVATION.

- ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED, CAPPED, PLUGGED OR OTHERWISE DISCONNECTED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, AS DIRECTED BY THE RESPONSIBLE ARCHITECT/ENGINEER, AND SUBJECT TO THE APPROVAL OF THE OWNER AND/OR LOCAL UTILITIES.
- THE AREAS OF THE OWNER'S PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR DRIVEWAY, SHALL BE GRADED TO A UNIFORM SLOPE, AND STABILIZED TO PREVENT EROSION. SUBCONTRACTOR SHALL MINIMIZE DISTURBANCE TO THE EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE FEDERAL AND LOCAL JURISDICTION FOR EROSION AND SEDIMENT CONTROL.
- NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUNDING. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.
- THE SUBGRADE SHALL BE BROUGHT TO A SMOOTH UNIFORM GRADE AND COMPACTED TO 95 PERCENT STANDARD PROCTOR DENSITY UNDER PAVEMENT AND STRUCTURES AND 80 PERCENT STANDARD PROCTOR DENSITY IN OPEN SPACE. ALL TRENCHES IN PUBLIC RIGHT OF WAY SHALL BE BACKFILLED WITH FLOWABLE FILL OR OTHER MATERIAL PRE-APPROVED BY THE LOCAL JURISDICTION.
- ALL NECESSARY RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN A LAWFUL MANNER.
- ALL BROCHURES, OPERATING AND MAINTENANCE MANUALS, CATALOGS, SHOP DRAWINGS, AND OTHER DOCUMENTS SHALL BE TURNED OVER TO THE GENERAL CONTRACTOR AT COMPLETION OF CONSTRUCTION AND PRIOR TO PAYMENT.
- SUBCONTRACTOR SHALL SUBMIT A COMPLETE SET OF AS-BUILT REDLINES TO THE GENERAL CONTRACTOR UPON COMPLETION OF PROJECT AND PRIOR TO FINAL PAYMENT.
- SUBCONTRACTOR SHALL LEAVE PREMISES IN A CLEAN CONDITION.
- THE PROPOSED FACILITY WILL BE UNMANNED AND DOES NOT REQUIRE POTABLE WATER OR SEWER SERVICE, AND IS NOT FOR HUMAN HABITAT (NO HANDICAP ACCESS REQUIRED).
- OCCUPANCY IS LIMITED TO PERIODIC MAINTENANCE AND INSPECTION, APPROXIMATELY 2 TIMES PER MONTH, BY AT&T TECHNICIANS.
- NO OUTDOOR STORAGE OR SOLID WASTE CONTAINERS ARE PROPOSED.
- ALL MATERIAL SHALL BE FURNISHED AND WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST REVISION OF AT&T MOBILITY GROUNDING STANDARD "TECHNICAL SPECIFICATION FOR CONSTRUCTION OF GSM/GPRS WIRELESS SITES" AND "TECHNICAL SPECIFICATION FOR FACILITY GROUNDING." IN CASE OF A CONFLICT BETWEEN THE CONSTRUCTION SPECIFICATION AND THE DRAWINGS, THE DRAWINGS SHALL GOVERN.
- SUBCONTRACTORS SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS REQUIRED FOR CONSTRUCTION. IF SUBCONTRACTOR CANNOT OBTAIN A PERMIT, THEY MUST NOTIFY THE GENERAL CONTRACTOR IMMEDIATELY.
- SUBCONTRACTOR SHALL REMOVED ALL TRASH AND DEBRIS FROM THE SITE ON A DAILY BASIS.
- INFORMATION SHOWN ON THESE DRAWINGS WAS OBTAINED FROM SITE VISITS AND/OR DRAWINGS PROVIDED BY THE SITE OWNER. CONTRACTORS SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
- NO WHITE STROBE LIGHTS ARE PERMITTED. ANY REQUIRED LIGHTING MUST MEET FAA STANDARDS AND REQUIREMENTS.
- ALL COAXIAL CABLE INSTALLATIONS TO FOLLOW MANUFACTURER'S INSTRUCTIONS AND RECOMMENDATIONS.
- NO SIGNIFICANT NOISE, SMOKE, DUST OR VIBRATIONS WILL RESULT FROM THIS FACILITY. (DISREGARD THIS NOTE IF THIS SITE HAS A GENERATOR)
- NO ADDITIONAL PARKING TO BE PROPOSED. EXISTING ACCESS AND PARKING TO REMAIN, UNLESS NOTED OTHERWISE.
- NO LANDSCAPING IS PROPOSED AT THIS SITE, UNLESS NOTED OTHERWISE.

**ELECTRICAL NOTES:**

- ELECTRICAL CONTRACTOR SHALL SUPPLY AND INSTALL ANY/ALL ELECTRICAL WORK INDICATED. ANY/ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH DRAWINGS AND ANY/ALL APPLICABLE SPECIFICATIONS. IF ANY PROBLEMS ARE ENCOUNTERED BY COMPLYING WITH THESE REQUIREMENTS, CONTRACTOR SHALL NOTIFY 'CONSTRUCTION MANAGER' AS SOON AS POSSIBLE, AFTER THE DISCOVERY OF THE PROBLEMS, AND SHALL NOT PROCEED WITH THAT PORTION OF WORK, UNTIL THE 'CONSTRUCTION MANAGER' HAS DIRECTED THE CORRECTIVE ACTIONS TO BE TAKEN.
- ELECTRICAL CONTRACTOR SHALL VISIT THE JOB SITE AND FAMILIARIZE HIMSELF WITH ANY/ALL CONDITIONS AFFECTING ELECTRICAL AND COMMUNICATION INSTALLATION AND MAKE PROVISIONS AS TO THE COST THEREOF. ALL EXISTING CONDITIONS OF ELECTRICAL EQUIP., LIGHT FIXTURES, ETC., THAT ARE PART OF THE FINAL SYSTEM, SHALL BE VERIFIED BY THE CONTRACTOR, PRIOR TO THE SUBMITTING OF HIS BID. FAILURE TO COMPLY WITH THIS PARAGRAPH WILL IN NO WAY RELIEVE CONTRACTOR OF PERFORMING ALL WORK NECESSARY FOR A COMPLETE AND WORKING SYSTEM.
- ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITION OF THE NEC AND ALL CODES AND LOCAL ORDINANCES OF THE LOCAL POWER & TELEPHONE COMPANIES HAVING JURISDICTION AND SHALL INCLUDE BUT NOT BE LIMITED TO:  
C - NATIONAL FIRE CODES  
A. UL - UNDERWRITERS LABORATORIES  
B. NEC - NATIONAL ELECTRICAL CODE  
C. NEMA - NATIONAL ELECTRICAL MANUFACTURERS ASSOC.  
D. OSHA - OCCUPATIONAL SAFETY AND HEALTH ACT  
E. SBC - STANDARD BUILDING CODE

- DO NOT SCALE ELECTRICAL DRAWINGS; REFER TO SITE PLANS AND ELEVATIONS FOR EXACT LOCATIONS OF ALL EQUIPMENT, AND CONFIRM WITH CONSTRUCTION MANAGER ANY SIZES AND LOCATIONS WHEN NEEDED.
- EXISTING SERVICES: CONTRACTOR SHALL NOT INTERRUPT EXISTING SERVICES WITHOUT WRITTEN PERMISSION OF THE OWNER.
- CONTRACTOR SHALL PAY FOR ANY/ALL PERMITS, FEES, INSPECTIONS, AND TESTING. CONTRACTOR IS TO OBTAIN PERMITS AND APPROVED SUBMITTALS PRIOR TO THE WORK BEGINNING OR ORDERING EQUIPMENT. THE TERM "PROVIDE" USED IN CONSTRUCTION DOCUMENTS AND SPECIFICATIONS, INDICATES THAT THE CONTRACTOR SHALL FURNISH AND INSTALL.
- CONTRACTOR SHALL CONFIRM WITH LOCAL UTILITY COMPANY ANY/ALL REQUIREMENTS, SUCH AS THE: LUG SIZE RESTRICTIONS, CONDUIT ENTRY, SIZE OF TRANSFORMERS, SCHEDULED DOWNTIME FOR THE OWNERS' CONFIRMATION, ETC... ANY/ALL CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE CONSTRUCTION MANAGER, PRIOR TO BEGINNING ANY WORK.
- MINIMUM WIRE SIZE SHALL BE #12 AWG, NOT INCLUDING CONTROL WIRING, UNLESS NOTED OTHERWISE. ALL CONDUCTORS SHALL BE COPPER WITH THWN INSULATION.
- OUTLET BOXES SHALL BE PRESSED STEEL IN DRY LOCATIONS, CAST ALLOY WITH THREADED HUBS IN WET/DAMP LOCATIONS AND SPECIAL ENCLOSURES FOR OTHER CLASSIFIED AREAS.
- IT IS NOT THE INTENT OF THESE PLANS TO SHOW EVERY MINOR DETAIL OF THE CONSTRUCTION. CONTRACTOR IS EXPECTED TO FURNISH AND INSTALL ALL ITEMS FOR A COMPLETE ELECTRICAL SYSTEM AND PROVIDE ALL REQUIREMENTS FOR THE EQUIPMENT TO BE PLACED IN PROPER WORKING ORDER.
- ELECTRICAL SYSTEM SHALL BE AS COMPLETELY AND EFFECTIVELY GROUNDED, AS REQUIRED BY SPECIFICATIONS, SET FORTH BY AT&T.
- ALL WORK SHALL BE PERFORMED BY A LICENSED ELECTRICAL CONTRACTOR IN A FIRST CLASS, WORKMANLIKE MANNER. THE COMPLETED SYSTEM SHALL BE FULLY OPERATIVE AND SUBJECT TO REGULATORY INSPECTION & APPROVAL BY CONSTRUCTION MANAGER.
- ALL WORK SHALL BE COORDINATED WITH OTHER TRADES TO AVOID INTERFERENCE WITH THE PROGRESS OF CONSTRUCTION.
- CONTRACTOR SHALL GUARANTEE ANY/ALL MATERIALS AND WORK FREE FROM DEFECTS FOR A PERIOD OF NOT LESS THAN ONE YEAR FROM DATE OF ACCEPTANCE.
- THE CORRECTION OF ANY DEFECTS SHALL BE COMPLETED WITHOUT ANY ADDITIONAL CHARGE AND SHALL INCLUDE THE REPLACEMENT OR THE REPAIR OF ANY OTHER PHASE OF THE INSTALLATION, WHICH MAY HAVE BEEN DAMAGED THEREIN.
- ADEQUATE AND REQUIRED LIABILITY INSURANCE SHALL BE PROVIDED FOR PROTECTION AGAINST PUBLIC LOSS AND ANY/ALL PROPERTY DAMAGE FOR THE DURATION OF WORK.
- PROVIDE AND INSTALL CONDUIT, CONDUCTORS, PULL WIRES, BOXES, COVER PLATES AND DEVICES FOR ALL OUTLETS AS INDICATED.
- DITCHING AND BACK FILL: CONTRACTOR SHALL PROVIDE FOR ALL UNDERGROUND INSTALLED CONDUIT AND/OR CABLES INCLUDING EXCAVATION, BACKFILLING AND COMPACTION. REFER TO 'FOUNDATION, EXCAVATION, AND BACKFILLING NOTES.'
- MATERIALS, PRODUCTS AND EQUIPMENT, INCLUDING ALL COMPONENTS THEREOF, SHALL BE NEW AND SHALL APPEAR ON THE LIST OF U.L. APPROVED ITEMS AND SHALL MEET OR EXCEED THE REQUIREMENTS OF THE NEC, NEMA, AND IECE.
- CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OR MANUFACTURERS CATALOG INFORMATION OF ANY/ALL LIGHTING FIXTURES, SWITCHES, AND ALL OTHER ELECTRICAL ITEMS FOR APPROVAL BY THE CONSTRUCTION MANAGER PRIOR TO INSTALLATION.
- ANY CUTTING OR PATCHING DEEMED NECESSARY FOR ELECTRICAL WORK IS THE ELECTRICAL CONTRACTORS RESPONSIBILITY AND SHALL BE INCLUDED IN THE COST FOR WORK AND PERFORMED TO THE SATISFACTION OF THE 'CONSTRUCTION MANAGER' UPON FINAL ACCEPTANCE.
- THE ELECTRICAL CONTRACTOR SHALL LABEL AL PANELS WITH ONLY TYPEWRITTEN DIRECTORIES. ALL ELECTRICAL WIRING SHALL BE THE RESPONSIBILITY OF THE ELECTRICAL CONTRACTOR.
- DISCONNECT SWITCHES SHALL BE H.P. RATED HEAVY-DUTY, QUICK-MADE AND QUICK-BREAK ENCLOSURES, AS REQUIRED BY EXPOSURE TYPE.
- ALL CONNECTIONS SHALL BE MADE WITH A PROTECTIVE COATING OF AN ANTI-OXIDE COMPOUND SUCH AS "NO-OXIDE A" BY DEARBORNE CHEMICAL CO. COAT ALL WIRE SURFACES BEFORE CONNECTING. EXPOSED COPPER SURFACES, INCLUDING GROUND BARS, SHALL BE TREATED - NO SUBSTITUTIONS.
- RACEWAYS: CONDUIT SHALL BE SCHEDULE 40 PVC MEETING OR EXCEEDING NEMA TC2 - 1990. CONTRACTOR SHALL PLUG AND CAP EACH END OF SPARE AND EMPTY CONDUITS AND PROVIDE TWO SEPARATE PULL STRINGS - 200 LBS TEST POLYETHYLENE CORD. ALL CONDUIT BENDS SHALL BE A MINIMUM OF 2 FT. RADIUS. RGS CONDUITS WHEN SPECIFIED, SHALL MEET UL-6 FOR GALVANIZED STEEL. ALL FITTINGS SHALL BE SUITABLE FOR USE WITH THREADING RIGID CONDUIT. COAT ALL THREADS WITH 'BRITE ZINC' OR 'GOLD CALV.'
- SUPPORT OF ALL ELECTRICAL WORK SHALL BE AS REQUIRED BY NEC.
- CONDUCTORS: CONTRACTOR SHALL USE 98% CONDUCTIVITY COPPER WITH TYPE THWN INSULATION, 600 VOLT, COLOR CODED. USE SOLID CONDUCTORS FOR WIRE UP TO AND INCLUDING NO. 8 AWG. USE STRANDED CONDUCTORS FOR WIRE ABOVE NO. 8 AWG.
- CONNECTORS FOR POWER CONDUCTORS: CONTRACTOR SHALL USE PRESSURE TYPE INSULATED TWIST-ON CONNECTORS FOR NO. 10 AWG AND SMALLER. USE SOLDERLESS MECHANICAL TERMINAL LUGS FOR NO. 8 AWG AND LARGER.
- SERVICES: 240/120V, SINGLE PHASE, 3 WIRE CONNECTION AVAILABLE FROM UTILITY COMPANY. OWNER OR OWNERS AGENT WILL APPLY FOR POWER.

- TELEPHONE SERVICE: CONTRACTOR SHALL PROVIDE EMPTY CONDUITS WITH PULL STRINGS AS INDICATED ON DRAWINGS.
- ELECTRICAL AND TELCO RACEWAYS TO BE BURIED A MINIMUM OF 2' DEPTH.
- CONTRACTOR SHALL PLACE TWO LENGTHS OF WARNING TAPE AT A DEPTH OF 12" BELOW GROUND AND DIRECTLY ABOVE ELECTRICAL AND TELCO SERVICE CONDUITS. CAUTION TAPE TO READ "CAUTION BURIED ELECTRIC" OR "BURIED TELECOMM."
- ALL BOLTS SHALL BE STAINLESS STEEL.


**GROUNDING NOTES:**

- COMPRESSION CONNECTIONS (2), 2 AWG BARE TINNED SOLID COPPER CONDUCTORS TO GROUNDING BAR. ROUTE CONDUCTORS TO BURIED GROUNDING RING AND PROVIDE PARALLEL EXOTHERMIC WELD.
- EC SHALL USE PERMANENT MARKER TO DRAW THE LINES BETWEEN EACH SECTION AND LABEL EACH SECTION ("P," "A," "N," "I") WITH "1" LETTERS.
- ALL HARDWARE 18-8 STAINLESS STEEL, INCLUDING LOCK WASHERS, COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING. ALL HARDWARE SHALL BE STAINLESS STEEL 3/8 INCH DIAMETER OR LARGER. FOR GROUND BOND TO STEEL ONLY: INSERT A CADMIUM FLAT WASHER BETWEEN LUG AND STEEL, COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING.
- NUT & WASHER SHALL BE PLACED ON THE FRONT SIDE OF THE GROUNDING BAR AND BOLTED ON THE BACK SIDE.
- NUMBER OF GROUNDING BARS MAY VARY DEPENDING ON THE TYPE OF TOWER, ANTENNA LOCATION, AND CONNECTION ORIENTATION. PROVIDE REQUIRED.
- WHEN THE SCOPE OF WORK REQUIRES THE ADDITION OF A GROUNDING BAR TO AN EXISTING TOWER, THE SUBCONTRACTOR SHALL OBTAIN APPROVAL FROM THE TOWER OWNER PRIOR TO MOUNTING THE GROUNDING BAR TO THE TOWER.
- ALL ELECTRICAL AND GROUNDING AT THE CELL SITE SHALL COMPLY WITH THE NATIONAL ELECTRICAL CODE (NEC), NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 780 (LATEST EDITION), AND MANUFACTURER.

**FOUNDATION, EXCAVATION, & BACKFILL NOTES:**

- ALL FINAL GRADED SLOPES SHALL BE A MAXIMUM OF 3 HORIZONTAL TO 1 VERTICAL.
- ALL EXCAVATIONS PREPARED FOR PLACEMENT OF CONCRETE SHALL BE OF UNDISTURBED SOILS, SUBSTANTIALLY HORIZONTAL, AND FREE FROM ANY LOOSE, UNSUITABLE MATERIAL OR FROZEN SOILS, AND WITHOUT THE PRESENCE OF POUNDING WATER. DEWATERING FOR EXCESS GROUND WATER SHALL BE PROVIDED WHEN REQUIRED. COMPACTION OF SOILS UNDER CONCRETE PAD FOUNDATIONS SHALL NOT BE LESS THAN 95% OF THE MODIFIED PROCTOR MAXIMUM DRY DENSITY FOR THE SOIL IN ACCORDANCE WITH ASTM D1557.
- CONCRETE FOUNDATIONS SHALL NOT BE PLACED ON ORGANIC OR UNSUITABLE MATERIAL. IF INADEQUATE BEARING CAPACITY IS REACHED AT THE DESIGNED EXCAVATION DEPTH, THE UNSATISFACTORY SOIL SHALL BE EXCAVATED TO ITS FULL DEPTH AND EITHER BE REPLACED WITH MECHANICALLY COMPACTED GRANULAR MATERIAL OR THE EXCAVATION SHALL BE FILLED WITH CONCRETE OF THE SAME TYPE SPECIFIED FOR THE FOUNDATION. CRUSHED STONE MAY BE USED TO STABILIZE THE BOTTOM OF THE EXCAVATION. ANY STONE SUB BASE MATERIAL, IF USED, SHALL NOT SUBSTITUTE FOR REQUIRED THICKNESS OF CONCRETE.
- ALL EXCAVATIONS SHALL BE CLEAN OF UNSUITABLE MATERIAL SUCH AS VEGETATION, TRASH, DEBRIS, AND SO FORTH PRIOR TO BACK FILLING. BACK FILL SHALL CONSIST OF APPROVED MATERIALS SUCH AS EARTH, LOAM, SANDY CLAY, SAND AND GRAVEL, OR SOFT SHALE, FREE FROM CLODS OR LARGE STONES OVER 2 1/2 MAX DIMENSIONS. ALL BACK FILL SHALL BE PLACED IN COMPACTED LAYERS.
- ALL FILL MATERIALS AND FOUNDATION BACK FILL SHALL BE PLACED IN MAXIMUM 6" THICK LIFTS BEFORE COMPACTION. EACH LIFT SHALL BE WETTED IF REQUIRED AND COMPACTED TO NOT LESS THAN 95% OF THE MODIFIED PROCTOR MAXIMUM DRY DENSITY FOR SOIL IN ACCORDANCE WITH ASTM D1557
- NEWLY PLACED CONCRETE FOUNDATIONS SHALL CURE A MINIMUM OF 72 HOURS PRIOR TO BACK FILLING.
- FINISHED GRADING SHALL BE SLOPED TO PROVIDE POSITIVE DRAINAGE AND PREVENT STANDING WATER. THE FINAL (FINISH) ELEVATION OF SLAB FOUNDATIONS SHALL SLOPE AWAY IN ALL DIRECTIONS FROM THE CENTER. FINISH GRADE OF CONCRETE PADS SHALL BE A MAXIMUM OF 4 INCHES ABOVE FINAL FINISH GRADE ELEVATIONS. PROVIDE SURFACE FILL GRAVEL TO ESTABLISH SPECIFIED ELEVATIONS WHERE REQUIRED.
- NEWLY GRADED SURFACE AREAS TO RECEIVE GRAVEL SHALL BE COVERED WITH GEOTEXTILE FABRIC TYPE: TYPAR-3401 AS MANUFACTURED BY "CONSTRUCTION MATERIAL 1-800-239-3841" OR AN APPROVED EQUIVALENT, SHOWN ON PLANS. THE GEOTEXTILE FABRIC SHALL BE BLACK IN COLOR TO CONTROL THE RECURRENCE OF VEGETATIVE GROWTH AND EXTEND TO WITHIN 1 FOOT OUTSIDE THE SITE FENCING OR ELECTRICAL GROUNDING SYSTEM PERIMETER WHICHEVER IS GREATER. ALL FABRIC SHALL BE COVERED WITH A MINIMUM OF 4" DEEP COMPACTED STONE OR GRAVEL AS SPECIFIED. I.E. FDOT TYPE NO.57 FOR FENCED COMPOUND; FDOT TYPE NO. 67 FOR ACCESS DRIVE AREA.
- IN ALL AREAS TO RECEIVE FILL, REMOVE ALL VEGETATION, TOPSOIL, DEBRIS, WET AND UNSATISFACTORY SOIL MATERIALS, OBSTRUCTIONS, AND DELETERIOUS MATERIALS FROM GROUND SURFACE. PLOW STRIP OR BREAK UP SLOPED SURFACES STEEPER THAN 1 VERTICAL TO 4 HORIZONTAL SUCH THAT FILL MATERIAL WILL BIND WITH EXISTING/PREPARED SOIL SURFACE.

**INFINIGYS**  
 1033 Watertown Shaker Rd  
 Albany, NY 12205  
 Office: (518) 890-0730  
 Fax: (518) 890-0735



ISSUED FOR PERMIT	DATE
0	
1	03/20/18


Drawn: BMW Date: 03/25/18  
 Designed: ASW Date: 03/25/18  
 Checked: ASW Date: 03/25/18

Project Number: 555-022

Project Title:

FA# 10107954  
CT1174  
MORRIS CT

310 WATERTOWN ROAD  
MORRIS, CT 06763



Drawing Scale: AS NOTED

Date: 03/20/18

**GENERAL NOTES**


Drawing Number  
**G1**

THIS DOCUMENT IS THE DESIGN PROPERTY AND COPYRIGHT OF INFINIGYS ENGINEERING, PLLC. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE EXPRESS WRITTEN CONSENT OF THE CREATOR. VIOLATION IS STRICTLY PROHIBITED.





**NOTE:**  
 INFINIGY ENGINEERING HAS NOT EVALUATED THE EXISTING TOWER  
 STRUCTURE OR MOUNT FOR THIS SITE, AND ASSUMES NO  
 RESPONSIBILITY FOR ITS STRUCTURAL INTEGRITY. STRUCTURAL AND  
 MOUNT ANALYSIS TO BE COMPLETED PRIOR TO INSTALLATION.

- NOTES:**
1. EXISTING CONDITIONS INFORMATION BASED ON INFORMATION PROVIDED TO INFINIGY.
  2. THESE DRAWINGS DO NOT REFLECT ADEQUACY OF EXISTING OR PROPOSED ANTENNA MOUNTS, MOUNT CONNECTIONS, OR CABLE ATTACHMENTS. INFINIGY DOES NOT ACCEPT LIABILITY FOR ANY OF THESE STRUCTURAL ELEMENTS.
  3. ROUTE ALL PROPOSED CABLING ON EXISTING CABLE LADDER. ACTUAL ROUTE ON DRAWINGS MAY VARY FROM FIELD LOCATION OF EXISTING CABLE LADDER.
  4. INSTALLER SHALL PROVIDE ALL NECESSARY CONDUITS AND CIRCUITS AS REQUIRED FOR A COMPLETED INSTALLATION AND SHALL COMPLY WITH EQUIPMENT MANUFACTURER'S INSTALLATION REQUIREMENTS.
  5. INSTALLER SHALL PROVIDE ALL STRAIN RELIEF FOR ALL CABLE ASSEMBLIES ROUTING TO THE ANTENNAS. UTILIZATION OF HOISTING GRIPS ON ALL DC POWER AND FIBER OPTIC CABLES SHALL BE UTILIZED.



1 OVERALL SITE PLAN  
 SCALE: AS NOTED



**INFINIGY**  
 1033 Watervliet Shaker Rd  
 Albany, NY 12205  
 Office #: (518) 690-0790  
 Fax #: (518) 690-0793



0	ISSUED FOR PERMIT	BMM	03/20/18
No.	Submittal / Revision	App'd	Date
Drawn:	BMM	Date:	01/25/18
Designed:	ASW	Date:	01/25/18
Checked:	ASW	Date:	01/25/18

Project Number:  
 555-022

Project Title:

FA# 10107954  
 CT1174  
 MORRIS CT  
 310 WATERTOWN ROAD  
 MORRIS, CT 06763

Prepared For:

**CENTERLINE**  
 COMMUNICATIONS

THIS DOCUMENT IS THE DESIGN PROPERTY AND COPYRIGHT OF INFINIGY ENGINEERING, PLLC. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBITED.

Drawing Scale:  
 AS NOTED

Date:  
 03/20/18


Drawing Title  
**COMPOUND PLAN**

Drawing Number  
**C3**

- EXISTING AT&T LTE EQUIPMENT RACK TO REMAIN:**
- UPGRADE BASEBAND TO 5216
  - ADD XMU
  - INSTALL (1) FIBER STORAGE TRAY IN LTE RACK
  - INSTALL (3) INSERTS TO DC12 IN LTE RACK
  - INSTALL (1) 48V CONVERTER SHELF WITH (4) MODULES
  - INSTALL (1) CONVERTER MODULE TO EXISTING 48V CONVERTER SHELF
  - INSTALL (3) 25 AMP BREAKERS & (3) 30 AMP BREAKERS TO EXISTING/PROPOSED 48V CONVERTER SHELF

**NOTES:**  
CONTRACTOR TO GROUND ALL EQUIPMENT IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

**PROPOSED AT&T (2) DC CABLES, (1) 18P FIBER & (1) ALARM CABLE TO BE ROUTED WITH EXISTING AT&T CABLES**




**SYMBOL**

⊗	COPPER GROUND ROD
▶	CONNECT PER MANUFACTURER SPECS
■	CADWELD CONNECTION
●	MECHANICAL CONNECTION
—	GROUND BAR
---	ELECTRICAL CONDUIT
---	GROUND WIRE
---	DC/FIBER LINE

**ABBREVIATIONS:**

CIGBE	COAX ISOLATED GROUND BAR EXTERNAL
MIGB	MASTER ISOLATED GROUND BAR
SST	SELF SUPPORTING TOWER
GPS	GLOBAL POSITIONING SYSTEM
TYP.	TYPICAL
DWG	DRAWING
BCW	BARE COPPER WIRE
BFG	BELOW FINISH GRADE
PVC	POLYVINYL CHLORIDE
CAB	CABINET
C	CONDUIT
SS	STAINLESS STEEL
G	GROUND
AWG	AMERICAN WIRE GAUGE
RGS	RIGID GALVANIZED STEEL
AHJ	AUTHORITY HAVING JURISDICTION
TTLNA	TOWER TOP LOW NOISE AMPLIFIER
UNO	UNLESS NOTED OTHERWISE
EMT	ELECTRICAL METALLIC TUBING
AGL	ABOVE GROUND LEVEL

**1 EQUIPMENT SITE PLAN**  
SCALE: AS NOTED



**NOTE:**  
INFINIGY ENGINEERING HAS NOT CONDUCTED AN ELECTRICAL LOAD STUDY FOR THIS SITE. CONTRACTOR IS TO VERIFY EXISTING ELECTRICAL LOADS PRIOR TO CONSTRUCTION TO ENSURE THERE IS AMPLE SERVICE AVAILABLE TO ACCOMMODATE THE EXISTING AND PROPOSED EQUIPMENT.

**ELECTRICAL NOTES:**

1. ALL ELECTRICAL WORK SHALL CONFORM TO THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE (N.E.C.), AND APPLICABLE LOCAL CODES.
2. GROUNDING SHALL COMPLY WITH THE ARTICLE 250 OF NATIONAL ELECTRICAL CODE.
3. ALL ELECTRICAL ITEMS SHALL BE U.L. APPROVED OR LISTED.
4. ALL WIRES SHALL BE AWG MIN #12 THHN COPPER UNLESS NOTED.
5. CONDUCTORS SHALL BE INSTALLED IN SCHEDULE 40 PVC CONDUIT UNLESS NOTED OTHERWISE.
6. LABEL AT&T SERVICE DISCONNECTS WITH SWITCH AND PANEL WITH ENGRAVED LAMACOID LABELS, LETTERS 1" IN HEIGHT.
7. ROUTE GROUNDING CONDUCTORS ALONG THE SHORTEST AND STRAIGHTEST PATH POSSIBLE. BEND GROUNDING LEADS WITH A MINIMUM 8" RADIUS.
8. ENGAGE AN INDEPENDENT TESTING FIRM TO TEST AND VERIFY THAT RESISTANCE DOES NOT EXCEED 5 OHMS TO GROUND. TEST GROUND RING RESISTANCE PRIOR TO MAKING FINAL GROUND CONNECTIONS TO INFRASTRUCTURE AND EQUIPMENT. GROUNDING AND OTHER OPERATIONAL TESTING SHALL BE WITNESSED BY AT&T'S REPRESENTATIVE.
9. PROVIDE PULL BOXES AND JUNCTION BOXES WHERE REQUIRED SO THAT CONDUIT BENDS DO NOT EXCEED 360 DEGREES.
10. OBTAIN PERMITS AND PAY FEES RELATED TO ELECTRICAL WORK PERFORMED ON THIS PROJECT. DELIVER COPIES OF ALL PERMITS TO AT&T REPRESENTATIVE.
11. SCHEDULE AND ATTEND INSPECTIONS RELATED TO ELECTRICAL WORK REQUIRED BY JURISDICTION HAVING AUTHORITY. CORRECT AND PAY FOR ANY WORK REQUIRED TO PASS ANY FAILED INSPECTION.
12. REDLINED AS-BUILTS ARE TO BE DELIVERED TO AN AT&T REPRESENTATIVE.
13. PROVIDE TWO COPIES OF OPERATION AND MAINTENANCE MANUALS IN THREE-RING BINDER.
14. FURNISH AND INSTALL THE COMPLETE ELECTRICAL SERVICE, TELCO CONDUIT, THE COMPLETE GROUNDING SYSTEM.
15. ALL WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH ALL APPLICABLE BUILDING CODES AND LOCAL ORDINANCES, INSTALLED IN A NEAT MANNER AND SHALL BE SUBJECT TO APPROVAL BY AN AT&T REPRESENTATIVE.
16. CONDUCT A PRE-CONSTRUCTION SITE VISIT AND VERIFY EXISTING SITE CONDITIONS AFFECTING THIS WORK. REPORT ANY OMISSIONS OR DISCREPANCIES FOR CLARIFICATION PRIOR TO THE START OF CONSTRUCTION.
17. PROJECT ADJACENT STRUCTURES AND FINISHES FROM DAMAGE, REPAIR TO ORIGINAL CONDITION ANY DAMAGED AREA.
18. REMOVE DEBRIS ON A DAILY BASIS. DEBRIS NOT REMOVED IN A TIMELY FASHION WILL BE REMOVED BY OTHERS AND THE RESPONSIBLE SUBCONTRACTOR SHALL BE CHARGED ACCORDINGLY. REMOVAL OF DEBRIS SHALL BE COORDINATED WITH THE OWNER'S REPRESENTATIVE. DEBRIS SHALL BE REMOVED FROM THE PROPERTY AND DISPOSED OF LEGALLY.
19. UPON COMPLETION OF WORK, THE SITE SHALL BE CLEAN AND FREE OF DUST AND FINGERPRINTS.
20. PRIOR TO ANY TRENCHING, CONTACT LOCAL UTILITY TO VERIFY LOCATION OF ANY EXISTING BURIED SERVICE CONDUITS.
21. DOCUMENT GROUND RING INSTALLATION AND CONNECTIONS TO IT WITH PHOTOGRAPHS PRIOR TO BACKFILLING SITE. PRESENT PHOTO ARCHIVE A SITE "PUNCH LIST" WALK TO AT&T'S REPRESENTATIVE.
22. ALL ABOVE GRADE CONDUIT TO BE RIGID METALLIC.

**GROUNDING NOTES:**

1. ALL DOWN CONDUCTORS AND GROUND RING AND CONDUCTOR SHALL BE #2 AWG, SOLID, BARE, TINNED COPPER, UNO. ALL CONNECTIONS TO GROUND RING SHALL BE EXOTHERMICALLY WELDED. CONDUCTOR SHALL BE A MINIMUM DEPTH BELOW GRADE OF 30 INCHES OR TO THE LEDGE. MINIMUM BEND RADIUS SHALL BE 8 INCHES. CONDUCTOR SHALL BE AT LEAST 24 INCHES FROM ANY FOUNDATION, UNO.
2. WHERE MECHANICAL CONDUCTOR CONNECTIONS ARE SPECIFIED, BOLTED, COMPRESSION-TYPE CLAMPS OR SPLIT-BOLT TYPE CONNECTORS SHALL BE USED.
3. GRIND OFF GALVANIZING IN AFFECTED AREA. EXOTHERMICALLY WELD #2 CONDUCTOR AT 6 INCHES ABOVE GRADE R FOUNDATION, WHICHEVER IS HIGHER. COLD-GALY AFTER. EXOTHERMICALLY WELD OTHER END TO THE GROUND.
4. GROUND CONDUCTORS ON EXTERIOR WALL OF SHELTER SHALL BE ENCASED IN 3/4" PVC CONDUIT TO GRADE. MOUNT PVC WITH GALVANIZED "C" CLAMPS. SEAL TOP ENDS.
5. FOLLOWING COMPLETION OF WORK, CONDUCT GROUND TEST. SUBMIT WRITTEN TEST TO CONSTRUCTION MANAGER AND PROJECT MANAGER.
6. ALL GROUNDING WORK SHALL COMPLY WITH CARRIER(S) STANDARDS.
7. GROUNDING REQUIREMENTS SHOWN ON THIS PLAN ARE FOR ITEMS THAT ARE LOCATED NEAR GRADE LEVEL AND THAT NEED TO BE TIED TO THE BELOW GRADE GROUND RING.
8. UNLESS NOTED OTHERWISE, ALL GROUNDING SHALL BE IN ACCORDANCE WITH AT&T'S SSEQ DOCUMENTS 3.018.02.004 "BONDING, GROUNDING AND TRANSIENT PROTECTION FOR CELL SITES", AND 3.018.10.002 "SITE RESISTANCE TO EARTH TESTING". ALL GROUNDING SHALL ALSO COMPLY WITH ALL STATE AND LOCAL CODES, AND THE NATIONAL ELECTRICAL CODE (NEC).
9. UNLESS NOTED OTHERWISE, ALL GROUNDING CONNECTIONS SHALL BE MADE BY AN EXOTHERMIC WELD.
10. RESISTANCE TO EARTH TESTING IS REQUIRED PER AT&T STANDARDS ON ALL NEW SITES.

**INFINIGY**  
1033 Watertown Shaker Rd  
Albany, NY 12205  
Office # (518) 690-0790  
Fax # (518) 690-0793




0	ISSUED FOR PERMIT	BMM	03/20/18
No.	Submittal / Revision	App'd	Date
Drawn:	BMM	Date:	01/25/18
Designed:	ASW	Date:	01/25/18
Checked:	ASW	Date:	01/25/18

Project Number: 555-022

Project Title:  
**FA# 10107954**  
**CT1174**  
**MORRIS CT**

310 WATERTOWN ROAD  
MORRIS, CT 06763




Drawing Scale: AS NOTED  
Date: 03/20/18

Drawing Title:  
**EQUIPMENT SITE PLAN**

Drawing Number:  
**C4**




**NOTE:**  
 INFINGY ENGINEERING HAS NOT EVALUATED THE EXISTING STRUCTURE OR MOUNT FOR THIS SITE, AND ASSUMES NO RESPONSIBILITY FOR ITS STRUCTURAL INTEGRITY. STRUCTURAL AND MOUNT ANALYSIS TO BE COMPLETED PRIOR TO INSTALLATION.



1 ELEVATION VIEW  
 NOT TO SCALE

- NOTES:**
- EXISTING CONDITIONS INFORMATION BASED ON INFORMATION PROVIDED TO INFINGY.
  - THESE DRAWINGS DO NOT REFLECT ADEQUACY OF EXISTING OR PROPOSED ANTENNA MOUNTS, MOUNT CONNECTIONS, OR CABLE ATTACHMENTS. INFINGY DOES NOT ACCEPT LIABILITY FOR ANY OF THESE STRUCTURAL ELEMENTS.
  - ROUTE ALL PROPOSED CABLING ON EXISTING CABLE LADDER. ACTUAL ROUTE ON DRAWINGS MAY VARY FROM FIELD LOCATION OF EXISTING CABLE LADDER.
  - INSTALLER SHALL PROVIDE ALL NECESSARY CONDUITS AND CIRCUITS AS REQUIRED FOR A COMPLETED INSTALLATION AND SHALL COMPLY WITH EQUIPMENT MANUFACTURER'S INSTALLATION REQUIREMENTS.
  - INSTALLER SHALL PROVIDE ALL STRAIN RELIEF FOR ALL CABLE ASSEMBLIES ROUTING TO THE ANTENNAS. UTILIZATION OF HOISTING GRIPS ON ALL DC POWER AND FIBER OPTIC CABLES SHALL BE UTILIZED.

**INFINGY**  
 1033 Waterfront Shaker Rd  
 Albany, NY 12209  
 Office: (518) 860-0790  
 Fax: (518) 860-0793



UNAUTHORIZED REPRODUCTION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF APPLICABLE STATE AND/OR LOCAL LAWS

No.	Submitted / Revision	App'd	Date
0	ISSUED FOR PERMIT	BUM	03/20/18

Drawn: BMW Date: 01/25/18  
 Designed: ASW Date: 01/25/18  
 Checked: ASW Date: 01/25/18


Project Number: 555-022  
 Project Title:  
**FA# 10107954**  
**CT1174**  
**MORRIS CT**  
 310 WATERTOWN ROAD  
 MORRIS, CT 06763

Prepared For:  
  
 THIS DOCUMENT IS THE DESIGN PROPERTY AND COPYRIGHT OF INFINGY ENGINEERING, PLLC. IT IS TO BE USED ONLY FOR THE PROJECT AND CLIENT FOR WHICH IT WAS PREPARED. ANY REUSE, REPRODUCTION, OR USE WITHOUT EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBITED.

Drawing Scale: AS NOTED  
 Date: 03/20/18


Drawing Title:  
**ELEVATION VIEW**

Drawing Number:  
**C5**



**1 ANTENNA ORIENTATION PLAN (EXISTING)**  
NOT TO SCALE  
CALLED NORTH

- ANTENNA RELOCATIONS:**
- ALPHA
    - RELOCATE POSITION 3 TO POSITION 2
  - BETA
    - RELOCATE POSITION 3 TO POSITION 2
  - GAMMA
    - RELOCATE POSITION 3 TO POSITION 4
- NOTES:**  
ALL ANTENNA AZIMUTHS MUST BE CORRECT UPON COMPLETION OF CONSTRUCTION
- NOTES:**  
CONTRACTOR TO GROUND ALL EQUIPMENT AND MOUNTS IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.



**2 ANTENNA ORIENTATION PLAN (PROPOSED)**  
NOT TO SCALE  
CALLED NORTH

SECTOR	EXISTING/PROPOSED	BAND	ANTENNA	ANTENNA HEIGHT	AZIMUTH	TMA	RRU	CABLE	RAYCAP
ALPHA	EXISTING	UMTS 850	7770	±165'	30°	(2) (E) LGP 21401	---	(2) 1-5/8" COAX	---
	EXISTING	LTE 700	AM-X-CD-16-65-00T-RET	±165'	30°	---	(1) (E) RRUS-11 (700)	---	(1) (E) DC6 DC6
	PROPOSED	LTE 700/1900	80010965	±165'	30°	---	(1) (P) B14 447B (700) (1) (P) RRUS-32 B2 (PCS)	---	(1) (P) DC6 DC6
	---	---	---	---	---	---	---	(2) 1-5/8" COAX	---
BETA	EXISTING	UMTS 850	7770	±165'	150°	(2) (E) LGP 21401	---	(2) 1-5/8" COAX	---
	EXISTING	LTE 700	80010764	±165'	150°	---	(1) (E) RRUS-11 (700)	---	SHARED WITH ALPHA
	PROPOSED	LTE 700/1900	80010964	±165'	150°	---	(1) (P) B14 447B (700) (1) (P) RRUS-32 B2 (PCS)	---	SHARED WITH ALPHA
	---	---	---	---	---	---	---	(2) 1-5/8" COAX	---
GAMMA	EXISTING	LTE 700	80010764	±165'	260°	---	(1) (E) RRUS-11 (700)	---	SHARED WITH ALPHA
	PROPOSED	LTE 700/1900	80010964	±165'	260°	---	(1) (P) B14 447B (700) (1) (P) RRUS-32 B2 (PCS)	---	SHARED WITH ALPHA
	---	---	---	---	---	---	---	(2) 1-5/8" COAX	---
	EXISTING	UMTS 850	7770	±165'	270°	(2) (E) LGP 21401	---	(2) 1-5/8" COAX	---

**3 RF EQUIPMENT SCHEDULE**  
NOT TO SCALE

SECTOR	FIBER TRUNK	SINGLE FIBER	DC 3-PAIR	DC 1-PAIR	RRU'S
ALPHA		(4) 5 METER		(4) #8 AWG, 15'	(1) (E) RRUS-11 (700) (1) (P) RRUS-32 B2 (PCS) (1) (P) B14 447B (700)
BETA	(1) 18P, ±195'	(4) 5 METER	(2) ±195'	(4) #8 AWG, 15'	(1) (E) RRUS-11 (700) (1) (P) RRUS-32 B2 (PCS) (1) (P) B14 447B (700)
GAMMA		(4) 5 METER		(4) #8 AWG, 15'	(1) (E) RRUS-11 (700) (1) (P) RRUS-32 B2 (PCS) (1) (P) B14 447B (700)

\* CABLE LENGTH FROM RFDS, CONTRACTOR TO VERIFY PRIOR TO ORDERING

**INFINIGY**  
1033 Watervliet Shaker Rd  
Albany, NY 12205  
Office # (518) 669-0790  
Fax # (518) 669-0795



ISSUED FOR PERMIT	BWM	03/20/18
Submitted / Revision	Appr'd	Date
Drawn: BWM	Date: 01/25/18	
Designed: ASW	Date: 01/25/18	
Checked: ASW	Date: 01/25/18	


Project Number: 555-022  
Project Title: FA# 10107954  
CT1174  
MORRIS CT  
310 WATERTOWN ROAD  
MORRIS, CT 06763

Prepared For: CENTERLINE COMMUNICATIONS  
THIS DOCUMENT IS THE DESIGN PROPERTY AND TRADE SECRET OF CENTERLINE COMMUNICATIONS, LLC AND FOR THE EXCLUSIVE USE BY THE CLIENT. ANY DUPLICATION OR USE WITHOUT EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBITED.

Drawing Scale: AS NOTED  
Date: 03/20/18


Drawing Title: **EQUIPMENT DETAILS**

Drawing Number: **C6**




- RRUS-32 SPECIFICATIONS**
- HXWxD, (INCHES) : 27.2"x12.1"x7"
  - WEIGHT (LBS) : 53
  - COLOR : GRAY
  - MOUNTING BRACKET: SXK1250245/1


**1 RRUS-32 DETAIL**  
NOT TO SCALE



**2 MOUNTING DETAIL**  
NOT TO SCALE




**3 SQUID DETAIL**  
NOT TO SCALE




- KATHREIN MODEL NO.:** 800-10964/5
- |                                  |                          |
|----------------------------------|--------------------------|
| RADOME MATERIAL:                 | FIBERGLASS, UV RESISTANT |
| RADOME COLOR:                    | LIGHT GRAY               |
| DIMENSIONS, HxWxD:               | 59.0"/78.7"x20.0"x6.9"   |
| WEIGHT, W/ PRE-MOUNTED BRACKETS: | 83.8/108.6 LBS           |
| CONNECTOR:                       | (6) 7-16 DIN FEMALE      |

**4 ANTENNA DETAIL**  
NOT TO SCALE



- RADIO 4478 SPECIFICATIONS**
- HXWxD, (INCHES) : TBD
  - WEIGHT (LBS) : 59.5
  - COLOR : GRAY
  - MOUNTING BRACKET: SXK1250244/1

**5 ERICSSON RADIO 4478 DETAIL**  
NOT TO SCALE



**6 COAX ENTRY PORT DETAIL**  
NOT TO SCALE

**INFINIGY8**  
1033 Watertown Shaker Rd  
Watertown, MA 02155  
Office: (617) 680-0790  
Fax: (617) 680-0795



ISSUED FOR PERMIT				BMW	03/20/18
No.	Submittal / Revision	App'd	Date		
Drawn: BMW Date: 01/25/18					
Designed: ASW Date: 01/25/18					
Checked: ASW Date: 01/25/18					
Project Number: 555-022					

Project Title:  
FA# 10107954  
CT1174  
MORRIS CT  
310 WATERTOWN ROAD  
MORRIS, CT 06763


Prepared For:  
**CENTERLINE COMMUNICATIONS**  
THIS DOCUMENT IS THE DESIGN PROPERTY AND NOT BE LOANED, REPRODUCED, COPIED, AND FOR THE EXCLUSIVE USE OF THE CLIENT. ANY DUPLICATION OR USE WITHOUT EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBITED.

Drawing Scale:  
AS NOTED  
Date:  
03/20/18


Drawing Title:  
**EQUIPMENT DETAILS**

Drawing Number:  
**C7**


CABLE MARKING LOCATIONS TABLE	
NO.	LOCATIONS
①	EACH TOP JUMPER SHALL BE COLOR CODED WITH ONE (1) SET OF 3" WIDE BANDS
②	EACH MAIN COAX SHALL BE COLOR CODED WITH (1) SET OF 3" WIDE BANDS NEAR THE TOP OF THE JUMPER CONNECTION AND WITH (1) SET OF 3/4" WIDE COLOR BANDS JUST PRIOR TO ENTERING THE BTS OR TRANSMITTER BUILDING
③	CABLE ENTRY PORT ON THE INTERIOR OF THE SHELTER
④	ALL BOTTOM JUMPERS SHALL BE COLOR CODED WITH (1) SET OF 3/4" WIDE BANDS ON EACH END OF THE BOTTOM JUMPER
⑤	ALL BOTTOM JUMPERS SHALL BE COLOR CODED WITH (1) SET OF 3/4" WIDE BANDS ON EACH END OF THE BOTTOM JUMPER



1 CABLE MARKING LOCATIONS DIAGRAM  
SCALE: NOT TO SCALE



2 ALARM BLOCK CONNECTIONS  
SCALE: NOT TO SCALE



3 SCHEMATIC DIAGRAM GROUNDING SYSTEM  
SCALE: NOT TO SCALE

COAX COLOR CODING & IDENTIFICATION NOTES:

1. SECTOR ORIENTATION/ AZIMUTH WILL VARY FROM REGION AND IS SITE SPECIFIC. REFER TO RF REPORT FOR EACH SITE TO DETERMINE THE ANTENNA LOCATION AND FUNCTION OF EACH TOWER SECTOR FACE.
2. THE ANTENNA SYSTEM COAX SHALL BE LABELED WITH VINYL TAPE EXCEPT IN LOCATIONS WHERE ENVIRONMENTAL CONDITIONS CAUSE PHYSICAL DAMAGE, THEN PHYSICAL TAGS ARE PREFERRED.
3. THE STANDARD IS BASED ON EIGHT COLORED TAPES- RED, BLUE, GREEN, YELLOW, ORANGE, BROWN, WHITE AND VIOLET. THESE TAPES MUST BE 3/4" WIDE AND UV RESISTANT SUCH AS SCOTCH 35 VINYL ELECTRICAL COLOR CODING TAPE AND SHOULD BE READILY AVAILABLE TO THE ELECTRICIAN OR SUBCONTRACTOR ON SITE.
4. USING COLOR BANDS ON THE CABLES MARK ALL RF CABLE BY SECTOR AND NUMBER AS SHOWN ON "CABLE MARKING COLOR CONVENTION TABLE".
5. WHEN AN EXISTING COAXIAL LINE THAT IS INTENDED TO BE A SHARED LINE BETWEEN GSM/3G TDMA IS ENCOUNTERED, THE SUBCONTRACTOR SHALL REMOVE THE COLOR CODING SCHEME AND REPLACE IT WITH THE COLOR CODING AND TAGGING STANDARD THAT IS OUTLINED IN THE CURRENT VERSION OF THE STANDARD. IN THE ABSENCE OF AN EXISTING COLOR CODING AND TAGGING SCHEME, WHEN INSTALLING PROPOSED COAXIAL CABLES, THIS GUIDELINE SHALL BE IMPLEMENTED AT THAT SITE REGARDLESS OF TECHNOLOGY.
6. ALL COLOR CODE TAPE SHALL BE 3M-35 AND SHALL BE A MINIMUM OF (3) THREE WRAPS OF TAPE AND SHALL BE NEATLY TRIMMED AND SMOOTHED OUT SO AS TO AVOID ANY UNRAVELING.
7. ALL COLOR BANDS INSTALLED AT THE TOP OF THE TOWER SHALL BE A MINIMUM IF 3" WIDE, AND SHALL HAVE A MINIMUM OF 3/4" OF SPACE IN BETWEEN EACH COLOR.
8. ALL COLOR CODES SHALL BE INSTALLED AS TO ALIGN NEATLY WITH ONE ANOTHER FROM SIDE TO SIDE.
9. IF EXISTING CABLES AT THE SITE ALREADY HAVE A COLOR CODING SCHEME AND THEY ARE NOT INTENDED TO BE REUSED OR SHARED WITH THE GSM TECHNOLOGY, THE EXISTING COLOR CODING SCHEME SHALL REMAIN UNTOUCHED.

CABLE MARKING TAGS:

WHEN USING THE ALTERNATIVE LABELING METHOD, EACH RF CABLE SHALL BE IDENTIFIED WITH A METAL ID TAG MADE OF STAINLESS STEEL OR BRASS. THE TAG SHALL BE 1' 1-1/2" IN DIAMETER WITH 1/4" STAMPED LETTERS AND NUMBERS INDICATING THE SECTOR, ANTENNA POSITION, AND CABLE NUMBER. THE ID MARKING LOCATIONS SHOULD BE AS PER "CABLE MARKING LOCATIONS TABLE". THE TAG SHOULD BE ATTACHED WITH CORROSION PROOF WIRE AROUND THE CABLE AT THE SAME LOCATIONS AS DEFINED ABOVE. THE TAG SHOULD BE LABELED AS SHOWN ON THE "GSM AND UMTS LINE TAG" DETAIL.

**INFINIGY**  
1033 Watertown Shaker Rd  
Albany, NY 12205  
Office # (518) 690-0790  
Fax # (518) 690-0793



No.	ISSUED FOR PERMIT	Rev	Date
0	ISSUED FOR PERMIT	BMM	03/20/18
1	Submitted / Revision	ASW	01/25/18
2	Checked	ASW	01/25/18


Project Number: 555-022  
Project Title:  
FA# 10107954  
CT1174  
MORRIS CT  
310 WATERTOWN ROAD  
MORRIS, CT 06763

Prepared For:  
**CENTERLINE** COMMUNICATIONS  
THIS DOCUMENT IS THE DESIGN PROPERTY AND COPYRIGHT OF INFINIGY ENGINEERING, PLLC. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBITED.

Drawing Scale: AS NOTED  
Date: 03/20/18

Drawing Title: **SCHEMATICS, DIAGRAMS & NOTES**

Drawing Number: **C8**



ALPHA SECTOR

BETA SECTOR

GAMMA SECTOR

**1** PLUMBING DIAGRAM  
SCALE: NOT TO SCALE

CONTRACTOR TO REFER TO  
LATEST RFDS PROVIDED BY AT&T  
FOR FINAL CONFIGURATION.

0	ISSUED FOR PERMIT	BHM	03/20/18
No.	Submittal / Revision	App'd	Date

Drawn: BHM Date: 01/25/18  
Designed: ASW Date: 01/25/18  
Checked: ASW Date: 01/25/18

Project Number: 555-022

Project Title:  
**FA# 10107954**  
**CT1174**  
**MORRIS CT**  
**310 WATERTOWN ROAD**  
**MORRIS, CT 06763**

Prepared For:

THIS DOCUMENT IS THE DESIGN PROPERTY AND COPYRIGHT OF INFINIGY ENGINEERING, PLLC. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE EXPRESS WRITTEN CONSENT OF THE CREATOR. THIS DOCUMENT IS STRICTLY PROHIBITED.

Drawing Scale:  
AS NOTED  
Date:  
03/20/18

Drawing Title:  
**PLUMBING DIAGRAM**

Drawing Number:  
**C9**


1 OF 1

1 LBS

AARON MEYERS  
7744204202  
CENTERLINE COMMUNICATIONS LLC  
750 W. CENTER STREET  
WEST BRIDGEWATER MA 02379

**SHIP TO:**

GARY AND AMY SWINGLE  
2579 LITCHFIELD ROAD  
**WATERTOWN CT 06795**



**CT 067 9-05**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 3994 0318



BILLING: P/P



TM

XOL18.03.09 NV45 99.04.04/2018


1 OF 1

1 LBS

AARON MEYERS  
7744204202  
CENTERLINE COMMUNICATIONS LLC  
750 W. CENTER STREET  
WEST BRIDGEWATER MA 02379

**SHIP TO:**

JOEL SKILTON  
BUILDING OFFICIAL  
10 THE GREEN  
**BETHLEHEM CT 06751**



**CT 067 9-05**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 3003 0488



BILLING: P/P



TM


XOL18.03.09 NV45 99.04.04/2018

AARON MEYERS  
7744204202  
CENTERLINE COMMUNICATIONS LLC  
750 W. CENTER STREET  
WEST BRIDGEWATER MA 02379

1 LBS

1 OF 1

**SHIP TO:**  
LEONARD ASSARD  
FIRST SELECTMAN  
10 THE GREEN  
**BETHLEHEM CT 06751**




**CT 067 9-05**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 3617 9871



BILLING: P/P



TM

XOL18.03.09 NV45 99.04.04/2018




1 OF 1

1 LBS

AARON MEYERS  
7744204202  
CENTERLINE COMMUNICATIONS LLC  
750 W. CENTER STREET  
WEST BRIDGEWATER MA 02379

**SHIP TO:**

MOOSA RAFEY  
ZONING ENFORCEMENT OFFICER  
424 MAIN STREET  
**WATERTOWN CT 06795**



**CT 067 9-05**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 2967 4090



BILLING: P/P



TM

XOL18.03.09 NV45 99.04.04/2018

1 OF 1


1 LBS

GEOFFREY REGAN  
(401) 500-3217  
CENTERLINE COMMUNICATIONS  
750 WEST CENTER STREET  
WEST BRIDGEWATER MA 02379

**SHIP TO:**

ROBERT MCINTOSH  
PLANNING & ZONING  
PO BOX 66  
3 EAST STREET

**MORRIS CT 06763**




**CT 067 9-02**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 0805 2783



BILLING: P/P



TM


XOL18.03.09 NY45 99.0A.04/2018

1 OF 1

1 LBS

AARON MEYERS  
7744204202  
CENTERLINE COMMUNICATIONS LLC  
750 W. CENTER STREET  
WEST BRIDGEWATER MA 02379

**SHIP TO:**  
ROBERT SCANNELL  
TOWN MANAGER  
424 MAIN STREET  
**WATERTOWN CT 06795**




**CT 067 9-05**



**UPS GROUND**

TRACKING #: 1Z 9Y4 503 03 2601 0703



BILLING: P/P



TM

XOL18.03.09 NV45 99.04.04/2018