



Crown Castle
3 Corporate Park Drive, Suite 101
Clifton Park, NY 12065

November 1, 2019

Melanie A. Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

**RE: Notice of Exempt Modification for AT&T: 876369
64 Hungerford Lane, Harwinton, CT 06791
Latitude: 41° 45' 26.15" / Longitude: -73° 3' 9.20"**

Dear Ms. Bachman:

AT&T currently maintains nine (9) antennas at the 156-foot mount on the existing 178-foot Monopole Tower, located at 64 Hungerford Lane, Harwinton, CT. The tower is owned by Crown Castle and the property is owned by Red Wolf Broadcasting Corp. AT&T now intends to replace six (6) existing antennas with six (6) new antennas. The new antennas will be installed at the 156-ft level of the tower. AT&T is also proposing tower mount modifications, as shown on the enclosed mount analysis.

Two email requests were sent to the Town of Harwinton's zoning department in an effort to obtain the original facility approval. Those requests were not answered.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies §16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Michael Criss, First Selectman for the Town of Harwinton, Polly Redmond, Land Use Coordinator, Crown Castle as the tower owner, and Red Wolf Broadcasting Corporation, the property owner.

1. The proposed modifications will not result in an increase in the height of the existing tower.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modification will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communication Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading.

Melanie A. Bachman

Page 2

For the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above-reference telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2). Please send approval/rejection letter to Attn: Anne Marie Zsamba.

Sincerely,

Anne Marie Zsamba
Network Real Estate Specialist
3 Corporate Park Drive, Suite 101
Clifton Park, NY 12065
(201) 236-9224
AnneMarie.Zsamba@crowncastle.com

Attachments

cc:

Michael R. Criss, First Selectman
Town of Harwinton
100 Bentley Drive
Harwinton, CT 06791
860-485-9051

Polly Redmond, Land Use Coordinator
Town of Harwinton
Land Use Department
100 Bentley Drive
Harwinton, CT 06791
860-485-2784

Red Wolf Broadcasting Corporation
Attention: John Fuller
758 Colonel Ledyard Highway
Ledyard, CT 06339

Crown Castle, Tower Owner

ORIGIN ID: ONHA (585) 445-5896
RICHARD ZAJAC
CROMWELL CASTLE
300 MERIDIAN CENTRE
ROCHESTER, NY 14618
UNITED STATES US


SHIP DATE: 01NOV19
ACTWGT: 4.00 LB
CAD: 104924194/N/ET4160

BILL SENDER

TO **MELANIE BACHMAN**
CONNECTICUT SITING COUNCIL
10 FRANKLIN SQUARE

NEW BRITAIN CT 06051

(860) 827-2951 REF: 1765 6880
INV: DEPT:
PO:



J192119091901uv

567J32A3C05A2

TRK# 7768 7482 2894
0201
MON - 04 NOV 3:00P
STANDARD OVERNIGHT

XE BDLA
06051
CT-US BDL


After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID: ONHA (585) 445-5896
RICHARD ZAJAC
CROWN CASTLE
300 MERIDIAN CENTRE
ROCHESTER, NY 14618
UNITED STATES US


SHIP DATE: 01NOV19
ACTWGT: 1.50 LB
CAD: 104924194/N/ET4160

BILL SENDER

TO MICHAEL CRISS, FIRST SELECTMAN
TOWN OF HARWINTON
100 BENTLEY DRIVE

HARWINTON CT 06791

(860) 485-9051 REF: 1734.7890
INV: DEPT:
PO:



J192119091901uv

567J32A3C05A2

TRK# 7768 7484 0871
0201

MON - 04 NOV 3:00P
STANDARD OVERNIGHT

XE HFDA

06791
CT-US BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID: ONHA (585) 445-5896
RICHARD ZAJAC
CROWN CASTLE
300 MERIDIAN CENTRE
ROCHESTER, NY 14618
UNITED STATES US

SHIP DATE: 01NOV19
ACTWGT: 1.50 LB
CAD: 104924194IN/ET4160


BILL SENDER

TO POLLY REDMOND, LAND USE COORDINATOR

TOWN OF HARWINTON
LAND USE DEPT
100 BENTLEY DRIVE
HARWINTON CT 06791

(860) 485-2784 REF: 1734.7890
INV:
PO: DEPT:

567J32A3C05A2




J192119091901uv

TRK# 7768 7485 5841
0201

MON - 04 NOV 3:00P
STANDARD OVERNIGHT

XE HFDA

06791
CT-US BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID: ONHA (585) 445-5896
RICHARD ZAJAC
CROWN CASTLE
300 MERIDIAN CENTRE
ROCHESTER, NY 14618
UNITED STATES US

SHIP DATE: 01NOV19
ACTWGT: 1.50 LB
CAD: 104924194IN/ET4160

BILL SENDER

TO **RED WOLF BROADCASTING CORPORATION**


ATTN: JOHN FULLER

758 COLONEL LEDYARD HWY

LEDYARD CT 06339

(201) 236-9224 REF: 1734 7890
INV/ DEPT
PO


567J32A3C05A2



J192119091901uv

TRK# 7768 7486 7890 MON - 04 NOV 3:00P
0201 STANDARD OVERNIGHT

XE GONA 06339
CT-US BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Exhibit A

Original Facility Approval

From: [Zsamba, Anne Marie](#)
To: zoningenforcementofficer@harwinton.us
Subject: RE: Seeking Original Telecom Tower Approval - 876369
Date: Thursday, September 26, 2019 9:10:00 AM

Good morning,

Following up on my email below. Please let me know if it would be possible to obtain the original zoning approval for this telecommunications facility located at 64 Hungerford Lane. This is for submission to the Connecticut Siting Council. Thank you kindly.

Best,
Anne Marie

ANNE MARIE ZSAMBA
Network Real Estate Specialist
T: (201) 236-9224
F: (724) 416-6112

CROWN CASTLE
3 Corporate Park Drive, Suite 101,
Clifton Park, NY 12065
CrownCastle.com

From: Zsamba, Anne Marie
Sent: Friday, September 20, 2019 12:11 PM
To: zoningenforcementofficer@harwinton.us
Subject: Seeking Original Telecom Tower Approval - 876369

Good afternoon,


Seeking assistance if possible in obtaining the original planning/zoning approval for the telecommunications tower located at 64 Hungerford Lane.

Please let me know if the Town of Harwinton maintains these records. Thank you kindly.

Best,
Anne Marie

ANNE MARIE ZSAMBA
Real Estate Specialist
T: (201) 236-9224
F: (724) 416-6112

CROWN CASTLE
3 Corporate Park Drive, Suite 101,
Clifton Park, NY 12065
CrownCastle.com



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@po.state.ct.us

Web Site: www.state.ct.us/csc/index.htm

October 15, 2003

Kenneth C. Baldwin
Robinson & Cole
280 Trumbull Street
Hartford, CT 06103-3597

RE: **TS-VER-066-030918** - Cellco Partnership d/b/a Verizon Wireless request for an order to approve tower sharing at an existing telecommunications facility located at 64 Hungerford Lane, Harwinton, Connecticut.

Dear Attorney Baldwin:

At a public meeting held October 14, 2003, the Connecticut Siting Council (Council) ruled that the shared use of this existing tower site is technically, legally, environmentally, and economically feasible and meets public safety concerns, and therefore, in compliance with General Statutes § 16-50aa, the Council has ordered the shared use of this facility to avoid the unnecessary proliferation of tower structures. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Any additional change to this facility may require an explicit request to this agency pursuant to General Statutes § 16-50aa or notice pursuant to Regulations of Connecticut State Agencies Section 16-50j-73, as applicable. Such request or notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

This decision applies only to this request for tower sharing and is not applicable to any other request or construction.

The proposed shared use is to be implemented as specified in your letter dated September 18, 2003.

Thank you for your attention and cooperation.

Very truly yours,

Pamela B. Katz, P.E.
Chairman

PBK/laf

c: Honorable Marie M. Knudsen, First Selectman, Town of Harwinton
William J. Tracy, Jr., Planning Chairman, Town of Harwinton
Thomas J. Regan, Esq., Brown Rudnick Berlack Israels

Building Permit

09

TOWN OF HARWINTON

MINIMUM FEE: \$ _____

DATE: 5/29/01

TYPE OF INSTALLATION

ELECTRICAL SERVICE-NEW OR CHANGE _____	WATER HEATER _____
ELECTRICAL INSTALLATION _____	ROOFING _____
ELECTRICAL-SWIMMING POOL _____	RE-ROOFING: _____
PLUMBING INSTALLATION _____	HOW MANY LAYERS? _____
HEATING INSTALLATION _____	SIDING _____
AIR CONDITIONING _____	OTHER _____
OIL BURNER-GAS BURNER _____	
WOODBURNING STOVE _____	
CHIMNEY INSTALLATION _____	

Steve Florio 485-

NAME OF CONTRACTOR Baron M.H. Corporation
 ADDRESS OF CONTRACTOR 24 Corporate Circle Albany NY 12203
 LICENSE # 009-00-019 EXPIRATION DATE _____ TELE. # 518-486-8114
 REQUEST PERMISSION TO PERFORM _____
 AT: LOT # 21A-21-B STREET ADDRESS Hungerford Lane
 ESTIMATED COST 272,000.00

REMARKS: _____

OWNER Tower owner: Sprint Spectrum LP
 ADDRESS one International Blvd.
3rd Floor
Mechuch NJ 07495

VALUATION OF WORK 972,000.00

FEE \$4 per \$1000.00

PERMIT # 4587

BUILDING OFFICIAL Frank Rybak 4

PAID DATE 5-29-01

10-15-2001

BUILDING INSPECTION DIVISION HARWINTON, CONN.
CERTIFICATE OF OCCUPANCY

Sprint Spectrum LP

This is to certify that the ~~new house~~ *Tele Communication Tower* at Lot as constructed under Permit No conforms substantially to the requirements of the State Building Code and is hereby approved for occupancy as indicated below. At the date and time this Certificate is issued the house is owned by

Approved for occupancy: *Sprint Spectrum LP*

Basement

•

First Floor

•

Second Floor

•

Towers ok

Use Group:
Type of Construction:

Frank Lyjak

This certificate is VOID unless signed by the Building Official

Exhibit B

Property Card

Summary

ParcelId 341
Account Number 595
Location Address 64 HUNGERFORD LA
Map-Block-Lot D5 /02 /0032

Use Class/Description 2-1 COMM LAND
Assessing Neighborhood 0001A
Census Tract 2984
Acreage 40.28
Utilities



Owner

RED WOLF BROADCASTING CORPORATION
 758 COLONEL LEDYARD HIGHWAY
 LEDYARD, CT 06339

Current Appraised Value

	2017	2016	2015
+ Building Value	\$35,280	\$35,280	\$35,280
+ XF Value	\$0	\$0	\$0
+ OB Value	\$3,950	\$3,950	\$3,950
+ Land Value	\$367,850	\$367,850	\$367,850
+ Special Land Value			
+ Total Appraised Value	\$407,080	\$407,080	\$407,080
+ Net Appraised Value	\$407,080	\$407,080	\$407,080
+ Current Assessment	\$284,960	\$284,960	\$284,960

Assessment History

	2018	2017	2016	2015
+ Building Value	\$53,450	\$24,700	\$24,700	\$24,700
+ OB/Misc	\$2,060	\$2,760	\$2,760	\$2,760
+ Land	\$238,080	\$257,500	\$257,500	\$257,500
+ Total Assessment	\$293,590	\$284,960	\$284,960	\$284,960

Land

Use	Class	Zoning	Area	Value
2-1 COMM LAND	C	CR2	1 AC	\$74,330
5-2V EX COMM V	C		10.97 AC	\$78,980
3-1 IND LAND	I		1 BL	\$180,000
6-2 FOREST LD	R		28.31 AC	\$2,806,650

Commercial Building

Building # 1
Style Office Bldg
Actual Year Built 1964
Effective Year Built 1965
Gross Area 1230
Stories 1
Grade Below Average
Exterior Wall Brick/Masonry
Interior Wall Drywall/Sheet
Wall Height 8
Units 1
Roof Cover Asph/F Gls/Cmp
Roof Structure Gable/Hip
Floor Type Quarry Tile
Heat Type Oil
Heat Fuel Forced Air-Duc
AC Type HEAT/AC PKGS
Sprinkler 03

Construction MASONRY
 Plumbing AVERAGE
 Comm Walls 0

Building Sub Areas

Code	Description	Living Area	Gross Area	Effective Area
BAS		1200	1200	1200
FEP	Enclosed Porch	0	30	20
Totals		1200	1230	1220

Out Buildings\Extra Features

Description	Sub Description	Area	Year Built	Value
SHED FRAME AVE		360S.F.	2004	\$2,790
PATIO GOOD		36S.F.	2000	\$160


Sales History

Sales Date	Type of Document	Grantee	Vacant/Improved	Book/Page	Amount
04-04-2018		RED WOLF BROADCASTING CORPORATION	Improved	0256/0776	\$407,080
07-09-2014		CONNOISSEUR MEDIA OF CONNECTICUT LLC	Improved	0243/1029	\$407,080
07-23-1997		BUCKLEY BROADCASTING CORP OF CT	Improved	0145/0372	\$0
01-09-1997		USA	Improved	0145/0216	\$0
07-24-1985		CONSUMER SERVICE RADIO INC	Improved	0101/0665	\$0

Permit Information

Permit ID	Issue Date	Type	Description	Amount	Inspection Date	% Complete	Date Complete	Comments
17126B	09-11-2017		3 ANTENNAS	\$20,000		100		
	11-30-2015		CERTIFICATE OF APPROV	\$0		0		
9417	10-24-2014		MODIFICATIONS	\$20,000		0		
8721	11-29-2012		CELL TOWER MODIFICAT	\$25,000		0		
8703	11-21-2012		ANTENNAS	\$12,000		0		
8619	10-02-2012		REPLACE 6 ANTENNAS O	\$10,000		0		
CO	04-17-2006		CO ISSUED	\$0		0		
6239	01-17-2006			\$50,000		0		PREFAB CONCRETE SHELTER

Sketch



Photos



No data available for the following modules: Building Data.


The Town of Harwinton Assessor makes every effort to produce the most accurate information possible. No warranties, expressed or implied are provided for the data herein, its use or interpretation. The assessment information is from the last certified tax roll. All other data is subject to change.

[User Privacy Policy](#)
[GDPR Privacy Notice](#)

Last Data Upload: 9/19/2019, 8:27:35 PM

Developed by


Version 2.3.4



64 Hungerford Lane

Harwinton Animal Control

Bridge Family Center

ok

Exhibit C

Construction Drawings

Exhibit D

Structural Analysis Report

Date: **October 08, 2019**

Rebecca Klein
Crown Castle
3530 Toringdon Way, Suite 300
Charlotte, NC 28277

Paul J. Ford and Company
250 E. Broad St., Ste 600
Columbus, OH 43215
614-221-6679

Subject: **Structural Analysis Report**

Carrier Designation: **AT&T Mobility Co-Locate**
Carrier Site Number: CTL01178
Carrier Site Name: HARWINTON –
HUNGERFORD LANE

Crown Castle Designation: **Crown Castle BU Number:** 876369
Crown Castle Site Name: HARWINTON /
BUCKLEY
BROADCASTI
Crown Castle JDE Job Number: 556170
Crown Castle Work Order Number: 1798529
Crown Castle Order Number: 477392 Rev. 1

Engineering Firm Designation: **Paul J. Ford and Company Project Number:** 37519-3424.001.7805

Site Data: **64 Hungerford Lane, Harwinton, Litchfield County, CT**
Latitude 41° 45' 26.15", Longitude -73° 3' 9.2"
178 Foot - Monopole Tower

Dear Rebecca Klein,

Paul J. Ford and Company is pleased to submit this “**Structural Analysis Report**” to determine the structural integrity of the above mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Proposed Equipment Configuration

Sufficient Capacity (73.9%)

This analysis utilizes an ultimate 3-second gust wind speed of 120 mph as required by the 2018 Connecticut State Building Code and Appendix N. Applicable Standard references and design criteria are listed in Section 2 - Analysis Criteria.

Respectfully submitted by:



Angela Sage, E.I.
Structural Designer
asage@pauljford.com




TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration
Table 2 - Other Considered Equipment

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided
3.1) Analysis Method
3.2) Assumptions

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)
Table 5 – Tower Component Stresses vs. Capacity
4.1) Recommendations

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Base Level Drawing

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a 178 ft Monopole tower designed by ENGINEERED ENDEAVORS, INC. in April of 2001.

2) ANALYSIS CRITERIA

TIA-222 Revision:	TIA-222-H
Risk Category:	II
Wind Speed:	120 mph
Exposure Category:	C
Topographic Factor:	1
Ice Thickness:	1.5 in
Wind Speed with Ice:	50 mph
Service Wind Speed:	60 mph

Table 1 - Proposed Equipment Configuration

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
156.0	158.0	3	cci antennas	HPA65R-BU6A w/ Mount Pipe	12 2 2 2 1	1-5/8 3/8 7/16 3/4 2" Cond
		3	ericsson	RRUS 4449 B5/B12		
		3	ericsson	RRUS 8843 B2/B66A		
		3	kathrein	80010964 w/ Mount Pipe		
		3	powerwave technologies	7770.00 w/ Mount Pipe		
		6	powerwave technologies	LGP21401		
		1	raycap	DC6-48-60-18-8C-EV		
		1	raycap	DC6-48-60-18-8F		
	156.0	1	tower mounts	Platform Mount [LP 303-1_HR-1]		

Table 2 - Other Considered Equipment

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
178.0	180.0	3	alcatel lucent	TD-RRH8X20-25	4	1-1/4
		9	rfs celwave	ACU-A20-N		
		3	rfs celwave	APXVSPP18-C-A20 w/ Mount Pipe		
		3	rfs celwave	APXVTM14-ALU-I20 w/ Mount Pipe		
	178.0	1	tower mounts	Miscellaneous [NA 507-1]		
		1	tower mounts	Platform Mount [LP 712-1]		

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
176.0	176.0	2	alcatel lucent	1900MHZ RRH (65MHZ)	-	-
		2	alcatel lucent	800 EXTERNAL NOTCH FILTER		
		2	alcatel lucent	800MHZ RRH		
	1	tower mounts	Side Arm Mount [SO 102-3]			
	172.0	1	alcatel lucent	1900MHZ RRH (65MHZ)		
		1	alcatel lucent	800 EXTERNAL NOTCH FILTER		
1		alcatel lucent	800MHZ RRH			
168.0	170.0	3	antel	BXA-171085-12BF-2 w/ Mount Pipe	12	1-5/8
		3	antel	BXA-70063-6CF-2 w/ Mount Pipe		
		6	antel	LPA-80080/6CF w/ Mount Pipe		
		6	rfs celwave	FD9R6004/2C-3L		
	168.0	1	tower mounts	Platform Mount [LP 403-1]		
75.0	76.0	1	lucent	KS24019-L112A	1	1/2
	75.0	1	tower mounts	Side Arm Mount [SO 701-1]		

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	DR. CLARENCE WELTI, CT33XC021, 3/29/2001	1532983	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	EEI, CT33XC021, 4/17/2001	2150286	CCISITES
4-TOWER MANUFACTURER DRAWINGS	EEI, CT33XC021, 4/16/2001	2150280	CCISITES

3.1) Analysis Method

tnxTower (version 8.0.5.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built and maintained in accordance with the manufacturer's specifications.
- 2) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 3) Base plate grout was not installed at the time of the analysis and has not been considered.

This analysis may be affected if any assumptions are not valid or have been made in error. Paul J. Ford and Company should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	178 - 129.87	Pole	TP29.64x19.5x0.25	1	-12.26	1388.85	57.8	Pass
L2	129.87 - 84.83	Pole	TP38.5x28.2446x0.375	2	-21.36	2706.23	55.5	Pass
L3	84.83 - 41.2833	Pole	TP46.8x36.6403x0.4375	3	-34.11	3840.78	55.6	Pass
L4	41.2833 - 0	Pole	TP54.5x44.5913x0.5	4	-53.19	5264.00	53.2	Pass
							Summary	
						Pole (L1)	57.8	Pass
						Rating =	57.8	Pass

Table 5 - Tower Component Stresses vs. Capacity – LC7

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	56.7	Pass
1	Base Plate	0	60.2	Pass
1	Base Foundation Structural Steel	0	73.9	Pass
1	Base Foundation Soil Interaction	0	60.1	Pass

Structure Rating (max from all components) =	73.9%
---	--------------

Notes:


- All structural ratings are per TIA-222-H Section 15.5
- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity consumed.

4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the proposed load configuration. No modifications are required at this time.

APPENDIX A
TNXTOWER OUTPUT

Section	1	2	3	4	
Length (ft)	48.1300	49.2900	48.8800	47.7000	
Number of Sides	18	18	18	18	
Thickness (in)	0.2500	0.3750	0.4375	0.5000	
Socket Length (ft)	4.2500	5.3333	6.4167		
Top Dia (in)	19.5000	28.2446	36.6403	44.5913	
Bot Dia (in)	29.6400	38.5000	46.8000	54.5000	
Grade		A572-65			
Weight (K)	3.2	6.6	9.5	12.6	31.9



MATERIAL STRENGTH


GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi			

TOWER DESIGN NOTES

1. Tower is located in Litchfield County, Connecticut.
2. Tower designed for Exposure C to the TIA-222-H Standard.
3. Tower designed for a 120 mph basic wind in accordance with the TIA-222-H Standard.
4. Tower is also designed for a 50 mph basic wind with 1.50 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60 mph wind.
6. Tower Risk Category II.
7. Topographic Category 1 with Crest Height of 0.0000 ft
8. TIA-222-H Annex S
9. TOWER RATING: 57.8%

178.0 ft
129.9 ft
84.8 ft
41.3 ft
0.0 ft

ALL REACTIONS ARE FACTORED



Paul J. Ford and Company

 250 E. Broad St., Ste 600
 Columbus, OH 43215
 Phone: 614-221-6679
 FAX:

Job: 178-Ft Monopole / Harwinton/Buckley Broadcasti		
Project: 37519-3424 / BU#876369		
Client: CCI	Drawn by: Angela Sage	App'd:
Code: TIA-222-H	Date: 10/08/19	Scale: NTS
Path:		Dwg No. E-1

G:\TOWER\375_Cover_Cards\2019\37519-3424_876369_HARWINTON - BUCKLEY EP03\37519-3424_001_785_5A_179520\37519-3424_001_785.dwg

Tower Input Data

The tower is a monopole.

This tower is designed using the TIA-222-H standard.

The following design criteria apply:

- 1) Tower is located in Litchfield County, Connecticut.
- 2) Tower base elevation above sea level: 840.5300 ft.
- 3) Basic wind speed of 120 mph.
- 4) Risk Category II.
- 5) Exposure Category C.
- 6) Simplified Topographic Factor Procedure for wind speed-up calculations is used.
- 7) Topographic Category: 1.
- 8) Crest Height: 0.0000 ft.
- 9) Nominal ice thickness of 1.5000 in.
- 10) Ice thickness is considered to increase with height.
- 11) Ice density of 56.00 pcf.
- 12) A wind speed of 50 mph is used in combination with ice.
- 13) Temperature drop of 50 °F.
- 14) Deflections calculated using a wind speed of 60 mph.
- 15) TIA-222-H Annex S.
- 16) A non-linear (P-delta) analysis was used.
- 17) Pressures are calculated at each section.
- 18) Stress ratio used in pole design is 1.05.
- 19) Tower analysis based on target reliabilities in accordance with Annex S.
- 20) Load Modification Factors used: $K_{es}(F_w) = 0.95$, $K_{es}(t_i) = 0.85$.
- 21) Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification Use Code Stress Ratios Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile	Distribute Leg Loads As Uniform Assume Legs Pinned ✓ Assume Rigid Index Plate ✓ Use Clear Spans For Wind Area Use Clear Spans For KL/r Retension Guys To Initial Tension ✓ Bypass Mast Stability Checks ✓ Use Azimuth Dish Coefficients ✓ Project Wind Area of Appurt.	Use ASCE 10 X-Brace Ly Rules Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation ✓ Consider Feed Line Torque Include Angle Block Shear Check Use TIA-222-H Bracing Resist. Exemption Use TIA-222-H Tension Splice Exemption
Include Bolts In Member Capacity Leg Bolts Are At Top Of Section Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric	Autocalc Torque Arm Areas Add IBC .6D+W Combination Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs	<div style="background-color: #e0e0e0; text-align: center; padding: 2px;">Poles</div> ✓ Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets Pole Without Linear Attachments Pole With Shroud Or No Appurtenances Outside and Inside Corner Radii Are Known

Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	178.0000- 129.8700	48.1300	4.25	18	19.5000	29.6400	0.2500	1.0000	A572-65 (65 ksi)

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L2	129.8700- 84.8300	49.2900	5.33	18	28.2446	38.5000	0.3750	1.5000	A572-65 (65 ksi)
L3	84.8300- 41.2833	48.8800	6.42	18	36.6403	46.8000	0.4375	1.7500	A572-65 (65 ksi)
L4	41.2833- 0.0000	47.7000		18	44.5913	54.5000	0.5000	2.0000	A572-65 (65 ksi)

Tapered Pole Properties

Section	Tip Dia. in	Area in ²	I in ⁴	r in	C in	I/C in ³	J in ⁴	It/Q in ²	w in	w/t
L1	19.7623	15.2749	715.1161	6.8338	9.9060	72.1902	1431.1733	7.6389	2.9920	11.968
	30.0587	23.3210	2544.9728	10.4335	15.0571	169.0212	5093.2943	11.6627	4.7766	19.107
L2	29.5204	33.1718	3255.1307	9.8937	14.3483	226.8658	6514.5446	16.5891	4.3111	11.496
	39.0361	45.3783	8333.0732	13.5344	19.5580	426.0698	16677.111	22.6935	6.1160	16.309
L3	38.2637	50.2722	8324.3516	12.8520	18.6133	447.2261	16659.656	25.1409	5.6787	12.98
	47.4545	64.3801	17483.282	16.4587	23.7744	735.3827	34989.569	32.1962	7.4668	17.067
L4	46.5556	69.9729	17185.926	15.6524	22.6524	758.6809	34394.467	34.9931	6.9681	13.936
	55.2636	85.6980	31571.532	19.1700	27.6860	1140.3428	63184.606	42.8571	8.7120	17.424

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A _f	Adjust. Factor A _r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
L1 178.0000-129.8700				1	1	1			
L2 129.8700-84.8300				1	1	1			
L3 84.8300-41.2833				1	1	1			
L4 41.2833-0.0000				1	1	1			

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Sector	Exclude From Torque Calculation	Componen t Type	Placement ft	Total Number	Number Per Row	Start/En d Position	Width or Diameter r in	Perimete r in	Weight klf
*** LDF4-50A(1/2)	C	No	Surface Ar (CaAa)	75.0000 - 0.0000	1	1	0.184 0.184	0.6250		0.00

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Componen t Type	Placement ft	Total Number	C _A A _A ft ² /ft	Weight klf	
HB114-1-0813U4- M5J(1-1/4)	C	No	No	Inside Pole	178.0000 - 0.0000	3	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
HB114-21U3M12- XXXF(1-1/4)	C	No	No	Inside Pole	178.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Total Number		C _{AA} ft ² /ft	Weight klf

LDF7-50A(1-5/8)	C	No	No	Inside Pole	168.0000 - 0.0000	12	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00

LDF7-50A(1-5/8)	C	No	No	Inside Pole	156.0000 - 0.0000	12	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
FB-L98B-002-75000(3/8)	C	No	No	Inside Pole	156.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
WR-VG122ST-BRDA(7/16)	C	No	No	Inside Pole	156.0000 - 0.0000	2	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
FB-L98B-002-75000(3/8)	C	No	No	Inside Pole	156.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
WR-VG86ST-BRD(3/4)	C	No	No	Inside Pole	156.0000 - 0.0000	2	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00
2" (Nominal) Conduit	C	No	No	Inside Pole	156.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.00 0.00 0.00 0.00

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight K
L1	178.0000-129.8700	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.000	0.92
L2	129.8700-84.8300	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.000	1.21
L3	84.8300-41.2833	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	2.107	0.000	1.17
L4	41.2833-0.0000	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	2.580	0.000	1.11

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight K
L1	178.0000-129.8700	A	1.486	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.000	0.92
L2	129.8700-84.8300	A	1.434	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.000	1.21
L3	84.8300-41.2833	A	1.359	0.000	0.000	0.000	0.000	0.00

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A _R ft ²	A _F ft ²	C _A A _A In Face ft ²	C _A A _A Out Face ft ²	Weight K
L4	41.2833-0.0000	B	1.218	0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	11.774	0.000	1.29
		A		0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	13.805	0.000	1.25

Feed Line Center of Pressure

Section	Elevation ft	CP _x in	CP _z in	CP _x Ice in	CP _z Ice in
L1	178.0000-129.8700	0.0000	0.0000	0.0000	0.0000
L2	129.8700-84.8300	0.0000	0.0000	0.0000	0.0000
L3	84.8300-41.2833	-0.1503	0.3709	-0.4604	1.1363
L4	41.2833-0.0000	-0.1888	0.4660	-0.5602	1.3827

Note: For pole sections, center of pressure calculations do not consider feed line shielding.

Shielding Factor Ka

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _a No Ice	K _a Ice
L2	13	LDF4-50A(1/2)	84.83 - 75.00	1.0000	1.0000
L3	13	LDF4-50A(1/2)	41.28 - 75.00	1.0000	1.0000

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral ft Vert ft	Azimuth Adjustmen t	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
APXVMT14-ALU-I20 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	178.0000	No Ice	4.0900	2.8600	0.08
						1/2" Ice	4.4800	3.2300	0.13
						Ice	4.8800	3.6100	0.19
						1" Ice	5.7100	4.4000	0.33
						2" Ice			
APXVMT14-ALU-I20 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	178.0000	No Ice	4.0900	2.8600	0.08
						1/2" Ice	4.4800	3.2300	0.13
						Ice	4.8800	3.6100	0.19
						1" Ice	5.7100	4.4000	0.33
						2" Ice			
APXVMT14-ALU-I20 w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	178.0000	No Ice	4.0900	2.8600	0.08
						1/2" Ice	4.4800	3.2300	0.13
						Ice	4.8800	3.6100	0.19
						1" Ice	5.7100	4.4000	0.33
						2" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	178.0000	No Ice	4.6000	4.0100	0.10
						1/2" Ice	5.0500	4.4500	0.16
						Ice	5.5000	4.8900	0.23
						1" Ice	6.4400	5.8200	0.42
						2" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	178.0000	No Ice	4.6000	4.0100	0.10
						1/2" Ice	5.0500	4.4500	0.16
						Ice	5.5000	4.8900	0.23
						1" Ice			
						2" Ice			

Description	Face or Leg	Offset Type	Offsets:			Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight
			Horz	Lateral	Vert					
			ft	ft	ft	°	ft	ft ²	ft ²	K
							1" Ice	6.4400	5.8200	0.42
							2" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	C	From Leg	4.0000	0.0000	178.0000		No Ice	4.6000	4.0100	0.10
			0.00				1/2"	5.0500	4.4500	0.16
			2.00				Ice	5.5000	4.8900	0.23
							1" Ice	6.4400	5.8200	0.42
							2" Ice			
(3) ACU-A20-N	A	From Leg	4.0000	0.0000	178.0000		No Ice	0.0667	0.1167	0.00
			0.00				1/2"	0.1037	0.1620	0.00
			2.00				Ice	0.1481	0.2148	0.00
							1" Ice	0.2593	0.3426	0.01
							2" Ice			
(3) ACU-A20-N	B	From Leg	4.0000	0.0000	178.0000		No Ice	0.0667	0.1167	0.00
			0.00				1/2"	0.1037	0.1620	0.00
			2.00				Ice	0.1481	0.2148	0.00
							1" Ice	0.2593	0.3426	0.01
							2" Ice			
(3) ACU-A20-N	C	From Leg	4.0000	0.0000	178.0000		No Ice	0.0667	0.1167	0.00
			0.00				1/2"	0.1037	0.1620	0.00
			2.00				Ice	0.1481	0.2148	0.00
							1" Ice	0.2593	0.3426	0.01
							2" Ice			
TD-RRH8X20-25	B	From Leg	4.0000	0.0000	178.0000		No Ice	4.0455	1.5345	0.07
			0.00				1/2"	4.2975	1.7142	0.10
			2.00				Ice	4.5570	1.9008	0.13
							1" Ice	5.0981	2.2951	0.20
							2" Ice			
(2) TD-RRH8X20-25	C	From Leg	4.0000	0.0000	178.0000		No Ice	4.0455	1.5345	0.07
			0.00				1/2"	4.2975	1.7142	0.10
			2.00				Ice	4.5570	1.9008	0.13
							1" Ice	5.0981	2.2951	0.20
							2" Ice			
Platform Mount [LP 712-1]	C	None		0.0000	178.0000		No Ice	24.5600	24.5600	1.34
							1/2"	27.9200	27.9200	1.91
							Ice	31.2700	31.2700	2.55
							1" Ice	37.9800	37.9800	3.97
							2" Ice			
Miscellaneous [NA 507-1]	C	None		0.0000	178.0000		No Ice	4.5600	4.5600	0.25
							1/2"	6.3900	6.3900	0.31
							Ice	8.1800	8.1800	0.40
							1" Ice	11.6600	11.6600	0.66
							2" Ice			
(2) 2.375" OD x 6' Mount Pipe	A	From Leg	4.0000	0.0000	178.0000		No Ice	1.4250	1.4250	0.03
			0.00				1/2"	1.9250	1.9250	0.04
			0.00				Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
							2" Ice			
(2) 2.375" OD x 6' Mount Pipe	B	From Leg	4.0000	0.0000	178.0000		No Ice	1.4250	1.4250	0.03
			0.00				1/2"	1.9250	1.9250	0.04
			0.00				Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
							2" Ice			
(2) 2.375" OD x 6' Mount Pipe	C	From Leg	4.0000	0.0000	178.0000		No Ice	1.4250	1.4250	0.03
			0.00				1/2"	1.9250	1.9250	0.04
			0.00				Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
							2" Ice			

1900MHZ RRH (65MHZ)	A	From Leg	1.0000	0.0000	176.0000		No Ice	2.3218	2.2360	0.06
			0.00				1/2"	2.5266	2.4385	0.08
			0.00				Ice	2.7388	2.6485	0.11
							1" Ice	3.1855	3.0906	0.17
							2" Ice			
1900MHZ RRH (65MHZ)	B	From Leg	1.0000	0.0000	176.0000		No Ice	2.3218	2.2360	0.06
			0.00					2.5266	2.4385	0.08

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
			-4.00			1/2" Ice 3.1855	2.7388 2.6485	0.11 0.17
1900MHZ RRH (65MHZ)	C	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 2.3218 2.5266 2.7388 3.1855	2.2360 2.4385 2.6485 3.0906	0.06 0.08 0.11 0.17
800MHZ RRH	A	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 2.1342 2.3195 2.5123 2.9201	1.7730 1.9461 2.1267 2.5100	0.05 0.07 0.10 0.16
800MHZ RRH	B	From Leg	1.0000 0.00 -4.00	0.0000	176.0000	No Ice 1/2" Ice 2.1342 2.3195 2.5123 2.9201	1.7730 1.9461 2.1267 2.5100	0.05 0.07 0.10 0.16
800MHZ RRH	C	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 2.1342 2.3195 2.5123 2.9201	1.7730 1.9461 2.1267 2.5100	0.05 0.07 0.10 0.16
800 EXTERNAL NOTCH FILTER	A	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 0.6601 0.7627 0.8727 1.1149	0.3211 0.3983 0.4830 0.6744	0.01 0.02 0.02 0.04
800 EXTERNAL NOTCH FILTER	B	From Leg	1.0000 0.00 -4.00	0.0000	176.0000	No Ice 1/2" Ice 0.6601 0.7627 0.8727 1.1149	0.3211 0.3983 0.4830 0.6744	0.01 0.02 0.02 0.04
800 EXTERNAL NOTCH FILTER	C	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 0.6601 0.7627 0.8727 1.1149	0.3211 0.3983 0.4830 0.6744	0.01 0.02 0.02 0.04
Side Arm Mount [SO 102-3]	C	None		0.0000	176.0000	No Ice 1/2" Ice 4.1800 4.7500 5.9000	3.6000 4.1800 4.7500 5.9000	0.07 0.11 0.14 0.20
2.375" OD x 6' Mount Pipe	A	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 1.4250 1.9250 2.2939 3.0596	1.4250 1.9250 2.2939 3.0596	0.03 0.04 0.05 0.09
2.375" OD x 6' Mount Pipe	B	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 1.4250 1.9250 2.2939 3.0596	1.4250 1.9250 2.2939 3.0596	0.03 0.04 0.05 0.09
2.375" OD x 6' Mount Pipe	C	From Leg	1.0000 0.00 0.00	0.0000	176.0000	No Ice 1/2" Ice 1.4250 1.9250 2.2939 3.0596	1.4250 1.9250 2.2939 3.0596	0.03 0.04 0.05 0.09
*** (2) LPA-80080/6CF w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice 1/2" Ice 5.1051 5.6116 6.6508	10.2588 11.4274 12.3118 14.1293	0.05 0.11 0.19 0.36

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} Front	C _{AA} Side	Weight K	
						ft ²	ft ²		
(2) LPA-80080/6CF w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	4.5639	10.2588	0.05
						1/2" Ice	5.1051	11.4274	0.11
						Ice	5.6116	12.3118	0.19
						1" Ice	6.6508	14.1293	0.36
						2" Ice			
(2) LPA-80080/6CF w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	4.5639	10.2588	0.05
						1/2" Ice	5.1051	11.4274	0.11
						Ice	5.6116	12.3118	0.19
						1" Ice	6.6508	14.1293	0.36
						2" Ice			
BXA-70063-6CF-2 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	7.8065	5.8008	0.04
						1/2" Ice	8.3569	6.9529	0.10
						Ice	8.8720	7.8191	0.17
						1" Ice	9.9271	9.6015	0.34
						2" Ice			
BXA-70063-6CF-2 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	7.8065	5.8008	0.04
						1/2" Ice	8.3569	6.9529	0.10
						Ice	8.8720	7.8191	0.17
						1" Ice	9.9271	9.6015	0.34
						2" Ice			
BXA-70063-6CF-2 w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	7.8065	5.8008	0.04
						1/2" Ice	8.3569	6.9529	0.10
						Ice	8.8720	7.8191	0.17
						1" Ice	9.9271	9.6015	0.34
						2" Ice			
BXA-171085-12BF-2 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	4.9710	5.2283	0.04
						1/2" Ice	5.5211	6.3892	0.09
						Ice	6.0361	7.2610	0.14
						1" Ice	7.0911	9.0462	0.27
						2" Ice			
BXA-171085-12BF-2 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	4.9710	5.2283	0.04
						1/2" Ice	5.5211	6.3892	0.09
						Ice	6.0361	7.2610	0.14
						1" Ice	7.0911	9.0462	0.27
						2" Ice			
BXA-171085-12BF-2 w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	4.9710	5.2283	0.04
						1/2" Ice	5.5211	6.3892	0.09
						Ice	6.0361	7.2610	0.14
						1" Ice	7.0911	9.0462	0.27
						2" Ice			
(2) FD9R6004/2C-3L	A	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	0.3142	0.0762	0.00
						1/2" Ice	0.3862	0.1189	0.01
						Ice	0.4656	0.1685	0.01
						1" Ice	0.6468	0.2940	0.02
						2" Ice			
(2) FD9R6004/2C-3L	B	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	0.3142	0.0762	0.00
						1/2" Ice	0.3862	0.1189	0.01
						Ice	0.4656	0.1685	0.01
						1" Ice	0.6468	0.2940	0.02
						2" Ice			
(2) FD9R6004/2C-3L	C	From Leg	4.0000 0.00 2.00	0.0000	168.0000	No Ice	0.3142	0.0762	0.00
						1/2" Ice	0.3862	0.1189	0.01
						Ice	0.4656	0.1685	0.01
						1" Ice	0.6468	0.2940	0.02
						2" Ice			
Platform Mount [LP 403-1]	C	None		0.0000	168.0000	No Ice	18.9400	18.9400	1.50
						1/2" Ice	23.3100	23.3100	1.90
						Ice	27.7400	27.7400	2.37
						1" Ice	36.7700	36.7700	3.53
						2" Ice			
*** 7770.00 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	No Ice	5.7460	4.2543	0.06
						1/2" Ice	6.1791	5.0137	0.10
						Ice	6.6067	5.7109	0.16
						1" Ice	7.4880	7.1553	0.29
						2" Ice			

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K	
7770.00 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	156.0000	2" Ice			
						No Ice	5.7460	4.2543	0.06
						1/2"	6.1791	5.0137	0.10
						Ice	6.6067	5.7109	0.16
7770.00 w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1" Ice	7.4880	7.1553	0.29
						2" Ice			
						No Ice	5.7460	4.2543	0.06
						1/2"	6.1791	5.0137	0.10
HPA65R-BU6A w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	Ice	6.6067	5.7109	0.16
						1" Ice	7.4880	7.1553	0.29
						2" Ice			
						No Ice	8.0881	7.1928	0.07
HPA65R-BU6A w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1/2"	8.6418	8.3606	0.14
						Ice	9.1599	9.2408	0.21
						1" Ice	10.2212	11.0512	0.39
						2" Ice			
HPA65R-BU6A w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	156.0000	No Ice	8.0881	7.1928	0.07
						1/2"	8.6418	8.3606	0.14
						Ice	9.1599	9.2408	0.21
						1" Ice	10.2212	11.0512	0.39
80010964 w/ Mount Pipe	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	2" Ice			
						No Ice	8.6100	4.1000	0.12
						1/2"	9.1800	4.5900	0.19
						Ice	9.7700	5.1000	0.26
80010964 w/ Mount Pipe	B	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1" Ice	10.9800	6.1600	0.45
						2" Ice			
						No Ice	8.6100	4.1000	0.12
						1/2"	9.1800	4.5900	0.19
80010964 w/ Mount Pipe	C	From Leg	4.0000 0.00 2.00	0.0000	156.0000	Ice	9.7700	5.1000	0.26
						1" Ice	10.9800	6.1600	0.45
						2" Ice			
						No Ice	8.6100	4.1000	0.12
DC6-48-60-18-8F	C	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1/2"	9.1800	4.5900	0.19
						Ice	9.7700	5.1000	0.26
						1" Ice	10.9800	6.1600	0.45
						2" Ice			
(2) LGP21401	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	No Ice	1.2117	1.2117	0.03
						1/2"	1.8924	1.8924	0.05
						Ice	2.1051	2.1051	0.08
						1" Ice	2.5703	2.5703	0.14
(2) LGP21401	B	From Leg	4.0000 0.00 2.00	0.0000	156.0000	2" Ice			
						No Ice	1.1040	0.3471	0.01
						1/2"	1.2388	0.4422	0.02
						Ice	1.3810	0.5444	0.03
(2) LGP21401	C	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1" Ice	1.6877	0.7696	0.05
						2" Ice			
						No Ice	1.1040	0.3471	0.01
						1/2"	1.2388	0.4422	0.02
RRUS 4449 B5/B12	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	Ice	1.3810	0.5444	0.03
						1" Ice	1.6877	0.7696	0.05
						2" Ice			
						No Ice	1.1040	0.3471	0.01
RRUS 4449 B5/B12	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	1/2"	1.2388	0.4422	0.02
						Ice	1.3810	0.5444	0.03
						1" Ice	1.6877	0.7696	0.05
						2" Ice			
RRUS 4449 B5/B12	A	From Leg	4.0000 0.00 2.00	0.0000	156.0000	No Ice	1.9675	1.4081	0.07
						1/2"	2.1439	1.5637	0.09
						Ice	2.3278	1.7267	0.11
						1" Ice	2.7177	2.0749	0.16

Description	Face or Leg	Offset Type	Offsets:			Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight
			Horz	Lateral	Vert					
			ft	ft	ft	°	ft	ft ²	ft ²	K
RRUS 4449 B5/B12	B	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.9675	1.4081	0.07
							1/2"	2.1439	1.5637	0.09
							Ice	2.3278	1.7267	0.11
							1" Ice	2.7177	2.0749	0.16
RRUS 4449 B5/B12	C	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.9675	1.4081	0.07
							1/2"	2.1439	1.5637	0.09
							Ice	2.3278	1.7267	0.11
							1" Ice	2.7177	2.0749	0.16
RRUS 8843 B2/B66A	A	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.6390	1.3534	0.07
							1/2"	1.7988	1.5005	0.09
							Ice	1.9660	1.6549	0.11
							1" Ice	2.3227	1.9860	0.16
RRUS 8843 B2/B66A	B	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.6390	1.3534	0.07
							1/2"	1.7988	1.5005	0.09
							Ice	1.9660	1.6549	0.11
							1" Ice	2.3227	1.9860	0.16
RRUS 8843 B2/B66A	C	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.6390	1.3534	0.07
							1/2"	1.7988	1.5005	0.09
							Ice	1.9660	1.6549	0.11
							1" Ice	2.3227	1.9860	0.16
DC6-48-60-18-8C-EV	A	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	2.7357	2.7357	0.03
							1/2"	2.9620	2.9620	0.05
							Ice	3.1953	3.1953	0.08
							1" Ice	3.6830	3.6830	0.15
Platform Mount [LP 303-1_HR-1]	C	None			156.0000	0.0000	2" Ice			
							No Ice	17.0900	17.0900	1.50
							1/2"	21.4700	21.4700	1.88
							Ice	25.7200	25.7200	2.35
							1" Ice	33.9600	33.9600	3.52
2.375" OD x 6' Mount Pipe	A	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.4250	1.4250	0.03
							1/2"	1.9250	1.9250	0.04
							Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
2.375" OD x 6' Mount Pipe	B	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.4250	1.4250	0.03
							1/2"	1.9250	1.9250	0.04
							Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
2.375" OD x 6' Mount Pipe	C	From Leg	4.0000	0.0000	156.0000	0.0000	2" Ice			
							No Ice	1.4250	1.4250	0.03
							1/2"	1.9250	1.9250	0.04
							Ice	2.2939	2.2939	0.05
							1" Ice	3.0596	3.0596	0.09
*** KS24019-L112A	B	From Leg	4.0000	0.0000	75.0000	0.0000	2" Ice			
							No Ice	0.1407	0.1407	0.01
							1/2"	0.1979	0.1979	0.01
							Ice	0.2621	0.2621	0.01
							1" Ice	0.4148	0.4148	0.02
Side Arm Mount [SO 701-1]	C	None			75.0000	0.0000	2" Ice			
							No Ice	0.8500	1.6700	0.07
							1/2"	1.1400	2.3400	0.08
							Ice	1.4300	3.0100	0.09
							1" Ice	2.0100	4.3500	0.12

Tower Pressures - No Ice

$G_H = 1.100$

Section Elevation ft	z ft	K_z	q_z ksf	A_G ft ²	F a c e	A_F ft ²	A_R ft ²	A_{leg} ft ²	Leg %	$C_A A_A$ In Face ft ²	$C_A A_A$ Out Face ft ²
L1 178.0000-129.8700	152.4729	1.383	0.045	99.912	A	0.000	99.912	99.912	100.00	0.000	0.000
					B	0.000	99.912	100.00	0.000	0.000	
					C	0.000	99.912	100.00	0.000	0.000	
L2 129.8700-84.8300	106.5566	1.283	0.041	128.658	A	0.000	128.658	128.658	100.00	0.000	0.000
					B	0.000	128.658	100.00	0.000	0.000	
					C	0.000	128.658	100.00	0.000	0.000	
L3 84.8300-41.2833	62.6781	1.147	0.037	155.531	A	0.000	155.531	155.531	100.00	0.000	0.000
					B	0.000	155.531	100.00	0.000	0.000	
					C	0.000	155.531	100.00	2.107	0.000	
L4 41.2833-0.0000	20.8275	0.91	0.030	175.143	A	0.000	175.143	175.143	100.00	0.000	0.000
					B	0.000	175.143	100.00	0.000	0.000	
					C	0.000	175.143	100.00	2.580	0.000	

Tower Pressure - With Ice

$G_H = 1.100$

Section Elevation ft	z ft	K_z	q_z ksf	t_z in	A_G ft ²	F a c e	A_F ft ²	A_R ft ²	A_{leg} ft ²	Leg %	$C_A A_A$ In Face ft ²	$C_A A_A$ Out Face ft ²
L1 178.0000-129.8700	152.4729	1.383	0.008	1.4859	111.831	A	0.000	111.831	111.831	100.00	0.000	0.000
						B	0.000	111.831	100.00	0.000	0.000	
						C	0.000	111.831	100.00	0.000	0.000	
L2 129.8700-84.8300	106.5566	1.283	0.007	1.4336	139.811	A	0.000	139.811	139.811	100.00	0.000	0.000
						B	0.000	139.811	100.00	0.000	0.000	
						C	0.000	139.811	100.00	0.000	0.000	
L3 84.8300-41.2833	62.6781	1.147	0.006	1.3595	165.935	A	0.000	165.935	165.935	100.00	0.000	0.000
						B	0.000	165.935	100.00	0.000	0.000	
						C	0.000	165.935	100.00	11.774	0.000	
L4 41.2833-0.0000	20.8275	0.91	0.005	1.2177	184.497	A	0.000	184.497	184.497	100.00	0.000	0.000
						B	0.000	184.497	100.00	0.000	0.000	
						C	0.000	184.497	100.00	13.805	0.000	

Tower Pressure - Service

$G_H = 1.100$

Section Elevation ft	z ft	K_z	q_z ksf	A_G ft ²	F a c e	A_F ft ²	A_R ft ²	A_{leg} ft ²	Leg %	$C_A A_A$ In Face ft ²	$C_A A_A$ Out Face ft ²
L1 178.0000-129.8700	152.4729	1.383	0.011	99.912	A	0.000	99.912	99.912	100.00	0.000	0.000
					B	0.000	99.912	100.00	0.000	0.000	
					C	0.000	99.912	100.00	0.000	0.000	
L2 129.8700-84.8300	106.5566	1.283	0.010	128.658	A	0.000	128.658	128.658	100.00	0.000	0.000
					B	0.000	128.658	100.00	0.000	0.000	
					C	0.000	128.658	100.00	0.000	0.000	
L3 84.8300-41.2833	62.6781	1.147	0.009	155.531	A	0.000	155.531	155.531	100.00	0.000	0.000
					B	0.000	155.531	100.00	0.000	0.000	
					C	0.000	155.531	100.00	2.107	0.000	
L4 41.2833-0.0000	20.8275	0.91	0.007	175.143	A	0.000	175.143	175.143	100.00	0.000	0.000
					B	0.000	175.143	100.00	0.000	0.000	
					C	0.000	175.143	100.00	2.580	0.000	

Tower Forces - No Ice - Wind Normal To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.045	1	1	99.912	3.58	0.07	C
			B	1	0.73							
			C	1	0.73							
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.041	1	1	128.658	4.27	0.09	C
			B	1	0.73							
			C	1	0.73							
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.037	1	1	155.531	4.61	0.11	C
			B	1	0.73							
			C	1	0.73							
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.030	1	1	175.143	4.16	0.10	C
			B	1	0.73							
			C	1	0.73							
Sum Weight:	4.41	31.92						OTM	1375.92 kip-ft	16.61		

Tower Forces - No Ice - Wind 60 To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.045	1	1	99.912	3.58	0.07	C
			B	1	0.73							
			C	1	0.73							
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.041	1	1	128.658	4.27	0.09	C
			B	1	0.73							
			C	1	0.73							
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.037	1	1	155.531	4.61	0.11	C
			B	1	0.73							
			C	1	0.73							
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.030	1	1	175.143	4.16	0.10	C
			B	1	0.73							
			C	1	0.73							
Sum Weight:	4.41	31.92						OTM	1375.92 kip-ft	16.61		

Tower Forces - No Ice - Wind 90 To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.045	1	1	99.912	3.58	0.07	C
			B	1	0.73							
			C	1	0.73							
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.041	1	1	128.658	4.27	0.09	C
			B	1	0.73							
			C	1	0.73							
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.037	1	1	155.531	4.61	0.11	C
			B	1	0.73							
			C	1	0.73							
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.030	1	1	175.143	4.16	0.10	C
			B	1	0.73							
			C	1	0.73							
Sum Weight:	4.41	31.92						OTM	1375.92 kip-ft	16.61		

Tower Forces - With Ice - Wind Normal To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	5.46	A	1	1.2	0.008	1	1	111.831	1.14	0.02	C
			B	1	1.2		1	1	111.831			
			C	1	1.2		1	1	111.831			
L2 129.8700-84.8300	1.21	9.40	A	1	1.2	0.007	1	1	139.811	1.32	0.03	C
			B	1	1.2		1	1	139.811			
			C	1	1.2		1	1	139.811			
L3 84.8300-41.2833	1.29	12.72	A	1	1.2	0.006	1	1	165.935	1.40	0.03	C
			B	1	1.2		1	1	165.935			
			C	1	1.2		1	1	165.935			
L4 41.2833-0.0000	1.25	15.82	A	1	1.2	0.005	1	1	184.497	1.25	0.03	C
			B	1	1.2		1	1	184.497			
			C	1	1.2		1	1	184.497			
Sum Weight:	4.67	43.41						OTM	429.34 kip-ft	5.12		

Tower Forces - With Ice - Wind 60 To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	5.46	A	1	1.2	0.008	1	1	111.831	1.14	0.02	C
			B	1	1.2		1	1	111.831			
			C	1	1.2		1	1	111.831			
L2 129.8700-84.8300	1.21	9.40	A	1	1.2	0.007	1	1	139.811	1.32	0.03	C
			B	1	1.2		1	1	139.811			
			C	1	1.2		1	1	139.811			
L3 84.8300-41.2833	1.29	12.72	A	1	1.2	0.006	1	1	165.935	1.40	0.03	C
			B	1	1.2		1	1	165.935			
			C	1	1.2		1	1	165.935			
L4 41.2833-0.0000	1.25	15.82	A	1	1.2	0.005	1	1	184.497	1.25	0.03	C
			B	1	1.2		1	1	184.497			
			C	1	1.2		1	1	184.497			
Sum Weight:	4.67	43.41						OTM	429.34 kip-ft	5.12		

Tower Forces - With Ice - Wind 90 To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C _F	q _z ksf	D _F	D _R	A _E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	5.46	A	1	1.2	0.008	1	1	111.831	1.14	0.02	C
			B	1	1.2		1	1	111.831			
			C	1	1.2		1	1	111.831			
L2 129.8700-84.8300	1.21	9.40	A	1	1.2	0.007	1	1	139.811	1.32	0.03	C
			B	1	1.2		1	1	139.811			
			C	1	1.2		1	1	139.811			
L3 84.8300-41.2833	1.29	12.72	A	1	1.2	0.006	1	1	165.935	1.40	0.03	C
			B	1	1.2		1	1	165.935			
			C	1	1.2		1	1	165.935			
L4 41.2833-0.0000	1.25	15.82	A	1	1.2	0.005	1	1	184.497	1.25	0.03	C
			B	1	1.2		1	1	184.497			
			C	1	1.2		1	1	184.497			
Sum Weight:	4.67	43.41						OTM	429.34 kip-ft	5.12		

Tower Forces - Service - Wind Normal To Face

Section Elevation ft	Add Weight K	Self Weight K	Face	e	C_F	q_z ksf	D_F	D_R	A_E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.011	1	1	99.912	0.84	0.02	C
			B	1	0.73		1	1	99.912			
			C	1	0.73		1	1	99.912			
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.010	1	1	128.658	1.01	0.02	C
			B	1	0.73		1	1	128.658			
			C	1	0.73		1	1	128.658			
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.009	1	1	155.531	1.08	0.02	C
			B	1	0.73		1	1	155.531			
			C	1	0.73		1	1	155.531			
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.007	1	1	175.143	0.98	0.02	C
			B	1	0.73		1	1	175.143			
			C	1	0.73		1	1	175.143			
Sum Weight:	4.41	31.92						OTM	323.97 kip-ft	3.91		

Tower Forces - Service - Wind 60 To Face

Section Elevation ft	Add Weight K	Self Weight K	Face	e	C_F	q_z ksf	D_F	D_R	A_E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.011	1	1	99.912	0.84	0.02	C
			B	1	0.73		1	1	99.912			
			C	1	0.73		1	1	99.912			
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.010	1	1	128.658	1.01	0.02	C
			B	1	0.73		1	1	128.658			
			C	1	0.73		1	1	128.658			
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.009	1	1	155.531	1.08	0.02	C
			B	1	0.73		1	1	155.531			
			C	1	0.73		1	1	155.531			
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.007	1	1	175.143	0.98	0.02	C
			B	1	0.73		1	1	175.143			
			C	1	0.73		1	1	175.143			
Sum Weight:	4.41	31.92						OTM	323.97 kip-ft	3.91		

Tower Forces - Service - Wind 90 To Face

Section Elevation ft	Add Weight K	Self Weight K	Face	e	C_F	q_z ksf	D_F	D_R	A_E ft ²	F K	w klf	Ctrl. Face
L1 178.0000-129.8700	0.92	3.16	A	1	0.73	0.011	1	1	99.912	0.84	0.02	C
			B	1	0.73		1	1	99.912			
			C	1	0.73		1	1	99.912			
L2 129.8700-84.8300	1.21	6.59	A	1	0.73	0.010	1	1	128.658	1.01	0.02	C
			B	1	0.73		1	1	128.658			
			C	1	0.73		1	1	128.658			
L3 84.8300-41.2833	1.17	9.53	A	1	0.73	0.009	1	1	155.531	1.08	0.02	C
			B	1	0.73		1	1	155.531			
			C	1	0.73		1	1	155.531			
L4 41.2833-0.0000	1.11	12.63	A	1	0.73	0.007	1	1	175.143	0.98	0.02	C
			B	1	0.73		1	1	175.143			
			C	1	0.73		1	1	175.143			
Sum Weight:	4.41	31.92						OTM	323.97 kip-ft	3.91		

Force Totals

Load Case	Vertical Forces K	Sum of Forces X K	Sum of Forces Z K	Sum of Overturning Moments, M_x kip-ft	Sum of Overturning Moments, M_z kip-ft	Sum of Torques kip-ft
Leg Weight	31.92					
Bracing Weight	0.00					
Total Member Self-Weight	31.92			0.47	0.40	
Total Weight	44.34			0.47	0.40	
Wind 0 deg - No Ice		0.06	-29.36	-3519.83	-9.62	-0.51
Wind 30 deg - No Ice		14.83	-25.46	-3053.21	-1785.63	-0.36
Wind 60 deg - No Ice		25.62	-14.73	-1768.36	-3083.07	-0.12
Wind 90 deg - No Ice		29.56	-0.06	-9.55	-3554.30	0.16
Wind 120 deg - No Ice		25.57	14.63	1751.94	-3073.05	0.39
Wind 150 deg - No Ice		14.73	25.40	3044.13	-1768.27	0.52
Wind 180 deg - No Ice		-0.06	29.36	3520.77	10.42	0.51
Wind 210 deg - No Ice		-14.83	25.46	3054.14	1786.42	0.36
Wind 240 deg - No Ice		-25.62	14.73	1769.29	3083.86	0.12
Wind 270 deg - No Ice		-29.56	0.06	10.48	3555.09	-0.16
Wind 300 deg - No Ice		-25.57	-14.63	-1751.01	3073.84	-0.39
Wind 330 deg - No Ice		-14.73	-25.40	-3043.19	1769.07	-0.52
Member Ice	11.49					
Total Weight Ice	69.19			1.45	1.10	
Wind 0 deg - Ice		0.01	-8.74	-1034.84	-0.80	-0.15
Wind 30 deg - Ice		4.40	-7.57	-896.95	-521.93	-0.11
Wind 60 deg - Ice		7.61	-4.38	-518.34	-902.92	-0.04
Wind 90 deg - Ice		8.78	-0.01	-0.45	-1041.68	0.04
Wind 120 deg - Ice		7.60	4.36	517.95	-901.03	0.11
Wind 150 deg - Ice		4.38	7.56	897.95	-518.65	0.15
Wind 180 deg - Ice		-0.01	8.74	1037.74	2.99	0.15
Wind 210 deg - Ice		-4.40	7.57	899.85	524.13	0.11
Wind 240 deg - Ice		-7.61	4.38	521.23	905.12	0.04
Wind 270 deg - Ice		-8.78	0.01	3.34	1043.87	-0.04
Wind 300 deg - Ice		-7.60	-4.36	-515.05	903.22	-0.11
Wind 330 deg - Ice		-4.38	-7.56	-895.05	520.84	-0.15
Total Weight	44.34			0.47	0.40	
Wind 0 deg - Service		0.01	-6.91	-828.43	-1.96	-0.12
Wind 30 deg - Service		3.49	-5.99	-718.57	-420.13	-0.08
Wind 60 deg - Service		6.03	-3.47	-416.04	-725.63	-0.03
Wind 90 deg - Service		6.96	-0.01	-1.91	-836.58	0.04
Wind 120 deg - Service		6.02	3.45	412.84	-723.27	0.09
Wind 150 deg - Service		3.47	5.98	717.10	-416.05	0.12
Wind 180 deg - Service		-0.01	6.91	829.32	2.76	0.12
Wind 210 deg - Service		-3.49	5.99	719.45	420.93	0.08
Wind 240 deg - Service		-6.03	3.47	416.93	726.42	0.03
Wind 270 deg - Service		-6.96	0.01	2.80	837.38	-0.04
Wind 300 deg - Service		-6.02	-3.45	-411.95	724.06	-0.09
Wind 330 deg - Service		-3.47	-5.98	-716.21	416.84	-0.12

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.0 Wind 0 deg - No Ice
3	0.9 Dead+1.0 Wind 0 deg - No Ice
4	1.2 Dead+1.0 Wind 30 deg - No Ice
5	0.9 Dead+1.0 Wind 30 deg - No Ice
6	1.2 Dead+1.0 Wind 60 deg - No Ice
7	0.9 Dead+1.0 Wind 60 deg - No Ice
8	1.2 Dead+1.0 Wind 90 deg - No Ice
9	0.9 Dead+1.0 Wind 90 deg - No Ice
10	1.2 Dead+1.0 Wind 120 deg - No Ice
11	0.9 Dead+1.0 Wind 120 deg - No Ice
12	1.2 Dead+1.0 Wind 150 deg - No Ice

Comb. No.	Description
13	0.9 Dead+1.0 Wind 150 deg - No Ice
14	1.2 Dead+1.0 Wind 180 deg - No Ice
15	0.9 Dead+1.0 Wind 180 deg - No Ice
16	1.2 Dead+1.0 Wind 210 deg - No Ice
17	0.9 Dead+1.0 Wind 210 deg - No Ice
18	1.2 Dead+1.0 Wind 240 deg - No Ice
19	0.9 Dead+1.0 Wind 240 deg - No Ice
20	1.2 Dead+1.0 Wind 270 deg - No Ice
21	0.9 Dead+1.0 Wind 270 deg - No Ice
22	1.2 Dead+1.0 Wind 300 deg - No Ice
23	0.9 Dead+1.0 Wind 300 deg - No Ice
24	1.2 Dead+1.0 Wind 330 deg - No Ice
25	0.9 Dead+1.0 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	178 - 129.87	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-29.09	1.37	-1.08
			Max. Mx	20	-12.26	557.70	-3.30
			Max. My	14	-12.30	3.26	-548.52
			Max. Vy	20	-17.39	557.70	-3.30
			Max. Vx	14	17.18	3.26	-548.52
			Max. Torque	22			0.76
			Max Tension	1	0.00	0.00	0.00
L2	129.87 - 84.83	Pole	Max. Compression	26	-40.73	1.37	-1.08
			Max. Mx	20	-21.36	1412.00	-5.97
			Max. My	14	-21.39	5.94	-1393.75
			Max. Vy	20	-21.51	1412.00	-5.97
			Max. Vx	14	21.30	5.94	-1393.75
			Max. Torque	24			0.61
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-56.53	1.28	-1.29
L3	84.83 - 41.2833	Pole	Max. Mx	20	-34.11	2416.39	-8.53
			Max. My	14	-34.12	8.45	-2389.51
			Max. Vy	20	-25.70	2416.39	-8.53
			Max. Vx	14	25.49	8.45	-2389.51
			Max. Torque	24			0.61

Sectio n No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L4	41.2833 - 0	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-79.21	1.24	-1.60
			Max. Mx	20	-53.19	3741.05	-11.28
			Max. My	14	-53.19	11.18	-3704.77
			Max. Vy	20	-29.59	3741.05	-11.28
			Max. Vx	14	29.39	11.18	-3704.77
			Max. Torque	24			0.59

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	26	79.21	-0.00	0.00
	Max. H _x	21	39.91	29.55	-0.06
	Max. H _z	3	39.91	-0.06	29.36
	Max. M _x	2	3703.53	-0.06	29.36
	Max. M _z	8	3740.00	-29.55	0.06
	Max. Torsion	24	0.59	14.73	25.40
	Min. Vert	21	39.91	29.55	-0.06
	Min. H _x	9	39.91	-29.55	0.06
	Min. H _z	15	39.91	0.06	-29.36
	Min. M _x	14	-3704.77	0.06	-29.36
	Min. M _z	20	-3741.05	29.55	-0.06
	Min. Torsion	12	-0.56	-14.73	-25.40

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _z K	Overturing Moment, M _x kip-ft	Overturing Moment, M _z kip-ft	Torque kip-ft
Dead Only	44.34	0.00	-0.00	0.46	0.40	0.00
1.2 Dead+1.0 Wind 0 deg - No Ice	53.21	0.06	-29.36	-3703.53	-10.13	-0.51
0.9 Dead+1.0 Wind 0 deg - No Ice	39.91	0.06	-29.36	-3653.79	-10.10	-0.50
1.2 Dead+1.0 Wind 30 deg - No Ice	53.21	14.83	-25.46	-3213.00	-1879.30	-0.31
0.9 Dead+1.0 Wind 30 deg - No Ice	39.91	14.83	-25.46	-3169.68	-1853.94	-0.31
1.2 Dead+1.0 Wind 60 deg - No Ice	53.21	25.62	-14.73	-1860.86	-3244.68	-0.05
0.9 Dead+1.0 Wind 60 deg - No Ice	39.91	25.62	-14.73	-1835.83	-3200.83	-0.06
1.2 Dead+1.0 Wind 90 deg - No Ice	53.21	29.55	-0.06	-10.03	-3740.00	0.22
0.9 Dead+1.0 Wind 90 deg - No Ice	39.91	29.55	-0.06	-10.03	-3689.64	0.20
1.2 Dead+1.0 Wind 120 deg - No Ice	53.21	25.57	14.63	1843.70	-3234.11	0.44
0.9 Dead+1.0 Wind 120 deg - No Ice	39.91	25.57	14.63	1818.63	-3190.43	0.42
1.2 Dead+1.0 Wind 150 deg - No Ice	53.21	14.73	25.40	3203.67	-1860.89	0.56
0.9 Dead+1.0 Wind 150 deg - No Ice	39.91	14.73	25.40	3160.17	-1835.82	0.55
1.2 Dead+1.0 Wind 180 deg - No Ice	53.21	-0.06	29.36	3704.77	11.18	0.55
0.9 Dead+1.0 Wind 180 deg - No Ice	39.91	-0.06	29.36	3654.69	10.86	0.54
1.2 Dead+1.0 Wind 210 deg - No Ice	53.21	-14.83	25.46	3214.24	1880.35	0.37
0.9 Dead+1.0 Wind 210 deg - No Ice	39.91	-14.83	25.46	3170.59	1854.70	0.37
1.2 Dead+1.0 Wind 240 deg - No Ice	53.21	-25.62	14.73	1862.11	3245.74	0.07
0.9 Dead+1.0 Wind 240 deg - No Ice	39.91	-25.62	14.73	1836.74	3201.59	0.09
1.2 Dead+1.0 Wind 270 deg - No Ice	53.21	-29.55	0.06	11.28	3741.05	-0.25
0.9 Dead+1.0 Wind 270 deg - No Ice	39.91	-29.55	0.06	10.94	3690.41	-0.23
1.2 Dead+1.0 Wind 300 deg - No Ice	53.21	-25.57	-14.63	-1842.46	3235.17	-0.50
0.9 Dead+1.0 Wind 300 deg - No Ice	39.91	-25.57	-14.63	-1817.71	3191.18	-0.48
1.2 Dead+1.0 Wind 330 deg - No Ice	53.21	-14.73	-25.40	-3202.43	1861.95	-0.59
0.9 Dead+1.0 Wind 330 deg - No Ice	39.91	-14.73	-25.40	-3159.28	1836.60	-0.57
1.2 Dead+1.0 Ice+1.0 Temp	79.21	0.00	-0.00	1.60	1.24	-0.00
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	79.21	0.01	-8.74	-1147.24	-0.67	-0.17
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	79.21	4.40	-7.57	-994.37	-578.60	-0.10
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	79.21	7.60	-4.38	-574.57	-1001.10	0.00
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	79.21	8.78	-0.01	-0.32	-1154.95	0.10

Load Combination	Vertical	Shear _x	Shear _z	Overturing Moment, M _x	Overturing Moment, M _z	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	79.21	7.59	4.36	574.51	-998.94	0.17
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	79.21	4.38	7.56	995.89	-574.87	0.20
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	79.21	-0.01	8.74	1150.91	3.65	0.17
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	79.21	-4.40	7.57	998.04	581.58	0.10
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	79.21	-7.60	4.38	578.24	1004.08	-0.00
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	79.21	-8.78	0.01	3.99	1157.93	-0.10
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	79.21	-7.59	-4.36	-570.83	1001.92	-0.18
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	79.21	-4.38	-7.56	-992.21	577.85	-0.20
Dead+Wind 0 deg - Service	44.34	0.01	-6.91	-865.42	-2.05	-0.12
Dead+Wind 30 deg - Service	44.34	3.49	-5.99	-750.65	-438.95	-0.08
Dead+Wind 60 deg - Service	44.34	6.03	-3.47	-434.61	-758.12	-0.02
Dead+Wind 90 deg - Service	44.34	6.96	-0.01	-1.98	-874.04	0.05
Dead+Wind 120 deg - Service	44.34	6.02	3.45	431.32	-755.64	0.11
Dead+Wind 150 deg - Service	44.34	3.47	5.98	749.19	-434.65	0.13
Dead+Wind 180 deg - Service	44.34	-0.01	6.91	866.45	2.93	0.13
Dead+Wind 210 deg - Service	44.34	-3.49	5.99	751.68	439.83	0.08
Dead+Wind 240 deg - Service	44.34	-6.03	3.47	435.63	759.00	0.02
Dead+Wind 270 deg - Service	44.34	-6.96	0.01	3.00	874.91	-0.05
Dead+Wind 300 deg - Service	44.34	-6.02	-3.45	-430.30	756.51	-0.11
Dead+Wind 330 deg - Service	44.34	-3.47	-5.98	-748.17	435.52	-0.14

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.00	-44.34	0.00	-0.00	44.34	0.00	0.000%
2	0.06	-53.21	-29.36	-0.06	53.21	29.36	0.006%
3	0.06	-39.91	-29.36	-0.06	39.91	29.36	0.005%
4	14.83	-53.21	-25.46	-14.83	53.21	25.46	0.000%
5	14.83	-39.91	-25.46	-14.83	39.91	25.46	0.000%
6	25.62	-53.21	-14.73	-25.62	53.21	14.73	0.000%
7	25.62	-39.91	-14.73	-25.62	39.91	14.73	0.000%
8	29.56	-53.21	-0.06	-29.55	53.21	0.06	0.006%
9	29.56	-39.91	-0.06	-29.55	39.91	0.06	0.005%
10	25.57	-53.21	14.63	-25.57	53.21	-14.63	0.000%
11	25.57	-39.91	14.63	-25.57	39.91	-14.63	0.000%
12	14.73	-53.21	25.40	-14.73	53.21	-25.40	0.000%
13	14.73	-39.91	25.40	-14.73	39.91	-25.40	0.000%
14	-0.06	-53.21	29.36	0.06	53.21	-29.36	0.006%
15	-0.06	-39.91	29.36	0.06	39.91	-29.36	0.005%
16	-14.83	-53.21	25.46	14.83	53.21	-25.46	0.000%
17	-14.83	-39.91	25.46	14.83	39.91	-25.46	0.000%
18	-25.62	-53.21	14.73	25.62	53.21	-14.73	0.000%
19	-25.62	-39.91	14.73	25.62	39.91	-14.73	0.000%
20	-29.56	-53.21	0.06	29.55	53.21	-0.06	0.006%
21	-29.56	-39.91	0.06	29.55	39.91	-0.06	0.005%
22	-25.57	-53.21	-14.63	25.57	53.21	14.63	0.000%
23	-25.57	-39.91	-14.63	25.57	39.91	14.63	0.000%
24	-14.73	-53.21	-25.40	14.73	53.21	25.40	0.000%
25	-14.73	-39.91	-25.40	14.73	39.91	25.40	0.000%
26	0.00	-79.21	0.00	-0.00	79.21	0.00	0.001%
27	0.01	-79.21	-8.74	-0.01	79.21	8.74	0.001%
28	4.40	-79.21	-7.57	-4.40	79.21	7.57	0.001%
29	7.61	-79.21	-4.38	-7.60	79.21	4.38	0.001%
30	8.78	-79.21	-0.01	-8.78	79.21	0.01	0.001%
31	7.60	-79.21	4.36	-7.59	79.21	-4.36	0.001%
32	4.38	-79.21	7.56	-4.38	79.21	-7.56	0.001%
33	-0.01	-79.21	8.74	0.01	79.21	-8.74	0.001%
34	-4.40	-79.21	7.57	4.40	79.21	-7.57	0.001%
35	-7.61	-79.21	4.38	7.60	79.21	-4.38	0.001%
36	-8.78	-79.21	0.01	8.78	79.21	-0.01	0.001%
37	-7.60	-79.21	-4.36	7.59	79.21	4.36	0.001%
38	-4.38	-79.21	-7.56	4.38	79.21	7.56	0.001%
39	0.01	-44.34	-6.91	-0.01	44.34	6.91	0.002%
40	3.49	-44.34	-5.99	-3.49	44.34	5.99	0.002%

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
41	6.03	-44.34	-3.47	-6.03	44.34	3.47	0.002%
42	6.96	-44.34	-0.01	-6.96	44.34	0.01	0.002%
43	6.02	-44.34	3.45	-6.02	44.34	-3.45	0.002%
44	3.47	-44.34	5.98	-3.47	44.34	-5.98	0.002%
45	-0.01	-44.34	6.91	0.01	44.34	-6.91	0.002%
46	-3.49	-44.34	5.99	3.49	44.34	-5.99	0.002%
47	-6.03	-44.34	3.47	6.03	44.34	-3.47	0.002%
48	-6.96	-44.34	0.01	6.96	44.34	-0.01	0.002%
49	-6.02	-44.34	-3.45	6.02	44.34	3.45	0.002%
50	-3.47	-44.34	-5.98	3.47	44.34	5.98	0.002%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	6	0.00000001	0.00000001
2	Yes	15	0.00008728	0.00009776
3	Yes	15	0.00005679	0.00008038
4	Yes	19	0.00000001	0.00009366
5	Yes	19	0.00000001	0.00006617
6	Yes	19	0.00000001	0.00009458
7	Yes	19	0.00000001	0.00006680
8	Yes	15	0.00008711	0.00009804
9	Yes	15	0.00005666	0.00008055
10	Yes	19	0.00000001	0.00009344
11	Yes	19	0.00000001	0.00006601
12	Yes	19	0.00000001	0.00009172
13	Yes	18	0.00000001	0.00014821
14	Yes	15	0.00008729	0.00010711
15	Yes	15	0.00005679	0.00008732
16	Yes	19	0.00000001	0.00009478
17	Yes	19	0.00000001	0.00006694
18	Yes	19	0.00000001	0.00009472
19	Yes	19	0.00000001	0.00006682
20	Yes	15	0.00008711	0.00010280
21	Yes	15	0.00005666	0.00008379
22	Yes	19	0.00000001	0.00009222
23	Yes	18	0.00000001	0.00014897
24	Yes	19	0.00000001	0.00009311
25	Yes	19	0.00000001	0.00006583
26	Yes	8	0.00000001	0.00000560
27	Yes	17	0.00007419	0.00005139
28	Yes	17	0.00007399	0.00007923
29	Yes	17	0.00007400	0.00007964
30	Yes	17	0.00007420	0.00005178
31	Yes	17	0.00007402	0.00007993
32	Yes	17	0.00007404	0.00007890
33	Yes	17	0.00007425	0.00005172
34	Yes	17	0.00007408	0.00008089
35	Yes	17	0.00007409	0.00008089
36	Yes	17	0.00007427	0.00005212
37	Yes	17	0.00007405	0.00007920
38	Yes	17	0.00007402	0.00007982
39	Yes	15	0.00000001	0.00002770
40	Yes	15	0.00000001	0.00002671
41	Yes	15	0.00000001	0.00002795
42	Yes	15	0.00000001	0.00002800
43	Yes	15	0.00000001	0.00002844
44	Yes	15	0.00000001	0.00002607
45	Yes	15	0.00000001	0.00002782
46	Yes	15	0.00000001	0.00002834
47	Yes	15	0.00000001	0.00002793
48	Yes	15	0.00000001	0.00002809
49	Yes	15	0.00000001	0.00002666
50	Yes	15	0.00000001	0.00002820

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	178 - 129.87	31.8476	47	1.7291	0.0024
L2	134.12 - 84.83	17.2497	47	1.3255	0.0007
L3	90.1633 - 41.2833	7.3268	47	0.8065	0.0003
L4	47.7 - 0	1.9723	47	0.3815	0.0001

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
178.0000	APXVTM14-ALU-I20 w/ Mount Pipe	47	31.8476	1.7291	0.0024	33701
176.0000	1900MHZ RRH (65MHZ)	47	31.1365	1.7123	0.0023	33701
168.0000	(2) LPA-80080/6CF w/ Mount Pipe	47	28.3038	1.6447	0.0020	16850
156.0000	7770.00 w/ Mount Pipe	47	24.1518	1.5398	0.0014	7658
75.0000	KS24019-L112A	47	4.9598	0.6413	0.0002	5516

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	178 - 129.87	136.0355	20	7.3851	0.0107
L2	134.12 - 84.83	73.7724	20	5.6731	0.0030
L3	90.1633 - 41.2833	31.3465	20	3.4528	0.0011
L4	47.7 - 0	8.4375	18	1.6328	0.0004

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
178.0000	APXVTM14-ALU-I20 w/ Mount Pipe	20	136.0355	7.3851	0.0107	8134
176.0000	1900MHZ RRH (65MHZ)	20	133.0041	7.3140	0.0103	8134
168.0000	(2) LPA-80080/6CF w/ Mount Pipe	20	120.9270	7.0280	0.0086	4066
156.0000	7770.00 w/ Mount Pipe	20	103.2221	6.5841	0.0063	1845
75.0000	KS24019-L112A	18	21.2183	2.7454	0.0009	1293

Compression Checks

Pole Design Data

Section No.	Elevation ft	Size	L ft	L_u ft	Kl/r	A in ²	P_u K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
L1	178 - 129.87 (1)	TP29.64x19.5x0.25	48.1300	0.0000	0.0	22.6105	-12.26	1322.71	0.009
L2	129.87 - 84.83 (2)	TP38.5x28.2446x0.375	49.2900	0.0000	0.0	44.0575	-21.36	2577.36	0.008
L3	84.83 - 41.2833 (3)	TP46.8x36.6403x0.4375	48.8800	0.0000	0.0	62.5281	-34.11	3657.89	0.009
L4	41.2833 - 0 (4)	TP54.5x44.5913x0.5	47.7000	0.0000	0.0	85.6980	-53.19	5013.33	0.011

Pole Bending Design Data

Section No.	Elevation ft	Size	M_{ux} kip-ft	ϕM_{nx} kip-ft	Ratio $\frac{M_{ux}}{\phi M_{nx}}$	M_{uy} kip-ft	ϕM_{ny} kip-ft	Ratio $\frac{M_{uy}}{\phi M_{ny}}$
L1	178 - 129.87 (1)	TP29.64x19.5x0.25	558.05	936.75	0.596	0.00	936.75	0.000
L2	129.87 - 84.83 (2)	TP38.5x28.2446x0.375	1412.51	2463.13	0.573	0.00	2463.13	0.000
L3	84.83 - 41.2833 (3)	TP46.8x36.6403x0.4375	2417.09	4208.93	0.574	0.00	4208.93	0.000
L4	41.2833 - 0 (4)	TP54.5x44.5913x0.5	3741.96	6831.09	0.548	0.00	6831.09	0.000

Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V_u K	ϕV_n K	Ratio $\frac{V_u}{\phi V_n}$	Actual T_u kip-ft	ϕT_n kip-ft	Ratio $\frac{T_u}{\phi T_n}$
L1	178 - 129.87 (1)	TP29.64x19.5x0.25	17.40	396.81	0.044	0.10	990.22	0.000
L2	129.87 - 84.83 (2)	TP38.5x28.2446x0.375	21.51	773.21	0.028	0.10	2506.45	0.000
L3	84.83 - 41.2833 (3)	TP46.8x36.6403x0.4375	25.70	1097.37	0.023	0.07	4327.36	0.000
L4	41.2833 - 0 (4)	TP54.5x44.5913x0.5	29.59	1504.00	0.020	0.07	7112.49	0.000


Pole Interaction Design Data

Section No.	Elevation ft	Ratio $\frac{P_u}{\phi P_n}$	Ratio $\frac{M_{ux}}{\phi M_{nx}}$	Ratio $\frac{M_{uy}}{\phi M_{ny}}$	Ratio $\frac{V_u}{\phi V_n}$	Ratio $\frac{T_u}{\phi T_n}$	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	178 - 129.87 (1)	0.009	0.596	0.000	0.044	0.000	0.607	1.050	4.8.2
L2	129.87 - 84.83 (2)	0.008	0.573	0.000	0.028	0.000	0.583	1.050	4.8.2
L3	84.83 - 41.2833 (3)	0.009	0.574	0.000	0.023	0.000	0.584	1.050	4.8.2
L4	41.2833 - 0 (4)	0.011	0.548	0.000	0.020	0.000	0.559	1.050	4.8.2

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	ϕP_{allow} K	% Capacity	Pass Fail
L1	178 - 129.87	Pole	TP29.64x19.5x0.25	1	-12.26	1388.85	57.8	Pass
L2	129.87 - 84.83	Pole	TP38.5x28.2446x0.375	2	-21.36	2706.23	55.5	Pass
L3	84.83 - 41.2833	Pole	TP46.8x36.6403x0.4375	3	-34.11	3840.78	55.6	Pass
L4	41.2833 - 0	Pole	TP54.5x44.5913x0.5	4	-53.19	5264.00	53.2	Pass
Summary								
Pole (L1)							57.8	Pass
RATING =							57.8	Pass

APPENDIX B
BASE LEVEL DRAWING



APPENDIX C
ADDITIONAL CALCULATIONS

Monopole Base Plate Connection




Site Info	
BU #	876369
Site Name	
Order #	

Analysis Considerations	
TIA-222 Revision	H
Grout Considered:	No
l_{ar} (in)	1

Applied Loads	
Moment (kip-ft)	3741.96
Axial Force (kips)	53.19
Shear Force (kips)	29.59

*TIA-222-H Section 15.5 Applied



Connection Properties	Analysis Results	
Anchor Rod Data	Anchor Rod Summary <i>(units of kips, kip-in)</i>	
(20) 2-1/4" ϕ bolts (A615-75 N; $F_y=75$ ksi, $F_u=100$ ksi) on 63" BC	$P_{u_c} = 145.14$	$\phi P_{n_c} = 243.75$ Stress Rating
Base Plate Data	$V_u = 1.48$	$\phi V_n = 73.13$ 56.7%
69" OD x 2.25" Plate (A572-60; $F_y=60$ ksi, $F_u=75$ ksi)	$M_u = n/a$	$\phi M_n = n/a$ Pass
Stiffener Data	Base Plate Summary	
N/A	Max Stress (ksi):	34.13 (Flexural)
Pole Data	Allowable Stress (ksi):	54
54.5" x 0.5" 18-sided pole (A572-65; $F_y=65$ ksi, $F_u=80$ ksi)	Stress Rating:	60.2% Pass

Pier and Pad Foundation



BU # : 876369
Site Name:
App. Number:

TIA-222 Revision: H
Tower Type: Monopole

Top & Bot. Pad Rein. Different?:
Block Foundation?:

Superstructure Analysis Reactions		
Compression, P_{comp} :	53	kips
Base Shear, Vu_{comp} :	30	kips
Moment, M_u :	3742	ft-kips
Tower Height, H :	178	ft
BP Dist. Above Fdn, bp_{dist} :	3.25	in

Foundation Analysis Checks				
	Capacity	Demand	Rating*	Check
<i>Lateral (Sliding) (kips)</i>	314.30	30.00	9.1%	Pass
<i>Bearing Pressure (ksf)</i>	6.00	1.66	27.7%	Pass
<i>Overturning (kip*ft)</i>	6610.98	3975.13	60.1%	Pass
<i>Pier Flexure (Comp.) (kip*ft)</i>	5754.14	3877.00	64.2%	Pass
<i>Pier Compression (kip)</i>	18370.97	79.85	0.4%	Pass
<i>Pad Flexure (kip*ft)</i>	3693.73	1614.32	41.6%	Pass
<i>Pad Shear - 1-way (kips)</i>	869.56	219.20	24.0%	Pass
<i>Pad Shear - 2-way (Comp) (ksi)</i>	0.164	0.039	22.4%	Pass
<i>Flexural 2-way (Comp) (kip*ft)</i>	2996.21	2326.20	73.9%	Pass

Pier Properties		
Pier Shape:	Circular	
Pier Diameter, $dpier$:	7	ft
Ext. Above Grade, E :	1	ft
Pier Rebar Size, Sc :	8	
Pier Rebar Quantity, mc :	46	
Pier Tie/Spiral Size, St :	4	
Pier Tie/Spiral Quantity, mt :	5	
Pier Reinforcement Type:	Tie	
Pier Clear Cover, cc_{pier} :	3	in

*Rating per TIA-222-H Section 15.5

Soil Rating*:	60.1%
Structural Rating*:	73.9%

Pad Properties		
Depth, D :	6.5	ft
Pad Width, W :	28	ft
Pad Thickness, T :	3	ft
Pad Rebar Size (Top), Sp_{top} :	8	
Pad Top Rebar Quantity (Top), mp_{top} :	15	
Pad Rebar Size (Bottom), Sp :	8	
Pad Rebar Quantity (Bottom), mp :	34	
Pad Clear Cover, cc_{pad} :	3	in

Material Properties		
Rebar Grade, Fy :	60	ksi
Concrete Compressive Strength, $F'c$:	3	ksi
Dry Concrete Density, δc :	150	pcf

Soil Properties		
Total Soil Unit Weight, γ :	125	pcf
Ultimate Gross Bearing, Q_{ult} :	8.000	ksf
Cohesion, Cu :	0.000	ksf
Friction Angle, ϕ :	38	degrees
SPT Blow Count, N_{blows} :	24	
Base Friction, μ :	0.6	
Neglected Depth, N :	4.00	ft
Foundation Bearing on Rock?	No	
Groundwater Depth, gw :	2	ft


<--Toggle between Gross and Net

ASCE 7 Hazards Report

Address:
No Address at This Location

Standard: ASCE/SEI 7-10
Risk Category: II
Soil Class: D - Stiff Soil

Elevation: 840.53 ft (NAVD 88)
Latitude: 41.757264
Longitude: -73.052556



Wind

Results:

Wind Speed:	118 Vmph ← Jurisdiction requires 120 mph Ultimate Wind Speed
10-year MRI	76 Vmph
25-year MRI	85 Vmph
50-year MRI	90 Vmph
100-year MRI	97 Vmph

Data Source: ASCE/SEI 7-10, Fig. 26.5-1A and Figs. CC-1–CC-4, incorporating errata of March 12, 2014

Date Accessed: Tue Oct 08 2019

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-10 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).

Site is in a hurricane-prone region as defined in ASCE/SEI 7-10 Section 26.2. Glazed openings need not be protected against wind-borne debris.



Mountainous terrain, gorges, ocean promontories, and special wind regions should be examined for unusual wind conditions.

Site Soil Class: D - Stiff Soil

Results:

S_s :	0.183	S_{DS} :	0.195
S_1 :	0.065	S_{D1} :	0.103
F_a :	1.6	T_L :	6
F_v :	2.4	PGA :	0.093
S_{MS} :	0.293	PGA _M :	0.148
S_{M1} :	0.155	F _{PGA} :	1.6
		I_e :	1

Seismic Design Category B



Data Accessed:

Tue Oct 08 2019

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness: 0.75 in.

Concurrent Temperature: 5 F

Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8

Date Accessed: Tue Oct 08 2019

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided "as is" and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.

Exhibit E

Mount Analysis

Date: **October 24, 2019**

Charles McGuirt
Crown Castle
3530 Toringdon Way, Suite 300
Charlotte, NC 28277
704-405-6607

JACOBS™

Jacobs Engineering Group, Inc.
5449 Bells Ferry Rd
Acworth, GA 30102
770-701-2500
www.jacobs.com

Subject: **Mount Modification Report**

Carrier Designation: **AT&T Equipment Change-Out**
Carrier Site Number: CTL01178
Carrier Site Name: Harwinton - Hungerford Lane
FA Location: 10110565

Crown Castle Designation: **Crown Castle BU Number:** 876369
Crown Castle Site Name: Harwinton / Buckley Broadcasti
Crown Castle JDE Job Number: 556170
Crown Castle PO Number: 1462189
Crown Castle Application Number: 477392 Revision 0

Engineering Firm Designation: **Jacobs Engineering Group, Inc. Report Designation:** ERCC0303

Site Data: **64 Hungerford Lane**
Harwinton, Litchfield County, CT, 06791
Latitude 41°45'26.15" Longitude -73°3'9.20"

Structure Information: **Tower Height & Type:** **178 ft Monopole**
Mount Elevation: **156 ft**
Mount Type: **12 ft Platform**

Dear Charles McGuirt,

Jacobs Engineering Group, Inc. is pleased to submit this “**Mount Modification Report**” to determine the structural integrity of AT&T’s antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point for fall protection or rigging is not part of this document.

The purpose of the analysis is to determine acceptability of the mount stress level. Based on our analysis we have determined the mount stress level to be:

Platform (single)

Sufficient (With Modifications)

***See Section 4.1 of this report for the loading and structural modifications required in order for the mount to support the loading listed in Table 1.**

The analysis has been performed in accordance with the TIA-222-H Standard based upon an ultimate 3-second gust wind speed of 115 mph. Applicable Standard references and design criteria are listed in Section 2 - Analysis Criteria.

We at Jacobs Engineering Group, Inc. appreciate the opportunity of providing our continuing professional services to you. If you have any questions or need further assistance on this, please give us a call.

Mount analysis prepared by: Azi Asghari, EI

Engineer of Record:

Craig A. Thomas, PE
PE No. 0029052



10/24/19

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration Information

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 3 - Mount Component Stresses vs. Capacity

4.1) Recommendations

5) APPENDIX A

Wire Frame and Rendered Models

6) APPENDIX B

Software Input Calculations

7) APPENDIX C

Software Analysis Output

8) APPENDIX D

Additional Calculations

9) APPENDIX E

Mount Modification Design Drawings (MDD) / Supplemental Drawings

1) INTRODUCTION

This mount is a 12 ft Platform Mount, mapped by Jacobs in February of 2019.

2) ANALYSIS CRITERIA

Building Code:	2018 IBC
TIA-222 Revision:	TIA-222-H
Risk Category:	II
Ultimate Wind Speed:	115 mph
Exposure Category:	C
Topographic Factor:	1
Ice Thickness:	1 in
Wind Speed with Ice:	50 mph
Live Loading Wind Speed:	30 mph
Man Live Load at Mid/End-Points:	250 lb
Man Live Load at Mount Pipes:	500 lb

Table 1 - Proposed Equipment Configuration Information

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Mount / Modification Details
156.0	158.0	3	POWERWAVE TECHNOLOGIES	7770.00	Platform
		3	CCI ANTENNAS	HPA65R-BU6A	
		3	KATHREIN	80010964	
		1	RAYCAP	DC6-48-60-18-8F	
		3	ERICSSON	RRUS 4449 B5/B12	
		3	ERICSSON	RRUS 8843 B2/B66A	
		6	LUCENT	LGP21401	
		1	RAYCAP	DC6-48-60-18-8C-EV	

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

Document	Remarks	Reference	Source
4-MOUNT MAPPING	AT&T	02/23/2019	CCISITES
MOUNT PHOTOS	AT&T	11/04/2019	CCISITES
APPLICATION	AT&T	477392 Revision 0	CCISITES
MOUNT SPEC SHEET	Valmont	HRK12	VALMONT

3.1) Analysis Method

RISA-3D (Version 17.0.1), a commercially available analysis software package, was used to create a three-dimensional model of the antenna mounting system and calculate member stresses for various loading cases.

A tool internally developed, using Microsoft Excel, by Jacobs was used to calculate wind loading on all appurtenances, dishes, and mount members for various load cases. Selected output from the analysis is included in Appendix B.

This analysis was performed in accordance with Crown Castle's ENG-SOW-10208 Tower Mount Analysis (Revision C).

3.2) Assumptions

- 1) The antenna mounting system was properly fabricated, installed and maintained in good condition in accordance with its original design and manufacturer's specifications.
- 2) The configuration of antennas, mounts, and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 3) All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
- 4) The analysis will be required to be revised if the existing conditions in the field differ from those shown in the above-referenced documents or assumed in this analysis. No allowance was made for any damaged, missing, or rusted members.
- 5) Steel grades have been assumed as follows, unless noted otherwise:

Channel, Solid Round, Angle, Plate	ASTM A36 (GR 36)
HSS (Rectangular)	ASTM 500 (GR B-46)
Pipe	ASTM A53 (GR 35)
Connection Bolts	ASTM A325
U-Bolts	ASTM A307
- 6) Antenna pipes to be implemented vertically on/between the face members and equally spaced horizontally along the mount face.
- 7) RRHs to be implemented vertically between the face members.

This analysis may be affected if any assumptions are not valid or have been made in error. Crown Castle should be notified to determine the effect on the structural integrity of the antenna mounting system.

4) ANALYSIS RESULTS

Table 3 - Mount Component Stresses vs. Capacity (Platform)

Notes	Component	Critical Member	Mount Centerline (ft)	% Capacity	Pass / Fail
1	Antenna Pipe Members	7	156.0	33.4	Pass
1	Handrail MOD Members	19,20	156.0	11.6	Pass
1	Horizontal Members	22	156.0	11.9	Pass
1	Standoff Members	56	156.0	26.5	Pass
2	Mount-to-Tower Connection	-	156.0	6.9	Pass

Structure Rating (max from all components) =	33.4%
---	--------------

Notes:

- 1) See additional documentation in "Appendix C - Analysis Output" for calculations supporting the % capacity consumed.
- 2) See additional documentation in "Appendix D - Analysis Output" for calculations supporting the % capacity consumed.
- 3) Rating per TIA-222-H, Section 15.5.

4.1) Recommendations


The antenna mounting system has sufficient capacity to carry the proposed load configuration.


In order for the results of this analysis to be considered valid, the mount modification, as follows, must be completed.


1. Installation of a platform handrail kit (Valmont SitePro1 part no. HRK12 or approved equivalent). Implement the handrail at 42" above the platform.

Engineering detail drawings have been provided in Appendix E – Mount Modification Design Drawings. Connection from the mount to the tower and local stresses on the tower are sufficient.


APPENDIX A
WIRE FRAME AND RENDERED MODELS









Jacobs Engineering Group...	Modified Antenna Mount Frame	Page 3
A. Asghari		Oct 23, 2019 at 3:31 PM
ERCC0303 - 876369		Platform_12FT_H.R3D



Small text at the bottom left of the page, likely a software or file path reference.

Jacobs Engineering Group...	Modified Antenna Mount Frame	Page 4
A. Asghari		Oct 23, 2019 at 3:31 PM
ERCC0303 - 876369		Platform_12FT_H.R3D





Jacobs Engineering Group...	Modified Antenna Mount Frame	Page 6
A. Asghari		Oct 23, 2019 at 3:31 PM
ERCC0303 - 876369		Platform_12FT_H.R3D


APPENDIX B
SOFTWARE INPUT CALCULATIONS

ASCE 7 Hazards Report

Address:
64 Hungerford Ln
Harwinton, Connecticut
06791

Standard: ASCE/SEI 7-16
Risk Category: II
Soil Class: D - Default (see Section 11.4.3)

Elevation: 823.72 ft (NAVD 88)
Latitude: 41.760601
Longitude: -73.055207



Wind

Results:

Wind Speed:	115 Vmph
10-year MRI	75 Vmph
25-year MRI	84 Vmph
50-year MRI	89 Vmph
100-year MRI	96 Vmph

Data Source: ASCE/SEI 7-16, Fig. 26.5-1B and Figs. CC.2-1–CC.2-4

Date Accessed: Tue Feb 26 2019

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-16 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).

Site is in a hurricane-prone region as defined in ASCE/SEI 7-16 Section 26.2. Glazed openings need not be protected against wind-borne debris.





Mountainous terrain, gorges, ocean promontories, and special wind regions should be examined for unusual wind conditions.

Site Soil Class: D - Default (see Section 11.4.3)

Results:

S_s :	0.178	S_{D1} :	0.086
S_1 :	0.054	T_L :	6
F_a :	1.6	PGA :	0.095
F_v :	2.4	PGA _M :	0.152
S_{MS} :	0.285	F_{PGA} :	1.6
S_{M1} :	0.129	I_e :	1
S_{DS} :	0.19	C_v :	0.7

Seismic Design Category B



Data Accessed:

Tue Feb 26 2019

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-16 and ASCE/SEI 7-16 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-16 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness: 1.00 in.

Concurrent Temperature: 5 F

Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-16, Figs. 10-2 through 10-8

Date Accessed: Tue Feb 26 2019

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 500-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided "as is" and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer		POWERWAVE TECHNOLOGIES	
Model #		7770	
Length	55	in	
Width	11	in	
Depth	5	in	
Weight	35	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	5.000	(w/o ice)	
Length / Width	4.299	(w/ ice)	
C _a	1.311	(w/o ice)	
C _a	1.280	(w/ ice)	
C _a	1.311	(service)	
(EPA) _A	4.958	ft ² (w/o ice)	
(EPA) _A	6.119	ft ² (w/ ice)	
(EPA) _A	4.958	ft ² (service)	
F_A = q_zG_h(EPA)_A	222.208	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	51.841	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	15.122	lb	(service)
Ice Weight	86.790	lb	
Weight	121.790	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	124.443		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	54.106		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	32.464		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.47	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf	(service)
Position	1	x	1
		x	
		x	
		x	

Side

Manufacturer		POWERWAVE TECHNOLOGIES	
Model #		7770	
Length	55	in	
Width	11	in	
Depth	5	in	
Weight	35	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	11.000	(w/o ice)	
Length / Width	7.813	(w/ ice)	
C _a	1.533	(w/o ice)	
C _a	1.427	(w/ ice)	
C _a	1.533	(service)	
(EPA) _A	2.635	ft ² (w/o ice)	
(EPA) _A	3.753	ft ² (w/ ice)	
(EPA) _A	2.635	ft ² (service)	
F_A = q_zG_h(EPA)_A	118.123	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	31.802	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	8.039	lb	(service)
Ice Weight	86.790	lb	
Weight	121.790	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	56.565		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	24.594		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	14.756		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.473	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf	(service)
Position	1	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	CCI ANTENNAS		
Model #	HPA65R-BU6A		
Length	71.1	in	
Width	11.7	in	
Depth	7.6	in	
Weight	41.9	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	6.077	(w/o ice)	
Length / Width	5.231	(w/ ice)	
C _a	1.359	(w/o ice)	
C _a	1.321	(w/ ice)	
C _a	1.359	(service)	
(EPA) _A	7.066	ft ² (w/o ice)	
(EPA) _A	8.515	ft ² (w/ ice)	
(EPA) _A	7.066	ft ² (service)	
F_A = q_zG_h(EPA)_A	316.688	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	72.144	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	21.552	lb	(service)
Ice Weight	128.016	lb	
Weight	169.916	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	132.363		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	57.549		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	34.529		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.47	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf	(service)
Position	2	x	1
		x	
		x	
		x	

Side

Manufacturer	CCI ANTENNAS		
Model #	HPA65R-BU6A		
Length	71.1	in	
Width	11.7	in	
Depth	7.6	in	
Weight	41.9	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	9.355	(w/o ice)	
Length / Width	7.389	(w/ ice)	
C _a	1.479	(w/o ice)	
C _a	1.413	(w/ ice)	
C _a	1.479	(service)	
(EPA) _A	4.993	ft ² (w/o ice)	
(EPA) _A	6.446	ft ² (w/ ice)	
(EPA) _A	4.993	ft ² (service)	
F_A = q_zG_h(EPA)_A	223.806	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	54.615	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	15.231	lb	(service)
Ice Weight	128.016	lb	
Weight	169.916	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	85.979		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	37.382		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	22.429		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.473	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf	(service)
Position	2	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	KATHREIN		
Model #	80010964		
Length	59	in	
Width	20	in	
Depth	6.9	in	
Weight	83.8	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	2.950	(w/o ice)	
Length / Width	2.746	(w/ ice)	
C _a	1.220	(w/o ice)	
C _a	1.211	(w/ ice)	
C _a	1.220	(service)	
(EPA) _A	8.998	ft ² (w/o ice)	
(EPA) _A	10.371	ft ² (w/ ice)	
(EPA) _A	8.998	ft ² (service)	
F_A = q_zG_h(EPA)_A	403.280	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	87.868	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	27.444	lb	(service)
Ice Weight	156.848	lb	
Weight	240.648	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	226.261		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	98.374		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	59.025		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.47	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf	(service)
Position	4	x	1
		x	
		x	
		x	

Side

Manufacturer	KATHREIN		
Model #	80010964		
Length	59	in	
Width	20	in	
Depth	6.9	in	
Weight	83.8	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	8.551	(w/o ice)	
Length / Width	6.639	(w/ ice)	
C _a	1.452	(w/o ice)	
C _a	1.384	(w/ ice)	
C _a	1.452	(service)	
(EPA) _A	3.694	ft ² (w/o ice)	
(EPA) _A	4.902	ft ² (w/ ice)	
(EPA) _A	3.694	ft ² (service)	
F_A = q_zG_h(EPA)_A	165.554	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	41.533	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	11.266	lb	(service)
Ice Weight	156.848	lb	
Weight	240.648	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	78.060		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	33.939		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	20.363		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.473	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf	(service)
Position	4	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	RAYCAP		
Model #	DC6-48-60-18-8F		
Length	31.25	in	
Width	11	in	
Depth	11	in	
Weight	32.8	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	R	(R / F / S)	
Length / Width	2.841	(w/o ice)	
Length / Width	2.518	(w/ ice)	
C _a	0.508	(w/o ice)	
C _a	0.700	(w/ ice)	
C _a	0.708	(service)	
(EPA) _A	1.090	ft ² (w/o ice)	
(EPA) _A	1.961	ft ² (w/ ice)	
(EPA) _A	1.520	ft ² (service)	
F_A = q_zG_h(EPA)_A	48.877	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	16.618	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	4.637	lb	(service)
Ice Weight	62.237	lb	
Weight	95.037	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	124.443		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	54.106		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	32.464		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.47	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf	(service)
Position	6	x	1
		x	
		x	
		x	

Side

Manufacturer	RAYCAP		
Model #	DC6-48-60-18-8F		
Length	31.25	in	
Width	11	in	
Depth	11	in	
Weight	32.8	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	R	(R / F / S)	
Length / Width	2.841	(w/o ice)	
Length / Width	2.518	(w/ ice)	
C _a	0.508	(w/o ice)	
C _a	0.700	(w/ ice)	
C _a	0.708	(service)	
(EPA) _A	1.090	ft ² (w/o ice)	
(EPA) _A	1.961	ft ² (w/ ice)	
(EPA) _A	1.520	ft ² (service)	
F_A = q_zG_h(EPA)_A	48.877	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	16.618	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	4.637	lb	(service)
Ice Weight	62.237	lb	
Weight	95.037	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	124.443		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	54.106		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	32.464		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.473	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf	(service)
Position	6	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	ERICSSON		
Model #	RRUS 4449 B5/B12		
Length	17.9	in	
Width	13.19	in	
Depth	9.44	in	
Weight	71	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	1.357	(w/o ice)	
Length / Width	1.303	(w/ ice)	
C _a	1.200	(w/o ice)	
C _a	1.200	(w/ ice)	
C _a	1.200	(service)	
(EPA) _A	1.771	ft ² (w/o ice)	
(EPA) _A	2.357	ft ² (w/ ice)	
(EPA) _A	1.771	ft ² (service)	
F_A = q_zG_h(EPA)_A	79.368	lb (w/o ice)	
F_A = q_zG_h(EPA)_A	19.972	lb (w/ ice)	
F_A = q_zG_h(EPA)_A	5.401	lb (service)	
Ice Weight	37.064	lb	
Weight	108.064	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f)(z)/H}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	149.219	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	64.878	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	38.927	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.47	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf (service)	
Position	1	x	1
		x	
		x	
		x	

Side

Manufacturer	ERICSSON		
Model #	RRUS 4449 B5/B12		
Length	17.9	in	
Width	13.19	in	
Depth	9.44	in	
Weight	71	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	1.896	(w/o ice)	
Length / Width	1.718	(w/ ice)	
C _a	1.200	(w/o ice)	
C _a	1.200	(w/ ice)	
C _a	1.200	(service)	
(EPA) _A	1.267	ft ² (w/o ice)	
(EPA) _A	1.788	ft ² (w/ ice)	
(EPA) _A	1.267	ft ² (service)	
F_A = q_zG_h(EPA)_A	56.803	lb (w/o ice)	
F_A = q_zG_h(EPA)_A	15.149	lb (w/ ice)	
F_A = q_zG_h(EPA)_A	3.866	lb (service)	
Ice Weight	37.064	lb	
Weight	108.064	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f)(z)/H}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	106.795	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	46.433	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	27.860	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.473	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf (service)	
Position	1	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	ERICSSON		
Model #	RRUS 8843 B2/B66A		
Length	14.9	in	
Width	13.2	in	
Depth	10.9	in	
Weight	72	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	1.129	(w/o ice)	
Length / Width	1.109	(w/ ice)	
C _a	1.200	(w/o ice)	
C _a	1.200	(w/ ice)	
C _a	1.200	(service)	
(EPA) _A	1.475	ft ² (w/o ice)	
(EPA) _A	2.009	ft ² (w/ ice)	
(EPA) _A	1.475	ft ² (service)	
F_A = q_zG_h(EPA)_A	66.116	lb (w/o ice)	
F_A = q_zG_h(EPA)_A	17.023	lb (w/ ice)	
F_A = q_zG_h(EPA)_A	4.499	lb (service)	
Ice Weight	32.446	lb	
Weight	104.446	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f)(z)/H}$	1.000		
$K_{zt} = [1 + (K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	149.332	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	64.927	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	38.956	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.47	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf (service)	
Position	1	x	1
		x	
		x	
		x	

Side

Manufacturer	ERICSSON		
Model #	RRUS 8843 B2/B66A		
Length	14.9	in	
Width	13.2	in	
Depth	10.9	in	
Weight	72	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	1.367	(w/o ice)	
Length / Width	1.302	(w/ ice)	
C _a	1.200	(w/o ice)	
C _a	1.200	(w/ ice)	
C _a	1.200	(service)	
(EPA) _A	1.218	ft ² (w/o ice)	
(EPA) _A	1.712	ft ² (w/ ice)	
(EPA) _A	1.218	ft ² (service)	
F_A = q_zG_h(EPA)_A	54.596	lb (w/o ice)	
F_A = q_zG_h(EPA)_A	14.503	lb (w/ ice)	
F_A = q_zG_h(EPA)_A	3.715	lb (service)	
Ice Weight	32.446	lb	
Weight	104.446	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f)(z)/H}$	1.000		
$K_{zt} = [1 + (K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	123.312	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	53.614	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	32.168	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.473	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf (service)	
Position	1	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	LUCENT		
Model #	LGP21401		
Length	14	in	
Width	7	in	
Depth	2.7	in	
Weight	17.5	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	2.000	(w/o ice)	
Length / Width	1.750	(w/ ice)	
C _a	1.200	(w/o ice)	
C _a	1.200	(w/ ice)	
C _a	1.200	(service)	
(EPA) _A	0.735	ft ² (w/o ice)	
(EPA) _A	1.144	ft ² (w/ ice)	
(EPA) _A	0.735	ft ² (service)	
F_A = q_zG_h(EPA)_A	32.944	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	9.697	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	2.242	lb	(service)
Ice Weight	14.457	lb	
Weight	31.957	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	79.191		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	34.431		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	20.659		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.47	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf	(service)
Position	1	x	2
		x	
		x	
		x	

Side

Manufacturer	LUCENT		
Model #	LGP21401		
Length	14	in	
Width	7	in	
Depth	2.7	in	
Weight	17.5	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	F	(R / F / S)	
Length / Width	5.185	(w/o ice)	
Length / Width	3.242	(w/ ice)	
C _a	1.319	(w/o ice)	
C _a	1.233	(w/ ice)	
C _a	1.319	(service)	
(EPA) _A	0.312	ft ² (w/o ice)	
(EPA) _A	0.634	ft ² (w/ ice)	
(EPA) _A	0.312	ft ² (service)	
F_A = q_zG_h(EPA)_A	13.971	lb	(w/o ice)
F_A = q_zG_h(EPA)_A	5.376	lb	(w/ ice)
F_A = q_zG_h(EPA)_A	0.951	lb	(service)
Ice Weight	14.457	lb	
Weight	31.957	lb	(w/ ice)
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394		$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170		$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	30.545		(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	13.281		(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	7.968		(service)
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf	(w/o ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.473	psf	(w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf	(service)
Position	1	x	2
		x	
		x	
		x	



WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Manufacturer	RAYCAP		
Model #	DC6-48-60-18-8C-EV		
Length	31.4	in	
Width	10.24	in	
Depth	10.24	in	
Weight	26.2	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	R	(R / F / S)	
Length / Width	3.066	(w/o ice)	
Length / Width	2.682	(w/ ice)	
C _a	0.513	(w/o ice)	
C _a	0.704	(w/ ice)	
C _a	0.713	(service)	
(EPA) _A	1.030	ft ² (w/o ice)	
(EPA) _A	1.868	ft ² (w/ ice)	
(EPA) _A	1.432	ft ² (service)	
F _A = q _z G _h (EPA) _A	46.170	lb (w/o ice)	
F _A = q _z G _h (EPA) _A	15.823	lb (w/ ice)	
F _A = q _z G _h (EPA) _A	4.368	lb (service)	
Ice Weight	58.517	lb	
Weight	84.717	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	115.846	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	50.368	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	30.221	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.47	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf (service)	
Position	5	x	1
		x	
		x	
		x	

Side

Manufacturer	RAYCAP		
Model #	DC6-48-60-18-8C-EV		
Length	31.4	in	
Width	10.24	in	
Depth	10.24	in	
Weight	26.2	lb	
Design Ice Thickness (t _i)	1	in	
Structure Type	M	(S, G, M, B)	
Structure Height (h)	178	ft	
Antenna Centerline (z)	158	ft	
Basic Wind Speed (V)	115	mph (w/o ice)	
Basic Wind Speed (V _i)	50	mph (w/ ice)	
Basic Wind Speed (V _s)	30	mph (service)	
Risk Category	II	(I, II, III, IV)	
Exposure Category	C	(B, C or D)	
Topographic Category	1	(1, 2, 3 or 4)	
Crest Height (H)	0	ft	
Shape	R	(R / F / S)	
Length / Width	3.066	(w/o ice)	
Length / Width	2.682	(w/ ice)	
C _a	0.513	(w/o ice)	
C _a	0.704	(w/ ice)	
C _a	0.713	(service)	
(EPA) _A	1.030	ft ² (w/o ice)	
(EPA) _A	1.868	ft ² (w/ ice)	
(EPA) _A	1.432	ft ² (service)	
F _A = q _z G _h (EPA) _A	46.170	lb (w/o ice)	
F _A = q _z G _h (EPA) _A	15.823	lb (w/ ice)	
F _A = q _z G _h (EPA) _A	4.368	lb (service)	
Ice Weight	58.517	lb	
Weight	84.717	lb (w/ ice)	
Equations			
$K_z = 2.01[z/z_B]^{(2/a)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$	
$K_h = e^{-(f(z)/H)}$	1.000		
$K_{zt} = [1+(K_z K_t)/K_h]^2$	1.000		
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$	
$t_{iz} = (t_i)(I)(K_{iz})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	115.846	(w/o ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	50.368	(w/ ice)	
$C = (K_{zt} K_z K_e)^{0.5}(V_s)(D)$	30.221	(service)	
G _h =	1.00		
K _d =	0.95		
K _s =	1.00		
K _a =	0.90		
$K_e = e^{-0.0000362z}$	1.00		
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf (w/o ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_i^2$	8.473	psf (w/ ice)	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf (service)	
Position	5	x	1
		x	
		x	
		x	



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Member Size	Antenna Pipe A Pipe 2.0	
Length	66	in
Width	2.38	in
Depth	2.38	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	27.731	(w/o ice)
Length / Width	14.481	(w/ ice)
C _a	1.200	(w/o ice)
C _a	0.966	(w/ ice)
C _a	1.200	(service)
(EPA) _A	1.178	ft ² (w/o ice)
(EPA) _A	1.948	ft ² (w/ ice)
(EPA) _A	1.178	ft ² (service)
F_A = q_zG_h(EPA)_A	0.800	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.250	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.054	lb/in (service)
Ice Weight	0.540	lb/in
Weight	0.540	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_t)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	26.925	(w/o ice)
$C = (K_{zt}K_zK_e)^{0.5}(V_i)(D)$	11.707	(w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	7.024	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV^2$	44.82	psf (w/o ice)
$q_z = 0.00256K_zK_{zt}K_eK_dV_i^2$	8.47	psf (w/ ice)
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV_s^2$	3.05	psf (service)
Quantity	12	(18 max)

Side

Member Size	Antenna Pipe A Pipe 2.0	
Length	66	in
Width	2.38	in
Depth	2.38	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	27.731	(w/o ice)
Length / Width	14.481	(w/ ice)
C _a	1.200	(w/o ice)
C _a	0.966	(w/ ice)
C _a	1.200	(service)
(EPA) _A	1.178	ft ² (w/o ice)
(EPA) _A	1.948	ft ² (w/ ice)
(EPA) _A	1.178	ft ² (service)
F_A = q_zG_h(EPA)_A	0.800	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.250	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.054	lb/in (service)
Ice Weight	0.540	lb/in
Weight	0.540	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_t)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	26.925	(w/o ice)
$C = (K_{zt}K_zK_e)^{0.5}(V_i)(D)$	11.707	(w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	7.024	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV^2$	44.821	psf (w/o ice)
$q_z = 0.00256K_zK_{zt}K_eK_dV_i^2$	8.473	psf (w/ ice)
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV_s^2$	3.050	psf (service)
Quantity	12	(18 max)



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Member Size	Handrail MOD Pipe 2.0	
Length	150	in
Width	2.38	in
Depth	2.38	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	63.025	(w/o ice)
Length / Width	32.282	(w/ ice)
C _a	1.200	(w/o ice)
C _a	1.200	(w/ ice)
C _a	1.200	(service)
(EPA) _A	2.678	ft ² (w/o ice)
(EPA) _A	5.392	ft ² (w/ ice)
(EPA) _A	2.678	ft ² (service)
F_A = q_zG_h(EPA)_A	0.800	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.305	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.054	lb/in (service)
Ice Weight	0.540	lb/in
Weight	0.540	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1 + (K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	26.925	(w/o ice)
$C = (K_{zt}K_zK_e)^{0.5}(V_i)(D)$	11.707	(w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	7.024	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV^2$	44.82	psf (w/o ice)
$q_z = 0.00256K_zK_{zt}K_eK_dV_i^2$	8.47	psf (w/ ice)
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV_s^2$	3.05	psf (service)
Quantity	3	(18 max)

Side

Member Size	Handrail MOD Pipe 2.0	
Length	150	in
Width	2.38	in
Depth	2.38	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	63.025	(w/o ice)
Length / Width	32.282	(w/ ice)
C _a	1.200	(w/o ice)
C _a	1.200	(w/ ice)
C _a	1.200	(service)
(EPA) _A	2.678	ft ² (w/o ice)
(EPA) _A	5.392	ft ² (w/ ice)
(EPA) _A	2.678	ft ² (service)
F_A = q_zG_h(EPA)_A	0.800	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.305	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.054	lb/in (service)
Ice Weight	0.540	lb/in
Weight	0.540	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1 + (K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	26.925	(w/o ice)
$C = (K_{zt}K_zK_e)^{0.5}(V_i)(D)$	11.707	(w/ ice)
$C = (K_{zt}K_zK_e)^{0.5}(V)(D)$	7.024	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV^2$	44.821	psf (w/o ice)
$q_z = 0.00256K_zK_{zt}K_eK_dV_i^2$	8.473	psf (w/ ice)
$q_z = 0.00256K_zK_{zt}K_sK_eK_dV_s^2$	3.050	psf (service)
Quantity	3	(18 max)



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Member Size	Horizontal Pipe 3.0	
Length	144	in
Width	3.5	in
Depth	3.5	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	41.143	(w/o ice)
Length / Width	25.062	(w/ ice)
C _a	1.182	(w/o ice)
C _a	1.200	(w/ ice)
C _a	1.200	(service)
(EPA) _A	3.723	ft ² (w/o ice)
(EPA) _A	6.409	ft ² (w/ ice)
(EPA) _A	3.780	ft ² (service)
F_A = q_zG_h(EPA)_A	1.159	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.377	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.080	lb/in (service)
Ice Weight	0.729	lb/in
Weight	0.729	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	39.596	(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	17.215	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	10.329	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.00003622z}$	1.00	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf (w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.47	psf (w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf (service)
Quantity	3	(18 max)

Side

Member Size	Horizontal Pipe 3.0	
Length	144	in
Width	3.5	in
Depth	3.5	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	R	(R / F / S)
Length / Width	41.143	(w/o ice)
Length / Width	25.062	(w/ ice)
C _a	1.182	(w/o ice)
C _a	1.200	(w/ ice)
C _a	1.200	(service)
(EPA) _A	3.723	ft ² (w/o ice)
(EPA) _A	6.409	ft ² (w/ ice)
(EPA) _A	3.780	ft ² (service)
F_A = q_zG_h(EPA)_A	1.159	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.377	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.080	lb/in (service)
Ice Weight	0.729	lb/in
Weight	0.729	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	39.596	(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	17.215	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	10.329	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.00003622z}$	1.00	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf (w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.473	psf (w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf (service)
Quantity	3	(18 max)



**WIND/ICE/SERVICE LOADING
ANTENNA MOUNTING SYSTEM
ANSI/TIA-222-H**

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Front

Member Size	Standoff HSS 4x4	
Length	64	in
Width	4	in
Depth	4	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	S	(R / F / S)
Length / Width	16.000	(w/o ice)
Length / Width	10.465	(w/ ice)
C _a	1.075	(w/o ice)
C _a	0.967	(w/ ice)
C _a	1.075	(service)
(EPA) _A	1.720	ft ² (w/o ice)
(EPA) _A	2.543	ft ² (w/ ice)
(EPA) _A	1.720	ft ² (service)
F_A = q_zG_h(EPA)_A	1.205	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.337	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.082	lb/in (service)
Ice Weight	0.813	lb/in
Weight	0.813	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	45.252	(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	19.675	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	11.805	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.82	psf (w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.47	psf (w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.05	psf (service)
Quantity	3	(12 max)

Side

Member Size	Standoff HSS 4x4	
Length	64	in
Width	4	in
Depth	4	in
Weight	0	lb/ft
Design Ice Thickness (t _i)	1	in
Structure Type	M	(S, G, M, B)
Structure Height (h)	178	ft
Antenna Centerline (z)	158	ft
Basic Wind Speed (V)	115	mph (w/o ice)
Basic Wind Speed (V _i)	50	mph (w/ ice)
Basic Wind Speed (V _s)	30	mph (service)
Risk Category	II	(I, II, III, IV)
Exposure Category	C	(B, C or D)
Topographic Category	1	(1, 2, 3 or 4)
Crest Height (H)	0	ft
Shape	S	(R / F / S)
Length / Width	16.000	(w/o ice)
Length / Width	10.465	(w/ ice)
C _a	1.075	(w/o ice)
C _a	0.967	(w/ ice)
C _a	1.075	(service)
(EPA) _A	1.720	ft ² (w/o ice)
(EPA) _A	2.543	ft ² (w/ ice)
(EPA) _A	1.720	ft ² (service)
F_A = q_zG_h(EPA)_A	1.205	lb/in (w/o ice)
F_A = q_zG_h(EPA)_A	0.337	lb/in (w/ ice)
F_A = q_zG_h(EPA)_A	0.082	lb/in (service)
Ice Weight	0.813	lb/in
Weight	0.813	lb/in (w/ ice)
Equations		
$K_z = 2.01[z/z_R]^{(2/\alpha)}$	1.394	$K_{zmin} \leq K_z \leq 2.01$
$K_h = e^{[(f)(z)/H]}$	1.000	
$K_{zt} = [1+(K_c K_i)/K_h]^2$	1.000	
$K_{iz} = [z/33]^{(0.10)}$	1.170	$K_{iz} \leq 1.4$
$t_{iz} = (t_i)(I)(K_{ib})(K_{zt})^{(0.35)}$	1.170	in (w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	45.252	(w/o ice)
$C = (K_{zt} K_z K_e)^{0.5}(V_i)(D)$	19.675	(w/ ice)
$C = (K_{zt} K_z K_e)^{0.5}(V)(D)$	11.805	(service)
G _h =	1.00	
K _d =	0.95	
K _s =	1.00	
K _a =	0.90	
$K_e = e^{-0.0000362z}$	1.00	
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V^2$	44.821	psf (w/o ice)
$q_z = 0.00256K_z K_{zt} K_e K_d V_i^2$	8.473	psf (w/ ice)
$q_z = 0.00256K_z K_{zt} K_s K_e K_d V_s^2$	3.050	psf (service)
Quantity	3	(12 max)

APPENDIX C
SOFTWARE ANALYSIS OUTPUT



Basic Load Cases

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distribut...	Area(Me...	Surface(...
1	DEAD LOAD	None			-1		20		3	
2	DEAD LOAD (ICE)	None					20	21	3	
3	WIND LOAD (NO ICE) FRONT	None					20	21		
4	WIND LOAD (NO ICE) SIDE	None					20	21		
5	WIND LOAD (ICE) FRONT	None					20	21		
6	WIND LOAD (ICE) SIDE	None					20	21		
7	LIVE LOAD (MAN)	None							3	
8	WIND LOAD (SERVICE) FRONT	None					20	21		
9	WIND LOAD (SERVICE) SIDE	None					20	21		
10	LIVE LOAD (SERVICE)	None					3			
16	BLC 1 Transient Area Loads	None						45		
17	BLC 2 Transient Area Loads	None						45		
18	BLC 7 Transient Area Loads	None						45		

Load Combinations

	Description	S...PD...	S...BLC	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...	Fa...B...
1	DEAD LOAD	Y...	Y	1	1.4										
2	DEAD LOAD + WIND LOAD (NO ICE) 0 D...	Y...	Y	1	1.2		3	1	4						
3	DEAD LOAD + WIND LOAD (NO ICE) 30 ...	Y...	Y	1	1.2		3	.866	4	.5					
4	DEAD LOAD + WIND LOAD (NO ICE) 60 ...	Y...	Y	1	1.2		3	.5	4	.866					
5	DEAD LOAD + WIND LOAD (NO ICE) 90 ...	Y...	Y	1	1.2		3		4	1					
6	DEAD LOAD + WIND LOAD (NO ICE) 120...	Y...	Y	1	1.2		3	-.5	4	.866					
7	DEAD LOAD + WIND LOAD (NO ICE) 150...	Y...	Y	1	1.2		3	-.8...	4	.5					
8	DEAD LOAD + WIND LOAD (NO ICE) 180...	Y...	Y	1	1.2		3	-1	4						
9	DEAD LOAD + WIND LOAD (NO ICE) 210...	Y...	Y	1	1.2		3	-.8...	4	-.5					
10	DEAD LOAD + WIND LOAD (NO ICE) 240...	Y...	Y	1	1.2		3	-.5	4	-.8...					
11	DEAD LOAD + WIND LOAD (NO ICE) 270...	Y...	Y	1	1.2		3		4	-1					
12	DEAD LOAD + WIND LOAD (NO ICE) 300...	Y...	Y	1	1.2		3	.5	4	-.8...					
13	DEAD LOAD + WIND LOAD (NO ICE) 330...	Y...	Y	1	1.2		3	.866	4	-.5					
14	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	1	6		
15	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	.866	6	.5	
16	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	.5	6	.866	
17	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5		6	1	
18	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	-.5	6	.866	
19	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	-.8...	6	.5	
20	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	-1	6		
21	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	-.8...	6	-.5	
22	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	-.5	6	-.8...	
23	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5		6	-1	
24	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	.5	6	-.8...	
25	DEAD LOAD + DEAD LOAD (ICE) + WIND...	Y...	Y	1	1.2	2	1				5	.866	6	-.5	
26	DEAD LOAD + LIVE LOAD (MAN)	Y...	Y	1	1.2								7	1.5	
27	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	1	9
28	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	.866	9
29	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	.5	9
30	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8		9
31	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	-.5	9
32	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	-.8...	9
33	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	-1	9
34	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	-.8...	9
35	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	-.5	9
36	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8		9
37	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	.5	9
38	DEAD LOAD + LIVE LOAD (SERVICE) + ...	Y...	Y	1	1.2								8	.866	9

Load Combinations (Continued)

	Description	S...	PD...	S...	BLC	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...
39	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	1	13		14		15	
40	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	.866	13	.5	14		15	
41	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	.5	13	.866	14		15	
42	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12		13	1	14		15	
43	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	-.5	13	.866	14		15	
44	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	-.8...	13	.5	14		15	
45	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	-1	13		14		15	
46	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	-.8...	13	-.5	14		15	
47	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	-.5	13	-.8...	14		15	
48	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12		13	-1	14		15	
49	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	.5	13	-.8...	14		15	
50	DEAD LOAD + SEISMIC LOAD (VERTICA...	Y...	Y			1	1.2	1		11	1	12	.866	13	-.5	14		15	

Joint Boundary Conditions

	Joint Label	X [k/in]	Y [k/in]	Z [k/in]	X Rot.[k-ft/rad]	Y Rot.[k-ft/rad]	Z Rot.[k-ft/rad]
1	N54	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
2	N53	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
3	N31	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction

Hot Rolled Steel Section Sets

	Label	Shape	Type	Design List	Material	Design ...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
1	Antenna Pipe	PIPE 2.0	Column	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25
2	Horizontal	PIPE 3.0	Beam	Pipe	A53 Gr.B	Typical	2.07	2.85	2.85	5.69
3	Handrail MOD	PIPE 2.0	Beam	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25
4	Standoff	HSS4X4X4	Beam	Tube	A500 Gr.B Rect	Typical	3.37	7.8	7.8	12.8
5	End Plate	PL6"x1/2"	Beam	RECT	A36 Gr.36	Typical	3	.063	9	.237
6	Handrail Connection	L2.5x2.5x4	Beam	Single Angle	A36 Gr.36	Typical	1.19	.692	.692	.026
7	Platform	L2x2x4	Beam	Single Angle	A36 Gr.36	Typical	.944	.346	.346	.021
8	Standoff Brace	HSS4X4X4	Beam	Tube	A500 Gr.B Rect	Typical	3.37	7.8	7.8	12.8

Member Primary Data

	Label	I Joint	J Joint	K Joint	Rotate(deg)	Section/Shape	Type	Design List	Material	Design Ru...
1	M1	N1	N77			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
2	M2	N2	N78			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
3	M3	N3	N79			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
4	M4	N4	N80			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
5	M5	N5	N81			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
6	M6	N6	N82			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
7	M7	N7	N83			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
8	M8	N8	N84			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
9	M9	N9	N85			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
10	M10	N10	N86			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
11	M11	N11	N87			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
12	M12	N12	N88			Antenna Pipe	Column	Pipe	A53 Gr.B	Typical
13	M13	N22	N27			End Plate	Beam	RECT	A36 Gr.36	Typical
14	M14	N25	N23			End Plate	Beam	RECT	A36 Gr.36	Typical
15	M15	N24	N26			End Plate	Beam	RECT	A36 Gr.36	Typical
16	M16	N119	N120			Handrail Connection	Beam	Single Angle	A36 Gr.36	Typical
17	M17	N121	N122			Handrail Connection	Beam	Single Angle	A36 Gr.36	Typical
18	M18	N123	N124			Handrail Connection	Beam	Single Angle	A36 Gr.36	Typical
19	M19	N117	N118			Handrail MOD	Beam	Pipe	A53 Gr.B	Typical
20	M20	N89	N90			Handrail MOD	Beam	Pipe	A53 Gr.B	Typical



Member Primary Data (Continued)

	Label	I Joint	J Joint	K Joint	Rotate(deg)	Section/Shape	Type	Design List	Material	Design Ru...
21	M21	N115	N116			Handrail MOD	Beam	Pipe	A53 Gr.B	Typical
22	M22	N14	N16			Horizontal	Beam	Pipe	A53 Gr.B	Typical
23	M23	N15	N18			Horizontal	Beam	Pipe	A53 Gr.B	Typical
24	M24	N17	N13			Horizontal	Beam	Pipe	A53 Gr.B	Typical
25	M25	N33	N44			Platform	Beam	Single Angle	A36 Gr.36	Typical
26	M26	N35	N45			Platform	Beam	Single Angle	A36 Gr.36	Typical
27	M27	N46	N47			Platform	Beam	Single Angle	A36 Gr.36	Typical
28	M28	N48	N49			Platform	Beam	Single Angle	A36 Gr.36	Typical
29	M29	N50	N51			Platform	Beam	Single Angle	A36 Gr.36	Typical
30	M30	N34	N52			Platform	Beam	Single Angle	A36 Gr.36	Typical
31	M31	N20	N21			RIGID	None	None	RIGID	Typical
32	M32	N55	N56			RIGID	None	None	RIGID	Typical
33	M33	N57	N58			RIGID	None	None	RIGID	Typical
34	M34	N59	N60			RIGID	None	None	RIGID	Typical
35	M35	N61	N62			RIGID	None	None	RIGID	Typical
36	M36	N63	N64			RIGID	None	None	RIGID	Typical
37	M37	N65	N66			RIGID	None	None	RIGID	Typical
38	M38	N67	N68			RIGID	None	None	RIGID	Typical
39	M39	N69	N70			RIGID	None	None	RIGID	Typical
40	M40	N71	N72			RIGID	None	None	RIGID	Typical
41	M41	N73	N74			RIGID	None	None	RIGID	Typical
42	M42	N75	N76			RIGID	None	None	RIGID	Typical
43	M43	N91	N92			RIGID	None	None	RIGID	Typical
44	M44	N93	N94			RIGID	None	None	RIGID	Typical
45	M45	N95	N96			RIGID	None	None	RIGID	Typical
46	M46	N97	N98			RIGID	None	None	RIGID	Typical
47	M47	N99	N100			RIGID	None	None	RIGID	Typical
48	M48	N101	N102			RIGID	None	None	RIGID	Typical
49	M49	N103	N104			RIGID	None	None	RIGID	Typical
50	M50	N105	N106			RIGID	None	None	RIGID	Typical
51	M51	N107	N108			RIGID	None	None	RIGID	Typical
52	M52	N109	N110			RIGID	None	None	RIGID	Typical
53	M53	N111	N112			RIGID	None	None	RIGID	Typical
54	M54	N113	N114			RIGID	None	None	RIGID	Typical
55	M55	N30	N31			Standoff	Beam	Tube	A500 Gr...	Typical
56	M56	N28	N53			Standoff	Beam	Tube	A500 Gr...	Typical
57	M57	N29	N54			Standoff	Beam	Tube	A500 Gr...	Typical
58	M58	N37	N32			Standoff Brace	Beam	Tube	A500 Gr...	Typical
59	M59	N32	N36			Standoff Brace	Beam	Tube	A500 Gr...	Typical
60	M60	N40	N38			Standoff Brace	Beam	Tube	A500 Gr...	Typical
61	M61	N38	N39			Standoff Brace	Beam	Tube	A500 Gr...	Typical
62	M62	N43	N41			Standoff Brace	Beam	Tube	A500 Gr...	Typical
63	M63	N41	N42			Standoff Brace	Beam	Tube	A500 Gr...	Typical

Hot Rolled Steel Design Parameters

	Label	Shape	Length[in]	Lbyy[in]	Lbzz[in]	Lcomp top[in]	Lcomp bot[in]	L-torqu...	Kyy	Kzz	Cb	Funci...
1	M1	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
2	M2	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
3	M3	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
4	M4	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
5	M5	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
6	M6	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
7	M7	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
8	M8	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral
9	M9	Antenna Pipe	72	Segment	Segment	Lbyy			2.1	2.1		Lateral



Hot Rolled Steel Design Parameters (Continued)

Label	Shape	Length[in]	Lbyy[in]	Lbzz[in]	Lcomp top[in]	Lcomp bot[in]	L-torqu...	Kyy	Kzz	Cb	Funci...
10	M10	Antenna Pipe	72	Segment	Segment	Lbyy		2.1	2.1		Lateral
11	M11	Antenna Pipe	72	Segment	Segment	Lbyy		2.1	2.1		Lateral
12	M12	Antenna Pipe	72	Segment	Segment	Lbyy		2.1	2.1		Lateral
13	M13	End Plate	18.48	Segment	Segment	Lbyy		.65	.65		Lateral
14	M14	End Plate	18.48	Segment	Segment	Lbyy		.65	.65		Lateral
15	M15	End Plate	18.48	Segment	Segment	Lbyy		.65	.65		Lateral
16	M16	Handrail Conne...	15.016	Segment	Segment	Lbyy		.65	.65		Lateral
17	M17	Handrail Conne...	15.016	Segment	Segment	Lbyy		.65	.65		Lateral
18	M18	Handrail Conne...	15.016	Segment	Segment	Lbyy		.65	.65		Lateral
19	M19	Handrail MOD	150	Segment	Segment	Lbyy		2.1	2.1		Lateral
20	M20	Handrail MOD	150	Segment	Segment	Lbyy		2.1	2.1		Lateral
21	M21	Handrail MOD	150	Segment	Segment	Lbyy		2.1	2.1		Lateral
22	M22	Horizontal	144	Segment	Segment	Lbyy		2.1	2.1		Lateral
23	M23	Horizontal	144	Segment	Segment	Lbyy		2.1	2.1		Lateral
24	M24	Horizontal	144	Segment	Segment	Lbyy		2.1	2.1		Lateral
25	M25	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
26	M26	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
27	M27	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
28	M28	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
29	M29	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
30	M30	Platform	50.807	Segment	Segment	Lbyy		.65	.65		Lateral
31	M55	Standoff	64	Segment	Segment	Lbyy		2.1	2.1		Lateral
32	M56	Standoff	64	Segment	Segment	Lbyy		2.1	2.1		Lateral
33	M57	Standoff	64	Segment	Segment	Lbyy		2.1	2.1		Lateral
34	M58	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral
35	M59	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral
36	M60	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral
37	M61	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral
38	M62	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral
39	M63	Standoff Brace	34.643	Segment	Segment	Lbyy		.65	.65		Lateral

Plate Primary Data

Label	A Joint	B Joint	C Joint	D Joint	Material	Thickness[in]
No Data to Print ...						

Member Point Loads (BLC 1 : DEAD LOAD)

Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]	
1	M1	Z	-35	36
2	M1	Z	-35	24
3	M3	Z	-71	24
4	M3	Z	-72	24
5	M3	Z	-41.9	36
6	M2	Z	-83.8	36
7	M9	Z	-35	36
8	M9	Z	-35	24
9	M11	Z	-71	24
10	M11	Z	-72	24
11	M11	Z	-41.9	36
12	M10	Z	-83.8	36
13	M5	Z	-35	36
14	M5	Z	-35	24
15	M7	Z	-71	24
16	M7	Z	-72	24
17	M7	Z	-41.9	36



Member Point Loads (BLC 1 : DEAD LOAD) (Continued)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
18	M6	Z	-83.8	36
19	M12	Z	-26.2	24
20	M4	Z	-32.8	24

Member Point Loads (BLC 2 : DEAD LOAD (ICE))

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	Z	-86.8	36
2	M1	Z	-28.9	24
3	M3	Z	-37.1	24
4	M3	Z	-32.4	24
5	M3	Z	-128	36
6	M2	Z	-156.8	36
7	M9	Z	-86.8	36
8	M9	Z	-28.9	24
9	M11	Z	-37.1	24
10	M11	Z	-32.4	24
11	M11	Z	-128	36
12	M10	Z	-156.8	36
13	M5	Z	-86.8	36
14	M5	Z	-28.9	24
15	M7	Z	-37.1	24
16	M7	Z	-32.4	24
17	M7	Z	-128	36
18	M6	Z	-156.8	36
19	M12	Z	-58.5	24
20	M4	Z	-62.2	24

Member Point Loads (BLC 3 : WIND LOAD (NO ICE) FRONT)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	Y	222.2	36
2	M1	Y	65.9	24
3	M3	Y	79.4	24
4	M3	Y	66.1	24
5	M3	Y	316.7	36
6	M2	Y	403.3	36
7	M9	Y	222.2	36
8	M9	Y	65.9	24
9	M11	Y	79.4	24
10	M11	Y	66.1	24
11	M11	Y	316.7	36
12	M10	Y	403.3	36
13	M5	Y	222.2	36
14	M5	Y	65.9	24
15	M7	Y	79.4	24
16	M7	Y	66.1	24
17	M7	Y	316.7	36
18	M6	Y	403.3	36
19	M12	Y	46.2	24
20	M4	Y	48.9	24

Member Point Loads (BLC 4 : WIND LOAD (NO ICE) SIDE)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	X	118.1	36
2	M1	X	27.9	24
3	M3	X	56.8	24



Member Point Loads (BLC 4 : WIND LOAD (NO ICE) SIDE) (Continued)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
4	M3	X	54.6	24
5	M3	X	223.8	36
6	M2	X	165.6	36
7	M9	X	118.1	36
8	M9	X	27.9	24
9	M11	X	56.8	24
10	M11	X	54.6	24
11	M11	X	223.8	36
12	M10	X	165.6	36
13	M5	X	118.1	36
14	M5	X	27.9	24
15	M7	X	56.8	24
16	M7	X	54.6	24
17	M7	X	223.8	36
18	M6	X	165.6	36
19	M12	X	46.2	24
20	M4	X	48.9	24

Member Point Loads (BLC 5 : WIND LOAD (ICE) FRONT)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	Y	51.8	36
2	M1	Y	19.4	24
3	M3	Y	20	24
4	M3	Y	17	24
5	M3	Y	72.1	36
6	M2	Y	87.9	36
7	M9	Y	51.8	36
8	M9	Y	19.4	24
9	M11	Y	20	24
10	M11	Y	17	24
11	M11	Y	72.1	36
12	M10	Y	87.9	36
13	M5	Y	51.8	36
14	M5	Y	19.4	24
15	M7	Y	20	24
16	M7	Y	17	24
17	M7	Y	72.1	36
18	M6	Y	87.9	36
19	M12	Y	15.8	24
20	M4	Y	16.6	24

Member Point Loads (BLC 6 : WIND LOAD (ICE) SIDE)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	X	31.8	36
2	M1	X	10.8	24
3	M3	X	15.1	24
4	M3	X	14.5	24
5	M3	X	54.6	36
6	M2	X	41.5	36
7	M9	X	31.8	36
8	M9	X	10.8	24
9	M11	X	15.1	24
10	M11	X	14.5	24
11	M11	X	54.6	36
12	M10	X	41.5	36
13	M5	X	31.8	36



Member Point Loads (BLC 6 : WIND LOAD (ICE) SIDE) (Continued)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
14	M5	X	10.8	24
15	M7	X	15.1	24
16	M7	X	14.5	24
17	M7	X	54.6	36
18	M6	X	41.5	36
19	M12	X	15.8	24
20	M4	X	16.6	24

Member Point Loads (BLC 8 : WIND LOAD (SERVICE) FRONT)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	Y	15.1	36
2	M1	Y	4.5	24
3	M3	Y	5.4	24
4	M3	Y	4.5	24
5	M3	Y	21.6	36
6	M2	Y	27.4	36
7	M9	Y	15.1	36
8	M9	Y	4.5	24
9	M11	Y	5.4	24
10	M11	Y	4.5	24
11	M11	Y	21.6	36
12	M10	Y	27.4	36
13	M5	Y	15.1	36
14	M5	Y	4.5	24
15	M7	Y	5.4	24
16	M7	Y	4.5	24
17	M7	Y	21.6	36
18	M6	Y	27.4	36
19	M12	Y	4.4	24
20	M4	Y	4.6	24

Member Point Loads (BLC 9 : WIND LOAD (SERVICE) SIDE)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M1	X	8	36
2	M1	X	1.9	24
3	M3	X	3.9	24
4	M3	X	3.7	24
5	M3	X	15.2	36
6	M2	X	11.3	36
7	M9	X	8	36
8	M9	X	1.9	24
9	M11	X	3.9	24
10	M11	X	3.7	24
11	M11	X	15.2	36
12	M10	X	11.3	36
13	M5	X	8	36
14	M5	X	1.9	24
15	M7	X	3.9	24
16	M7	X	3.7	24
17	M7	X	15.2	36
18	M6	X	11.3	36
19	M12	X	4.4	24
20	M4	X	4.6	24

Member Point Loads (BLC 10 : LIVE LOAD (SERVICE))

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
--	--------------	-----------	--------------------	----------------



Member Point Loads (BLC 10 : LIVE LOAD (SERVICE)) (Continued)

	Member Label	Direction	Magnitude[lb.k-ft]	Location[in.%]
1	M9	Z	-500	0
2	M1	Z	-500	0
3	M5	Z	-500	0

Member Distributed Loads (BLC 2 : DEAD LOAD (ICE))

	Member Label	Direction	Start Magnitude[lb/in....]	End Magnitude[lb/in....]	Start Location[in.%]	End Location[in.%]
1	M1	Z	-.54	-.54	0	0
2	M2	Z	-.54	-.54	0	0
3	M3	Z	-.54	-.54	0	0
4	M4	Z	-.54	-.54	0	0
5	M5	Z	-.54	-.54	0	0
6	M6	Z	-.54	-.54	0	0
7	M7	Z	-.54	-.54	0	0
8	M8	Z	-.54	-.54	0	0
9	M9	Z	-.54	-.54	0	0
10	M10	Z	-.54	-.54	0	0
11	M11	Z	-.54	-.54	0	0
12	M12	Z	-.54	-.54	0	0
13	M19	Z	-.54	-.54	0	0
14	M20	Z	-.54	-.54	0	0
15	M21	Z	-.54	-.54	0	0
16	M22	Z	-.729	-.729	0	0
17	M23	Z	-.729	-.729	0	0
18	M24	Z	-.729	-.729	0	0
19	M55	Z	-.813	-.813	0	0
20	M56	Z	-.813	-.813	0	0
21	M57	Z	-.813	-.813	0	0

Member Distributed Loads (BLC 3 : WIND LOAD (NO ICE) FRONT)

	Member Label	Direction	Start Magnitude[lb/in....]	End Magnitude[lb/in....]	Start Location[in.%]	End Location[in.%]
1	M1	PY	.8	.8	0	0
2	M2	PY	.8	.8	0	0
3	M3	PY	.8	.8	0	0
4	M4	PY	.8	.8	0	0
5	M5	PY	.8	.8	0	0
6	M6	PY	.8	.8	0	0
7	M7	PY	.8	.8	0	0
8	M8	PY	.8	.8	0	0
9	M9	PY	.8	.8	0	0
10	M10	PY	.8	.8	0	0
11	M11	PY	.8	.8	0	0
12	M12	PY	.8	.8	0	0
13	M19	PY	.8	.8	0	0
14	M20	PY	.8	.8	0	0
15	M21	PY	.8	.8	0	0
16	M22	PY	1.159	1.159	0	0
17	M23	PY	1.159	1.159	0	0
18	M24	PY	1.159	1.159	0	0
19	M55	PY	1.205	1.205	0	0
20	M56	PY	1.205	1.205	0	0
21	M57	PY	1.205	1.205	0	0

Member Distributed Loads (BLC 4 : WIND LOAD (NO ICE) SIDE)

Member Label	Direction	Start Magnitude[lb/in....]	End Magnitude[lb/in....]	Start Location[in.%]	End Location[in.%]
--------------	-----------	----------------------------	--------------------------	----------------------	--------------------



Member Distributed Loads (BLC 4 : WIND LOAD (NO ICE) SIDE) (Continued)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in, %]	End Location[in, %]
1	M1	PX	.8	.8	0	0
2	M2	PX	.8	.8	0	0
3	M3	PX	.8	.8	0	0
4	M4	PX	.8	.8	0	0
5	M5	PX	.8	.8	0	0
6	M6	PX	.8	.8	0	0
7	M7	PX	.8	.8	0	0
8	M8	PX	.8	.8	0	0
9	M9	PX	.8	.8	0	0
10	M10	PX	.8	.8	0	0
11	M11	PX	.8	.8	0	0
12	M12	PX	.8	.8	0	0
13	M19	PX	.8	.8	0	0
14	M20	PX	.8	.8	0	0
15	M21	PX	.8	.8	0	0
16	M22	PX	1.159	1.159	0	0
17	M23	PX	1.159	1.159	0	0
18	M24	PX	1.159	1.159	0	0
19	M55	PX	1.205	1.205	0	0
20	M56	PX	1.205	1.205	0	0
21	M57	PX	1.205	1.205	0	0

Member Distributed Loads (BLC 5 : WIND LOAD (ICE) FRONT)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in, %]	End Location[in, %]
1	M1	PY	.25	.25	0	0
2	M2	PY	.25	.25	0	0
3	M3	PY	.25	.25	0	0
4	M4	PY	.25	.25	0	0
5	M5	PY	.25	.25	0	0
6	M6	PY	.25	.25	0	0
7	M7	PY	.25	.25	0	0
8	M8	PY	.25	.25	0	0
9	M9	PY	.25	.25	0	0
10	M10	PY	.25	.25	0	0
11	M11	PY	.25	.25	0	0
12	M12	PY	.25	.25	0	0
13	M19	PY	.305	.305	0	0
14	M20	PY	.305	.305	0	0
15	M21	PY	.305	.305	0	0
16	M22	PY	.377	.377	0	0
17	M23	PY	.377	.377	0	0
18	M24	PY	.377	.377	0	0
19	M55	PY	.337	.337	0	0
20	M56	PY	.337	.337	0	0
21	M57	PY	.337	.337	0	0

Member Distributed Loads (BLC 6 : WIND LOAD (ICE) SIDE)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in, %]	End Location[in, %]
1	M1	PX	.25	.25	0	0
2	M2	PX	.25	.25	0	0
3	M3	PX	.25	.25	0	0
4	M4	PX	.25	.25	0	0
5	M5	PX	.25	.25	0	0
6	M6	PX	.25	.25	0	0
7	M7	PX	.25	.25	0	0
8	M8	PX	.25	.25	0	0



Member Distributed Loads (BLC 6 : WIND LOAD (ICE) SIDE) (Continued)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
9	M9	PX	.25	.25	0	0
10	M10	PX	.25	.25	0	0
11	M11	PX	.25	.25	0	0
12	M12	PX	.25	.25	0	0
13	M19	PX	.305	.305	0	0
14	M20	PX	.305	.305	0	0
15	M21	PX	.305	.305	0	0
16	M22	PX	.377	.377	0	0
17	M23	PX	.377	.377	0	0
18	M24	PX	.377	.377	0	0
19	M55	PX	.337	.337	0	0
20	M56	PX	.337	.337	0	0
21	M57	PX	.337	.337	0	0

Member Distributed Loads (BLC 8 : WIND LOAD (SERVICE) FRONT)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
1	M1	PY	.054	.054	0	0
2	M2	PY	.054	.054	0	0
3	M3	PY	.054	.054	0	0
4	M4	PY	.054	.054	0	0
5	M5	PY	.054	.054	0	0
6	M6	PY	.054	.054	0	0
7	M7	PY	.054	.054	0	0
8	M8	PY	.054	.054	0	0
9	M9	PY	.054	.054	0	0
10	M10	PY	.054	.054	0	0
11	M11	PY	.054	.054	0	0
12	M12	PY	.054	.054	0	0
13	M19	PY	.054	.054	0	0
14	M20	PY	.054	.054	0	0
15	M21	PY	.054	.054	0	0
16	M22	PY	.08	.08	0	0
17	M23	PY	.08	.08	0	0
18	M24	PY	.08	.08	0	0
19	M55	PY	.082	.082	0	0
20	M56	PY	.082	.082	0	0
21	M57	PY	.082	.082	0	0

Member Distributed Loads (BLC 9 : WIND LOAD (SERVICE) SIDE)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
1	M1	PX	.054	.054	0	0
2	M2	PX	.054	.054	0	0
3	M3	PX	.054	.054	0	0
4	M4	PX	.054	.054	0	0
5	M5	PX	.054	.054	0	0
6	M6	PX	.054	.054	0	0
7	M7	PX	.054	.054	0	0
8	M8	PX	.054	.054	0	0
9	M9	PX	.054	.054	0	0
10	M10	PX	.054	.054	0	0
11	M11	PX	.054	.054	0	0
12	M12	PX	.054	.054	0	0
13	M19	PX	.054	.054	0	0
14	M20	PX	.054	.054	0	0
15	M21	PX	.054	.054	0	0
16	M22	PX	.08	.08	0	0



Member Distributed Loads (BLC 9 : WIND LOAD (SERVICE) SIDE) (Continued)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
17	M23	PX	.08	.08	0	0
18	M24	PX	.08	.08	0	0
19	M55	PX	.082	.082	0	0
20	M56	PX	.082	.082	0	0
21	M57	PX	.082	.082	0	0

Member Distributed Loads (BLC 16 : BLC 1 Transient Area Loads)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
1	M27	Z	-.006	-.047	0	10.161
2	M27	Z	-.047	-.068	10.161	20.323
3	M27	Z	-.068	-.092	20.323	30.484
4	M27	Z	-.092	-.12	30.484	40.645
5	M27	Z	-.12	-.125	40.645	50.807
6	M29	Z	-.006	-.047	0	10.161
7	M29	Z	-.047	-.068	10.161	20.323
8	M29	Z	-.068	-.092	20.323	30.484
9	M29	Z	-.092	-.12	30.484	40.645
10	M29	Z	-.12	-.125	40.645	50.807
11	M56	Z	-.013	-.104	0	10.24
12	M56	Z	-.104	-.187	10.24	20.48
13	M56	Z	-.187	-.336	20.48	30.72
14	M56	Z	-.336	-.226	30.72	40.96
15	M56	Z	-.226	-.005	40.96	51.2
16	M25	Z	-.006	-.047	0	10.161
17	M25	Z	-.047	-.068	10.161	20.323
18	M25	Z	-.068	-.092	20.323	30.484
19	M25	Z	-.092	-.12	30.484	40.645
20	M25	Z	-.12	-.125	40.645	50.807
21	M30	Z	-.006	-.047	0	10.161
22	M30	Z	-.047	-.068	10.161	20.323
23	M30	Z	-.068	-.092	20.323	30.484
24	M30	Z	-.092	-.12	30.484	40.645
25	M30	Z	-.12	-.125	40.645	50.807
26	M57	Z	-.013	-.104	0	10.24
27	M57	Z	-.104	-.187	10.24	20.48
28	M57	Z	-.187	-.336	20.48	30.72
29	M57	Z	-.336	-.226	30.72	40.96
30	M57	Z	-.226	-.005	40.96	51.2
31	M26	Z	-.006	-.047	0	10.161
32	M26	Z	-.047	-.068	10.161	20.323
33	M26	Z	-.068	-.092	20.323	30.484
34	M26	Z	-.092	-.12	30.484	40.645
35	M26	Z	-.12	-.125	40.645	50.807
36	M28	Z	-.006	-.047	0	10.161
37	M28	Z	-.047	-.068	10.161	20.323
38	M28	Z	-.068	-.092	20.323	30.484
39	M28	Z	-.092	-.12	30.484	40.645
40	M28	Z	-.12	-.125	40.645	50.807
41	M55	Z	-.013	-.104	0	10.24
42	M55	Z	-.104	-.187	10.24	20.48
43	M55	Z	-.187	-.336	20.48	30.72
44	M55	Z	-.336	-.226	30.72	40.96
45	M55	Z	-.226	-.005	40.96	51.2

Member Distributed Loads (BLC 17 : BLC 2 Transient Area Loads)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
--	--------------	-----------	---------------------------	-------------------------	----------------------	--------------------



Member Distributed Loads (BLC 17 : BLC 2 Transient Area Loads) (Continued)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%,]	End Location[in.%,]
1	M27	Z	-0.019	-0.148	0	10.161
2	M27	Z	-0.148	-0.211	10.161	20.323
3	M27	Z	-0.211	-0.288	20.323	30.484
4	M27	Z	-0.288	-0.374	30.484	40.645
5	M27	Z	-0.374	-0.389	40.645	50.807
6	M29	Z	-0.019	-0.148	0	10.161
7	M29	Z	-0.148	-0.211	10.161	20.323
8	M29	Z	-0.211	-0.288	20.323	30.484
9	M29	Z	-0.288	-0.374	30.484	40.645
10	M29	Z	-0.374	-0.389	40.645	50.807
11	M56	Z	-0.041	-0.323	0	10.24
12	M56	Z	-0.323	-0.582	10.24	20.48
13	M56	Z	-0.582	-1.048	20.48	30.72
14	M56	Z	-1.048	-0.705	30.72	40.96
15	M56	Z	-0.705	-0.014	40.96	51.2
16	M25	Z	-0.019	-0.148	0	10.161
17	M25	Z	-0.148	-0.211	10.161	20.323
18	M25	Z	-0.211	-0.288	20.323	30.484
19	M25	Z	-0.288	-0.374	30.484	40.645
20	M25	Z	-0.374	-0.389	40.645	50.807
21	M30	Z	-0.019	-0.148	0	10.161
22	M30	Z	-0.148	-0.211	10.161	20.323
23	M30	Z	-0.211	-0.288	20.323	30.484
24	M30	Z	-0.288	-0.374	30.484	40.645
25	M30	Z	-0.374	-0.389	40.645	50.807
26	M57	Z	-0.041	-0.323	0	10.24
27	M57	Z	-0.323	-0.582	10.24	20.48
28	M57	Z	-0.582	-1.048	20.48	30.72
29	M57	Z	-1.048	-0.705	30.72	40.96
30	M57	Z	-0.705	-0.014	40.96	51.2
31	M26	Z	-0.019	-0.148	0	10.161
32	M26	Z	-0.148	-0.211	10.161	20.323
33	M26	Z	-0.211	-0.288	20.323	30.484
34	M26	Z	-0.288	-0.374	30.484	40.645
35	M26	Z	-0.374	-0.389	40.645	50.807
36	M28	Z	-0.019	-0.148	0	10.161
37	M28	Z	-0.148	-0.211	10.161	20.323
38	M28	Z	-0.211	-0.288	20.323	30.484
39	M28	Z	-0.288	-0.374	30.484	40.645
40	M28	Z	-0.374	-0.389	40.645	50.807
41	M55	Z	-0.041	-0.323	0	10.24
42	M55	Z	-0.323	-0.582	10.24	20.48
43	M55	Z	-0.582	-1.048	20.48	30.72
44	M55	Z	-1.048	-0.705	30.72	40.96
45	M55	Z	-0.705	-0.014	40.96	51.2

Member Distributed Loads (BLC 18 : BLC 7 Transient Area Loads)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%,]	End Location[in.%,]
1	M27	Z	-1.136	-1.085	0	10.161
2	M27	Z	-1.085	-1.548	10.161	20.323
3	M27	Z	-1.548	-2.109	20.323	30.484
4	M27	Z	-2.109	-2.738	30.484	40.645
5	M27	Z	-2.738	-2.849	40.645	50.807
6	M29	Z	-1.136	-1.085	0	10.161
7	M29	Z	-1.085	-1.548	10.161	20.323
8	M29	Z	-1.548	-2.109	20.323	30.484



Member Distributed Loads (BLC 18 : BLC 7 Transient Area Loads) (Continued)

	Member Label	Direction	Start Magnitude[lb/in....	End Magnitude[lb/in....	Start Location[in.%]	End Location[in.%]
9	M29	Z	-2.109	-2.738	30.484	40.645
10	M29	Z	-2.738	-2.849	40.645	50.807
11	M56	Z	-.301	-2.369	0	10.24
12	M56	Z	-2.369	-4.267	10.24	20.48
13	M56	Z	-4.267	-7.676	20.48	30.72
14	M56	Z	-7.676	-5.163	30.72	40.96
15	M56	Z	-5.163	-.103	40.96	51.2
16	M25	Z	-.136	-1.085	0	10.161
17	M25	Z	-1.085	-1.548	10.161	20.323
18	M25	Z	-1.548	-2.109	20.323	30.484
19	M25	Z	-2.109	-2.738	30.484	40.645
20	M25	Z	-2.738	-2.849	40.645	50.807
21	M30	Z	-.136	-1.085	0	10.161
22	M30	Z	-1.085	-1.548	10.161	20.323
23	M30	Z	-1.548	-2.109	20.323	30.484
24	M30	Z	-2.109	-2.738	30.484	40.645
25	M30	Z	-2.738	-2.849	40.645	50.807
26	M57	Z	-.301	-2.369	0	10.24
27	M57	Z	-2.369	-4.267	10.24	20.48
28	M57	Z	-4.267	-7.676	20.48	30.72
29	M57	Z	-7.676	-5.163	30.72	40.96
30	M57	Z	-5.163	-.103	40.96	51.2
31	M26	Z	-.136	-1.085	0	10.161
32	M26	Z	-1.085	-1.548	10.161	20.323
33	M26	Z	-1.548	-2.109	20.323	30.484
34	M26	Z	-2.109	-2.738	30.484	40.645
35	M26	Z	-2.738	-2.849	40.645	50.807
36	M28	Z	-.136	-1.085	0	10.161
37	M28	Z	-1.085	-1.548	10.161	20.323
38	M28	Z	-1.548	-2.109	20.323	30.484
39	M28	Z	-2.109	-2.738	30.484	40.645
40	M28	Z	-2.738	-2.849	40.645	50.807
41	M55	Z	-.301	-2.369	0	10.24
42	M55	Z	-2.369	-4.267	10.24	20.48
43	M55	Z	-4.267	-7.676	20.48	30.72
44	M55	Z	-7.676	-5.163	30.72	40.96
45	M55	Z	-5.163	-.103	40.96	51.2

Member Area Loads (BLC 1 : DEAD LOAD)

	Joint A	Joint B	Joint C	Joint D	Direction	Distribution	Magnitude[psf]
1	N51	N47	N46	N50	Z	A-B	-1.75
2	N44	N52	N34	N33	Z	A-B	-1.75
3	N45	N49	N48	N35	Z	A-B	-1.75

Member Area Loads (BLC 2 : DEAD LOAD (ICE))

	Joint A	Joint B	Joint C	Joint D	Direction	Distribution	Magnitude[psf]
1	N51	N47	N46	N50	Z	A-B	-5.46
2	N44	N52	N34	N33	Z	A-B	-5.46
3	N45	N49	N48	N35	Z	A-B	-5.46

Member Area Loads (BLC 7 : LIVE LOAD (MAN))

	Joint A	Joint B	Joint C	Joint D	Direction	Distribution	Magnitude[psf]
1	N51	N47	N46	N50	Z	A-B	-40
2	N44	N52	N34	N33	Z	A-B	-40



Member Area Loads (BLC 7 : LIVE LOAD (MAN)) (Continued)

	Joint A	Joint B	Joint C	Joint D	Direction	Distribution	Magnitude[psf]
3	N45	N49	N48	N35	Z	A-B	-40

Envelope Joint Reactions

	Joint		X [lb]	LC	Y [lb]	LC	Z [lb]	LC	MX [k-ft]	LC	MY [k-ft]	LC	MZ [k-ft]	LC
1	N54	max	1169.246	11	1438.544	8	2006.183	22	.269	3	3.365	22	1.124	13
2		min	-1192.091	5	-1448.871	2	280.175	4	-1.882	21	.114	4	-1.121	7
3	N53	max	1142.076	11	1934.149	8	2158.543	14	4.134	14	.41	11	1.189	5
4		min	-1140.155	5	-1908.822	2	127.264	8	-.387	8	-.443	5	-1.185	11
5	N31	max	1081.571	12	1581.809	8	2025.288	18	.227	13	-.091	12	1.199	8
6		min	-1060.709	6	-1596.796	2	288.913	12	-1.987	19	-3.369	18	-1.197	2
7	Totals:	max	3377.905	11	4954.502	8	5610.657	21						
8		min	-3377.904	5	-4954.489	2	2742.206	3						

Envelope Member Section Forces

	Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...]	LC	y-y Mome...	LC	z-z Mome...	LC
1	M1	1	max	750	38	.396	33	1.217	37	0	50	0	50	0	50
2			min	0	1	-.003	2	-.004	6	0	1	0	1	0	1
3		2	max	636.997	35	92.507	8	12.968	11	.024	6	.005	12	.075	2
4			min	-15.486	26	-149.507	2	-107.647	29	-.063	12	-.133	31	-.032	8
5		3	max	0	50	.008	2	.004	5	0	50	0	50	0	50
6			min	0	1	-.009	8	-.034	23	0	1	0	1	0	1
7	M2	1	max	0	50	.003	7	.004	11	0	50	0	50	0	50
8			min	0	1	-.005	25	-.004	5	0	1	0	1	0	1
9		2	max	36.125	2	126.298	35	67.74	10	.057	12	.056	11	-.005	8
10			min	-75.664	8	16.884	4	-47.922	4	-.018	6	-.059	4	-.129	27
11		3	max	0	50	.033	14	.007	6	0	50	0	50	0	50
12			min	0	1	-.006	8	-.016	24	0	1	0	1	0	1
13	M3	1	max	0	50	.003	7	.007	24	0	50	0	50	0	50
14			min	0	1	-.003	13	-.004	6	0	1	0	1	0	1
15		2	max	385.843	21	165.497	8	95.199	11	.003	3	.036	12	.076	13
16			min	141.719	2	-203.652	2	-140.819	5	-.018	22	-.124	6	-.077	7
17		3	max	0	50	.015	25	.002	5	0	50	0	50	0	50
18			min	0	1	-.004	7	-.039	23	0	1	0	1	0	1
19	M4	1	max	0	50	.003	7	.005	12	0	50	0	50	0	50
20			min	0	1	-.005	25	-.005	6	0	1	0	1	0	1
21		2	max	318.103	14	189.318	8	146.217	11	.023	38	.142	11	.104	2
22			min	57.064	8	-151.015	2	-138.804	5	-.004	7	-.187	5	-.163	8
23		3	max	0	50	.026	25	.003	6	0	50	0	50	0	50
24			min	0	1	-.004	7	-.031	24	0	1	0	1	0	1
25	M5	1	max	750	38	.976	33	.001	12	0	50	0	50	0	50
26			min	0	1	-.006	2	-.826	31	0	1	0	1	0	1
27		2	max	634.851	32	56.856	8	124.094	22	.029	2	.105	22	.097	28
28			min	-16.682	26	-94.31	2	-25.843	4	-.067	8	.021	4	-.029	9
29		3	max	0	50	.01	2	.021	18	0	50	0	50	0	50
30			min	0	1	-.03	20	-.002	12	0	1	0	1	0	1
31	M6	1	max	0	50	.006	8	.003	22	0	50	0	50	0	50
32			min	0	1	-.005	2	-.001	4	0	1	0	1	0	1
33		2	max	19.547	10	-7.909	4	4.02	12	.059	8	-.034	2	.071	24
34			min	-65.771	26	-41.829	25	-137.307	31	-.022	2	-.127	33	0	4
35		3	max	0	50	.01	2	.002	5	0	50	0	50	0	50
36			min	0	1	-.028	20	-.021	23	0	1	0	1	0	1
37	M7	1	max	0	50	.007	8	0	11	0	50	0	50	0	50
38			min	0	1	-.006	2	-.003	17	0	1	0	1	0	1
39		2	max	383.625	17	133.985	8	150.6	11	.002	10	.076	35	.142	2



Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC	
40		min	163.755	11	-154.623	2	-90.833	5	-.016	16	.002	4	-.066	8	
41	3	max	0	50	.007	2	.01	18	0	50	0	50	0	50	
42		min	0	1	-.039	20	-.002	12	0	1	0	1	0	1	
43	M8	1	max	0	50	.007	8	.002	23	0	50	0	50	0	50
44		min	0	1	-.007	2	-.001	5	0	1	0	1	0	1	
45		2	max	224.535	22	114.763	8	92.315	11	.023	34	.075	11	.227	2
46		min	50.492	4	-125.346	2	-132.168	5	-.007	3	-.106	5	-.163	8	
47		3	max	0	50	.006	2	.002	5	0	50	0	50	0	50
48		min	0	1	-.036	20	-.007	23	0	1	0	1	0	1	
49	M9	1	max	750	38	.003	9	.004	11	0	50	0	50	0	50
50		min	0	1	-1.188	28	-.452	30	0	1	0	1	0	1	
51		2	max	636.855	27	133.54	7	73.209	11	.022	10	.08	11	-.037	4
52		min	-15.61	26	-35.516	13	-86.303	5	-.062	4	-.07	5	-.133	34	
53		3	max	0	50	.032	15	.017	16	0	50	0	50	0	50
54		min	0	1	-.006	8	-.007	10	0	1	0	1	0	1	
55	M10	1	max	0	50	.003	8	.004	10	0	50	0	50	0	50
56		min	0	1	-.003	2	-.006	16	0	1	0	1	0	1	
57		2	max	36.75	7	20.188	8	97.332	24	.058	4	.12	22	.088	31
58		min	-78.413	13	-106.478	27	11.194	6	-.02	10	.013	3	.021	13	
59		3	max	0	50	.008	2	.033	17	0	50	0	50	0	50
60		min	0	1	-.01	8	-.004	11	0	1	0	1	0	1	
61	M11	1	max	0	50	.003	9	.004	10	0	50	0	50	0	50
62		min	0	1	-.005	15	-.005	4	0	1	0	1	0	1	
63		2	max	396.46	25	188.291	8	130.935	11	0	7	.118	11	.006	3
64		min	140.855	7	-130.581	2	-140.248	5	-.017	25	-.071	5	-.105	34	
65		3	max	0	50	.029	15	.031	16	0	50	0	50	0	50
66		min	0	1	-.004	9	-.003	10	0	1	0	1	0	1	
67	M12	1	max	0	50	.004	9	.004	10	0	50	0	50	0	50
68		min	0	1	-.004	3	-.006	16	0	1	0	1	0	1	
69		2	max	298.608	19	180.704	8	136.816	11	.023	5	.173	10	.175	2
70		min	66.696	13	-210.032	2	-105.976	5	-.008	11	-.099	4	-.181	8	
71		3	max	0	50	.015	15	.036	17	0	50	0	50	0	50
72		min	0	1	-.004	9	-.002	11	0	1	0	1	0	1	
73	M13	1	max	101.441	5	94.214	8	57.909	8	.027	3	.034	2	.293	13
74		min	-81.436	11	-112.752	2	-59.18	2	-.013	9	-.033	8	-.118	7	
75		2	max	514.109	2	232.641	27	842.614	8	.036	17	.151	8	.377	3
76		min	-495.864	8	-115.094	2	-832.153	2	-.046	13	-.15	2	-.162	9	
77		3	max	111.078	12	219.473	27	84.242	2	.007	5	.041	2	.284	3
78		min	-82.309	6	-73.433	8	-74.311	8	-.028	36	-.038	8	-.112	9	
79	M14	1	max	148.121	8	70.765	3	62.983	9	.012	2	.026	4	.24	12
80		min	-119.153	2	-221.286	34	-53.334	3	-.028	33	-.029	10	-.078	6	
81		2	max	364.082	10	67.928	10	745.112	3	.039	13	.128	9	.345	9
82		min	-346.848	4	-234.135	34	-735.977	9	-.045	9	-.13	3	-.152	3	
83		3	max	190.508	13	63.059	10	47.807	5	.023	12	.024	4	.314	8
84		min	-172.469	7	-83.464	29	-48.889	11	-.01	6	-.026	10	-.15	2	
85	M15	1	max	175.957	8	91.274	13	56.04	13	.029	8	.03	7	.244	4
86		min	-156.978	2	-107.913	7	-57.332	7	-.016	2	-.029	13	-.078	10	
87		2	max	398.328	7	229.441	31	769.467	7	.037	9	.135	13	.363	7
88		min	-381.412	13	-74.831	17	-770.566	13	-.038	5	-.134	7	-.162	13	
89		3	max	143.555	3	216.259	31	69.966	6	.011	9	.033	6	.3	8
90		min	-115.901	9	-43.664	26	-60.581	12	-.028	28	-.03	12	-.141	2	
91	M16	1	max	22.469	8	33.162	11	44.113	5	.007	5	.029	8	.012	10
92		min	-84.896	2	-25.359	5	-42.351	11	-.007	11	-.086	2	-.097	16	
93		2	max	22.469	8	30.121	11	44.113	5	.007	5	.029	8	-.003	8
94		min	-84.896	2	-28.4	5	-42.351	11	-.007	11	-.083	2	-.091	14	
95		3	max	22.469	8	27.081	11	44.113	5	.007	5	.027	8	.006	7
96		min	-84.896	2	-31.44	5	-42.351	11	-.007	11	-.08	2	-.093	25	



Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC	
97	M17	1	max	23.519	4	34.585	7	59.099	13	.008	13	.028	4	.011	6
98			min	-84.341	10	-25.065	13	-55.015	7	-.008	7	-.085	10	-.095	24
99		2	max	23.519	4	31.545	7	59.099	13	.008	13	.026	4	-.005	4
100			min	-84.341	10	-28.105	13	-55.015	7	-.008	7	-.079	10	-.09	22
101		3	max	23.519	4	28.505	7	59.099	13	.008	13	.023	4	.014	2
102			min	-84.341	10	-31.145	13	-55.015	7	-.008	7	-.074	10	-.093	20
103	M18	1	max	25.568	13	33.529	3	59.08	9	.008	9	.032	13	.024	2
104			min	-85.896	7	-25.559	9	-57.27	3	-.008	3	-.087	7	-.098	8
105		2	max	25.568	13	30.489	3	59.08	9	.008	9	.029	12	-.004	13
106			min	-85.896	7	-28.599	9	-57.27	3	-.008	3	-.08	6	-.09	19
107		3	max	25.568	13	27.448	3	59.08	9	.008	9	.029	12	.003	11
108			min	-85.896	7	-31.639	9	-57.27	3	-.008	3	-.08	6	-.091	17
109	M19	1	max	0	50	.003	3	0	2	0	50	0	50	0	50
110			min	0	1	0	11	-.002	10	0	1	0	1	0	1
111		2	max	-40.33	3	149.89	3	27.799	6	.03	10	.011	5	.07	27
112			min	-214.15	34	-116.923	9	-32.138	12	-.034	4	-.069	24	.003	8
113		3	max	0	50	0	14	.002	2	0	50	0	50	0	50
114			min	0	1	-.003	10	-.002	11	0	1	0	1	0	1
115	M20	1	max	0	50	0	50	0	50	0	50	0	50	0	50
116			min	0	1	0	1	0	1	0	1	0	1	0	1
117		2	max	-35.928	12	105.297	11	44.844	2	.027	6	.007	2	.071	35
118			min	-220.616	31	-68.61	5	-50.232	8	-.03	12	-.065	20	.007	4
119		3	max	0	50	0	50	0	50	0	50	0	50	0	50
120			min	0	1	0	1	0	1	0	1	0	1	0	1
121	M21	1	max	0	50	.003	6	.002	5	0	50	0	50	0	50
122			min	0	1	0	25	-.002	2	0	1	0	1	0	1
123		2	max	-34.913	7	145.024	7	27.512	10	.036	2	.013	10	.07	31
124			min	-217.393	38	-116.706	13	-31.73	4	-.038	8	-.068	16	.011	12
125		3	max	0	50	0	5	.002	5	0	50	0	50	0	50
126			min	0	1	-.003	13	-.001	2	0	1	0	1	0	1
127	M22	1	max	0	50	.006	3	0	8	0	50	0	50	0	50
128			min	0	1	-.001	22	0	5	0	1	0	1	0	1
129		2	max	563.753	13	364.151	3	202.627	4	.17	3	.063	6	.336	36
130			min	-406.848	7	-245.955	9	-199.049	10	-.203	9	-.065	12	.059	5
131		3	max	0	50	0	16	0	8	0	50	0	50	0	50
132			min	0	1	-.005	9	0	5	0	1	0	1	0	1
133	M23	1	max	0	50	0	50	0	50	0	50	0	50	0	50
134			min	0	1	0	1	0	1	0	1	0	1	0	1
135		2	max	679.393	8	285.782	11	89.059	12	.122	12	.075	2	.348	32
136			min	-512.78	2	-153.228	5	-85.086	6	-.17	6	-.077	8	.042	13
137		3	max	0	50	0	50	0	50	0	50	0	50	0	50
138			min	0	1	0	1	0	1	0	1	0	1	0	1
139	M24	1	max	0	50	.005	7	0	11	0	50	0	50	0	50
140			min	0	1	-.001	24	0	8	0	1	0	1	0	1
141		2	max	497.818	4	357.895	7	214.912	7	.188	8	.068	9	.342	28
142			min	-336.269	10	-254.385	13	-212.218	13	-.228	2	-.071	3	.042	9
143		3	max	0	50	.001	18	0	11	0	50	0	50	0	50
144			min	0	1	-.006	13	0	7	0	1	0	1	0	1
145	M25	1	max	614.213	11	48.69	26	17.252	5	0	21	.009	11	.052	10
146			min	-631.004	5	.308	5	-13.65	11	0	3	-.031	26	-.038	4
147		2	max	614.213	11	3.668	11	17.252	5	0	21	.017	26	.023	9
148			min	-631.004	5	-9.331	5	-13.65	11	0	3	-.002	7	-.01	3
149		3	max	614.213	11	-7.8	11	17.252	5	0	21	.003	4	.077	26
150			min	-631.004	5	-109.168	26	-13.65	11	0	3	-.055	26	-.002	12
151	M26	1	max	831.768	7	48.676	26	23.905	13	0	18	.015	7	.068	7
152			min	-846.831	13	-2.472	13	-20.295	7	0	12	-.031	26	-.054	13
153		2	max	831.768	7	6.421	7	23.905	13	0	18	.017	26	.022	6



Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC
154		min	-846.831	13	-12.111	13	-20.295	7	0	12	-.002	3	-.009	12
155	3	max	831.768	7	-5.048	7	23.905	13	0	18	.008	13	.077	26
156		min	-846.831	13	-109.183	26	-20.295	7	0	12	-.055	26	-.012	8
157	M27	1	max	862.735	2	48.566	26	24.644	9	0	.015	3	.074	2
158		min	-877.511	8	-2.632	9	-20.915	3	0	8	-.031	26	-.059	8
159	2	max	862.735	2	6.367	3	24.644	9	0	14	.017	26	.029	2
160		min	-877.511	8	-12.27	9	-20.915	3	0	8	-.002	23	-.014	8
161	3	max	862.735	2	-5.101	3	24.644	9	0	14	.01	8	.078	26
162		min	-877.511	8	-109.29	26	-20.915	3	0	8	-.055	26	-.008	3
163	M28	1	max	609.234	6	47.856	26	19.603	6	0	.011	12	.044	11
164		min	-621.171	12	-4.442	6	-15.133	12	0	32	-.031	26	-.031	5
165	2	max	609.234	6	6.685	12	19.603	6	0	13	.017	26	.029	33
166		min	-621.171	12	-14.08	6	-15.133	12	0	32	-.006	7	-.007	26
167	3	max	609.234	6	-4.783	12	19.603	6	0	13	-.003	4	.08	26
168		min	-621.171	12	-110	26	-15.133	12	0	32	-.056	26	-.021	12
169	M29	1	max	908.3	2	47.782	26	28.241	2	0	.018	8	.064	7
170		min	-920.315	8	-9.541	2	-23.658	8	0	28	-.031	26	-.05	13
171	2	max	908.3	2	11.643	8	28.241	2	0	9	.017	26	.029	28
172		min	-920.315	8	-19.179	2	-23.658	8	0	28	-.008	2	-.007	26
173	3	max	908.3	2	.175	8	28.241	2	0	9	0	13	.094	2
174		min	-920.315	8	-110.077	26	-23.658	8	0	28	-.056	26	-.042	8
175	M30	1	max	830.759	9	47.723	26	25.526	9	0	.015	3	.06	3
176		min	-840.685	3	-7.082	9	-20.879	3	0	36	-.031	26	-.046	9
177	2	max	830.759	9	9.057	3	25.526	9	0	5	.017	26	.029	37
178		min	-840.685	3	-16.72	9	-20.879	3	0	36	-.006	35	-.007	26
179	3	max	830.759	9	-2.411	3	25.526	9	0	5	0	8	.081	9
180		min	-840.685	3	-110.133	26	-20.879	3	0	36	-.056	26	-.029	3
181	M31	1	max	254.261	7	691.646	35	293.47	9	.242	.081	4	.234	13
182		min	-215.853	13	39.051	26	-381.579	3	-.417	3	-.099	10	-.297	7
183	2	max	254.261	7	691.646	35	293.47	9	.242	9	.045	4	.224	13
184		min	-215.853	13	39.051	26	-381.579	3	-.417	3	-.074	10	-.307	7
185	3	max	254.261	7	691.646	35	293.47	9	.242	9	.024	6	.214	13
186		min	-215.853	13	39.051	26	-381.579	3	-.417	3	-.063	12	-.316	7
187	M32	1	max	292.758	7	271.242	14	471.453	9	.455	.128	2	.238	12
188		min	-257.142	13	37.176	8	-370.149	3	-.257	3	-.113	8	-.288	6
189	2	max	292.758	7	271.242	14	471.453	9	.455	9	.086	2	.225	12
190		min	-257.142	13	37.176	8	-370.149	3	-.257	3	-.059	8	-.296	6
191	3	max	292.758	7	271.242	14	471.453	9	.455	9	.057	12	.211	12
192		min	-257.142	13	37.176	8	-370.149	3	-.257	3	-.018	6	-.305	6
193	M33	1	max	411.444	6	596.166	21	469.974	9	.45	.13	3	.47	12
194		min	-391.063	12	203.861	2	-526.313	3	-.548	3	-.13	9	-.431	6
195	2	max	411.444	6	596.166	21	469.974	9	.45	9	.067	3	.439	12
196		min	-391.063	12	203.861	2	-526.313	3	-.548	3	-.073	9	-.468	6
197	3	max	411.444	6	596.166	21	469.974	9	.45	9	.003	3	.408	12
198		min	-391.063	12	203.861	2	-526.313	3	-.548	3	-.018	22	-.505	6
199	M34	1	max	162.267	6	350.019	14	232.344	9	.337	.06	3	.277	12
200		min	-149.079	12	69.529	8	-195.066	3	-.272	3	-.053	9	-.29	6
201	2	max	162.267	6	350.019	14	232.344	9	.337	9	.039	2	.256	12
202		min	-149.079	12	69.529	8	-195.066	3	-.272	3	-.027	8	-.303	6
203	3	max	162.267	6	350.019	14	232.344	9	.337	9	.023	38	.236	12
204		min	-149.079	12	69.529	8	-195.066	3	-.272	3	-.004	7	-.317	6
205	M35	1	max	345.302	2	689.467	32	166.62	5	.098	.062	12	.315	8
206		min	-307.594	8	37.852	26	-259.879	11	-.282	11	-.078	6	-.377	2
207	2	max	345.302	2	689.467	32	166.62	5	.098	5	.041	13	.303	8
208		min	-307.594	8	37.852	26	-259.879	11	-.282	11	-.068	7	-.384	2
209	3	max	345.302	2	689.467	32	166.62	5	.098	5	.029	2	.291	8
210		min	-307.594	8	37.852	26	-259.879	11	-.282	11	-.067	8	-.391	2

Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC	
211	M36	1	max	444.747	2	260.498	22	294.351	5	.306	6	.075	10	.35	8
212			min	-410.794	8	47.321	26	-186.388	11	-.095	12	-.064	4	-.397	2
213		2	max	444.747	2	260.498	22	294.351	5	.306	6	.06	9	.338	8
214			min	-410.794	8	47.321	26	-186.388	11	-.095	12	-.036	3	-.406	2
215		3	max	444.747	2	260.498	22	294.351	5	.306	6	.059	8	.326	8
216			min	-410.794	8	47.321	26	-186.388	11	-.095	12	-.022	2	-.415	2
217	M37	1	max	499.236	2	593.912	17	342.972	5	.294	5	.097	11	.568	8
218			min	-478.439	8	226.532	11	-402.994	11	-.4	11	-.096	5	-.529	2
219		2	max	499.236	2	593.912	17	342.972	5	.294	5	.049	11	.535	8
220			min	-478.439	8	226.532	11	-402.994	11	-.4	11	-.055	5	-.564	2
221		3	max	499.236	2	593.912	17	342.972	5	.294	5	.002	10	.502	8
222			min	-478.439	8	226.532	11	-402.994	11	-.4	11	-.016	16	-.599	2
223	M38	1	max	153.817	2	256.452	22	160.847	5	.224	5	.042	10	.296	8
224			min	-142.747	8	62.962	4	-120.844	11	-.153	11	-.036	4	-.319	2
225		2	max	153.817	2	256.452	22	160.847	5	.224	5	.03	10	.279	8
226			min	-142.747	8	62.962	4	-120.844	11	-.153	11	-.02	4	-.328	2
227		3	max	153.817	2	256.452	22	160.847	5	.224	5	.023	34	.263	8
228			min	-142.747	8	62.962	4	-120.844	11	-.153	11	-.007	3	-.338	2
229	M39	1	max	252.79	10	691.489	27	280.657	13	.219	13	.093	8	.227	4
230			min	-214.819	4	38.923	26	-372.212	7	-.4	7	-.111	2	-.289	10
231		2	max	252.79	10	691.489	27	280.657	13	.219	13	.052	8	.214	4
232			min	-214.819	4	38.923	26	-372.212	7	-.4	7	-.08	2	-.296	10
233		3	max	252.79	10	691.489	27	280.657	13	.219	13	.022	10	.201	4
234			min	-214.819	4	38.923	26	-372.212	7	-.4	7	-.062	4	-.303	10
235	M40	1	max	304.391	9	269.187	18	485.136	2	.478	2	.117	7	.252	3
236			min	-269.638	3	34.536	13	-381.794	8	-.276	8	-.104	13	-.3	9
237		2	max	304.391	9	269.187	18	485.136	2	.478	2	.075	6	.243	3
238			min	-269.638	3	34.536	13	-381.794	8	-.276	8	-.05	12	-.313	9
239		3	max	304.391	9	269.187	18	485.136	2	.478	2	.058	4	.234	3
240			min	-269.638	3	34.536	13	-381.794	8	-.276	8	-.02	10	-.326	9
241	M41	1	max	410.092	10	606.731	25	464.638	13	.441	13	.124	7	.47	4
242			min	-388.993	4	203.661	7	-519.831	7	-.537	7	-.125	13	-.431	10
243		2	max	410.092	10	606.731	25	464.638	13	.441	13	.062	7	.435	4
244			min	-388.993	4	203.661	7	-519.831	7	-.537	7	-.069	13	-.464	10
245		3	max	410.092	10	606.731	25	464.638	13	.441	13	0	7	.399	4
246			min	-388.993	4	203.661	7	-519.831	7	-.537	7	-.017	25	-.498	10
247	M42	1	max	161.928	10	330.604	19	238.239	13	.349	13	.061	7	.276	4
248			min	-149.8	4	79.164	13	-197.103	7	-.277	7	-.056	13	-.29	10
249		2	max	161.928	10	330.604	19	238.239	13	.349	13	.039	6	.26	4
250			min	-149.8	4	79.164	13	-197.103	7	-.277	7	-.029	12	-.306	10
251		3	max	161.928	10	330.604	19	238.239	13	.349	13	.023	5	.244	3
252			min	-149.8	4	79.164	13	-197.103	7	-.277	7	-.008	11	-.323	9
253	M43	1	max	-11.081	5	173.244	29	103.532	14	.071	8	.052	11	.003	3
254			min	-63.637	36	-13.86	10	14.648	8	-.204	2	-.033	5	-.024	22
255		2	max	-11.081	5	173.244	29	103.532	14	.071	8	.057	11	-.005	3
256			min	-63.637	36	-13.86	10	14.648	8	-.204	2	-.028	5	-.043	34
257		3	max	-11.081	5	173.244	29	103.532	14	.071	8	.063	12	-.011	2
258			min	-63.637	36	-13.86	10	14.648	8	-.204	2	-.024	6	-.063	33
259	M44	1	max	9.501	8	88.144	8	-9.557	5	.211	35	.023	7	.013	8
260			min	-45.335	15	-23.734	2	-132.863	36	-.048	4	-.038	13	-.028	2
261		2	max	9.501	8	88.144	8	-9.557	5	.211	35	.02	7	.003	7
262			min	-45.335	15	-23.734	2	-132.863	36	-.048	4	-.047	13	-.027	14
263		3	max	9.501	8	88.144	8	-9.557	5	.211	35	.018	6	-.006	7
264			min	-45.335	15	-23.734	2	-132.863	36	-.048	4	-.057	12	-.033	25
265	M45	1	max	14.2	5	42.323	2	98.067	27	.114	9	.013	9	.031	2
266			min	-34.95	11	-130.078	33	14.673	8	-.211	3	-.017	28	-.024	8
267		2	max	14.2	5	42.323	2	98.067	27	.114	9	.015	9	.026	2



Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC	
268		min	-34.95	11	-130.078	33	14.673	8	-.211	3	-.008	3	-.01	8	
269	3	max	14.2	5	42.323	2	98.067	27	.114	9	.018	22	.034	24	
270		min	-34.95	11	-130.078	33	14.673	8	-.211	3	-.003	3	.003	7	
271	M46	1	max	42.572	12	-5.152	8	88.579	3	.259	9	.03	8	.047	11
272		min	-55.778	6	-184.627	14	-125.846	9	-.195	3	-.037	2	-.048	5	
273	2	max	42.572	12	-5.152	8	88.579	3	.259	9	.016	8	.059	12	
274		min	-55.778	6	-184.627	14	-125.846	9	-.195	3	-.027	2	-.041	6	
275	3	max	42.572	12	-5.152	8	88.579	3	.259	9	.004	7	.071	12	
276		min	-55.778	6	-184.627	14	-125.846	9	-.195	3	-.023	38	-.035	6	
277	M47	1	max	2.388	13	173.527	38	109.515	20	.024	4	.049	8	-.003	12
278		min	-64.137	32	.231	7	15.893	3	-.183	22	-.033	2	-.021	30	
279	2	max	2.388	13	173.527	38	109.515	20	.024	4	.058	8	-.008	10	
280		min	-64.137	32	.231	7	15.893	3	-.183	22	-.031	2	-.042	29	
281	3	max	2.388	13	173.527	38	109.515	20	.024	4	.067	8	-.011	9	
282		min	-64.137	32	.231	7	15.893	3	-.183	22	-.029	2	-.062	28	
283	M48	1	max	16.144	2	87.131	16	-14.035	13	.215	31	.027	2	.022	2
284		min	-50.11	8	-7.151	10	-136.072	32	-.025	12	-.038	8	-.034	8	
285	2	max	16.144	2	87.131	16	-14.035	13	.215	31	.024	2	.016	2	
286		min	-50.11	8	-7.151	10	-136.072	32	-.025	12	-.048	8	-.037	8	
287	3	max	16.144	2	87.131	16	-14.035	13	.215	31	.022	2	.011	2	
288		min	-50.11	8	-7.151	10	-136.072	32	-.025	12	-.059	8	-.04	8	
289	M49	1	max	20.66	13	20.339	11	100.48	31	.038	4	.008	2	.022	10
290		min	-41.779	7	-128.88	30	5.149	12	-.179	35	-.018	34	-.015	4	
291	2	max	20.66	13	20.339	11	100.48	31	.038	4	.012	3	.022	21	
292		min	-41.779	7	-128.88	30	5.149	12	-.179	35	-.006	9	-.005	3	
293	3	max	20.66	13	20.339	11	100.48	31	.038	4	.016	16	.033	20	
294		min	-41.779	7	-128.88	30	5.149	12	-.179	35	-.002	10	.002	2	
295	M50	1	max	85.129	8	-37.886	4	63.252	11	.196	5	.024	4	.068	8
296		min	-96.207	2	-192.603	22	-103.25	5	-.127	11	-.03	10	-.07	2	
297	2	max	85.129	8	-37.886	4	63.252	11	.196	5	.014	4	.082	8	
298		min	-96.207	2	-192.603	22	-103.25	5	-.127	11	-.024	10	-.064	2	
299	3	max	85.129	8	-37.886	4	63.252	11	.196	5	.007	3	.096	8	
300		min	-96.207	2	-192.603	22	-103.25	5	-.127	11	-.023	34	-.058	2	
301	M51	1	max	4.359	7	173.352	33	109.065	17	.05	12	.046	3	.003	7
302		min	-64.313	27	-13.311	2	12.147	11	-.19	6	-.029	9	-.022	38	
303	2	max	4.359	7	173.352	33	109.065	17	.05	12	.054	3	-.003	6	
304		min	-64.313	27	-13.311	2	12.147	11	-.19	6	-.026	9	-.042	37	
305	3	max	4.359	7	173.352	33	109.065	17	.05	12	.062	4	-.007	5	
306		min	-64.313	27	-13.311	2	12.147	11	-.19	6	-.022	10	-.063	36	
307	M52	1	max	-6.486	10	90.883	13	-17.4	8	.222	2	.031	11	.012	11
308		min	-39.987	18	-24.241	7	-133.583	27	-.063	8	-.044	5	-.025	5	
309	2	max	-6.486	10	90.883	13	-17.4	8	.222	2	.024	11	.005	10	
310		min	-39.987	18	-24.241	7	-133.583	27	-.063	8	-.05	5	-.027	17	
311	3	max	-6.486	10	90.883	13	-17.4	8	.222	2	.02	10	.001	9	
312		min	-39.987	18	-24.241	7	-133.583	27	-.063	8	-.058	4	-.035	15	
313	M53	1	max	20.727	9	43.241	7	97.122	30	.105	13	.009	12	.028	6
314		min	-42.132	3	-133.696	38	17.426	11	-.2	7	-.017	31	-.022	12	
315	2	max	20.727	9	43.241	7	97.122	30	.105	13	.011	24	.024	6	
316		min	-42.132	3	-133.696	38	17.426	11	-.2	7	-.005	32	-.009	12	
317	3	max	20.727	9	43.241	7	97.122	30	.105	13	.017	25	.035	16	
318		min	-42.132	3	-133.696	38	17.426	11	-.2	7	0	7	.001	11	
319	M54	1	max	52.56	3	-22.734	13	93.319	7	.272	13	.031	12	.059	3
320		min	-64.474	9	-176.746	19	-134.443	13	-.201	7	-.036	7	-.059	9	
321	2	max	52.56	3	-22.734	13	93.319	7	.272	13	.018	12	.065	3	
322		min	-64.474	9	-176.746	19	-134.443	13	-.201	7	-.028	6	-.047	9	
323	3	max	52.56	3	-22.734	13	93.319	7	.272	13	.008	11	.071	3	
324		min	-64.474	9	-176.746	19	-134.443	13	-.201	7	-.023	5	-.034	9	

Envelope Member Section Forces (Continued)

Member	Sec		Axial[lb]	LC	y Shear[lb]	LC	z Shear[lb]	LC	Torque[k-...	LC	y-y Mome...	LC	z-z Mome...	LC	
325	M55	1	max	1235.032	12	87.345	13	30.614	8	.254	3	.078	9	0	13
326			min	-1221.981	6	-192.921	7	-30.588	2	-.257	9	-.077	3	-.067	19
327		2	max	1257.84	12	44.433	13	5.782	6	.254	3	.116	8	.512	7
328			min	-1244.789	6	-243.592	26	-5.743	12	-.257	9	-.116	2	-.178	13
329		3	max	1467.393	13	-288.851	12	1221.596	2	.553	3	1.197	2	3.886	18
330			min	-1441.88	7	-2024.558	18	-1218.084	8	-.561	9	-1.199	8	.069	12
331	M56	1	max	1665.619	8	129.374	8	39.249	5	.193	11	.056	5	0	9
332			min	-1653.035	2	-237.244	2	-39.109	11	-.198	5	-.055	11	-.07	15
333		2	max	1665.619	8	86.462	8	7.231	2	.193	11	.109	5	.63	2
334			min	-1653.035	2	-280.156	2	-7.106	8	-.198	5	-.108	11	-.292	8
335		3	max	1934.149	8	-126.694	8	1142.113	11	.41	11	1.185	11	4.134	14
336			min	-1908.822	2	-2157.566	14	-1140.13	5	-.443	5	-1.189	5	-.387	8
337	M57	1	max	1223.38	4	79.529	4	26.211	13	.248	7	.08	13	-.008	5
338			min	-1210.762	10	-183.716	10	-25.875	7	-.263	13	-.079	7	-.065	23
339		2	max	1246.188	4	36.617	4	6.617	9	.248	7	.11	13	.496	10
340			min	-1233.57	10	-242.808	26	-6.267	3	-.263	13	-.109	7	-.167	4
341		3	max	1460.467	4	-280.111	4	1177.485	7	.506	7	1.121	7	3.83	22
342			min	-1435.583	10	-2005.467	22	-1175.112	13	-.607	13	-1.124	13	.063	4
343	M58	1	max	558.309	8	-.582	13	647.621	11	.303	34	.301	5	.532	3
344			min	-525.849	2	-796.995	19	-636.196	5	-.115	3	-.321	11	-.613	9
345		2	max	511.523	9	-26.779	13	144.417	10	.267	9	.129	10	1.049	16
346			min	-477.02	3	-845.733	19	-145.691	4	-.132	3	-.124	4	.027	10
347		3	max	511.523	9	-46.643	13	144.417	10	.267	9	.337	10	2.229	18
348			min	-477.02	3	-865.596	19	-145.691	4	-.132	3	-.334	4	.285	12
349	M59	1	max	766.123	2	863.17	17	213.927	8	.186	8	.543	2	2.223	19
350			min	-728.95	8	147.102	11	-227.883	2	-.262	2	-.531	8	.226	13
351		2	max	766.123	2	843.306	17	213.927	8	.186	8	.219	13	1.049	20
352			min	-728.95	8	127.238	11	-227.883	2	-.262	2	-.227	7	-.177	2
353		3	max	430.032	3	799.297	17	891.865	7	.178	8	.395	8	.548	9
354			min	-403.745	9	89.199	11	-917.006	13	-.293	2	-.412	2	-.716	3
355	M60	1	max	547.385	4	-10.212	9	916.086	8	.304	30	.403	2	.408	11
356			min	-513.054	10	-839.045	15	-904.996	2	-.063	11	-.424	8	-.501	5
357		2	max	506.98	5	-32.928	9	162.442	7	.259	30	.186	6	1.113	25
358			min	-470.818	11	-888.492	15	-163.642	13	-.087	11	-.181	12	-.055	7
359		3	max	506.98	5	-52.791	9	162.442	7	.259	30	.417	7	2.373	14
360			min	-470.818	11	-908.356	15	-163.642	13	-.087	11	-.413	13	.113	8
361	M61	1	max	645.552	10	930.667	25	165.545	3	.135	4	.467	9	2.395	14
362			min	-607.354	4	75.271	7	-179.846	9	-.218	10	-.456	3	.137	8
363		2	max	645.552	10	910.803	25	165.545	3	.135	4	.208	9	1.111	15
364			min	-607.354	4	55.408	7	-179.846	9	-.218	10	-.217	3	-.096	9
365		3	max	572.717	12	867.055	25	900.775	3	.125	4	.378	3	.426	5
366			min	-545.224	6	15.951	7	-925.977	9	-.248	10	-.396	9	-.591	11
367	M62	1	max	325.64	12	-69.764	5	892.189	3	.311	38	.38	8	.521	7
368			min	-.292	6	-750.735	23	-882.864	9	-.095	7	-.4	2	-.589	13
369		2	max	579.574	2	-97.191	5	203.025	2	.277	13	.195	2	1.051	20
370			min	-544.921	8	-799.794	23	-204.491	8	-.124	7	-.19	8	-.116	2
371		3	max	579.574	2	-117.054	5	203.025	2	.277	13	.488	2	2.176	21
372			min	-544.921	8	-819.658	23	-204.491	8	-.124	7	-.485	8	.189	3
373	M63	1	max	653.67	7	892.455	21	161.287	12	.163	13	.389	6	2.256	22
374			min	-617.067	13	67.498	3	-175.196	6	-.23	7	-.377	12	.319	4
375		2	max	653.67	7	872.591	21	161.287	12	.163	13	.136	6	1.048	24
376			min	-617.067	13	47.635	3	-175.196	6	-.23	7	-.145	12	-.019	6
377		3	max	605.218	8	828.554	21	664.588	11	.155	13	.325	11	.565	13
378			min	-579.994	2	10.2	3	-691.176	5	-.261	7	-.343	5	-.725	7



Envelope Member Section Stresses

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC
1	M1	1	max	.735	38	0	33	0	37	0	50	0	50	0	50	0
2			min	0	1	0	2	0	6	0	1	0	1	0	1	0
3		2	max	.625	35	.181	8	.025	11	.732	8	1.701	2	.103	12	3.016
4			min	-.015	26	-.293	2	-.211	29	-1.701	2	-.732	8	-3.016	31	-1.103
5		3	max	0	50	0	2	0	5	0	50	0	50	0	50	0
6			min	0	1	0	8	0	23	0	1	0	1	0	1	0
7	M2	1	max	0	50	0	7	0	11	0	50	0	50	0	50	0
8			min	0	1	0	25	0	5	0	1	0	1	0	1	0
9		2	max	.035	2	.248	35	.133	10	2.931	27	-.115	8	1.284	11	1.337
10			min	-.074	8	.033	4	-.094	4	.115	8	-2.931	27	-1.337	4	-1.284
11		3	max	0	50	0	14	0	6	0	50	0	50	0	50	0
12			min	0	1	0	8	0	24	0	1	0	1	0	1	0
13	M3	1	max	0	50	0	7	0	24	0	50	0	50	0	50	0
14			min	0	1	0	13	0	6	0	1	0	1	0	1	0
15		2	max	.378	21	.325	8	.187	11	1.753	7	1.723	13	.819	12	2.81
16			min	.139	2	-.399	2	-.276	5	-1.723	13	-1.753	7	-2.81	6	-.819
17		3	max	0	50	0	25	0	5	0	50	0	50	0	50	0
18			min	0	1	0	7	0	23	0	1	0	1	0	1	0
19	M4	1	max	0	50	0	7	0	12	0	50	0	50	0	50	0
20			min	0	1	0	25	0	6	0	1	0	1	0	1	0
21		2	max	.312	14	.371	8	.287	11	3.696	8	2.36	2	3.216	11	4.247
22			min	.056	8	-.296	2	-.272	5	-2.36	2	-3.696	8	-4.247	5	-3.216
23		3	max	0	50	0	25	0	6	0	50	0	50	0	50	0
24			min	0	1	0	7	0	24	0	1	0	1	0	1	0
25	M5	1	max	.735	38	.002	33	0	12	0	50	0	50	0	50	0
26			min	0	1	0	2	-.002	31	0	1	0	1	0	1	0
27		2	max	.622	32	.111	8	.243	22	.66	9	2.198	28	2.394	22	-.474
28			min	-.016	26	-.185	2	-.051	4	-2.198	28	-.66	9	.474	4	-2.394
29		3	max	0	50	0	2	0	18	0	50	0	50	0	50	0
30			min	0	1	0	20	0	12	0	1	0	1	0	1	0
31	M6	1	max	0	50	0	8	0	22	0	50	0	50	0	50	0
32			min	0	1	0	2	0	4	0	1	0	1	0	1	0
33		2	max	.019	10	-.016	4	.008	12	-.004	4	1.611	24	-.766	2	2.879
34			min	-.064	26	-.082	25	-.269	31	-1.611	24	.004	4	-2.879	33	.766
35		3	max	0	50	0	2	0	5	0	50	0	50	0	50	0
36			min	0	1	0	20	0	23	0	1	0	1	0	1	0
37	M7	1	max	0	50	0	8	0	11	0	50	0	50	0	50	0
38			min	0	1	0	2	0	17	0	1	0	1	0	1	0
39		2	max	.376	17	.263	8	.295	11	1.491	8	3.224	2	1.723	35	-.051
40			min	.161	11	-.303	2	-.178	5	-3.224	2	-1.491	8	.051	4	-1.723
41		3	max	0	50	0	2	0	18	0	50	0	50	0	50	0
42			min	0	1	0	20	0	12	0	1	0	1	0	1	0
43	M8	1	max	0	50	0	8	0	23	0	50	0	50	0	50	0
44			min	0	1	0	2	0	5	0	1	0	1	0	1	0
45		2	max	.22	22	.225	8	.181	11	3.694	8	5.159	2	1.697	11	2.408
46			min	.05	4	-.246	2	-.259	5	-5.159	2	-3.694	8	-2.408	5	-1.697
47		3	max	0	50	0	2	0	5	0	50	0	50	0	50	0
48			min	0	1	0	20	0	23	0	1	0	1	0	1	0
49	M9	1	max	.735	38	0	9	0	11	0	50	0	50	0	50	0
50			min	0	1	-.002	28	0	30	0	1	0	1	0	1	0
51		2	max	.624	27	.262	7	.144	11	3.022	34	-.849	4	1.823	11	1.588
52			min	-.015	26	-.07	13	-.169	5	.849	4	-3.022	34	-1.588	5	-1.823
53		3	max	0	50	0	15	0	16	0	50	0	50	0	50	0
54			min	0	1	0	8	0	10	0	1	0	1	0	1	0
55	M10	1	max	0	50	0	8	0	10	0	50	0	50	0	50	0
56			min	0	1	0	2	0	16	0	1	0	1	0	1	0



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC	
57	2	max	.036	7	.04	8	.191	24	-.483	13	2.008	31	2.733	22	-.302	3	
58		min	-.077	13	-.209	27	.022	6	-2.008	31	.483	13	.302	3	-2.733	22	
59	3	max	0	50	0	2	0	17	0	50	0	50	0	50	0	50	
60		min	0	1	0	8	0	11	0	1	0	1	0	1	0	1	
61	M11	1	max	0	50	0	9	0	10	0	50	0	50	0	50	0	
62		min	0	1	0	15	0	4	0	1	0	1	0	1	0	1	
63	2	max	.389	25	.369	8	.257	11	2.392	34	.143	3	2.682	11	1.624	5	
64		min	.138	7	-.256	2	-.275	5	-.143	3	-2.392	34	-1.624	5	-2.682	11	
65	3	max	0	50	0	15	0	16	0	50	0	50	0	50	0	50	
66		min	0	1	0	9	0	10	0	1	0	1	0	1	0	1	
67	M12	1	max	0	50	0	9	0	10	0	50	0	50	0	50	0	
68		min	0	1	0	3	0	16	0	1	0	1	0	1	0	1	
69	2	max	.293	19	.354	8	.268	11	4.104	8	3.969	2	3.925	10	2.249	4	
70		min	.065	13	-.412	2	-.208	5	-3.969	2	-4.104	8	-2.249	4	-3.925	10	
71	3	max	0	50	0	15	0	17	0	50	0	50	0	50	0	50	
72		min	0	1	0	9	0	11	0	1	0	1	0	1	0	1	
73	M13	1	max	.034	5	.047	8	.029	8	.473	7	1.171	13	1.647	2	1.584	8
74		min	-.027	11	-.056	2	-.03	2	-1.171	13	-.473	7	-1.584	8	-1.647	2	
75	2	max	.171	2	.116	27	.421	8	.649	9	1.506	3	7.243	8	7.183	2	
76		min	-.165	8	-.058	2	-.416	2	-1.506	3	-.649	9	-7.183	2	-7.243	8	
77	3	max	.037	12	.11	27	.042	2	.449	9	1.134	3	1.974	2	1.811	8	
78		min	-.027	6	-.037	8	-.037	8	-1.134	3	-.449	9	-1.811	8	-1.974	2	
79	M14	1	max	.049	8	.035	3	.031	9	.312	6	.961	12	1.233	4	1.393	10
80		min	-.04	2	-.111	34	-.027	3	-.961	12	-.312	6	-1.393	10	-1.233	4	
81	2	max	.121	10	.034	10	.373	3	.61	3	1.38	9	6.163	9	6.217	3	
82		min	-.116	4	-.117	34	-.368	9	-1.38	9	-.61	3	-6.217	3	-6.163	9	
83	3	max	.064	13	.032	10	.024	5	.599	2	1.257	8	1.169	4	1.225	10	
84		min	-.057	7	-.042	29	-.024	11	-1.257	8	-.599	2	-1.225	10	-1.169	4	
85	M15	1	max	.059	8	.046	13	.028	13	.312	10	.975	4	1.451	7	1.392	13
86		min	-.052	2	-.054	7	-.029	7	-.975	4	-.312	10	-1.392	13	-1.451	7	
87	2	max	.133	7	.115	31	.385	7	.647	13	1.452	7	6.459	13	6.425	7	
88		min	-.127	13	-.037	17	-.385	13	-1.452	7	-.647	13	-6.425	7	-6.459	13	
89	3	max	.048	3	.108	31	.035	6	.563	2	1.201	8	1.592	6	1.437	12	
90		min	-.039	9	-.022	26	-.03	12	-1.201	8	-.563	2	-1.437	12	-1.592	6	
91	M16	1	max	.019	8	.064	11	.085	5	1.758	16	.219	10	1.076	8	3.753	2
92		min	-.071	2	-.049	5	-.081	11	-.219	10	-1.758	16	-3.175	2	-1.272	8	
93	2	max	.019	8	.058	11	.085	5	1.658	14	-.049	8	1.056	8	3.602	2	
94		min	-.071	2	-.055	5	-.081	11	.049	8	-1.658	14	-3.048	2	-1.248	8	
95	3	max	.019	8	.052	11	.085	5	1.697	25	.115	7	.986	8	3.511	2	
96		min	-.071	2	-.06	5	-.081	11	-.115	7	-1.697	25	-2.97	2	-1.166	8	
97	M17	1	max	.02	4	.066	7	.113	13	1.735	24	.207	6	1.025	4	3.696	10
98		min	-.071	10	-.048	13	-.106	7	-.207	6	-1.735	24	-3.127	10	-1.212	4	
99	2	max	.02	4	.061	7	.113	13	1.631	22	-.085	4	.97	4	3.426	10	
100		min	-.071	10	-.054	13	-.106	7	.085	4	-1.631	22	-2.899	10	-1.147	4	
101	3	max	.02	4	.055	7	.113	13	1.691	20	.252	2	.865	4	3.216	10	
102		min	-.071	10	-.06	13	-.106	7	-.252	2	-1.691	20	-2.721	10	-1.023	4	
103	M18	1	max	.021	13	.064	3	.113	9	1.782	8	.432	2	1.191	13	3.784	7
104		min	-.072	7	-.049	9	-.11	3	-.432	2	-1.782	8	-3.201	7	-1.408	13	
105	2	max	.021	13	.059	3	.113	9	1.632	19	-.07	13	1.056	12	3.496	6	
106		min	-.072	7	-.055	9	-.11	3	.07	13	-1.632	19	-2.958	6	-1.248	12	
107	3	max	.021	13	.053	3	.113	9	1.663	17	.052	11	1.059	12	3.486	6	
108		min	-.072	7	-.061	9	-.11	3	-.052	11	-1.663	17	-2.949	6	-1.251	12	
109	M19	1	max	0	50	0	3	0	2	0	50	0	50	0	50	0	
110		min	0	1	0	11	0	10	0	1	0	1	0	1	0	1	
111	2	max	-.04	3	.294	3	.055	6	-.078	8	1.589	27	.25	5	1.562	24	
112		min	-.21	34	-.229	9	-.063	12	-1.589	27	.078	8	-1.562	24	-.25	5	
113	3	max	0	50	0	14	0	2	0	50	0	50	0	50	0	50	



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	v-Top[ksil	LC	v-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC
114		min	0	1	0	10	0	11	0	1	0	1	0	1	0	1
115	M20	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
116		min	0	1	0	1	0	1	0	1	0	1	0	1	0	1
117		max	-.035	12	.206	11	.088	2	-.155	4	1.614	35	.162	2	1.468	20
118		min	-.216	31	-.135	5	-.098	8	-1.614	35	.155	4	-1.468	20	-.162	2
119		max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
120		min	0	1	0	1	0	1	0	1	0	1	0	1	0	1
121	M21	max	0	50	0	6	0	5	0	50	0	50	0	50	0	50
122		min	0	1	0	25	0	2	0	1	0	1	0	1	0	1
123		max	-.034	7	.284	7	.054	10	-.247	12	1.589	31	.291	10	1.556	16
124		min	-.213	38	-.229	13	-.062	4	-1.589	31	.247	12	-1.556	16	-.291	10
125		max	0	50	0	5	0	5	0	50	0	50	0	50	0	50
126		min	0	1	0	13	0	2	0	1	0	1	0	1	0	1
127	M22	max	0	50	0	3	0	9	0	50	0	50	0	50	0	50
128		min	0	1	0	22	0	5	0	1	0	1	0	1	0	1
129		max	.272	13	.352	3	.196	4	-.436	5	2.477	36	.462	6	.481	12
130		min	-.197	7	-.238	9	-.192	10	-2.477	36	.436	5	-.481	12	-.462	6
131		max	0	50	0	16	0	8	0	50	0	50	0	50	0	50
132		min	0	1	0	9	0	5	0	1	0	1	0	1	0	1
133	M23	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
134		min	0	1	0	1	0	1	0	1	0	1	0	1	0	1
135		max	.328	8	.276	11	.086	12	-.312	13	2.564	32	.551	2	.567	8
136		min	-.248	2	-.148	5	-.082	6	-2.564	32	.312	13	-.567	8	-.551	2
137		max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
138		min	0	1	0	1	0	1	0	1	0	1	0	1	0	1
139	M24	max	0	50	0	7	0	11	0	50	0	50	0	50	0	50
140		min	0	1	0	24	0	8	0	1	0	1	0	1	0	1
141		max	.24	4	.346	7	.208	7	-.313	9	2.517	28	.503	9	.521	3
142		min	-.162	10	-.246	13	-.205	13	-2.517	28	.313	9	-.521	3	-.503	9
143		max	0	50	0	18	0	11	0	50	0	50	0	50	0	50
144		min	0	1	0	13	0	7	0	1	0	1	0	1	0	1
145	M25	max	.651	11	.117	26	.041	5	1.104	4	1.514	10	.5	11	2.196	26
146		min	-.668	5	0	5	-.033	11	-1.514	10	-1.104	4	-1.785	26	-.614	11
147		max	.651	11	.009	11	.041	5	.283	3	.66	9	.996	26	.147	7
148		min	-.668	5	-.022	5	-.033	11	-.66	9	-.283	3	-.12	7	-1.225	26
149		max	.651	11	-.019	11	.041	5	.069	12	2.216	26	.191	4	3.841	26
150		min	-.668	5	-.262	26	-.033	11	-2.216	26	-.069	12	-3.123	26	-.235	4
151	M26	max	.881	7	.117	26	.057	13	1.556	13	1.971	7	.848	7	2.197	26
152		min	-.897	13	-.006	13	-.049	7	-1.971	7	-1.556	13	-1.787	26	-1.043	7
153		max	.881	7	.015	7	.057	13	.26	12	.647	6	.994	26	.148	3
154		min	-.897	13	-.029	13	-.049	7	-.647	6	-.26	12	-.12	3	-1.223	26
155		max	.881	7	-.012	7	.057	13	.339	8	2.222	26	.461	13	3.845	26
156		min	-.897	13	-.262	26	-.049	7	-2.222	26	-.339	8	-3.127	26	-.567	13
157	M27	max	.914	2	.117	26	.059	9	1.713	8	2.144	2	.871	3	2.201	26
158		min	-.93	8	-.006	9	-.05	3	-2.144	2	-1.713	8	-1.79	26	-1.071	3
159		max	.914	2	.015	3	.059	9	.414	8	.827	2	.987	26	.139	23
160		min	-.93	8	-.029	9	-.05	3	-.827	2	-.414	8	-.113	23	-1.214	26
161		max	.914	2	-.012	3	.059	9	.228	3	2.243	26	.558	8	3.859	26
162		min	-.93	8	-.262	26	-.05	3	-2.243	26	-.228	3	-3.138	26	-.686	8
163	M28	max	.645	6	.115	26	.047	6	.889	5	1.28	11	.613	12	2.168	26
164		min	-.658	12	-.011	6	-.036	12	-1.28	11	-.889	5	-1.763	26	-.754	12
165		max	.645	6	.016	12	.047	6	.2	26	.835	33	.978	26	.429	7
166		min	-.658	12	-.034	6	-.036	12	-.835	33	-.2	26	-.348	7	-1.202	26
167		max	.645	6	-.011	12	.047	6	.617	12	2.317	26	-.2	4	3.915	26
168		min	-.658	12	-.264	26	-.036	12	-2.317	26	-.617	12	-3.183	26	.246	4
169	M29	max	.962	2	.115	26	.068	2	1.443	13	1.844	7	1.03	8	2.174	26
170		min	-.975	8	-.023	2	-.057	8	-1.844	7	-1.443	13	-1.768	26	-1.266	8



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC	
171	2	max	.962	2	.028	8	.068	2	.189	26	.844	28	.971	26	.563	2	
172		min	-.975	8	-.046	2	-.057	8	-.844	28	-.189	26	-.458	2	-1.194	26	
173	3	max	.962	2	0	8	.068	2	1.223	8	2.726	2	-.057	13	3.925	26	
174		min	-.975	8	-.264	26	-.057	8	-2.726	2	-1.223	8	-3.191	26	.07	13	
175	M30	1	max	.88	9	.115	26	.061	9	1.336	9	1.723	3	.867	3	2.17	26
176		min	-.891	3	-.017	9	-.05	3	-1.723	3	-1.336	9	-1.764	26	-1.066	3	
177	2	max	.88	9	.022	3	.061	9	.192	26	.84	37	.973	26	.43	35	
178		min	-.891	3	-.04	9	-.05	3	-.84	37	-.192	26	-.349	35	-1.196	26	
179	3	max	.88	9	-.006	3	.061	9	.84	3	2.345	9	-.029	8	3.925	26	
180		min	-.891	3	-.264	26	-.05	3	-2.345	9	-.84	3	-3.192	26	.036	8	
181	M31	1	max	0	7	0	50	0	50	0	50	0	50	0	50	0	
182		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
183	2	max	0	7	0	50	0	50	0	50	0	50	0	50	0	50	
184		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
185	3	max	0	7	0	50	0	50	0	50	0	50	0	50	0	50	
186		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
187	M32	1	max	0	7	0	50	0	50	0	50	0	50	0	50	0	
188		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
189	2	max	0	7	0	50	0	50	0	50	0	50	0	50	0	50	
190		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
191	3	max	0	7	0	50	0	50	0	50	0	50	0	50	0	50	
192		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
193	M33	1	max	0	6	0	50	0	50	0	50	0	50	0	50	0	
194		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
195	2	max	0	6	0	50	0	50	0	50	0	50	0	50	0	50	
196		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
197	3	max	0	6	0	50	0	50	0	50	0	50	0	50	0	50	
198		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
199	M34	1	max	0	6	0	50	0	50	0	50	0	50	0	50	0	
200		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
201	2	max	0	6	0	50	0	50	0	50	0	50	0	50	0	50	
202		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
203	3	max	0	6	0	50	0	50	0	50	0	50	0	50	0	50	
204		min	0	12	0	1	0	1	0	1	0	1	0	1	0	1	
205	M35	1	max	0	2	0	50	0	50	0	50	0	50	0	50	0	
206		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
207	2	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
208		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
209	3	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
210		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
211	M36	1	max	0	2	0	50	0	50	0	50	0	50	0	50	0	
212		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
213	2	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
214		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
215	3	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
216		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
217	M37	1	max	0	2	0	50	0	50	0	50	0	50	0	50	0	
218		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
219	2	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
220		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
221	3	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
222		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
223	M38	1	max	0	2	0	50	0	50	0	50	0	50	0	50	0	
224		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
225	2	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	
226		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
227	3	max	0	2	0	50	0	50	0	50	0	50	0	50	0	50	



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC	
228		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
229	M39	1	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
230		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
231		2	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
232		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
233		3	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
234		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
235	M40	1	max	0	9	0	50	0	50	0	50	0	50	0	50	0	50
236		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
237		2	max	0	9	0	50	0	50	0	50	0	50	0	50	0	50
238		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
239		3	max	0	9	0	50	0	50	0	50	0	50	0	50	0	50
240		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
241	M41	1	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
242		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
243		2	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
244		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
245		3	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
246		min	0	4	0	1	0	1	0	1	0	1	0	1	0	1	
247	M42	1	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
248		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
249		2	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
250		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
251		3	max	0	10	0	50	0	50	0	50	0	50	0	50	0	50
252		min	0	3	0	1	0	1	0	1	0	1	0	1	0	1	
253	M43	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
254		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
255		2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
256		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
257		3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
258		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
259	M44	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
260		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
261		2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
262		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
263		3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
264		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
265	M45	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
266		min	0	11	0	1	0	1	0	1	0	1	0	1	0	1	
267		2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
268		min	0	11	0	1	0	1	0	1	0	1	0	1	0	1	
269		3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
270		min	0	11	0	1	0	1	0	1	0	1	0	1	0	1	
271	M46	1	max	0	12	0	50	0	50	0	50	0	50	0	50	0	50
272		min	0	5	0	1	0	1	0	1	0	1	0	1	0	1	
273		2	max	0	12	0	50	0	50	0	50	0	50	0	50	0	50
274		min	0	5	0	1	0	1	0	1	0	1	0	1	0	1	
275		3	max	0	12	0	50	0	50	0	50	0	50	0	50	0	50
276		min	0	5	0	1	0	1	0	1	0	1	0	1	0	1	
277	M47	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
278		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
279		2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
280		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
281		3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
282		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
283	M48	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
284		min	0	7	0	1	0	1	0	1	0	1	0	1	0	1	



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC	
285	2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
286		min	0	7	0	1	0	1	0	1	0	1	0	1	0	1	
287	3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
288		min	0	7	0	1	0	1	0	1	0	1	0	1	0	1	
289	M49	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
290		min	0	6	0	1	0	1	0	1	0	1	0	1	0	1	
291	2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
292		min	0	6	0	1	0	1	0	1	0	1	0	1	0	1	
293	3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
294		min	0	6	0	1	0	1	0	1	0	1	0	1	0	1	
295	M50	1	max	0	8	0	50	0	50	0	50	0	50	0	50	0	50
296		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
297	2	max	0	8	0	50	0	50	0	50	0	50	0	50	0	50	
298		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
299	3	max	0	8	0	50	0	50	0	50	0	50	0	50	0	50	
300		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
301	M51	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
302		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
303	2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
304		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
305	3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
306		min	0	27	0	1	0	1	0	1	0	1	0	1	0	1	
307	M52	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
308		min	0	14	0	1	0	1	0	1	0	1	0	1	0	1	
309	2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
310		min	0	14	0	1	0	1	0	1	0	1	0	1	0	1	
311	3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
312		min	0	14	0	1	0	1	0	1	0	1	0	1	0	1	
313	M53	1	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50
314		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
315	2	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
316		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
317	3	max	0	50	0	50	0	50	0	50	0	50	0	50	0	50	
318		min	0	2	0	1	0	1	0	1	0	1	0	1	0	1	
319	M54	1	max	0	4	0	50	0	50	0	50	0	50	0	50	0	50
320		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
321	2	max	0	4	0	50	0	50	0	50	0	50	0	50	0	50	
322		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
323	3	max	0	4	0	50	0	50	0	50	0	50	0	50	0	50	
324		min	0	8	0	1	0	1	0	1	0	1	0	1	0	1	
325	M55	1	max	.366	12	.057	13	.02	8	.207	19	0	13	.239	9	.236	3
326		min	-.363	6	-.125	7	-.02	2	0	13	-.207	19	-.236	3	-.239	9	
327	2	max	.373	12	.029	13	.004	6	.549	13	1.574	7	.358	8	.356	2	
328		min	-.369	6	-.158	26	-.004	12	-1.574	7	-.549	13	-.356	2	-.358	8	
329	3	max	.435	13	-.188	12	.794	2	-.212	12	11.956	18	3.682	2	3.69	8	
330		min	-.428	7	-1.316	18	-.792	8	-11.956	18	.212	12	-3.69	8	-3.682	2	
331	M56	1	max	.494	8	.084	8	.026	5	.215	15	-.002	9	.171	5	.169	11
332		min	-.491	2	-.154	2	-.025	11	.002	9	-.215	15	-.169	11	-.171	5	
333	2	max	.494	8	.056	8	.005	2	.898	8	1.937	2	.335	5	.332	11	
334		min	-.491	2	-.182	2	-.005	8	-1.937	2	-.898	8	-.332	11	-.335	5	
335	3	max	.574	8	-.082	8	.742	11	1.191	8	12.72	14	3.646	11	3.659	5	
336		min	-.566	2	-1.403	14	-.741	5	-12.72	14	-1.191	8	-3.659	5	-3.646	11	
337	M57	1	max	.363	4	.052	4	.017	13	.199	23	-.023	5	.245	13	.244	7
338		min	-.359	10	-.119	10	-.017	7	.023	5	-.199	23	-.244	7	-.245	13	
339	2	max	.37	4	.024	4	.004	9	.512	4	1.527	10	.338	13	.334	7	
340		min	-.366	10	-.158	26	-.004	3	-1.527	10	-.512	4	-.334	7	-.338	13	
341	3	max	.433	4	-.182	4	.765	7	-.193	4	11.786	22	3.449	7	3.46	13	



Envelope Member Section Stresses (Continued)

Member	Sec		Axial[k...	LC	y She...	LC	z She...	LC	y-Top[ksi]	LC	y-Bot[...	LC	z-Top[...	LC	z-Bot[...	LC
342		min	-.426	10	-1.304	22	-.764	13	-11.786	22	.193	4	-3.46	13	-3.449	7
343	M58	1	max	.166	8	0	.421	11	1.887	9	1.638	3	.926	5	.989	11
344		min	-.156	2	-.518	19	-.414	5	-1.638	3	-1.887	9	-.989	11	-.926	5
345		2	max	.152	9	-.017	.094	10	-.082	10	3.227	16	.397	10	.381	4
346		min	-.142	3	-.55	19	-.095	4	-3.227	16	.082	10	-.381	4	-.397	10
347		3	max	.152	9	-.03	.094	10	-.878	12	6.86	18	1.038	10	1.029	4
348		min	-.142	3	-.563	19	-.095	4	-6.86	18	.878	12	-1.029	4	-1.038	10
349	M59	1	max	.227	2	.561	.139	8	-.696	13	6.84	19	1.671	2	1.635	8
350		min	-.216	8	.096	11	-.148	2	-6.84	19	.696	13	-1.635	8	-1.671	2
351		2	max	.227	2	.548	.139	8	.546	2	3.229	20	.674	13	.699	7
352		min	-.216	8	.083	11	-.148	2	-3.229	20	-.546	2	-.699	7	-.674	13
353		3	max	.128	3	.52	.58	7	2.203	3	1.687	9	1.215	8	1.267	2
354		min	-.12	9	.058	11	-.596	13	-1.687	9	-2.203	3	-1.267	2	-1.215	8
355	M60	1	max	.162	4	-.007	.596	8	1.54	5	1.255	11	1.241	2	1.306	8
356		min	-.152	10	-.545	15	-.588	2	-1.255	11	-1.54	5	-1.306	8	-1.241	2
357		2	max	.15	5	-.021	.106	7	.169	7	3.424	25	.573	6	.558	12
358		min	-.14	11	-.578	15	-.106	13	-3.424	25	-.169	7	-.558	12	-.573	6
359		3	max	.15	5	-.034	.106	7	-.348	8	7.302	14	1.282	7	1.272	13
360		min	-.14	11	-.591	15	-.106	13	-7.302	14	.348	8	-1.272	13	-1.282	7
361	M61	1	max	.192	10	.605	.108	3	-.422	8	7.37	14	1.438	9	1.402	3
362		min	-.18	4	.049	7	-.117	9	-7.37	14	.422	8	-1.402	3	-1.438	9
363		2	max	.192	10	.592	.108	3	.297	9	3.418	15	.639	9	.666	3
364		min	-.18	4	.036	7	-.117	9	-3.418	15	-.297	9	-.666	3	-.639	9
365		3	max	.17	12	.564	.586	3	1.818	11	1.31	5	1.165	3	1.217	9
366		min	-.162	6	.01	7	-.602	9	-1.31	5	-1.818	11	-1.217	9	-1.165	3
367	M62	1	max	.097	12	-.045	.58	3	1.813	13	1.602	7	1.169	8	1.231	2
368		min	-.087	6	-.488	23	-.574	9	-1.602	7	-1.813	13	-1.231	2	-1.169	8
369		2	max	.172	2	-.063	.132	2	.356	2	3.233	20	.599	2	.583	8
370		min	-.162	8	-.52	23	-.133	8	-3.233	20	-.356	2	-.583	8	-.599	2
371		3	max	.172	2	-.076	.132	2	-.58	3	6.695	21	1.5	2	1.492	8
372		min	-.162	8	-.533	23	-.133	8	-6.695	21	.58	3	-1.492	8	-1.5	2
373	M63	1	max	.194	7	.58	.105	12	-.982	4	6.942	22	1.197	6	1.161	12
374		min	-.183	13	.044	3	-.114	6	-6.942	22	.982	4	-1.161	12	-1.197	6
375		2	max	.194	7	.567	.105	12	.057	6	3.225	24	.419	6	.445	12
376		min	-.183	13	.031	3	-.114	6	-3.225	24	-.057	6	-.445	12	-.419	6
377		3	max	.18	8	.539	.432	11	2.23	7	1.74	13	1	11	1.055	5
378		min	-.172	2	.007	3	-.449	5	-1.74	13	-2.23	7	-1.055	5	-1	11

Envelope AISC 15th(360-16): LRFD Steel Code Checks

Member	Shape	Code Check	Loc[in]	LC	Shear C...	Loc.....	LC	phi*P...	phi*P...	phi*M...	phi*M.....	Eqn	
1	M7	PIPE_2.0	.334	47.755	2	.057	47....	2	16811...	32130	1.872	1.872	... H1-1b
2	M3	PIPE_2.0	.321	47.755	2	.060	47....	8	16811...	32130	1.872	1.872	... H1-1b
3	M11	PIPE_2.0	.312	47.755	8	.055	47....	8	16811...	32130	1.872	1.872	... H1-1b
4	M10	PIPE_2.0	.279	47.755	2	.075	47....	3	16811...	32130	1.872	1.872	... H1-1b
5	M56	HSS4X4...	.265	64	15	.063	64 y	16	13254...	139518	16.181	16.181	... H1-1b
6	M55	HSS4X4...	.260	64	7	.072	64 z	9	13254...	139518	16.181	16.181	... H1-1b
7	M2	PIPE_2.0	.253	47.755	8	.066	47....	13	16811...	32130	1.872	1.872	... H1-1b
8	M57	HSS4X4...	.249	64	21	.075	64 z	13	13254...	139518	16.181	16.181	... H1-1b
9	M1	PIPE_2.0	.241	47.755	2	.067	47....	13	16811...	32130	1.872	1.872	... H1-1b
10	M6	PIPE_2.0	.231	47.755	2	.077	47....	8	16811...	32130	1.872	1.872	... H1-1b
11	M9	PIPE_2.0	.225	47.755	8	.061	47....	3	16811...	32130	1.872	1.872	... H1-1b
12	M5	PIPE_2.0	.219	47.755	2	.071	47....	8	16811...	32130	1.872	1.872	... H1-1b
13	M12	PIPE_2.0	.208	47.755	2	.030	47....	3	16811...	32130	1.872	1.872	... H1-1b
14	M8	PIPE_2.0	.192	47.755	2	.026	47....	8	16811...	32130	1.872	1.872	... H1-1b
15	M4	PIPE_2.0	.191	47.755	8	.028	47....	2	16811...	32130	1.872	1.872	... H1-1b



Envelope AISC 15th(360-16): LRFD Steel Code Checks (Continued)

Member	Shape	Code Check	Loc[in]	LC	Shear C...	Loc.....	LC	phi*P...	phi*P...	phi*M...	phi*M.....	Ean	
16	M13	PL6"x1/2"	.180	9.24	2	.064	9.4...y	13	96270...	97200	1.012	12.045 ...	H1-1b
17	M15	PL6"x1/2"	.164	9.24	7	.051	9.4...y	5	96270...	97200	1.012	12.15 ...	H1-1b
18	M14	PL6"x1/2"	.157	9.24	9	.062	9.0...y	9	96270...	97200	1.012	12.15 ...	H1-1b
19	M61	HSS4X4...	.154	0	15	.040	28...z	9	13814...	139518	16.181	16.181 ...	H1-1b
20	M60	HSS4X4...	.153	34.643	25	.038	6.01y	29	13814...	139518	16.181	16.181 ...	H1-1b
21	M59	HSS4X4...	.145	0	19	.044	28...z	2	13814...	139518	16.181	16.181 ...	H1-1b
22	M63	HSS4X4...	.144	0	23	.034	28...z	6	13814...	139518	16.181	16.181 ...	H1-1b
23	M62	HSS4X4...	.142	34.643	21	.042	0z	2	13814...	139518	16.181	16.181 ...	H1-1b
24	M58	HSS4X4...	.142	34.643	17	.038	6.01y	33	13814...	139518	16.181	16.181 ...	H1-1b
25	M29	L2x2x4	.133	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
26	M30	L2x2x4	.133	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
27	M28	L2x2x4	.132	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
28	M27	L2x2x4	.129	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
29	M26	L2x2x4	.128	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
30	M25	L2x2x4	.128	50.807	26	.014	50...y	26	20846...	30585...	.691	1.577 ...	H2-1
31	M23	PIPE_3.0	.122	57.306	34	.128	86...	3	65096...	65205	5.749	5.749 ...	H1-1b
32	M22	PIPE_3.0	.119	57.306	38	.133	86...	7	65096...	65205	5.749	5.749 ...	H1-1b
33	M24	PIPE_3.0	.118	57.306	30	.111	86...	11	65096...	65205	5.749	5.749 ...	H1-1b
34	M18	L2.5x2.5...	.117	0	7	.045	0z	3	37732...	38556	1.114	2.537 ...	H2-1
35	M19	PIPE_2.0	.116	116.327	28	.036	64...	3	23088...	32130	1.872	1.872 ...	H1-1b
36	M20	PIPE_2.0	.116	116.327	36	.041	62...	8	23088...	32130	1.872	1.872 ...	H1-1b
37	M21	PIPE_2.0	.115	116.327	32	.037	64...	7	23088...	32130	1.872	1.872 ...	H1-1b
38	M16	L2.5x2.5...	.112	0	3	.039	0z	11	37732...	38556	1.114	2.537 ...	H2-1
39	M17	L2.5x2.5...	.110	0	11	.044	0z	7	37732...	38556	1.114	2.537 ...	H2-1

Envelope Plate/Shell Principal Stresses

Plate	Surface	Sigma1 [ksi]	LC Sigma2 [ksi]	LC Tau Max [ksi]	LC Angle [r...	LC	Von Mises [ksi]	LC
No Data to Print ...								

APPENDIX D
ADDITIONAL CALCUATIONS



CONNECTION CHECK
ANTENNA MOUNTING SYSTEM
 ANSI/TIA-222-H

Project Number:	ERCC0303
Site Name:	876369
Engineer:	A. Asghari
Date:	10/23/2019
Carrier:	AT&T
Reviewed By:	B. Bartlett

Input Data

Type A

Connection Type		Single Bolt or Threaded Part	
Max Vertical, V_{us}	2159	lb	
Max Normal	1934	lb	
Max Tangential	1169	lb	
Max Vertical Moment, T_{ur}		k-ft	(ubolt)
V_{ub}	2455	lb	
T_{ub}	1934	lb	
Bolt Size, d	0.5	in	
No. of Bolts	4		
Bolt Grade	A325		
Bolt Spacing, L_b	10	in	
Threads in Shear Plane	Yes		
Clear Distance, L_c		in	(ubolt)
Thickness of Connected Part, t		in	(ubolt)
Tensile of Connected Part, F_u		ksi	(ubolt)
Diameter of Support Member, D		in	(ubolt)
Slotted Holes			(ubolt)
n	13	per inch	
F_{ub}	120	ksi	
Pretension, T_p	4	kip	
ϕR_{nt}	13	kip	
ϕR_{nv}	9	kip	
ϕR_n	0	kip	
ϕR_{ns}	2	kip	
ϕR_{nr}	0	kip	
Total ϕR_{nt}	51083	lb	
Total ϕR_{nv}	35343	lb	
Total ϕR_n	0	lb	
Total ϕR_{ns}	7104	lb	
Total ϕR_{nr}	0	lb	
Equations			
$\phi =$	0.75		
$A_n = \pi/4(d - 0.9382/n)^2$	0.142	in ²	
$R_b =$	1		
$A_b = \pi d^2/4$	0.196	in ²	
$R_{nt} = F_{ub} A_n$	17.028	kip	
$R_{nv} = 0.625 R_b F_{ub} A_b$	11.781	kip	
$\phi =$	0.8		
$R_n = 1.2(L_c + d/4)tF_u \leq 2.4dtF_u$	N/A	kip	
$R_n = 1.0L_c tF_u \leq 2.0dtF_u$	N/A	kip	
$\phi_u =$	1.0		
$R_{ns} = 0.30(2T_p - T_{ut}) \geq 0$	1.776	kip	
$R_{nr} = 0.5(DR_{ns})$	0.000	kip	

Combined Shear and Tension	0.006	0.6%
Shear	0.069	6.9%
Tension	0.038	3.8%
Bearing	0.000	0.0%
Torsion Transfer	0.000	0.0%

6.9%

Type B

Connection Type		Single Bolt or Threaded Part	
Max Vertical, V_{us}		lb	
Max Normal		lb	
Max Tangential		lb	
Max Vertical Moment, T_{ur}		k-ft	(ubolt)
V_{ub}	0	lb	
T_{ub}	0	lb	
Bolt Size, d	0.5	in	
No. of Bolts	1		
Bolt Grade	A325		
Bolt Spacing, L_b	10	in	
Threads in Shear Plane	Yes		
Clear Distance, L_c		in	(ubolt)
Thickness of Connected Part, t		in	(ubolt)
Tensile of Connected Part, F_u		ksi	(ubolt)
Diameter of Support Member, D		in	(ubolt)
Slotted Holes			(ubolt)
n	13	per inch	
F_{ub}	120	ksi	
Pretension, T_p	4	kip	
ϕR_{nt}	13	kip	
ϕR_{nv}	9	kip	
ϕR_n	0	kip	
ϕR_{ns}	2	kip	
ϕR_{nr}	0	kip	
Total ϕR_{nt}	12771	lb	
Total ϕR_{nv}	8836	lb	
Total ϕR_n	0	lb	
Total ϕR_{ns}	2356	lb	
Total ϕR_{nr}	0	lb	
Equations			
$\phi =$	0.75		
$A_n = \pi/4(d - 0.9382/n)^2$	0.142	in ²	
$R_b =$	1		
$A_b = \pi d^2/4$	0.196	in ²	
$R_{nt} = F_{ub} A_n$	17.028	kip	
$R_{nv} = 0.625 R_b F_{ub} A_b$	11.781	kip	
$\phi =$	0.8		
$R_n = 1.2(L_c + d/4)tF_u \leq 2.4dtF_u$	N/A	kip	
$R_n = 1.0L_c tF_u \leq 2.0dtF_u$	N/A	kip	
$\phi_u =$	1.0		
$R_{ns} = 0.30(2T_p - T_{ut}) \geq 0$	2.356	kip	
$R_{nr} = 0.5(DR_{ns})$	0.000	kip	




Combined Shear and Tension	0.000	0.0%
Shear	0.000	0.0%
Tension	0.000	0.0%
Bearing	0.000	0.0%
Torsion Transfer	0.000	0.0%

0.0%

APPENDIX E

MOUNT MODIFICATION DESIGN DRAWINGS (MDD) / SUPPLEMENTAL DRAWINGS

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	3	P2150	2-3/8" OD X 150" SCH 40 GALVANIZED PIPE	150 in	48.06	144.17
2	3	X-AHCP	ANGLE HANDRAIL CORNER PLATE		12.92	38.76
3	12	SCX1	CROSSOVER PLATE 2-3/8" X 2-3/8"		3.71	44.50
4	120	G12FW	1/2" HDG USS FLATWASHER		0.03	4.08
5	60	X-UB1212	1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT (HDG.)		0.73	43.90
6	120	G12LW	1/2" HDG LOCKWASHER		0.01	1.67
7	120	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	8.58
TOTAL WT. #						261.72



REV	DESCRIPTION OF REVISIONS	CPD	BY	DATE
A	REPLACED HCP WITH X-AHCP	CEK		7/10/2014
REVISION HISTORY				

TOLERANCE NOTES

**TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
 SAWED, SHEARED AND GAS CUT EDGES (± 0.030 ")
 DRILLED AND GAS CUT HOLES (± 0.030 ") - NO CONING OF HOLES
 LASER CUT EDGES AND HOLES (± 0.010 ") - NO CONING OF HOLES
 BENDS ARE $\pm 1/2$ DEGREE
 ALL OTHER MACHINING (± 0.030 ")
 ALL OTHER ASSEMBLY (± 0.060 ")**


PROPRIETARY NOTE:
 THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION	
HANDRAIL KIT FOR 12'-6" FACE	
CPD NO.	DRAWN BY
	KC8 5/30/2012
CLASS	ENG. APPROVAL
81	
SUB	CHECKED BY
01	BMC 7/14/2014
DRAWING USAGE	
CUSTOMER	


	Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX
	Engineering Support Team: 1-888-753-7446
PART NO.	HRK12
DWG. NO.	HRK12

NOTICE: This drawing and the design shown are the property of Jacobs Telecommunications, Inc. The reproduction, copying, or use of this drawing without written consent is prohibited and any infringement will be subject to legal action.

CONTRACTOR TO FIELD VERIFY THE EXACT LOCATION OF ALL EXISTING STRUCTURAL MEMBERS SHOWN ON PLANS PRIOR TO FABRICATION. DISCREPANCIES AND OMISSIONS SHALL BE BROUGHT TO THE ENGINEER'S ATTENTION.



- NOTES:
- EQUIPMENT AND TOWER MEMBERS ARE OMITTED FOR CLARITY.
 - EXISTING MOUNT IS GENERIC FOR VISUAL PURPOSES.
 - ALL COMPONENTS AND HARDWARE SHALL BE OF A SUITABLE MATERIAL OR TREATED TO RESIST CORROSION.
 - ALL MOUNTING FRAME MEMBERS, ATTACHMENT CONNECTIONS, AND OTHER SUPPORTING STRUCTURES ARE TO BE THOROUGHLY INSPECTED PRIOR TO INSTALLATION OF THE PROPOSED APPURTENANCE CONFIGURATION. ANY DETERIORATION, LOCALIZED DAMAGE, OR DISTRESS TO THE STRUCTURE SHOULD BE DOCUMENTED AND REPORTED TO THE ENGINEER. THE CONTRACTOR SHALL REPAIR ALL DEFICIENCIES PRIOR TO INSTALLATION OF THE PROPOSED EQUIPMENT.



PREPARED BY:
JACOBS[™]
 JACOBS TELECOMMUNICATIONS, INC.
 5449 BELLS FERRY RD
 ACWORTH, GA 30102
 770-701-2500 GENERAL
 470-785-4033 PM

PREPARED FOR:

CROWN CASTLE

ENGINEER SEAL:

DESIGN REVISIONS:

NO.	DATE	REVISIONS	BY
0	10/24/19	ISSUED FOR CONSTRUCTION	BB
A	10/24/19	ISSUED FOR REVIEW	HB

NOT VALID WITHOUT SIGNATURE AND DATE

PREPARED BY: B. BARTLETT
 CHECKED BY: A. ASGHARI
 DESIGNED BY: A. ASGHARI
 PROJECT NO: ERCC0303
 DATE: 10/24/2019

SITE NAME:
 876369

SITE NO:
 BU NO: 876369
 SITE NAME: HARWINTON/BUCKLEY BROADCASTI

SITE ADDRESS:
 64 HUNGERFORD LANE
 HARWINTON, CT 06791
 LITCHFIELD COUNTY

SHEET NAME:
 MOUNT MODIFICATION

SHEET NUMBER:
S-1

DETAIL A

NO SCALE 1

DETAIL B

NO SCALE 2

NOT USED

NO SCALE 3

NOT USED

NO SCALE 4

NOTICE: This drawing and the design shown are the property of Jacobs Telecommunications, Inc. The reproduction, copying, or use of this drawing without written consent is prohibited and any infringement will be subject to legal action.

BILL OF MATERIAL		
ITEM	QUANTITY	DESCRIPTION
1	1	SITEPRO1 PART NO. HRK12
2		
3		
4		
5		
6		
7		
8		

NOTES:

1. ALL MATERIALS TO BE GALVANIZED.
2. CONTACT JACOBS FOR AN APPROVED EQUIVALENT PART NUMBER FOR SUBSTITUTIONS. APPROVAL LETTER CAN BE PROVIDED.

PREPARED BY:
JACOBS™
 JACOBS TELECOMMUNICATIONS, INC.
 5449 BELLS FERRY RD
 ACWORTH, GA 30102
 770-701-2500 GENERAL
 470-785-4033 PM

PREPARED FOR:

CROWN CASTLE

ENGINEER SEAL:

DESIGN REVISIONS:

0	10/24/19	ISSUED FOR CONSTRUCTION	BB
A	10/24/19	ISSUED FOR REVIEW	HB
NO.	DATE	REVISIONS	BY
NOT VALID WITHOUT SIGNATURE AND DATE			

PREPARED BY: _____
 CHECKED BY: B. BARTLETT
 DESIGNED BY: A. ASGHARI
 PROJECT NO: ERCC0303
 DATE: 10/24/2019

SITE NAME:
 876369

SITE NO:
 BU NO: 876369
 SITE NAME: HARWINTON/BUCKLEY BROADCASTI

SITE ADDRESS:
 64 HUNGERFORD LANE
 HARWINTON, CT 06791
 LITCHFIELD COUNTY

SHEET NAME:
 MOUNT MODIFICATION

SHEET NUMBER:
 S-2

DETAIL A

NO SCALE

1

NOT USED

NO SCALE

2

NOT USED

NO SCALE

3

NOT USED

NO SCALE

4

Exhibit F

Power Density/RF Emissions Report



RF EMISSIONS COMPLIANCE REPORT

Crown Castle on behalf of AT&T Mobility, LLC

Crown Castle Site Name: HARWINTON / BUCKLEY BROADCASTI

Crown Castle Site BU: 876369

AT&T Mobility, LLC Site FA #: 10110565

64 Hungerford Lane

Harwinton, CT

6/25/2019

Report Status:

AT&T Mobility, LLC Is Compliant



Michael Fischer, P.E.
Registered Professional Engineer (Electrical)
Pennsylvania License Number PE076436
Expires September 30, 2019

Signed 25 June 2019

Prepared By:

Site Safe, LLC

Engineering Statement in Re:
Electromagnetic Energy Analysis
Crown Castle
Harwinton, CT

My signature on the cover of this document indicates:

That I am registered as a Professional Engineer in the jurisdiction indicated; and

That I have extensive professional experience in the wireless communications engineering industry; and

That I am an employee of Site Safe, LLC in Vienna, Virginia; and

That I am thoroughly familiar with the Rules and Regulations of the Federal Communications Commission ("the FCC" and "the FCC Rules") both in general and specifically as they apply to the FCC's Guidelines for Human Exposure to Radio Frequency Electromagnetic Fields; and

That the technical information serving as the basis for this report was supplied by Crown Castle (see attached Site Summary and Carrier documents) and that AT&T Mobility, LLC's installation involves communications equipment, antennas and associated technical equipment at a location referred to as "HARWINTON / BUCKLEY BROADCASTI" ("the site"); and

That AT&T Mobility, LLC proposes to operate at the site with transmit antennas listed in the carrier summary and with a maximum effective radiated power as specified by AT&T Mobility, LLC and shown on the worksheet and that worst-case 100% duty cycle has been assumed; and

That this analysis has been performed with the assumption that the ground immediately surrounding the tower is primarily flat or falling; and

That at this time, the FCC requires that certain licensees address specific levels of radio frequency energy to which workers or members of the public might possibly be exposed (at §1.1307(b) of the FCC Rules); and

That such consideration of possible exposure of humans to radio frequency energy must utilize the standards set by the FCC, which is the federal agency having jurisdiction over communications facilities; and

That the FCC rules define two tiers of permissible exposure guidelines: 1) "uncontrolled environments," which defines situations in which persons may not be aware of (the "general public"), or may not be able to control their exposure to a transmission facility; and 2) "controlled environments," which defines situations in which persons are aware of their potential for exposure (industry personnel); and

That this statement specifically addresses the uncontrolled environment (which is more conservative than the controlled environment) and the limits set forth in the FCC rules for licensees of AT&T Mobility, LLC's operating frequencies as shown on the attached antenna worksheet; and

That when applying the uncontrolled environment standards, the predicted Maximum Power Density at two meters above ground level from the proposed AT&T Mobility, LLC operation is

no more than 1.428% of the maximum permissible exposure limits in any accessible area on the ground; and

That it is understood per FCC Guidelines and OET 65 Appendix A, that regardless of the existent radio frequency environment, only those licensees whose contributions exceed 5% of the exposure limit pertinent to their operation(s) bear any responsibility for bringing any non-compliant area(s) into compliance; and

That when applying the uncontrolled environment standards, the cumulative predicted energy density from the proposed operation is no more than 2.961% of the maximum in any accessible area up to two meters above the ground per OET 65; and

That the calculations provided in this report are based on data provided by the client and antenna pattern data supplied by the antenna manufacturer, in accordance with FCC guidelines listed in OET 65. Horizontal and vertical antenna patterns are combined for modeling purposes to accurately reflect the energy two meters above ground level where on-axis energy refers to maximum energy two meters above the ground along the azimuth of the antenna and where area energy refers to the maximum energy anywhere two meters above the ground regardless of the antenna azimuth, accounting for cumulative energy from multiple antennas for the carrier(s) and frequency range(s) indicated; and

That the Occupational Safety and Health Administration has policies in place which address worker safety in and around communications sites, thus individual companies will be responsible for their employees' training regarding radio frequency safety; and

In summary, it is stated here that the proposed operation at the site will not result in exposure of the public to excessive levels of radio frequency energy as defined in the FCC Rules and Regulations, specifically 47 CFR 1.1307(b), and that AT&T Mobility, LLC's proposed operation is completely compliant.

Finally, it is stated that access to the tower should be restricted to communication industry professionals and approved contractor personnel trained in radio frequency safety and that this instant analysis addresses exposure levels at two meters above ground level and does not address exposure levels on the tower or in the immediate proximity of the antennas.

**Crown Castle
HARWINTON / BUCKLEY BROADCASTI
Site Summary**

Carrier	Area Maximum Percentage MPE
AT&T Mobility, LLC (Decommissioned)	0 %
AT&T Mobility, LLC (Proposed)	0.228 %
AT&T Mobility, LLC (Proposed)	0.156 %
AT&T Mobility, LLC (Proposed)	0.31 %
AT&T Mobility, LLC (Proposed)	0.539 %
AT&T Mobility, LLC (Proposed)	0.195 %
Sprint	0.203 %
Sprint	0.133 %
Sprint	0.133 %
Sprint	0.052 %
Sprint	0.052 %
Verizon Wireless	0.325 %
Verizon Wireless	0.296 %
Verizon Wireless	0.339 %
 Composite Site MPE:	 2.961 %

**AT&T Mobility, LLC (Decommissioned)
 HARWINTON / BUCKLEY BROADCASTI
 Carrier Summary**

Frequency: 850 MHz
 Maximum Permissible Exposure (MPE): 566.67 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 0 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Powerwave	7770	158	30	0	0	0	0	0
Powerwave	7770	158	150	0	0	0	0	0
Powerwave	7770	158	270	0	0	0	0	0

**AT&T Mobility, LLC (Proposed)
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 2100 MHz
 Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 2.27556 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.22756 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Kathrein-Scala	800-10964	158	30	5274	0.895408	0.089541	2.161986	0.216199
Kathrein-Scala	800-10964	158	150	5274	0.917642	0.091764	2.161986	0.216199
Kathrein-Scala	800-10964	158	270	5274	0.917642	0.091764	2.161986	0.216199

**AT&T Mobility, LLC (Proposed)
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 850 MHz
 Maximum Permissible Exposure (MPE): 566.67 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 0.88193 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.15564 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Kathrein-Scala	800-10964	158	30	2631	0.613366	0.108241	0.743229	0.131158
Kathrein-Scala	800-10964	158	150	2631	0.614716	0.108479	0.743229	0.131158
Kathrein-Scala	800-10964	158	270	2631	0.613366	0.108241	0.743229	0.131158

**AT&T Mobility, LLC (Proposed)
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 2300 MHz
 Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 3.104 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.3104 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
CCI Antennas	HPA65R-BU6A	158	30	3206	2.571042	0.257104	3.081806	0.308181
CCI Antennas	HPA65R-BU6A	158	150	3206	2.581849	0.258185	3.081806	0.308181
CCI Antennas	HPA65R-BU6A	158	270	3206	2.571042	0.257104	3.081806	0.308181

**AT&T Mobility, LLC (Proposed)
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 1900 MHz
 Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 5.38995 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.539 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
CCI Antennas	HPA65R-BU6A	158	30	4788	4.656104	0.46561	5.373369	0.537337
CCI Antennas	HPA65R-BU6A	158	150	4788	4.566436	0.456644	5.373369	0.537337
CCI Antennas	HPA65R-BU6A	158	270	4788	4.566436	0.456644	5.373369	0.537337

**AT&T Mobility, LLC (Proposed)
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 737 MHz
 Maximum Permissible Exposure (MPE): 491.33 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 0.95952 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.19529 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
CCI Antennas	HPA65R-BU6A	158	30	2819	0.864755	0.176002	0.897743	0.182716
CCI Antennas	HPA65R-BU6A	158	150	2819	0.868131	0.176689	0.897743	0.182716
CCI Antennas	HPA65R-BU6A	158	270	2819	0.868131	0.176689	0.897743	0.182716

Sprint
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary

Frequency: 2500 MHz
Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
Maximum power density at ground level: 2.0292 $\mu\text{W}/\text{cm}^2$
Highest percentage of Maximum Permissible Exposure: 0.20292 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
RFS	APXVTM14-C-I20	180	70	6168	0.686455	0.068645	1.284076	0.128408
RFS	APXVTM14-C-I20	180	170	6168	0.686192	0.068619	1.284076	0.128408
RFS	APXVTM14-C-I20	180	330	6168	0.686455	0.068645	1.284076	0.128408

Sprint
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary

Frequency: 1990 MHz
Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
Maximum power density at ground level: 1.33144 $\mu\text{W}/\text{cm}^2$
Highest percentage of Maximum Permissible Exposure: 0.13314 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
RFS	APXVSP18-C-A20	180	70	3804	0.58178	0.058178	1.034015	0.103401
RFS	APXVSP18-C-A20	180	170	3804	0.58178	0.058178	1.034015	0.103401
RFS	APXVSP18-C-A20	180	330	3804	0.58178	0.058178	1.034015	0.103402

Sprint
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary

Frequency: 1900 MHz
Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
Maximum power density at ground level: 1.33144 $\mu\text{W}/\text{cm}^2$
Highest percentage of Maximum Permissible Exposure: 0.13314 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
RFS	APXVSP18-C-A20	180	70	3804	0.58178	0.058178	1.034015	0.103401
RFS	APXVSP18-C-A20	180	170	3804	0.58178	0.058178	1.034015	0.103401
RFS	APXVSP18-C-A20	180	330	3804	0.58178	0.058178	1.034015	0.103402

Sprint
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary

Frequency: 866 MHz
Maximum Permissible Exposure (MPE): 577.33 $\mu\text{W}/\text{cm}^2$
Maximum power density at ground level: 0.2997 $\mu\text{W}/\text{cm}^2$
Highest percentage of Maximum Permissible Exposure: 0.05191 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
RFS	APXVSP18-C-A20	180	70	1084	0.235083	0.040719	0.241009	0.041745
RFS	APXVSP18-C-A20	180	170	1084	0.235083	0.040719	0.241009	0.041745
RFS	APXVSP18-C-A20	180	330	1084	0.235863	0.040854	0.241009	0.041745

Sprint
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary

Frequency: 862 MHz
Maximum Permissible Exposure (MPE): 574.67 $\mu\text{W}/\text{cm}^2$
Maximum power density at ground level: 0.2997 $\mu\text{W}/\text{cm}^2$
Highest percentage of Maximum Permissible Exposure: 0.05215 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
RFS	APXVSP18-C-A20	180	70	1084	0.235083	0.040908	0.241009	0.041939
RFS	APXVSP18-C-A20	180	170	1084	0.235083	0.040908	0.241009	0.041939
RFS	APXVSP18-C-A20	180	330	1084	0.235863	0.041043	0.241009	0.041939

**Verizon Wireless
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 751 MHz
 Maximum Permissible Exposure (MPE): 500.67 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 1.62704 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.32497 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Antel	BXA-70063-6CF	170	50	4019	1.593532	0.318282	1.622749	0.324118
Antel	BXA-70063-6CF	170	180	4019	1.596228	0.318821	1.622749	0.324118
Antel	BXA-70063-6CF	170	300	4019	1.593532	0.318282	1.622748	0.324118

**Verizon Wireless
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 1900 MHz
 Maximum Permissible Exposure (MPE): 1000 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 2.95878 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.29588 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Antel	BXA-171085-12CF	170	50	5677	1.196534	0.119653	2.350776	0.235078
Antel	BXA-171085-12CF	170	180	5677	1.196534	0.119653	2.350776	0.235078
Antel	BXA-171085-12CF	170	300	5677	1.196534	0.119653	2.350776	0.235078

**Verizon Wireless
HARWINTON / BUCKLEY BROADCASTI
Carrier Summary**

Frequency: 850 MHz
 Maximum Permissible Exposure (MPE): 566.67 $\mu\text{W}/\text{cm}^2$
 Maximum power density at ground level: 1.91988 $\mu\text{W}/\text{cm}^2$
 Highest percentage of Maximum Permissible Exposure: 0.3388 %

Antenna Make	Model	Height (feet)	Orientation (degrees true)	ERP (Watts)	On Axis		Area	
					Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE	Max Power Density ($\mu\text{W}/\text{cm}^2$)	Percent of MPE
Antel	LPA-80080-6CF	170	50	4019	0.919525	0.162269	1.410195	0.248858
Antel	LPA-80080-6CF	170	180	4019	0.919525	0.162269	1.410195	0.248858
Antel	LPA-80080-6CF	170	300	4019	0.919525	0.162269	1.410195	0.248858