

June 7, 2018

Melanie Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

RE: NOTICE OF EXEMPT MODIFICATION
130 BALD HILL ROAD, TOLLAND, CT 06084

Dear Ms. Bachman:

Enclosed please find an original and two (2) copies of a Notice of Exempt Modification including drawings, structural analyses, RF emissions reports, parcel maps, and a check in the amount of six hundred twenty five dollars (\$625.00) for the filing fee. In addition, I have included a single copy of each notification letter to the municipality, the Department of Planning and Zoning, and to the property/tower owner. The proof of delivery is likewise enclosed and consists of a copy of the USPS Tracking Results from the USPS website clipped to each letter, acknowledging the date and time of delivery.

I have submitted electronic copies of these documents via email to the CSC today.

Please feel free to contact me with any questions or comments. Thank you for your kind cooperation in this matter.

Respectfully submitted,

Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-286-4006
jandrews@empiretelecomm.com

Enclosures

Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-286-4007
jandrews@empiretelecomm.com

June 1, 2018

Melanie Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

NOTICE OF EXEMPT MODIFICATION

130 BALD HILL ROAD, TOLLAND, CT 06084

Lat: 41-52-59.38 (41.88316111)
Long. 72-22-31.83 (-72.37550833)

Dear Ms. Bachman:

AT&T Wireless currently maintains six (6) antennas at the 90-foot level of an existing 180 foot self-supported tower located at 130 Bald Hill Road in Tolland. The tower is owned by the Tolland County Mutual Aid. The property is owned by the Tolland County Mutual Aid. AT&T Wireless now seeks to relocate 3 existing antennas, install 3 additional antennas, install a new DC-12 box, add a new surge suppression dome, remove 3 existing RRU-12 units, relocate 6 existing TMAs, install 6 new RRUs, install 2 new DC cables at the 90-foot level of the tower.

The facility was approved by the Connecticut Siting Council in EM-AT&T-142-140127 on February 14, 2014. Five (5) conditions were enumerated in the Council's decision: 1) Any deviation from the modification as specified in the Notice and supporting documentation shall render the acknowledgement invalid; 2) Any material changes to the modification as proposed shall require the filing of a new Notice with the Council; 3) Not less than 45 days after the completion of construction the Council shall be notified in

writing that the construction has been completed; 4) the validity of the action shall expire one year from the date of the letter; and 5) the applicant may request an extension of time beyond the one year deadline provided that such a request is submitted to the Council not less than 60 days prior to the expiration.

Modifications to the facility were approved by the Connecticut Siting Council in EM-AT&T-142-17202 on March 6, 2017. Six (6) conditions were enumerated in the Council's decision: 1) Any deviation from the modification as specified in the Notice and supporting documentation shall render the acknowledgement invalid; 2) Any material changes to the modification as proposed shall require the filing of a new Notice with the Council; 3) Within 45 days after completion of construction the Council shall be notified in writing that the construction has been completed; 4) any nonfunctioning antenna and associated mounting equipment on this facility owned and operated by AT&T shall be removed with 60 days of the date the antenna ceased to function; 5) the validity of the action shall expire one year from the date of the letter; and 6) the applicant may request an extension of time beyond the one year deadline provided that such a request is submitted to the Council not less than 60 days prior to the expiration


Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies section 16-50j-73 for construction that constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2). In accordance with RCSA section 16-50j-73, a copy of this letter and attachments is being sent to the Steven Werbner, the Tolland Town Manager; to Heidi Samokar, the Tolland Director of Planning & Community Development, as well as to Tyler Millix, the Executive Director of Tolland County Mutual Aid, the tower owner and to Tyler Millix, the Executive Director of Tolland County Mutual Aid, the property owner.

The planned modifications to the facility fall squarely within those activities expressly provided for in RCSA section 50j-72(b)(2).

1. The proposed modifications will not result in an increase in height of the existing structure.
2. The proposed modifications will not require an extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that will exceed state and local limits.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, AT&T Wireless respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under RCSA section 16-50j-72(b)(2).

Respectfully submitted,



Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-286-4007
jandrews@empiretelecomm.com

Enclosures

cc: Steven Werbner, Tolland Town Manager- as Notification to Municipality
Tyler Millix, Executive Director, Tolland County Mutual Aid – as tower and property owner
Heidi Samokar, Director of Planning & Community Development – as Notification to Municipal Planning



Radio Frequency Emissions Analysis Report

AT&T Existing Facility

Site ID: CT5331

FA#: 10071279

Tolland Central
130 Bald Hill Road
Tolland, CT 06084

February 16, 2018

Centerline Communications Project Number: 950006-093

Site Compliance Summary	
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	17.19 %



February 16, 2018

AT&T Mobility – New England
Attn: John Benedetto, RF Manager
550 Cochituate Road
Suite 550 – 13&14
Framingham, MA 06040

Emissions Analysis for Site: **CT5331 – Tolland Central**

Centerline Communications, LLC (“Centerline”) was directed to analyze the proposed AT&T facility located at **130 Bald Hill Road, Tolland, CT**, for the purpose of determining whether the emissions from the Proposed AT&T Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The number of $\mu\text{W}/\text{cm}^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Population exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The general population exposure limits for the 700 and 850 MHz Bands are approximately $467 \mu\text{W}/\text{cm}^2$ and $567 \mu\text{W}/\text{cm}^2$ respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 2300 MHz (WCS) bands is $1000 \mu\text{W}/\text{cm}^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.



CALCULATIONS

Calculations were performed for the proposed AT&T Wireless antenna facility located at **130 Bald Hill Road, Tolland, CT**, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since AT&T is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was focused at the base of the tower. For this report the sample point is the top of a 6-foot person standing at the base of the tower.

Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. All power values expressed and analyzed are maximum power levels expected to be used on all radios.

All emissions values for additional carriers were taken from the Connecticut Siting Council (CSC) active MPE database. Values in this database are provided by the individual carriers themselves

For each sector the following channel counts, frequency bands and power levels were utilized as shown in *Table 1*:

Technology	Frequency Band	Channel Count	Transmit Power per Channel (W)
UMTS	850 MHz	1	30
UMTS	1900 MHz (PCS)	1	30
LTE	700 MHz	2	60
LTE	2300 MHz (WCS)	4	60
LTE	1900 MHz (PCS)	4	60

Table 1: Channel Data Table



The following antennas listed in *Table 2* were used in the modeling for transmission in the 700 MHz, 850 MHz, 1900 MHz (PCS) and 2300 MHz (WCS) frequency bands. This is based on feedback from the carrier with regards to anticipated antenna selection. Maximum gain values for all antennas are listed in the Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

Sector	Antenna Number	Antenna Make / Model	Antenna Centerline (ft)
A	1	Kathrein 800-10121	90
A	2	KMW AM-X-CD-16-65-00T-RET	90
A	3	Quintel QS66512-2	90
B	1	Kathrein 800-10121	90
B	2	Powerwave P65-16-XLH-RR	90
B	3	CCI TPA-65R-LCUUUU-H8	90
C	1	Kathrein 800-10121	90
C	2	KMW AM-X-CD-16-65-00T-RET	90
C	3	Quintel QS66512-2	90

Table 2: Antenna Data

All calculations were done with respect to uncontrolled / general population threshold limits.

RESULTS

Per the calculations completed for the proposed AT&T configurations *Table 3* shows resulting emissions power levels and percentages of the FCC’s allowable general population limit.

Antenna ID	Antenna Make / Model	Frequency Bands	Antenna Gain (dBd)	Channel Count	Total TX Power (W)	ERP (W)	MPE %
Antenna A1	Kathrein 800-10121	850 MHz / 1900 MHz (PCS)	11.45 / 14.35	2	60	1,235.72	0.79
Antenna A2	KMW AM-X-CD-16-65-00T-RET	700 MHz	13.35	2	120	2,595.26	2.83
Antenna A3	Quintel QS66512-2	2300 MHz (WCS) / 1900 MHz (PCS)	14.85 / 13.85	8	480	13,155.67	6.70
Sector A Composite MPE%							10.33
Antenna B1	Kathrein 800-10121	850 MHz / 1900 MHz (PCS)	11.45 / 14.35	2	60	1,235.72	0.79
Antenna B2	Powerwave P65-16-XLH-RR	700 MHz	12.7	2	120	2,234.50	2.44
Antenna B3	CCI TPA-65R-LCUUUU-H8	2300 MHz (WCS) / 1900 MHz (PCS)	14.45 / 13.75	8	480	12,377.99	6.31
Sector B Composite MPE%							9.54
Antenna C1	Kathrein 800-10121	850 MHz / 1900 MHz (PCS)	11.45 / 14.35	2	60	1,235.72	0.79
Antenna C2	KMW AM-X-CD-16-65-00T-RET	700 MHz	13.35	2	120	2,595.26	2.83
Antenna C3	Quintel QS66512-2	2300 MHz (WCS) / 1900 MHz (PCS)	14.85 / 13.85	8	480	13,155.67	6.70
Sector C Composite MPE%							10.33

Table 3: AT&T Emissions Levels



The Following table (*table 4*) shows all additional carriers on site and their MPE% as recorded in the CSC active MPE database for this facility along with the newly calculated maximum AT&T MPE contributions per this report. FCC OET 65 specifies that for carriers utilizing directional antennas that the highest recorded sector value be used for composite site MPE values due to their greatly reduced emissions contributions in the directions of the adjacent sectors. For this site, the sectors with the largest calculated MPE% are Sectors A & C. *Table 5* below shows a summary for each AT&T Sector as well as the composite MPE value for the site.

Site Composite MPE%	
Carrier	MPE%
AT&T – Max Sector Value	10.33 %
CT State Police	3.25 %
FBI	0.18 %
Sheriff	0.57 %
Tolland PD	1.46 %
Tolland Highway Patrol	1.40 %
Site Total MPE %:	17.19 %

Table 4: All Carrier MPE Contributions

AT&T Sector A Total:	10.33 %
AT&T Sector B Total:	9.54 %
AT&T Sector C Total:	10.33 %
Site Total:	17.19 %

Table 5: Site MPE Summary



FCC OET 65 specifies that for carriers utilizing directional antennas that the highest recorded sector value be used for composite site MPE values due to their greatly reduced emissions contributions in the directions of the adjacent sectors. *Table 6* below details a breakdown by frequency band and technology for the MPE power values for the maximum calculated AT&T sector(s). For this site, the sectors with the largest calculated MPE% are Sectors A & C.

AT&T _ Frequency Band / Technology Max Power Levels (Sectors A & C)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ($\mu\text{W}/\text{cm}^2$)	Frequency (MHz)	Allowable MPE ($\mu\text{W}/\text{cm}^2$)	Calculated % MPE
AT&T 850 MHz UMTS	1	418.91	90	2.13	850 MHz	567	0.38%
AT&T 1900 MHz (PCS) UMTS	1	816.81	90	4.16	1900 MHz (PCS)	1000	0.42%
AT&T 700 MHz LTE	2	1,297.63	90	13.22	700 MHz	467	2.83%
AT&T 2300 MHz (WCS) LTE	4	1,832.95	90	37.36	2300 MHz (WCS)	1000	3.74%
AT&T 1900 MHz (PCS) LTE	4	1,455.97	90	29.67	1900 MHz (PCS)	1000	2.97%
						Total:	10.33%

Table 6: AT&T Maximum Sector MPE Power Values



Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the AT&T facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

AT&T Sector	Power Density Value (%)
Sector A:	10.33 %
Sector B:	9.54 %
Sector C:	10.33 %
AT&T Maximum Total (Sectors A & C):	10.33 %
Site Total:	17.19 %
Site Compliance Status:	COMPLIANT

The anticipated composite MPE value for this site assuming all carriers present is **17.19 %** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.

A handwritten signature in black ink, appearing to read 'Scott Heffernan', is positioned above the printed name.

Scott Heffernan
RF Engineering Director
Centerline Communications, LLC
95 Ryan Drive, Suite 1
Raynham, MA 02767



MASER CONSULTING
— CONNECTICUT —

Tower Feasibility Study

FOR
CT5331 – Tolland Central

FA # 10071279
130 Bald Hill Road
Tolland, CT 06084
Tolland County

LTE 3C – MRCTB025485
Retrofit - MRCTB025631

Tower Utilization: 89.0%
Foundation Utilization: ADEQUATE

May 11, 2018


Prepared For

AT&T
550 Cochituate Road
Framingham, MA 01701

Prepared By

Maser Consulting Connecticut

331 Newman Springs Road, Suite 203
Red Bank, NJ 07701
T: 732.383.1950



Petros F. Tsoukouras, P.E.
Geographic Discipline Leader
CT License No. 32577



Objective:

The objective of this report is to determine the capacity of the existing 180' lattice tower structure at the subject facility for the final wireless telecommunications configuration, per the applicable codes and standards.

Introduction:

Maser Consulting P.A. has performed limited field observations on July 26, 2016 to verify the existing condition of the structure and to locate and quantify the existing wireless appurtenances where possible. Maser Consulting P.A. has reviewed the following documents in completing this report:

- RFDS 1789103 provided by Empire Telecom, dated December 9, 2017
- Previous Tower Analysis prepared by Maser Consulting Connecticut, dated February 9, 2017
- Previous structural analysis prepared by Malouf Engineering Professionals, dated August 30, 2016

The existing **AT&T** equipment is supported on an existing 180' lattice tower structure. The main legs are constructed of pipes and the diagonals, horizontals are constructed of angle members. This report is based only upon this information, as well as the information obtained in the field.

Discrete and Linear Appurtenances:

Maser Consulting Connecticut understands the existing & proposed **AT&T** loading to be as follows:

- (3) *Kathrein 80010121 Antennas (Existing)*
- (3) *KMW AM-X-CD-16-65-OD-RET Antennas (Existing)*
- (3) *Ericsson RRUS-11 (Existing)*
- **(2) Qunitel QS66512-2 Antennas (Proposed)**
- **(1) CCI TPA-65R-LCUUUU-H8 Antenna (Proposed)**
- **(3) Ericsson RRUS-32 B2 (Proposed)**
- **(3) Ericsson RRUS-32 (Proposed)**
- **(1) Raycap DC6 (Proposed)**
- (1) *Raycap DC6 (Existing)*
- (6) *Powerwave LGP21401 TMAs (Existing)*
- (1) *KRECU CO-41AN antenna (Existing)*
- (6) *Coax Cables (Existing)*
- (1) *Fiber Cable (Existing)*
- (2) *DC Trunk Cables (Existing)*
- **(2) DC Trunk Cables (Proposed)**

Note: The overall antenna loading is found in the appendix A of this report.

Codes, Standards and Loading:

Maser Consulting Connecticut utilized the following codes and standards:

- 2016 CT State Building Code and All Subsequent Amendments
- Structural Standards for Antenna Supporting Structures and Antennas ANSI/TIA-222-G
 - Nominal Wind Speed – 97 mph (Per CT Building Code)
 - Exposure Category – B
 - Ice Thickness – 1”
 - Structure Class – II
 - Topographic Category – 1

Analysis Approach & Assumptions:

The analysis approach used in this structural analysis is based on the premise that if the existing lattice tower is structurally adequate to support the existing and proposed equipment per the aforementioned codes and standards, or if the increase in the forces in the structure are deemed to be negligible or acceptable, then the proposed equipment can be installed as intended. TNX, a 3D finite element modeling and analysis program, was used to determine the capacity and usage of the existing antenna support frame.

The following assumptions were utilized in this report:

- Structural Steel Pipes are constructed of A53 Grade B Steel.
- The existing tower is constructed to plumb and is properly maintained with no structural deficiencies and deteriorations.
- It is assumed that the telecommunication equipment supports, antenna supports, and existing structure have been designed by a registered licensed professional engineer for the existing loads acting on the structure, as required by all applicable codes, prior to the proposed modifications listed within this report.
- It is assumed that information provided by the client regarding the structure itself, the antenna models, feed lines, and other relevant information is current and correct.
- It is assumed all other existing appurtenances, antennas, cables, etc. belonging to others have been installed and supported per code and per specifications so as not to damage any existing structural support members, and that any contributing loads from adjacent equipment has been taken into consideration for their design.
- Proposed equipment and locations should not deviate from the proposed locations noted herein and shown on the associated Maser Consulting Connecticut final Construction Drawings.

Calculations:

The Tower Analysis calculations are found in **Appendix A** of this report.

The maximum factored foundation loads have been calculated for the proposed loading configuration described above. These reactions have been compared to the previous foundation reactions calculated in the above reference passing structural report completed by Malouf Engineering, Inc. Since the original reactions are based upon and Allowable Stress Design procedure, the reactions have been multiplied by a 1.35 factor for comparison to the reactions determined in accordance with ANSI/TIA-222-G Section 15.5.1, as follows:

Maximum Base Reactions	Previous Malouf Calculated Reactions EIA/TIA-222-F	Factored Malouf Reactions EIA/TIA-222-F (x1.35)	Current Analysis ANSI/TIA-222-G	Percentage Comparison
Moment	3,140 (k-ft)	4,239 (k-ft)	3,185 (k-ft)	75.1%
Shear	34 (kips)	45.9 (kips)	35.4 (kips)	77.1%
Compression	160 (kips per leg)	216 (kips per leg)	161 (kips per leg)	74.5%
Uplift	123 (kips per leg)	166 (kips)	129 (kips per leg)	77.7%

Conclusion:

The existing tower structure was analyzed for the loading in the applicable codes and standards. The tower structure has been determined to be structurally **ADEQUATE** to support the proposed and existing antennas, based upon the aforementioned assumptions.

The tower structure has been determined to be stressed to a maximum of **89%** of its structural capacity with the maximum usage occurring at the diagonal members within section height 80'-90'. The bolt connections are stressed to a maximum of **75.3%** of their capacity.

Additionally, our structural analysis indicates that under the proposed conditions noted above, the existing 180' self-support tower foundation in its current condition will have a reduced load impact on the existing foundations as compared to the previous design values established by the Malouf Engineering report. Therefore, the conclusions of the Malouf Engineering report still govern, and the existing foundations are **ADEQUATE** for the proposed loading condition. Therefore, the proposed **AT&T** installation **CAN** be placed as intended.

Prior to the installation of the proposed equipment, the contractor shall verify that all bolted connections are properly fastened from the original installation. Additionally, the contractor shall inspect all existing hardware and verify that it is in its original condition and free of rust and deterioration. If any deficiencies are noted the contractor shall notify the engineer of the conditions prior to installation of any equipment for additional evaluation.

The conclusions reached by Maser Consulting Connecticut in this evaluation are only applicable for the existing structural members supporting the proposed **AT&T** telecommunications installation described herein.

We appreciate the opportunity to be of service on this project. If you should have any questions or require any additional information, please do not hesitate to call our office.

Sincerely,
Maser Consulting Connecticut




Petros E. Tsoukalas, P.E.
Geographic Discipline Leader



Lauren Luzier, E.I.T
Engineer

APPENDIX A

Section	T23	T22	T21	T20	T19	T18	T17	T16	T15	T14	T13	T12	T11	T10	T9	T8	T7	T6	T5	T4	T3	T2	T1
Legs	ROHN 6 EH	P5x.375	P5.5x.375	ROHN 5 STD	ROHN 4 X-STR	ROHN 3 X-STR	ROHN 3 STD	ROHN 2.5 X-STR															
Leg Grade	L4x4x5/16	L4x4x1/4	L3 1/2x3 1/2x1/4	L3x3x1/4	L3x3x3/16	L2 1/2x2 1/2x3/16	L2x2x3/16	L1 3/4x1 3/4x1/8															
Diagonals	L4x4x5/16	L4x4x1/4	L3 1/2x3 1/2x1/4	L3x3x1/4	L3x3x3/16	L2 1/2x2 1/2x3/16	L2x2x3/16	L1 3/4x1 3/4x1/8															
Diagonal Grade	L4x4x5/16	L4x4x1/4	L3 1/2x3 1/2x1/4	L3x3x1/4	L3x3x3/16	L2 1/2x2 1/2x3/16	L2x2x3/16	L1 3/4x1 3/4x1/8															
Top Girts	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.															
Face Width (ft)	23.7787	22.7669	21.753	20.7401	19.7273	18.7144	17.7015	16.6887	15.6758	14.6629	13.6497	12.6372	11.6247	10.6115	9.5982	8.5853	7.5728	6.56					
# Panels @ (ft)	2205.8	2205.8	1871.2	1632.9	1466.0	1433.3	1103.0	1075.8	917.8	887.8	521.4	509.7	488.0	374.0	364.9	350.0	272.1	287.0	282.1	195.9	182.5	189.3	220.2
Weight (lb)	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5	18880.5



DESIGNED APPURTENANCE LOADING

TYPE	ELEVATION	TYPE	ELEVATION
PD1142-1	182	4' Side Arm Mount	99
PD458-1	181	16' omni	99
3' Side Arm Mount	180	LGP 21401 TMA	90.7
DB224	180	AM-X-CD-16-65-OOT-RET	90.7
PD455-5	180	AM-X-CD-16-65-OOT-RET	90.7
3' Side Arm Mount	180	AM-X-CD-16-65-OOT-RET	90.7
DB224	179.917 - 179.917	Raycap DC6	90.7
3' Side Arm Mount	179.917	Pirod 10' PCS Frame (1)	90.7
3' Side Arm Mount	179	Pirod 10' PCS Frame (1)	90.7
DB201-A	177.167	Pirod 10' PCS Frame (1)	90.7
PD220	163.25	80010121	90.7
3' Side Arm Mount	163.25	80010121	90.7
16' Omni	158.5	80010121	90.7
3' Side Arm Mount	158.5	Quintel QS66512-2 w/m pipe	90.7
20' Omni	154.167	TPA-65R-LCUUU-H8 w/ 8' pipe	90.7
3' Side Arm Mount	154.167	Quintel QS66512-2 w/m pipe	90.7
DB420	144.917	RRUS 32	90.7
3' Side Arm Mount	144.917	RRUS 32	90.7
PD1142-1	138.75	RRUS 32	90.7
3' Side Arm Mount	138.75	DC6-48-06-18-8F	90.7
AO8410M-54T0	136.167	LGP 21401 TMA	90.7
4' Side Arm Mount	136.167	LGP 21401 TMA	90.7
Andrew 6' w/Radome	134.5	kreuc	90.7
PD220	126.667	RRUS 11 B12	90
4' Side Arm Mount	126.667	RRUS 32 B2	90
PD1142-1	125.25	RRUS 32 B2	90
4' Side Arm Mount	125.25	RRUS 32 B2	90
4' Side Arm Mount	123.167	RRUS 11 B12	90
DB806-XC	123.167	RRUS 11 B12	90
2' Dia parabolic dish antenna	119.5	DB22	85.8167
2' Dia parabolic dish antenna	112.917	Yagi s4307-sf3s1f	77.5
12' Omni	104.5	(2) Whip Antenna 4'X1.5" Dia	76.667
4' Side Arm Mount	104.5	Pirod 6' Side Mount Standoff (1)	73.75


SYMBOL LIST

MARK	SIZE	MARK	SIZE
A	L2x2x1/8		

ALL REACTIONS ARE FACTORED




MAX. CORNER REACTIONS AT BASE:
 DOWN: 161098 lb
 SHEAR: 21452 lb

UPLIFT: -129251 lb
 SHEAR: 18047 lb



Maser Consulting
 2000 Midlantic Drive, Suite 100
 Mt. Laurel, NJ
 Phone: 856 797-0412
 FAX: 856 722-1120

Job: **16963007**
 Project: **Tower Analysis**
 Client: SmartLink
 Code: TIA-222-G
 Path: m:\maserconsulting.com\proj\16963007\179630054\179630244\Structural\Tower Analysis\Rev_01\NOLA\Office Tower Analysis.dwg
 Drawn by:
 Date: 05/11/18
 App'd:
 Scale: NTS
 Dwg No. E-1




Maser Consulting
 2000 Midlantic Drive, Suite 100
 Mt. Laurel, NJ
 Phone: 856 797-0412
 FAX: 856 722-1120

Job: 16963007		
Project: Tower Analysis		
Client: SmartLink	Drawn by:	App'd:
Code: TIA-222-G	Date: 05/11/18	Scale: NTS
Path:	Dwg No. E-5	

Feed Line Distribution Chart 0' - 180'

— Round
 — Flat
 — App In Face
 — App Out Face
 — Truss Leg



Maser Consulting		
2000 Midlantic Drive, Suite 100		
Mt. Laurel, NJ		
Phone: 856 797-0412		
FAX: 856 722-1120		
Job: 16963007		
Project: Tower Analysis		
Client: SmartLink	Drawn by:	App'd:
Code: TIA-222-G	Date: 05/11/18	Scale: NTS
Path:	Dwg No. E-7	

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	1 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Input Data

The main tower is a 3x free standing tower with an overall height of 180.00 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 6.56 ft at the top and 24.79 ft at the base.

This tower is designed using the TIA-222-G standard.

The following design criteria apply:

Basic wind speed of 97 mph.

Structure Class II.

Exposure Category B.

Topographic Category 1.

Crest Height 0.00 ft.

Nominal ice thickness of 1.0000 in.

Ice thickness is considered to increase with height.

Ice density of 56 pcf.

A wind speed of 40 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 60 mph.

Weld together tower sections have flange connections..

Connections use galvanized A325 bolts, nuts and locking devices. Installation per TIA/EIA-222 and AISC Specifications..

Tower members are "hot dipped" galvanized in accordance with ASTM A123 and ASTM A153 Standards..

Welds are fabricated with ER-70S-6 electrodes..

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.


Stress ratio used in tower member design is 1.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

<ul style="list-style-type: none"> Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification √ Use Code Stress Ratios √ Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile Include Bolts In Member Capacity Leg Bolts Are At Top Of Section √ Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric 	<ul style="list-style-type: none"> Distribute Leg Loads As Uniform √ Assume Legs Pinned √ Assume Rigid Index Plate √ Use Clear Spans For Wind Area √ Use Clear Spans For KL/r Retension Guys To Initial Tension Bypass Mast Stability Checks Use Azimuth Dish Coefficients √ Project Wind Area of Appurt. Autocalc Torque Arm Areas Add IBC .6D+W Combination √ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder 	<ul style="list-style-type: none"> Use ASCE 10 X-Brace Ly Rules √ Calculate Redundant Bracing Forces √ Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation √ Consider Feed Line Torque Include Angle Block Shear Check Use TIA-222-G Bracing Resist. Exemption Use TIA-222-G Tension Splice Exemption <li style="text-align: center;">Poles Include Shear-Torsion Interaction √ Always Use Sub-Critical Flow Use Top Mounted Sockets
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job 16963007	Page 2 of 52
	Project Tower Analysis	Date 17:16:08 05/11/18
	Client SmartLink	Designed by



Triangular Tower

Tower Section Geometry

<i>Tower Section</i>	<i>Tower Elevation</i>	<i>Assembly Database</i>	<i>Description</i>	<i>Section Width</i>	<i>Number of Sections</i>	<i>Section Length</i>
	<i>ft</i>			<i>ft</i>		<i>ft</i>
T1	180.00-175.00			6.56	1	5.00
T2	175.00-170.00			7.07	1	5.00
T3	170.00-165.00			7.57	1	5.00
T4	165.00-160.00			8.08	1	5.00
T5	160.00-153.33			8.59	1	6.67
T6	153.33-146.67			9.26	1	6.67
T7	146.67-140.00			9.94	1	6.67
T8	140.00-133.33			10.61	1	6.67
T9	133.33-126.67			11.29	1	6.67
T10	126.67-120.00			11.96	1	6.67
T11	120.00-113.33			12.64	1	6.67
T12	113.33-106.67			13.31	1	6.67
T13	106.67-100.00			13.99	1	6.67
T14	100.00-90.00			14.66	1	10.00
T15	90.00-80.00			15.68	1	10.00
T16	80.00-70.00			16.69	1	10.00
T17	70.00-60.00			17.70	1	10.00
T18	60.00-50.00			18.71	1	10.00
T19	50.00-40.00			19.73	1	10.00
T20	40.00-30.00			20.74	1	10.00
T21	30.00-20.00			21.75	1	10.00
T22	20.00-10.00			22.77	1	10.00
T23	10.00-0.00			23.78	1	10.00

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	3 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Section Geometry (cont'd)

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	180.00-175.00	5.00	X Brace	No	No	0.0000	0.0000
T2	175.00-170.00	5.00	X Brace	No	No	0.0000	0.0000
T3	170.00-165.00	5.00	X Brace	No	No	0.0000	0.0000
T4	165.00-160.00	5.00	X Brace	No	No	0.0000	0.0000
T5	160.00-153.33	6.67	X Brace	No	No	0.0000	0.0000
T6	153.33-146.67	6.67	X Brace	No	No	0.0000	0.0000
T7	146.67-140.00	6.67	X Brace	No	No	0.0000	0.0000
T8	140.00-133.33	6.67	X Brace	No	No	0.0000	0.0000
T9	133.33-126.67	6.67	X Brace	No	No	0.0000	0.0000
T10	126.67-120.00	6.67	X Brace	No	No	0.0000	0.0000
T11	120.00-113.33	6.67	X Brace	No	No	0.0000	0.0000
T12	113.33-106.67	6.67	X Brace	No	No	0.0000	0.0000
T13	106.67-100.00	6.67	X Brace	No	No	0.0000	0.0000
T14	100.00-90.00	10.00	X Brace	No	No	0.0000	0.0000
T15	90.00-80.00	10.00	X Brace	No	No	0.0000	0.0000
T16	80.00-70.00	10.00	X Brace	No	No	0.0000	0.0000
T17	70.00-60.00	10.00	X Brace	No	No	0.0000	0.0000
T18	60.00-50.00	10.00	X Brace	No	No	0.0000	0.0000
T19	50.00-40.00	10.00	X Brace	No	No	0.0000	0.0000
T20	40.00-30.00	10.00	X Brace	No	No	0.0000	0.0000
T21	30.00-20.00	10.00	X Brace	No	No	0.0000	0.0000
T22	20.00-10.00	10.00	X Brace	No	No	0.0000	0.0000
T23	10.00-0.00	10.00	X Brace	No	No	0.0000	0.0000

Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
ft						
T1 180.00-175.00	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 1/2x1 1/2x1/8	A36 (36 ksi)
T2 175.00-170.00	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 1/2x1 1/2x1/8	A36 (36 ksi)
T3 170.00-165.00	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 1/2x1 1/2x1/8	A36 (36 ksi)
T4 165.00-160.00	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 1/2x1 1/2x1/8	A36 (36 ksi)
T5 160.00-153.33	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x1/8	A36 (36 ksi)
T6 153.33-146.67	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x1/8	A36 (36 ksi)
T7 146.67-140.00	Pipe	ROHN 2.5 X-STR	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x1/8	A36 (36 ksi)
T8 140.00-133.33	Pipe	ROHN 3 STD	A572-50 (50 ksi)	Equal Angle	L2x2x3/16	A36 (36 ksi)
T9 133.33-126.67	Pipe	ROHN 3 STD	A572-50 (50 ksi)	Equal Angle	L2x2x3/16	A36 (36 ksi)
T10 126.67-120.00	Pipe	ROHN 3 STD	A572-50 (50 ksi)	Equal Angle	L2x2x3/16	A36 (36 ksi)
T11 120.00-113.33	Pipe	ROHN 3 X-STR	A572-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36 (36 ksi)
T12	Pipe	ROHN 3 X-STR	A572-50	Equal Angle	L2 1/2x2 1/2x3/16	A36

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	4 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Elevation ft	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
113.33-106.67 T13	Pipe	ROHN 3 X-STR	(50 ksi) A572-50	Equal Angle	L2 1/2x2 1/2x3/16	(36 ksi) A36
106.67-100.00 T14 100.00-90.00	Pipe	ROHN 4 X-STR	(50 ksi) A572-50	Equal Angle	L3x3x3/16	(36 ksi) A36
T15 90.00-80.00	Pipe	ROHN 4 X-STR	(50 ksi) A572-50	Equal Angle	L3x3x3/16	(36 ksi) A36
T16 80.00-70.00	Pipe	ROHN 5 STD	(50 ksi) A572-50	Equal Angle	L3x3x1/4	(36 ksi) A36
T17 70.00-60.00	Pipe	ROHN 5 STD	(50 ksi) A572-50	Equal Angle	L3x3x1/4	(36 ksi) A36
T18 60.00-50.00	Pipe	P5.5x.375	(50 ksi) A572-50	Equal Angle	L3 1/2x3 1/2x1/4	(36 ksi) A36
T19 50.00-40.00	Pipe	P5.5x.375	(50 ksi) A572-50	Equal Angle	L3 1/2x3 1/2x1/4	(36 ksi) A36
T20 40.00-30.00	Pipe	P5x.375	(50 ksi) A572-50	Equal Angle	L4x4x1/4	(36 ksi) A36
T21 30.00-20.00	Pipe	P5x.375	(50 ksi) A572-50	Equal Angle	L4x4x1/4	(36 ksi) A36
T22 20.00-10.00	Pipe	ROHN 6 EH	(50 ksi) A572-50	Equal Angle	L4x4x5/16	(36 ksi) A36
T23 10.00-0.00	Pipe	ROHN 6 EH	(50 ksi) A572-50	Equal Angle	L4x4x5/16	(36 ksi) A36

Tower Section Geometry (cont'd)

Tower Elevation ft	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
T1 180.00-175.00	Equal Angle	L2x2x1/8	A36 (36 ksi)	Solid Round		A36 (36 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A _f	Adjust. Factor A _r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
T1 180.00-175.00	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000
T2 175.00-170.00	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000
T3 170.00-165.00	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000
T4 165.00-160.00	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000
T5 160.00-153.33	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000
T6 153.33-146.67	0.00	0.1875	A36 (36 ksi)	1	1	1.05	36.0000	36.0000	36.0000

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p>Job</p> <p>16963007</p>	<p>Page</p> <p>5 of 52</p>
	<p>Project</p> <p>Tower Analysis</p>	<p>Date</p> <p>17:16:08 05/11/18</p>
	<p>Client</p> <p>SmartLink</p>	<p>Designed by</p>

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor A_f	Adjust. Factor A_r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
ft	ft ²	in							
T7	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
146.67-140.00			(36 ksi)						
T8	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
140.00-133.33			(36 ksi)						
T9	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
133.33-126.67			(36 ksi)						
T10	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
126.67-120.00			(36 ksi)						
T11	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
120.00-113.33			(36 ksi)						
T12	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
113.33-106.67			(36 ksi)						
T13	0.00	0.1875	A36	1	1	1.05	36.0000	36.0000	36.0000
106.67-100.00			(36 ksi)						
T14	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
100.00-90.00			(36 ksi)						
T15	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
90.00-80.00			(36 ksi)						
T16	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
80.00-70.00			(36 ksi)						
T17	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
70.00-60.00			(36 ksi)						
T18	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
60.00-50.00			(36 ksi)						
T19	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
50.00-40.00			(36 ksi)						
T20	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
40.00-30.00			(36 ksi)						
T21	0.00	0.2500	A36	1	1	1.05	36.0000	36.0000	36.0000
30.00-20.00			(36 ksi)						
T22	0.00	0.3750	A36	1	1	1.05	36.0000	36.0000	36.0000
20.00-10.00			(36 ksi)						
T23 10.00-0.00	0.00	0.3750	A36	1	1	1.05	36.0000	36.0000	36.0000
			(36 ksi)						

Tower Section Geometry (cont'd)

Tower Elevation	Calc K Single Angles	Calc K Solid Rounds	K Factors ¹							
			Legs	X Brace Diags	K Brace Diags	Single Diags	Girts	Horiz.	Sec. Horiz.	Inner Brace
				X Y	X Y	X Y	X Y	X Y	X Y	X Y
T1	Yes	Yes	1	1	1	1	1	1	1	1
180.00-175.00				1	1	1	1	1	1	1
T2	Yes	Yes	1	1	1	1	1	1	1	1
175.00-170.00				1	1	1	1	1	1	1
T3	Yes	Yes	1	1	1	1	1	1	1	1
170.00-165.00				1	1	1	1	1	1	1
T4	Yes	Yes	1	1	1	1	1	1	1	1
165.00-160.00				1	1	1	1	1	1	1
T5	Yes	Yes	1	1	1	1	1	1	1	1
160.00-153.33				1	1	1	1	1	1	1
T6	Yes	Yes	1	1	1	1	1	1	1	1
153.33-146.67				1	1	1	1	1	1	1

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p>Job</p> <p>16963007</p>	<p>Page</p> <p>7 of 52</p>
	<p>Project</p> <p>Tower Analysis</p>	<p>Date</p> <p>17:16:08 05/11/18</p>
	<p>Client</p> <p>SmartLink</p>	<p>Designed by</p>

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T5 160.00-153.33	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T6 153.33-146.67	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T7 146.67-140.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T8 140.00-133.33	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T9 133.33-126.67	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T10 126.67-120.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T11 120.00-113.33	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T12 113.33-106.67	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T13 106.67-100.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T14 100.00-90.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T15 90.00-80.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T16 80.00-70.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T17 70.00-60.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T18 60.00-50.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T19 50.00-40.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T20 40.00-30.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T21 30.00-20.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T22 20.00-10.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T23 10.00-0.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75

Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 180.00-175.00	Flange	0.6250	4	0.5000	1	0.5000	1	0.0000	0	0.6250	0	0.6250	0	0.6250	0
T2 175.00-170.00	Flange	0.6250	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
T3 170.00-165.00	Flange	0.6250	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0

<p style="text-align: center;">tnxTower</p> <p style="text-align: center;">Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	8 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T4	Flange	0.6250	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
165.00-160.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T5	Flange	0.7500	4	0.5000	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
160.00-153.33		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T6	Flange	0.7500	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
153.33-146.67		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T7	Flange	0.7500	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
146.67-140.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T8	Flange	0.8750	4	0.5000	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
140.00-133.33		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T9	Flange	0.8750	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
133.33-126.67		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T10	Flange	0.8750	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
126.67-120.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T11	Flange	0.8750	4	0.5000	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
120.00-113.33		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T12	Flange	0.8750	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
113.33-106.67		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T13	Flange	0.8750	0	0.5000	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
106.67-100.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T14	Flange	1.0000	4	0.6250	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
100.00-90.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T15	Flange	1.0000	0	0.6250	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
90.00-80.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T16	Flange	1.0000	4	0.6250	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
80.00-70.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T17	Flange	1.0000	0	0.6250	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
70.00-60.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T18	Flange	1.0000	4	0.6250	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
60.00-50.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T19	Flange	1.0000	0	0.6250	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
50.00-40.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T20	Flange	1.0000	6	0.6250	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
40.00-30.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T21	Flange	1.0000	0	0.6250	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
30.00-20.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T22	Flange	1.0000	6	0.7500	1	0.0000	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
20.00-10.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T23 10.00-0.00	Flange	1.0000	0	0.7500	1	0.6250	0	0.0000	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325N		A325N		A325N		A325N		A325N		A325N	

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
HJ5-50A (7/8 AIR)	B	No	Ar (CaAa)	144.92 - 18.00	1.0000	0.44	1	1	2.1100	2.1100		1.54
LDF2-50A (3/8 FOAM)	B	No	Ar (CaAa)	99.00 - 18.00	1.0000	0.42	1	1	0.4400	0.4400		0.08
LDF2-50A (3/8 FOAM)	B	No	Ar (CaAa)	73.75 - 18.00	1.0000	0.4	1	1	0.4400	0.4400		0.08
LDF2-50A (3/8 FOAM)	B	No	Ar (CaAa)	77.50 - 18.00	1.0000	0.38	1	1	0.4400	0.4400		0.08

Job	16963007	Page	9 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
LDF2-50A (3/8 FOAM)	B	No	Ar (CaAa)	90.70 - 18.00	1.0000	0.36	1	1	0.4400	0.4400		0.08
LDF2-50A (3/8 FOAM)	B	No	Ar (CaAa)	179.92 - 18.00	1.0000	0.34	1	1	0.4400	0.4400		0.08
EW63	B	No	Ar (CaAa)	133.17 - 12.00	1.0000	0.32	1	1	1.5742	1.5742		0.51
LCF158-50J (1 5/8 FOAM)	B	No	Ar (CaAa)	125.25 - 12.00	1.0000	0.3	1	1	2.0100	2.0100		0.92
LCF58-50J (5/8 FOAM)	B	No	Ar (CaAa)	119.50 - 18.00	1.0000	0.28	1	1	0.8400	0.8400		0.25
LCF158-50J (1 5/8 FOAM)	B	No	Ar (CaAa)	125.25 - 12.00	1.0000	0.26	1	1	2.0100	2.0100		0.92
LCF58-50J (5/8 FOAM)	B	No	Ar (CaAa)	112.92 - 18.00	1.0000	0.24	1	1	0.8400	0.8400		0.25
LCF158-50J (1 5/8 FOAM)	B	No	Ar (CaAa)	76.67 - 18.00	1.0000	0.22	1	1	2.0100	2.0100		0.92
LDF2-50 (3/8 FOAM)	B	No	Ar (CaAa)	180.00 - 18.00	1.0000	0.49	1	1	0.4400	0.4400		0.08
AVA5-50 (7/8 LOW DENSIFOAM)	C	No	Ar (CaAa)	90.71 - 9.00	1.0000	0.3	6	6	1.1000	1.1000		0.30
FLC 158-50J (1 5/8 FOAM)	C	No	Ar (CaAa)	90.71 - 9.00	1.0000	0.32	1	1	2.0200	2.0200		0.92
LDF5-50A (7/8 FOAM)	C	No	Ar (CaAa)	90.71 - 9.00	1.0000	0.34	2	2	1.0900	1.0900		0.33
FSJ2-50 (3/8 SUPERFLEX. FOAM)	C	No	Ar (CaAa)	90.71 - 9.00	1.0000	0.36	1	1	0.4300	0.4300		0.08
FSJ2-50 (3/8 SUPERFLEX. FOAM)	A	No	Ar (CaAa)	104.50 - 18.00	1.0000	0.5	1	1	0.4300	0.4300		0.08
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	126.67 - 18.00	1.0000	0.48	1	1	1.1000	1.1000		0.30
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	163.25 - 18.00	1.0000	0.46	1	1	1.1000	1.1000		0.30
FSJ2-50 (3/8 SUPERFLEX. FOAM)	A	No	Ar (CaAa)	180.00 - 18.00	1.0000	0.44	1	1	0.4300	0.4300		0.08
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	123.17 - 18.00	1.0000	0.42	1	1	1.1000	1.1000		0.30
LDF6-50A (1-1/4 FOAM)	A	No	Ar (CaAa)	180.00 - 18.00	1.0000	0.4	1	1	1.5500	1.5500		0.66
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	177.17 - 18.00	1.0000	0.38	1	1	1.1000	1.1000		0.30
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	179.92 - 18.00	1.0000	0.36	1	1	1.1000	1.1000		0.30
AVA5-50 (7/8 LOW DENSIFOAM)	A	No	Ar (CaAa)	154.17 - 18.00	1.0000	0.34	1	1	1.1000	1.1000		0.30
FSJ2-50 (3/8)	A	No	Ar (CaAa)	158.50 - 18.00	1.0000	0.32	1	1	0.4300	0.4300		0.08

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	10 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	# Per Row	#	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
SUPERFLEX. FOAM)												
FSJ2-50 (3/8 SUPERFLEX. FOAM)	A	No	Ar (CaAa)	138.75 - 18.00	1.0000	0.3	1	1	0.4300	0.4300		0.08
FSJ2-50 (3/8 SUPERFLEX. FOAM)	A	No	Ar (CaAa)	136.17 - 18.00	1.0000	0.28	1	1	0.4300	0.4300		0.08
AVA5-50 (7/8 LOW DENSIFOA M)	A	No	Ar (CaAa)	180.00 - 18.00	1.0000	0.26	1	1	1.1000	1.1000		0.30
7/8" DC	C	No	Ar (CaAa)	90.71 - 9.00	1.0000	0.38	2	2	0.8750	0.8750		0.60

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#		C _{AA} ft ² /ft	Weight plf
Feedline Ladder (Af)	B	No	CaAa (In Face)	180.00 - 0.00	1.0000	0.2	1	No Ice	0.50	8.40
								1/2" Ice	0.61	13.50
								1" Ice	0.72	18.60
Feedline Ladder (Af)	C	No	CaAa (In Face)	83.00 - 8.00	1.0000	0.4	1	No Ice	0.50	8.40
								1/2" Ice	0.61	13.50
								1" Ice	0.72	18.60
Feedline Ladder (Af)	A	No	CaAa (In Face)	179.00 - 0.00	1.0000	0.4	1	No Ice	0.50	8.40
								1/2" Ice	0.61	13.50
								1" Ice	0.72	18.60
Safety Line 5/8	A	No	CaAa (Out Of Face)	180.00 - 2.00	0.0000	0	1	No Ice	0.09	0.40
								1/2" Ice	0.19	1.24
								1" Ice	0.29	2.70
Safety Line 5/8	C	No	CaAa (Out Of Face)	180.00 - 20.00	0.0000	0	1	No Ice	0.09	0.40
								1/2" Ice	0.19	1.24
								1" Ice	0.29	2.70
Climbing Pegs	A	No	CaAa (In Face)	180.00 - 2.00	0.0000	0	1	No Ice	0.02	5.50
								1/2" Ice	0.05	6.00
								1" Ice	0.08	6.50
Climbing Pegs	C	No	CaAa (In Face)	180.00 - 2.00	0.0000	0	1	No Ice	0.02	5.50
								1/2" Ice	0.05	6.00
								1" Ice	0.08	6.50
Climbing Pegs	B	No	CaAa (In Face)	180.00 - 2.00	0.0000	0	1	No Ice	0.02	5.50
								1/2" Ice	0.05	6.00
								1" Ice	0.08	6.50

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight lb
T1	180.00-175.00	A	0.000	0.000	4.419	0.440	70.43
		B	0.000	0.000	3.036	0.000	70.29
		C	0.000	0.000	0.100	0.440	29.50
T2	175.00-170.00	A	0.000	0.000	5.240	0.440	79.70
		B	0.000	0.000	3.040	0.000	70.30

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	11 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Section	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight lb
T3	170.00-165.00	C	0.000	0.000	0.100	0.440	29.50
		A	0.000	0.000	5.240	0.440	79.70
		B	0.000	0.000	3.040	0.000	70.30
T4	165.00-160.00	C	0.000	0.000	0.100	0.440	29.50
		A	0.000	0.000	5.598	0.440	80.67
		B	0.000	0.000	3.040	0.000	70.30
T5	160.00-153.33	C	0.000	0.000	0.100	0.440	29.50
		A	0.000	0.000	8.034	0.587	108.93
		B	0.000	0.000	4.053	0.000	93.73
T6	153.33-146.67	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	8.740	0.587	110.80
		B	0.000	0.000	4.053	0.000	93.73
T7	146.67-140.00	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	8.740	0.587	110.80
		B	0.000	0.000	5.091	0.000	101.31
T8	140.00-133.33	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	9.095	0.587	111.46
		B	0.000	0.000	5.460	0.000	104.00
T9	133.33-126.67	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	9.313	0.587	111.87
		B	0.000	0.000	6.483	0.000	107.32
T10	126.67-120.00	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	10.395	0.587	114.82
		B	0.000	0.000	8.620	0.000	117.06
T11	120.00-113.33	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	10.780	0.587	115.87
		B	0.000	0.000	9.708	0.000	121.21
T12	113.33-106.67	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	10.780	0.587	115.87
		B	0.000	0.000	10.275	0.000	122.90
T13	106.67-100.00	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	10.974	0.587	116.23
		B	0.000	0.000	10.310	0.000	123.00
T14	100.00-90.00	C	0.000	0.000	0.133	0.587	39.33
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	15.891	0.000	185.28
T15	90.00-80.00	C	0.000	0.000	1.122	0.880	62.31
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	16.344	0.000	186.10
T16	80.00-70.00	C	0.000	0.000	14.680	0.880	130.80
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	18.179	0.000	193.13
T17	70.00-60.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	19.234	0.000	196.90
T18	60.00-50.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	19.234	0.000	196.90
T19	50.00-40.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	19.234	0.000	196.90
T20	40.00-30.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	19.234	0.000	196.90
T21	30.00-20.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	16.600	0.880	174.60
		B	0.000	0.000	19.234	0.000	196.90
T22	20.00-10.00	C	0.000	0.000	18.180	0.880	189.60
		A	0.000	0.000	7.480	0.880	149.32
		B	0.000	0.000	11.363	0.000	164.68
		C	0.000	0.000	18.180	0.000	185.60

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	12 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Section	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight lb
T23	10.00-0.00	A	0.000	0.000	5.160	0.704	131.20
		B	0.000	0.000	5.160	0.000	128.00
		C	0.000	0.000	2.458	0.000	65.46

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight lb
T1	180.00-175.00	A	2.366	0.000	0.000	17.685	2.806	447.54
		B		0.000	0.000	11.069	0.000	283.28
		C		0.000	0.000	0.810	2.806	91.92
T2	175.00-170.00	A	2.360	0.000	0.000	20.368	2.800	508.33
		B		0.000	0.000	11.089	0.000	283.16
		C		0.000	0.000	0.808	2.800	91.60
T3	170.00-165.00	A	2.353	0.000	0.000	20.324	2.793	506.43
		B		0.000	0.000	11.066	0.000	282.33
		C		0.000	0.000	0.806	2.793	91.28
T4	165.00-160.00	A	2.346	0.000	0.000	22.160	2.786	537.54
		B		0.000	0.000	11.041	0.000	281.49
		C		0.000	0.000	0.804	2.786	90.94
T5	160.00-153.33	A	2.337	0.000	0.000	33.932	3.703	786.61
		B		0.000	0.000	14.683	0.000	373.96
		C		0.000	0.000	1.068	3.703	120.72
T6	153.33-146.67	A	2.327	0.000	0.000	37.939	3.689	852.52
		B		0.000	0.000	14.637	0.000	372.36
		C		0.000	0.000	1.064	3.689	120.08
T7	146.67-140.00	A	2.316	0.000	0.000	37.807	3.675	847.26
		B		0.000	0.000	17.904	0.000	439.86
		C		0.000	0.000	1.060	3.675	119.42
T8	140.00-133.33	A	2.305	0.000	0.000	41.827	3.661	906.02
		B		0.000	0.000	19.019	0.000	462.15
		C		0.000	0.000	1.056	3.661	118.73
T9	133.33-126.67	A	2.294	0.000	0.000	44.215	3.645	938.96
		B		0.000	0.000	22.957	0.000	533.49
		C		0.000	0.000	1.051	3.645	118.01
T10	126.67-120.00	A	2.282	0.000	0.000	49.601	3.629	1027.69
		B		0.000	0.000	29.875	0.000	667.53
		C		0.000	0.000	1.046	3.629	117.25
T11	120.00-113.33	A	2.269	0.000	0.000	51.357	3.612	1053.33
		B		0.000	0.000	34.929	0.000	754.10
		C		0.000	0.000	1.041	3.612	116.46
T12	113.33-106.67	A	2.256	0.000	0.000	51.119	3.595	1044.52
		B		0.000	0.000	38.394	0.000	807.97
		C		0.000	0.000	1.036	3.595	115.63
T13	106.67-100.00	A	2.242	0.000	0.000	53.078	3.576	1068.53
		B		0.000	0.000	38.440	0.000	805.28
		C		0.000	0.000	1.030	3.576	114.74
T14	100.00-90.00	A	2.223	0.000	0.000	80.674	5.326	1607.24
		B		0.000	0.000	62.047	0.000	1266.21
		C		0.000	0.000	5.516	5.326	226.74
T15	90.00-80.00	A	2.198	0.000	0.000	79.965	5.277	1581.72
		B		0.000	0.000	66.518	0.000	1322.15
		C		0.000	0.000	60.225	5.277	1043.59
T16	80.00-70.00	A	2.171	0.000	0.000	79.177	5.222	1553.58
		B		0.000	0.000	75.509	0.000	1459.66
		C		0.000	0.000	66.681	5.222	1241.68
T17	70.00-60.00	A	2.140	0.000	0.000	78.288	5.161	1522.11

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	13 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A _R ft ²	A _F ft ²	C _{AA} In Face ft ²	C _{AA} Out Face ft ²	Weight lb
		B		0.000	0.000	80.922	0.000	1531.13
		C		0.000	0.000	66.158	5.161	1221.85
T18	60.00-50.00	A	2.105	0.000	0.000	77.266	5.090	1486.31
		B		0.000	0.000	79.900	0.000	1497.17
		C		0.000	0.000	65.557	5.090	1199.19
T19	50.00-40.00	A	2.063	0.000	0.000	76.060	5.006	1444.61
		B		0.000	0.000	78.695	0.000	1457.64
		C		0.000	0.000	64.848	5.006	1172.67
T20	40.00-30.00	A	2.012	0.000	0.000	74.585	4.904	1394.30
		B		0.000	0.000	77.219	0.000	1409.99
		C		0.000	0.000	63.980	4.904	1140.50
T21	30.00-20.00	A	1.945	0.000	0.000	72.666	4.771	1332.16
		B		0.000	0.000	75.300	0.000	1349.28
		C		0.000	0.000	62.853	4.771	1101.15
T22	20.00-10.00	A	1.848	0.000	0.000	22.308	4.577	579.53
		B		0.000	0.000	32.846	0.000	694.53
		C		0.000	0.000	61.214	0.000	978.30
T23	10.00-0.00	A	1.656	0.000	0.000	9.635	3.354	356.62
		B		0.000	0.000	9.635	0.000	310.17
		C		0.000	0.000	7.500	0.000	163.41

Feed Line Center of Pressure

Section	Elevation ft	CP _X in	CP _Z in	CP _X Ice in	CP _Z Ice in
T1	180.00-175.00	0.5346	-2.7611	0.0527	-2.5565
T2	175.00-170.00	0.5175	-3.5851	0.1613	-3.4386
T3	170.00-165.00	0.5520	-3.7950	0.1751	-3.6378
T4	165.00-160.00	0.5544	-4.2200	0.1581	-4.1320
T5	160.00-153.33	0.5342	-4.7275	0.0597	-4.9188
T6	153.33-146.67	0.4755	-5.2678	-0.0526	-5.5709
T7	146.67-140.00	1.1308	-5.0404	0.4760	-5.4551
T8	140.00-133.33	1.2630	-4.9510	0.5027	-5.8352
T9	133.33-126.67	1.7758	-4.9217	0.9482	-5.9291
T10	126.67-120.00	2.6444	-5.0973	1.7016	-6.3105
T11	120.00-113.33	2.9927	-4.9836	2.2485	-6.3255
T12	113.33-106.67	3.3165	-5.0680	2.7034	-6.3581
T13	106.67-100.00	3.4416	-5.3650	2.7921	-6.9028
T14	100.00-90.00	3.3614	-5.1556	3.1810	-6.9101
T15	90.00-80.00	-0.3259	-1.3657	1.1078	-3.8488
T16	80.00-70.00	-0.7360	-0.5608	1.3149	-3.2190
T17	70.00-60.00	-0.4912	-0.5159	1.8228	-3.1368
T18	60.00-50.00	-0.5036	-0.5279	1.8800	-3.2468
T19	50.00-40.00	-0.5270	-0.5516	1.9417	-3.3687
T20	40.00-30.00	-0.5344	-0.5586	1.9754	-3.4481
T21	30.00-20.00	-0.5560	-0.5804	2.0079	-3.5356
T22	20.00-10.00	-2.6153	1.9620	-0.8320	0.0342
T23	10.00-0.00	0.9643	-3.4082	0.7816	-4.6667

Shielding Factor Ka

Job	16963007	Page	14 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _a No Ice	K _a Ice
T1	6	LDF2-50A (3/8 FOAM)	175.00 - 179.92	0.6000	0.5067
T1	13	LDF2-50 (3/8 FOAM)	175.00 - 180.00	0.6000	0.5067
T1	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	175.00 - 180.00	0.6000	0.5067
T1	23	LDF6-50A (1-1/4 FOAM)	175.00 - 180.00	0.6000	0.5067
T1	24	AVA5-50 (7/8 LOW DENSIFOAM)	175.00 - 177.17	0.6000	0.5067
T1	25	AVA5-50 (7/8 LOW DENSIFOAM)	175.00 - 179.92	0.6000	0.5067
T1	30	AVA5-50 (7/8 LOW DENSIFOAM)	175.00 - 180.00	0.6000	0.5067
T1	31	Feedline Ladder (Af)	175.00 - 180.00	0.6000	0.5067
T1	33	Feedline Ladder (Af)	175.00 - 179.00	0.6000	0.5067
T1	36	Climbing Pegs	175.00 - 180.00	0.6000	0.5067
T1	37	Climbing Pegs	175.00 - 180.00	0.6000	0.5067
T1	38	Climbing Pegs	175.00 - 180.00	0.6000	0.5067
T2	6	LDF2-50A (3/8 FOAM)	170.00 - 175.00	0.6000	0.6000
T2	13	LDF2-50 (3/8 FOAM)	170.00 - 175.00	0.6000	0.6000
T2	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	170.00 - 175.00	0.6000	0.6000
T2	23	LDF6-50A (1-1/4 FOAM)	170.00 - 175.00	0.6000	0.6000
T2	24	AVA5-50 (7/8 LOW DENSIFOAM)	170.00 - 175.00	0.6000	0.6000
T2	25	AVA5-50 (7/8 LOW DENSIFOAM)	170.00 - 175.00	0.6000	0.6000
T2	30	AVA5-50 (7/8 LOW DENSIFOAM)	170.00 - 175.00	0.6000	0.6000
T2	31	Feedline Ladder (Af)	170.00 - 175.00	0.6000	0.6000
T2	33	Feedline Ladder (Af)	170.00 - 175.00	0.6000	0.6000
T2	36	Climbing Pegs	170.00 - 175.00	0.6000	0.6000
T2	37	Climbing Pegs	170.00 - 175.00	0.6000	0.6000
T2	38	Climbing Pegs	170.00 - 175.00	0.6000	0.6000
T3	6	LDF2-50A (3/8 FOAM)	165.00 - 170.00	0.6000	0.6000
T3	13	LDF2-50 (3/8 FOAM)	165.00 - 170.00	0.6000	0.6000
T3	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	165.00 - 170.00	0.6000	0.6000
T3	23	LDF6-50A (1-1/4 FOAM)	165.00 - 170.00	0.6000	0.6000
T3	24	AVA5-50 (7/8 LOW DENSIFOAM)	165.00 - 170.00	0.6000	0.6000
T3	25	AVA5-50 (7/8 LOW DENSIFOAM)	165.00 - 170.00	0.6000	0.6000
T3	30	AVA5-50 (7/8 LOW DENSIFOAM)	165.00 - 170.00	0.6000	0.6000

Job	16963007	Page	15 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
		DENSI.FOAM)	170.00		
T3	31	Feedline Ladder (Af)	165.00 - 170.00	0.6000	0.6000
T3	33	Feedline Ladder (Af)	165.00 - 170.00	0.6000	0.6000
T3	36	Climbing Pegs	165.00 - 170.00	0.6000	0.6000
T3	37	Climbing Pegs	165.00 - 170.00	0.6000	0.6000
T3	38	Climbing Pegs	165.00 - 170.00	0.6000	0.6000
T4	6	LDF2-50A (3/8 FOAM)	160.00 - 165.00	0.6000	0.6000
T4	13	LDF2-50 (3/8 FOAM)	160.00 - 165.00	0.6000	0.6000
T4	20	AVA5-50 (7/8 LOW DENSI.FOAM)	160.00 - 163.25	0.6000	0.6000
T4	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	160.00 - 165.00	0.6000	0.6000
T4	23	LDF6-50A (1-1/4 FOAM)	160.00 - 165.00	0.6000	0.6000
T4	24	AVA5-50 (7/8 LOW DENSI.FOAM)	160.00 - 165.00	0.6000	0.6000
T4	25	AVA5-50 (7/8 LOW DENSI.FOAM)	160.00 - 165.00	0.6000	0.6000
T4	30	AVA5-50 (7/8 LOW DENSI.FOAM)	160.00 - 165.00	0.6000	0.6000
T4	31	Feedline Ladder (Af)	160.00 - 165.00	0.6000	0.6000
T4	33	Feedline Ladder (Af)	160.00 - 165.00	0.6000	0.6000
T4	36	Climbing Pegs	160.00 - 165.00	0.6000	0.6000
T4	37	Climbing Pegs	160.00 - 165.00	0.6000	0.6000
T4	38	Climbing Pegs	160.00 - 165.00	0.6000	0.6000
T5	6	LDF2-50A (3/8 FOAM)	153.33 - 160.00	0.6000	0.6000
T5	13	LDF2-50 (3/8 FOAM)	153.33 - 160.00	0.6000	0.6000
T5	20	AVA5-50 (7/8 LOW DENSI.FOAM)	153.33 - 160.00	0.6000	0.6000
T5	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	153.33 - 160.00	0.6000	0.6000
T5	23	LDF6-50A (1-1/4 FOAM)	153.33 - 160.00	0.6000	0.6000
T5	24	AVA5-50 (7/8 LOW DENSI.FOAM)	153.33 - 160.00	0.6000	0.6000
T5	25	AVA5-50 (7/8 LOW DENSI.FOAM)	153.33 - 160.00	0.6000	0.6000
T5	26	AVA5-50 (7/8 LOW DENSI.FOAM)	153.33 - 154.17	0.6000	0.6000
T5	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	153.33 - 158.50	0.6000	0.6000
T5	30	AVA5-50 (7/8 LOW DENSI.FOAM)	153.33 - 160.00	0.6000	0.6000
T5	31	Feedline Ladder (Af)	153.33 - 160.00	0.6000	0.6000
T5	33	Feedline Ladder (Af)	153.33 - 160.00	0.6000	0.6000
T5	36	Climbing Pegs	153.33 -	0.6000	0.6000

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
			160.00		
T5	37	Climbing Pegs	153.33 -	0.6000	0.6000
			160.00		
T5	38	Climbing Pegs	153.33 -	0.6000	0.6000
			160.00		
T6	6	LDF2-50A (3/8 FOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	13	LDF2-50 (3/8 FOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	20	AVA5-50 (7/8 LOW DENSIFOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	23	LDF6-50A (1-1/4 FOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	24	AVA5-50 (7/8 LOW DENSIFOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	25	AVA5-50 (7/8 LOW DENSIFOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	26	AVA5-50 (7/8 LOW DENSIFOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	30	AVA5-50 (7/8 LOW DENSIFOAM)	146.67 -	0.6000	0.6000
			153.33		
T6	31	Feedline Ladder (Af)	146.67 -	0.6000	0.6000
			153.33		
T6	33	Feedline Ladder (Af)	146.67 -	0.6000	0.6000
			153.33		
T6	36	Climbing Pegs	146.67 -	0.6000	0.6000
			153.33		
T6	37	Climbing Pegs	146.67 -	0.6000	0.6000
			153.33		
T6	38	Climbing Pegs	146.67 -	0.6000	0.6000
			153.33		
T7	1	HJ5-50A (7/8 AIR)	140.00 -	0.6000	0.6000
			144.92		
T7	6	LDF2-50A (3/8 FOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	13	LDF2-50 (3/8 FOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	20	AVA5-50 (7/8 LOW DENSIFOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	23	LDF6-50A (1-1/4 FOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	24	AVA5-50 (7/8 LOW DENSIFOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	25	AVA5-50 (7/8 LOW DENSIFOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	26	AVA5-50 (7/8 LOW DENSIFOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	30	AVA5-50 (7/8 LOW DENSIFOAM)	140.00 -	0.6000	0.6000
			146.67		
T7	31	Feedline Ladder (Af)	140.00 -	0.6000	0.6000
			146.67		
T7	33	Feedline Ladder (Af)	140.00 -	0.6000	0.6000
			146.67		
T7	36	Climbing Pegs	140.00 -	0.6000	0.6000

Job	16963007	Page	17 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
			146.67		
T7	37	Climbing Pegs	140.00 -	0.6000	0.6000
			146.67		
T7	38	Climbing Pegs	140.00 -	0.6000	0.6000
			146.67		
T8	1	HJ5-50A (7/8 AIR)	133.33 -	0.6000	0.6000
			140.00		
T8	6	LDF2-50A (3/8 FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	13	LDF2-50 (3/8 FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	20	AVA5-50 (7/8 LOW DENS.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	21	FSJ2-50 (3/8 SUPERFLEX.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	23	LDF6-50A (1-1/4 FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	24	AVA5-50 (7/8 LOW DENS.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	25	AVA5-50 (7/8 LOW DENS.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	26	AVA5-50 (7/8 LOW DENS.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	27	FSJ2-50 (3/8 SUPERFLEX.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	28	FSJ2-50 (3/8 SUPERFLEX.FOAM)	133.33 -	0.6000	0.6000
			138.75		
T8	29	FSJ2-50 (3/8 SUPERFLEX.FOAM)	133.33 -	0.6000	0.6000
			136.17		
T8	30	AVA5-50 (7/8 LOW DENS.FOAM)	133.33 -	0.6000	0.6000
			140.00		
T8	31	Feedline Ladder (Af)	133.33 -	0.6000	0.6000
			140.00		
T8	33	Feedline Ladder (Af)	133.33 -	0.6000	0.6000
			140.00		
T8	36	Climbing Pegs	133.33 -	0.6000	0.6000
			140.00		
T8	37	Climbing Pegs	133.33 -	0.6000	0.6000
			140.00		
T8	38	Climbing Pegs	133.33 -	0.6000	0.6000
			140.00		
T9	1	HJ5-50A (7/8 AIR)	126.67 -	0.6000	0.6000
			133.33		
T9	6	LDF2-50A (3/8 FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	7	EW63	126.67 -	0.6000	0.6000
			133.17		
T9	13	LDF2-50 (3/8 FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	19	AVA5-50 (7/8 LOW DENS.FOAM)	126.67 -	0.6000	0.6000
			126.67		
T9	20	AVA5-50 (7/8 LOW DENS.FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	21	FSJ2-50 (3/8 SUPERFLEX.FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	23	LDF6-50A (1-1/4 FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	24	AVA5-50 (7/8 LOW DENS.FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	25	AVA5-50 (7/8 LOW DENS.FOAM)	126.67 -	0.6000	0.6000
			133.33		
T9	26	AVA5-50 (7/8 LOW	126.67 -	0.6000	0.6000

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
		DENSI.FOAM)	133.33		
T9	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	126.67 - 133.33	0.6000	0.6000
T9	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	126.67 - 133.33	0.6000	0.6000
T9	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	126.67 - 133.33	0.6000	0.6000
T9	30	AVA5-50 (7/8 LOW DENSI.FOAM)	126.67 - 133.33	0.6000	0.6000
T9	31	Feedline Ladder (Af)	126.67 - 133.33	0.6000	0.6000
T9	33	Feedline Ladder (Af)	126.67 - 133.33	0.6000	0.6000
T9	36	Climbing Pegs	126.67 - 133.33	0.6000	0.6000
T9	37	Climbing Pegs	126.67 - 133.33	0.6000	0.6000
T9	38	Climbing Pegs	126.67 - 133.33	0.6000	0.6000
T10	1	HJ5-50A (7/8 AIR)	120.00 - 126.67	0.6000	0.6000
T10	6	LDF2-50A (3/8 FOAM)	120.00 - 126.67	0.6000	0.6000
T10	7	EW63	120.00 - 126.67	0.6000	0.6000
T10	8	LCF158-50J (1 5/8 FOAM)	120.00 - 125.25	0.6000	0.6000
T10	10	LCF158-50J (1 5/8 FOAM)	120.00 - 125.25	0.6000	0.6000
T10	13	LDF2-50 (3/8 FOAM)	120.00 - 126.67	0.6000	0.6000
T10	19	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	20	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	120.00 - 126.67	0.6000	0.6000
T10	22	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 123.17	0.6000	0.6000
T10	23	LDF6-50A (1-1/4 FOAM)	120.00 - 126.67	0.6000	0.6000
T10	24	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	25	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	26	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	120.00 - 126.67	0.6000	0.6000
T10	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	120.00 - 126.67	0.6000	0.6000
T10	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	120.00 - 126.67	0.6000	0.6000
T10	30	AVA5-50 (7/8 LOW DENSI.FOAM)	120.00 - 126.67	0.6000	0.6000
T10	31	Feedline Ladder (Af)	120.00 - 126.67	0.6000	0.6000
T10	33	Feedline Ladder (Af)	120.00 - 126.67	0.6000	0.6000
T10	36	Climbing Pegs	120.00 - 126.67	0.6000	0.6000
T10	37	Climbing Pegs	120.00 - 126.67	0.6000	0.6000

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
			126.67		
T10	38	Climbing Pegs	120.00 -	0.6000	0.6000
			126.67		
T11	1	HJ5-50A (7/8 AIR)	113.33 -	0.6000	0.6000
			120.00		
T11	6	LDF2-50A (3/8 FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	7	EW63	113.33 -	0.6000	0.6000
			120.00		
T11	8	LCF158-50J (1 5/8 FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	9	LCF58-50J (5/8 FOAM)	113.33 -	0.6000	0.6000
			119.50		
T11	10	LCF158-50J (1 5/8 FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	13	LDF2-50 (3/8 FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	19	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	20	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	22	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	23	LDF6-50A (1-1/4 FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	24	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	25	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	26	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	30	AVA5-50 (7/8 LOW DENSIFOAM)	113.33 -	0.6000	0.6000
			120.00		
T11	31	Feedline Ladder (Af)	113.33 -	0.6000	0.6000
			120.00		
T11	33	Feedline Ladder (Af)	113.33 -	0.6000	0.6000
			120.00		
T11	36	Climbing Pegs	113.33 -	0.6000	0.6000
			120.00		
T11	37	Climbing Pegs	113.33 -	0.6000	0.6000
			120.00		
T11	38	Climbing Pegs	113.33 -	0.6000	0.6000
			120.00		
T12	1	HJ5-50A (7/8 AIR)	106.67 -	0.6000	0.6000
			113.33		
T12	6	LDF2-50A (3/8 FOAM)	106.67 -	0.6000	0.6000
			113.33		
T12	7	EW63	106.67 -	0.6000	0.6000
			113.33		
T12	8	LCF158-50J (1 5/8 FOAM)	106.67 -	0.6000	0.6000
			113.33		
T12	9	LCF58-50J (5/8 FOAM)	106.67 -	0.6000	0.6000
			113.33		
T12	10	LCF158-50J (1 5/8 FOAM)	106.67 -	0.6000	0.6000

Job	16963007	Page	20 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
			113.33		
T12	11	LCF58-50J (5/8 FOAM)	106.67 - 113.33	0.6000	0.6000
T12	13	LDF2-50 (3/8 FOAM)	106.67 - 113.33	0.6000	0.6000
T12	19	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	20	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	106.67 - 113.33	0.6000	0.6000
T12	22	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	23	LDF6-50A (1-1/4 FOAM)	106.67 - 113.33	0.6000	0.6000
T12	24	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	25	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	26	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	106.67 - 113.33	0.6000	0.6000
T12	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	106.67 - 113.33	0.6000	0.6000
T12	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	106.67 - 113.33	0.6000	0.6000
T12	30	AVA5-50 (7/8 LOW DENSIFOAM)	106.67 - 113.33	0.6000	0.6000
T12	31	Feedline Ladder (Af)	106.67 - 113.33	0.6000	0.6000
T12	33	Feedline Ladder (Af)	106.67 - 113.33	0.6000	0.6000
T12	36	Climbing Pegs	106.67 - 113.33	0.6000	0.6000
T12	37	Climbing Pegs	106.67 - 113.33	0.6000	0.6000
T12	38	Climbing Pegs	106.67 - 113.33	0.6000	0.6000
T13	1	HJ5-50A (7/8 AIR)	100.00 - 106.67	0.6000	0.6000
T13	6	LDF2-50A (3/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	7	EW63	100.00 - 106.67	0.6000	0.6000
T13	8	LCF158-50J (1 5/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	9	LCF58-50J (5/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	10	LCF158-50J (1 5/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	11	LCF58-50J (5/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	13	LDF2-50 (3/8 FOAM)	100.00 - 106.67	0.6000	0.6000
T13	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	100.00 - 104.50	0.6000	0.6000
T13	19	AVA5-50 (7/8 LOW DENSIFOAM)	100.00 - 106.67	0.6000	0.6000
T13	20	AVA5-50 (7/8 LOW DENSIFOAM)	100.00 - 106.67	0.6000	0.6000
T13	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	100.00 - 106.67	0.6000	0.6000

Job	16963007	Page	21 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
		FOAM)	106.67		
T13	22	AVA5-50 (7/8 LOW	100.00 -	0.6000	0.6000
		DENSI.FOAM)	106.67		
T13	23	LDF6-50A (1-1/4 FOAM)	100.00 -	0.6000	0.6000
			106.67		
T13	24	AVA5-50 (7/8 LOW	100.00 -	0.6000	0.6000
		DENSI.FOAM)	106.67		
T13	25	AVA5-50 (7/8 LOW	100.00 -	0.6000	0.6000
		DENSI.FOAM)	106.67		
T13	26	AVA5-50 (7/8 LOW	100.00 -	0.6000	0.6000
		DENSI.FOAM)	106.67		
T13	27	FSJ2-50 (3/8 SUPERFLEX.	100.00 -	0.6000	0.6000
		FOAM)	106.67		
T13	28	FSJ2-50 (3/8 SUPERFLEX.	100.00 -	0.6000	0.6000
		FOAM)	106.67		
T13	29	FSJ2-50 (3/8 SUPERFLEX.	100.00 -	0.6000	0.6000
		FOAM)	106.67		
T13	30	AVA5-50 (7/8 LOW	100.00 -	0.6000	0.6000
		DENSI.FOAM)	106.67		
T13	31	Feedline Ladder (Af)	100.00 -	0.6000	0.6000
			106.67		
T13	33	Feedline Ladder (Af)	100.00 -	0.6000	0.6000
			106.67		
T13	36	Climbing Pegs	100.00 -	0.6000	0.6000
			106.67		
T13	37	Climbing Pegs	100.00 -	0.6000	0.6000
			106.67		
T13	38	Climbing Pegs	100.00 -	0.6000	0.6000
			106.67		
T14	1	HJ5-50A (7/8 AIR)	90.00 - 100.00	0.6000	0.6000
T14	2	LDF2-50A (3/8 FOAM)	90.00 - 99.00	0.6000	0.6000
T14	5	LDF2-50A (3/8 FOAM)	90.00 - 90.70	0.6000	0.6000
T14	6	LDF2-50A (3/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	7	EW63	90.00 - 100.00	0.6000	0.6000
T14	8	LCF158-50J (1 5/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	9	LCF58-50J (5/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	10	LCF158-50J (1 5/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	11	LCF58-50J (5/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	13	LDF2-50 (3/8 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	14	AVA5-50 (7/8 LOW	90.00 - 90.71	0.6000	0.6000
		DENSI.FOAM)			
T14	15	FLC 158-50J (1 5/8 FOAM)	90.00 - 90.71	0.6000	0.6000
T14	16	LDF5-50A (7/8 FOAM)	90.00 - 90.71	0.6000	0.6000
T14	17	FSJ2-50 (3/8 SUPERFLEX.	90.00 - 90.71	0.6000	0.6000
		FOAM)			
T14	18	FSJ2-50 (3/8 SUPERFLEX.	90.00 - 100.00	0.6000	0.6000
		FOAM)			
T14	19	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			
T14	20	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			
T14	21	FSJ2-50 (3/8 SUPERFLEX.	90.00 - 100.00	0.6000	0.6000
		FOAM)			
T14	22	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			
T14	23	LDF6-50A (1-1/4 FOAM)	90.00 - 100.00	0.6000	0.6000
T14	24	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			
T14	25	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			
T14	26	AVA5-50 (7/8 LOW	90.00 - 100.00	0.6000	0.6000
		DENSI.FOAM)			

Job	16963007	Page	22 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
T14	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	90.00 - 100.00	0.6000	0.6000
T14	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	90.00 - 100.00	0.6000	0.6000
T14	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	90.00 - 100.00	0.6000	0.6000
T14	30	AVA5-50 (7/8 LOW DENSI.FOAM)	90.00 - 100.00	0.6000	0.6000
T14	31	Feedline Ladder (Af)	90.00 - 100.00	0.6000	0.6000
T14	33	Feedline Ladder (Af)	90.00 - 100.00	0.6000	0.6000
T14	36	Climbing Pegs	90.00 - 100.00	0.6000	0.6000
T14	37	Climbing Pegs	90.00 - 100.00	0.6000	0.6000
T14	38	Climbing Pegs	90.00 - 100.00	0.6000	0.6000
T14	39	7/8" DC	90.00 - 90.71	1.0000	1.0000
T15	1	HJ5-50A (7/8 AIR)	80.00 - 90.00	0.6000	0.6000
T15	2	LDF2-50A (3/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	5	LDF2-50A (3/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	6	LDF2-50A (3/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	7	EW63	80.00 - 90.00	0.6000	0.6000
T15	8	LCF158-50J (1 5/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	9	LCF58-50J (5/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	10	LCF158-50J (1 5/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	11	LCF58-50J (5/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	13	LDF2-50 (3/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	14	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	15	FLC 158-50J (1 5/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	16	LDF5-50A (7/8 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	19	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	20	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	22	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	23	LDF6-50A (1-1/4 FOAM)	80.00 - 90.00	0.6000	0.6000
T15	24	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	25	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	26	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	80.00 - 90.00	0.6000	0.6000
T15	30	AVA5-50 (7/8 LOW DENSI.FOAM)	80.00 - 90.00	0.6000	0.6000
T15	31	Feedline Ladder (Af)	80.00 - 90.00	0.6000	0.6000
T15	32	Feedline Ladder (Af)	80.00 - 83.00	0.6000	0.6000
T15	33	Feedline Ladder (Af)	80.00 - 90.00	0.6000	0.6000
T15	36	Climbing Pegs	80.00 - 90.00	0.6000	0.6000
T15	37	Climbing Pegs	80.00 - 90.00	0.6000	0.6000
T15	38	Climbing Pegs	80.00 - 90.00	0.6000	0.6000
T15	39	7/8" DC	80.00 - 90.00	1.0000	1.0000

Job	16963007	Page	23 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
T16	1	HJ5-50A (7/8 AIR)	70.00 - 80.00	0.6000	0.6000
T16	2	LDF2-50A (3/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	3	LDF2-50A (3/8 FOAM)	70.00 - 73.75	0.6000	0.6000
T16	4	LDF2-50A (3/8 FOAM)	70.00 - 77.50	0.6000	0.6000
T16	5	LDF2-50A (3/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	6	LDF2-50A (3/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	7	EW63	70.00 - 80.00	0.6000	0.6000
T16	8	LCF158-50J (1 5/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	9	LCF58-50J (5/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	10	LCF158-50J (1 5/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	11	LCF58-50J (5/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	12	LCF158-50J (1 5/8 FOAM)	70.00 - 76.67	0.6000	0.6000
T16	13	LDF2-50 (3/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	14	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	15	FLC 158-50J (1 5/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	16	LDF5-50A (7/8 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	19	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	20	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	22	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	23	LDF6-50A (1-1/4 FOAM)	70.00 - 80.00	0.6000	0.6000
T16	24	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	25	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	26	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	70.00 - 80.00	0.6000	0.6000
T16	30	AVA5-50 (7/8 LOW DENS.FOAM)	70.00 - 80.00	0.6000	0.6000
T16	31	Feedline Ladder (Af)	70.00 - 80.00	0.6000	0.6000
T16	32	Feedline Ladder (Af)	70.00 - 80.00	0.6000	0.6000
T16	33	Feedline Ladder (Af)	70.00 - 80.00	0.6000	0.6000
T16	36	Climbing Pegs	70.00 - 80.00	0.6000	0.6000
T16	37	Climbing Pegs	70.00 - 80.00	0.6000	0.6000
T16	38	Climbing Pegs	70.00 - 80.00	0.6000	0.6000
T16	39	7/8" DC	70.00 - 80.00	1.0000	1.0000
T17	1	HJ5-50A (7/8 AIR)	60.00 - 70.00	0.6000	0.6000
T17	2	LDF2-50A (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	3	LDF2-50A (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	4	LDF2-50A (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	5	LDF2-50A (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	6	LDF2-50A (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	7	EW63	60.00 - 70.00	0.6000	0.6000
T17	8	LCF158-50J (1 5/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	9	LCF58-50J (5/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	10	LCF158-50J (1 5/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	11	LCF58-50J (5/8 FOAM)	60.00 - 70.00	0.6000	0.6000

Job	16963007	Page	24 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K_a No Ice	K_a Ice
T17	12	LCF158-50J (1 5/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	13	LDF2-50 (3/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	14	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	15	FLC 158-50J (1 5/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	16	LDF5-50A (7/8 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	19	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	20	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	22	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	23	LDF6-50A (1-1/4 FOAM)	60.00 - 70.00	0.6000	0.6000
T17	24	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	25	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	26	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	60.00 - 70.00	0.6000	0.6000
T17	30	AVA5-50 (7/8 LOW DENSIFOAM)	60.00 - 70.00	0.6000	0.6000
T17	31	Feedline Ladder (Af)	60.00 - 70.00	0.6000	0.6000
T17	32	Feedline Ladder (Af)	60.00 - 70.00	0.6000	0.6000
T17	33	Feedline Ladder (Af)	60.00 - 70.00	0.6000	0.6000
T17	36	Climbing Pegs	60.00 - 70.00	0.6000	0.6000
T17	37	Climbing Pegs	60.00 - 70.00	0.6000	0.6000
T17	38	Climbing Pegs	60.00 - 70.00	0.6000	0.6000
T17	39	7/8" DC	60.00 - 70.00	1.0000	1.0000
T18	1	HJ5-50A (7/8 AIR)	50.00 - 60.00	0.6000	0.6000
T18	2	LDF2-50A (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	3	LDF2-50A (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	4	LDF2-50A (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	5	LDF2-50A (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	6	LDF2-50A (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	7	EW63	50.00 - 60.00	0.6000	0.6000
T18	8	LCF158-50J (1 5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	9	LCF58-50J (5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	10	LCF158-50J (1 5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	11	LCF58-50J (5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	12	LCF158-50J (1 5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	13	LDF2-50 (3/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	14	AVA5-50 (7/8 LOW DENSIFOAM)	50.00 - 60.00	0.6000	0.6000
T18	15	FLC 158-50J (1 5/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	16	LDF5-50A (7/8 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	50.00 - 60.00	0.6000	0.6000
T18	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	50.00 - 60.00	0.6000	0.6000
T18	19	AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000

Job	16963007	Page	25 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
T18	20	DENSI.FOAM) AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	21	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	50.00 - 60.00	0.6000	0.6000
T18	22	FOAM) AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	23	DENSI.FOAM) LDF6-50A (1-1/4 FOAM)	50.00 - 60.00	0.6000	0.6000
T18	24	AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	25	DENSI.FOAM) AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	26	DENSI.FOAM) AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	27	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	50.00 - 60.00	0.6000	0.6000
T18	28	FOAM) FSJ2-50 (3/8 SUPERFLEX.	50.00 - 60.00	0.6000	0.6000
T18	29	FOAM) FSJ2-50 (3/8 SUPERFLEX.	50.00 - 60.00	0.6000	0.6000
T18	30	FOAM) AVA5-50 (7/8 LOW	50.00 - 60.00	0.6000	0.6000
T18	31	DENSI.FOAM) Feedline Ladder (Af)	50.00 - 60.00	0.6000	0.6000
T18	32	Feedline Ladder (Af)	50.00 - 60.00	0.6000	0.6000
T18	33	Feedline Ladder (Af)	50.00 - 60.00	0.6000	0.6000
T18	36	Climbing Pegs	50.00 - 60.00	0.6000	0.6000
T18	37	Climbing Pegs	50.00 - 60.00	0.6000	0.6000
T18	38	Climbing Pegs	50.00 - 60.00	0.6000	0.6000
T18	39	7/8" DC	50.00 - 60.00	1.0000	1.0000
T19	1	HJ5-50A (7/8 AIR)	40.00 - 50.00	0.6000	0.6000
T19	2	LDF2-50A (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	3	LDF2-50A (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	4	LDF2-50A (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	5	LDF2-50A (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	6	LDF2-50A (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	7	EW63	40.00 - 50.00	0.6000	0.6000
T19	8	LCF158-50J (1 5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	9	LCF58-50J (5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	10	LCF158-50J (1 5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	11	LCF58-50J (5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	12	LCF158-50J (1 5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	13	LDF2-50 (3/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	14	AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	15	DENSI.FOAM) FLC 158-50J (1 5/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	16	LDF5-50A (7/8 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	17	FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	18	FOAM) FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	19	FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	20	DENSI.FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	21	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	22	FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	23	DENSI.FOAM) LDF6-50A (1-1/4 FOAM)	40.00 - 50.00	0.6000	0.6000
T19	24	AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	25	DENSI.FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000

Job	16963007	Page	26 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
T19	26	DENSI.FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	27	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	28	FOAM) FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	29	FOAM) FSJ2-50 (3/8 SUPERFLEX.	40.00 - 50.00	0.6000	0.6000
T19	30	FOAM) AVA5-50 (7/8 LOW	40.00 - 50.00	0.6000	0.6000
T19	31	DENSI.FOAM) Feedline Ladder (Af)	40.00 - 50.00	0.6000	0.6000
T19	32	Feedline Ladder (Af)	40.00 - 50.00	0.6000	0.6000
T19	33	Feedline Ladder (Af)	40.00 - 50.00	0.6000	0.6000
T19	36	Climbing Pegs	40.00 - 50.00	0.6000	0.6000
T19	37	Climbing Pegs	40.00 - 50.00	0.6000	0.6000
T19	38	Climbing Pegs	40.00 - 50.00	0.6000	0.6000
T19	39	7/8" DC	40.00 - 50.00	1.0000	1.0000
T20	1	HJ5-50A (7/8 AIR)	30.00 - 40.00	0.6000	0.6000
T20	2	LDF2-50A (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	3	LDF2-50A (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	4	LDF2-50A (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	5	LDF2-50A (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	6	LDF2-50A (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	7	EW63	30.00 - 40.00	0.6000	0.6000
T20	8	LCF158-50J (1 5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	9	LCF58-50J (5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	10	LCF158-50J (1 5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	11	LCF58-50J (5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	12	LCF158-50J (1 5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	13	LDF2-50 (3/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	14	AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	15	DENSI.FOAM) FLC 158-50J (1 5/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	16	LDF5-50A (7/8 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	17	FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	18	FOAM) FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	19	FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	20	DENSI.FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	21	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	22	FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	23	DENSI.FOAM) LDF6-50A (1-1/4 FOAM)	30.00 - 40.00	0.6000	0.6000
T20	24	AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	25	DENSI.FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	26	DENSI.FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
T20	27	DENSI.FOAM) FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	28	FOAM) FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	29	FOAM) FSJ2-50 (3/8 SUPERFLEX.	30.00 - 40.00	0.6000	0.6000
T20	30	FOAM) AVA5-50 (7/8 LOW	30.00 - 40.00	0.6000	0.6000
		DENSI.FOAM)			

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	27 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

<i>Tower Section</i>	<i>Feed Line Record No.</i>	<i>Description</i>	<i>Feed Line Segment Elev.</i>	<i>K_a No Ice</i>	<i>K_a Ice</i>
T20	31	Feedline Ladder (Af)	30.00 - 40.00	0.6000	0.6000
T20	32	Feedline Ladder (Af)	30.00 - 40.00	0.6000	0.6000
T20	33	Feedline Ladder (Af)	30.00 - 40.00	0.6000	0.6000
T20	36	Climbing Pegs	30.00 - 40.00	0.6000	0.6000
T20	37	Climbing Pegs	30.00 - 40.00	0.6000	0.6000
T20	38	Climbing Pegs	30.00 - 40.00	0.6000	0.6000
T20	39	7/8" DC	30.00 - 40.00	1.0000	1.0000
T21	1	HJ5-50A (7/8 AIR)	20.00 - 30.00	0.6000	0.6000
T21	2	LDF2-50A (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	3	LDF2-50A (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	4	LDF2-50A (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	5	LDF2-50A (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	6	LDF2-50A (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	7	EW63	20.00 - 30.00	0.6000	0.6000
T21	8	LCF158-50J (1 5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	9	LCF58-50J (5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	10	LCF158-50J (1 5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	11	LCF58-50J (5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	12	LCF158-50J (1 5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	13	LDF2-50 (3/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	14	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	15	FLC 158-50J (1 5/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	16	LDF5-50A (7/8 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	19	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	20	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	22	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	23	LDF6-50A (1-1/4 FOAM)	20.00 - 30.00	0.6000	0.6000
T21	24	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	25	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	26	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	20.00 - 30.00	0.6000	0.6000
T21	30	AVA5-50 (7/8 LOW DENSIFOAM)	20.00 - 30.00	0.6000	0.6000
T21	31	Feedline Ladder (Af)	20.00 - 30.00	0.6000	0.6000
T21	32	Feedline Ladder (Af)	20.00 - 30.00	0.6000	0.6000
T21	33	Feedline Ladder (Af)	20.00 - 30.00	0.6000	0.6000
T21	36	Climbing Pegs	20.00 - 30.00	0.6000	0.6000
T21	37	Climbing Pegs	20.00 - 30.00	0.6000	0.6000
T21	38	Climbing Pegs	20.00 - 30.00	0.6000	0.6000
T21	39	7/8" DC	20.00 - 30.00	1.0000	1.0000
T22	1	HJ5-50A (7/8 AIR)	18.00 - 20.00	0.6000	0.6000
T22	2	LDF2-50A (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	3	LDF2-50A (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	4	LDF2-50A (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000

Job	16963007	Page	28 of 52
Project	Tower Analysis	Date	17:16:08 05/11/18
Client	SmartLink	Designed by	

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K_a No Ice	K_a Ice
T22	5	LDF2-50A (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	6	LDF2-50A (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	7	EW63	12.00 - 20.00	0.6000	0.6000
T22	8	LCF158-50J (1 5/8 FOAM)	12.00 - 20.00	0.6000	0.6000
T22	9	LCF58-50J (5/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	10	LCF158-50J (1 5/8 FOAM)	12.00 - 20.00	0.6000	0.6000
T22	11	LCF58-50J (5/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	12	LCF158-50J (1 5/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	13	LDF2-50 (3/8 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	14	AVA5-50 (7/8 LOW DENS.FOAM)	10.00 - 20.00	0.6000	0.6000
T22	15	FLC 158-50J (1 5/8 FOAM)	10.00 - 20.00	0.6000	0.6000
T22	16	LDF5-50A (7/8 FOAM)	10.00 - 20.00	0.6000	0.6000
T22	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	10.00 - 20.00	0.6000	0.6000
T22	18	FSJ2-50 (3/8 SUPERFLEX. FOAM)	18.00 - 20.00	0.6000	0.6000
T22	19	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	20	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	21	FSJ2-50 (3/8 SUPERFLEX. FOAM)	18.00 - 20.00	0.6000	0.6000
T22	22	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	23	LDF6-50A (1-1/4 FOAM)	18.00 - 20.00	0.6000	0.6000
T22	24	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	25	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	26	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	27	FSJ2-50 (3/8 SUPERFLEX. FOAM)	18.00 - 20.00	0.6000	0.6000
T22	28	FSJ2-50 (3/8 SUPERFLEX. FOAM)	18.00 - 20.00	0.6000	0.6000
T22	29	FSJ2-50 (3/8 SUPERFLEX. FOAM)	18.00 - 20.00	0.6000	0.6000
T22	30	AVA5-50 (7/8 LOW DENS.FOAM)	18.00 - 20.00	0.6000	0.6000
T22	31	Feedline Ladder (Af)	10.00 - 20.00	0.6000	0.6000
T22	32	Feedline Ladder (Af)	10.00 - 20.00	0.6000	0.6000
T22	33	Feedline Ladder (Af)	10.00 - 20.00	0.6000	0.6000
T22	36	Climbing Pegs	10.00 - 20.00	0.6000	0.6000
T22	37	Climbing Pegs	10.00 - 20.00	0.6000	0.6000
T22	38	Climbing Pegs	10.00 - 20.00	0.6000	0.6000
T22	39	7/8" DC	10.00 - 20.00	1.0000	1.0000
T23	14	AVA5-50 (7/8 LOW DENS.FOAM)	9.00 - 10.00	0.6000	0.6000
T23	15	FLC 158-50J (1 5/8 FOAM)	9.00 - 10.00	0.6000	0.6000
T23	16	LDF5-50A (7/8 FOAM)	9.00 - 10.00	0.6000	0.6000
T23	17	FSJ2-50 (3/8 SUPERFLEX. FOAM)	9.00 - 10.00	0.6000	0.6000
T23	31	Feedline Ladder (Af)	0.00 - 10.00	0.6000	0.6000
T23	32	Feedline Ladder (Af)	8.00 - 10.00	0.6000	0.6000
T23	33	Feedline Ladder (Af)	0.00 - 10.00	0.6000	0.6000
T23	36	Climbing Pegs	2.00 - 10.00	0.6000	0.6000
T23	37	Climbing Pegs	2.00 - 10.00	0.6000	0.6000
T23	38	Climbing Pegs	2.00 - 10.00	0.6000	0.6000
T23	39	7/8" DC	9.00 - 10.00	1.0000	1.0000

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	29 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _A A _A		Weight	
			Horz Lateral	Vert			Front	Side		
			ft	ft	°	ft	ft ²	ft ²	lb	
PD1142-1	C	From Leg	0.00	0.00	0.0000	182.00	No Ice	1.32	1.32	10.00
			0.00	0.00			1/2" Ice	3.21	3.21	20.00
			8.50	0.00			1" Ice	5.10	5.10	30.00
DB201-A	C	From Leg	3.00	0.00	0.0000	177.17	No Ice	1.05	1.05	30.00
			0.00	0.00			1/2" Ice	1.91	1.91	30.00
			10.00	0.00			1" Ice	2.77	2.77	30.00
3' Side Arm Mount	C	From Leg	1.50	0.00	0.0000	180.00	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
DB224	B	From Leg	0.00	0.00	0.0000	180.00	No Ice	3.15	3.15	30.00
			0.00	0.00			1/2" Ice	5.67	5.67	40.00
			10.00	0.00			1" Ice	8.19	8.19	50.00
PD458-1	B	From Leg	3.00	0.00	0.0000	181.00	No Ice	2.88	2.88	20.00
			0.00	0.00			1/2" Ice	4.34	4.34	50.00
			7.50	0.00			1" Ice	5.80	5.80	80.00
3' Side Arm Mount	B	From Leg	1.50	0.00	0.0000	179.92	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
DB224	B	From Leg	0.00	0.00	0.0000	179.92 - 179.92	No Ice	3.15	3.15	30.00
			0.00	0.00			1/2" Ice	5.67	5.67	40.00
			0.00	0.00			1" Ice	8.19	8.19	50.00
3' Side Arm Mount	B	From Leg	1.50	0.00	0.0000	179.00	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
PD455-5	A	From Leg	3.00	0.00	0.0000	180.00	No Ice	2.83	2.83	20.00
			0.00	0.00			1/2" Ice	4.87	4.87	50.00
			6.00	0.00			1" Ice	6.91	6.91	80.00
3' Side Arm Mount	A	From Leg	1.50	0.00	0.0000	180.00	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
PD220	B	From Leg	3.00	0.00	0.0000	163.25	No Ice	3.08	3.08	20.00
			0.00	0.00			1/2" Ice	5.30	5.30	50.00
			10.00	0.00			1" Ice	7.52	7.52	80.00
3' Side Arm Mount	B	From Leg	1.50	0.00	0.0000	163.25	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
16' Omni	C	From Leg	3.00	0.00	0.0000	158.50	No Ice	2.63	2.63	30.00
			0.00	0.00			1/2" Ice	4.21	4.21	50.00
			8.00	0.00			1" Ice	5.79	5.79	70.00
3' Side Arm Mount	C	From Leg	1.50	0.00	0.0000	158.50	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
20' Omni	A	From Leg	3.00	0.00	0.0000	154.17	No Ice	1.32	1.32	10.00
			0.00	0.00			1/2" Ice	3.21	3.21	20.00
			9.50	0.00			1" Ice	5.10	5.10	30.00
3' Side Arm Mount	A	From Leg	1.50	0.00	0.0000	154.17	No Ice	3.15	3.15	100.00
			0.00	0.00			1/2" Ice	5.67	5.67	130.00
			0.00	0.00			1" Ice	8.19	8.19	160.00
DB420	B	From Leg	3.50	0.00	0.0000	144.92	No Ice	3.33	3.33	30.00

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job		16963007		Page		30 of 52	
	Project		Tower Analysis		Date		17:16:08 05/11/18	
	Client		SmartLink		Designed by			

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	Placement	CAAA Front	CAAA Side	Weight
			ft ft ft	°	ft	ft ²	ft ²	lb
			0.00			1/2" Ice	5.99	40.00
			10.00			1" Ice	8.65	50.00
3' Side Arm Mount	B	From Leg	2.50	0.0000	144.92	No Ice	3.15	100.00
			0.00			1/2" Ice	5.67	130.00
			0.00			1" Ice	8.19	160.00
PD1142-1	C	From Leg	3.50	0.0000	138.75	No Ice	1.32	10.00
			0.00			1/2" Ice	3.21	20.00
			6.00			1" Ice	5.10	30.00
3' Side Arm Mount	C	From Leg	1.50	0.0000	138.75	No Ice	3.15	100.00
			0.00			1/2" Ice	5.67	130.00
			0.00			1" Ice	8.19	160.00
AO8410M-54T0	A	From Leg	4.00	0.0000	136.17	No Ice	2.63	30.00
			0.00			1/2" Ice	4.21	50.00
			7.00			1" Ice	5.79	70.00
4' Side Arm Mount	A	From Leg	2.00	0.0000	136.17	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
DB806-XC	C	From Leg	4.00	0.0000	123.17	No Ice	1.14	20.00
			0.00			1/2" Ice	1.68	30.00
			5.00			1" Ice	2.22	40.00
4' Side Arm Mount	C	From Leg	2.00	0.0000	123.17	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
PD220	B	From Leg	4.00	0.0000	126.67	No Ice	3.08	20.00
			0.00			1/2" Ice	5.30	50.00
			10.00			1" Ice	7.52	80.00
4' Side Arm Mount	B	From Leg	2.00	0.0000	126.67	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
PD1142-1	A	From Leg	4.00	0.0000	125.25	No Ice	1.32	10.00
			0.00			1/2" Ice	3.21	20.00
			3.00			1" Ice	5.10	30.00
4' Side Arm Mount	A	From Leg	2.00	0.0000	125.25	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
12' Omni	C	From Leg	4.00	0.0000	104.50	No Ice	2.63	30.00
			0.00			1/2" Ice	4.21	50.00
			4.00			1" Ice	5.79	70.00
4' Side Arm Mount	C	From Leg	2.00	0.0000	104.50	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
16' omni	A	From Leg	4.00	0.0000	99.00	No Ice	2.63	30.00
			0.00			1/2" Ice	4.21	50.00
			4.00			1" Ice	5.79	70.00
4' Side Arm Mount	A	From Leg	2.00	0.0000	99.00	No Ice	4.25	120.00
			0.00			1/2" Ice	5.85	160.00
			0.00			1" Ice	7.45	200.00
kreuc	B	From Leg	2.00	0.0000	90.70	No Ice	2.63	30.00
			0.00			1/2" Ice	4.21	50.00
			0.00			1" Ice	5.79	70.00
LGP 21401 TMA	A	From Leg	2.00	0.0000	90.70	No Ice	1.20	20.00
			0.00			1/2" Ice	1.56	23.00
			0.00			1" Ice	1.92	26.00
LGP 21401 TMA	B	From Leg	2.00	0.0000	90.70	No Ice	1.20	20.00
			0.00			1/2" Ice	1.56	23.00
			0.00			1" Ice	1.92	26.00
LGP 21401 TMA	C	From Leg	2.00	0.0000	90.70	No Ice	1.20	20.00

<i>tnxTower</i> Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	31 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	CAAA Front ft²	CAAA Side ft²	Weight lb	
			0.00			1/2" Ice	1.56	1.17	23.00
			0.00			1" Ice	1.92	1.44	26.00
AM-X-CD-16-65-OOT-RET	A	From Leg	2.00	0.0000	90.70	No Ice	8.02	4.64	48.50
			0.00			1/2" Ice	8.48	5.09	95.00
			0.00			1" Ice	8.94	5.54	147.50
AM-X-CD-16-65-OOT-RET	B	From Leg	2.00	0.0000	90.70	No Ice	8.02	4.64	48.50
			0.00			1/2" Ice	8.48	5.09	95.00
			0.00			1" Ice	8.94	5.54	147.50
AM-X-CD-16-65-OOT-RET	C	From Leg	2.00	0.0000	90.70	No Ice	8.02	4.64	48.50
			0.00			1/2" Ice	8.48	5.09	95.00
			0.00			1" Ice	8.94	5.54	147.50
DB22	A	From Leg	7.00	0.0000	85.82	No Ice	3.21	3.21	70.00
			0.00			1/2" Ice	5.78	5.78	100.00
			0.00			1" Ice	8.35	8.35	130.00
Pirod 6' Side Mount Standoff (1)	A	From Leg	0.00	0.0000	73.75	No Ice	4.97	4.97	70.00
			0.00			1/2" Ice	6.12	6.12	130.00
			0.00			1" Ice	7.27	7.27	190.00
(2) Whip Antenna 4'X1.5" Dia	B	From Leg	0.00	0.0000	76.67	No Ice	0.60	0.60	6.40
			0.00			1/2" Ice	0.92	0.92	11.45
			0.00			1" Ice	1.17	1.17	19.24
Yagi s4307-sf3s1f	C	From Leg	0.00	0.0000	77.50	No Ice	0.40	0.40	3.20
			0.00			1/2" Ice	1.00	1.00	5.00
			0.00			1" Ice	1.60	1.60	6.80
Raycap DC6	C	From Leg	2.00	0.0000	90.70	No Ice	2.39	2.78	34.85
			0.00			1/2" Ice	2.65	3.17	65.48
			0.00			1" Ice	2.93	3.57	100.35
RRUS 11 B12	A	From Leg	2.00	0.0000	90.00	No Ice	2.52	1.07	55.00
			1.00			1/2" Ice	2.72	1.21	74.32
			0.00			1" Ice	2.92	1.36	96.56
RRUS 11 B12	B	From Leg	2.00	0.0000	90.00	No Ice	2.52	1.07	55.00
			1.00			1/2" Ice	2.72	1.21	74.32
			0.00			1" Ice	2.92	1.36	96.56
RRUS 11 B12	C	From Leg	2.00	0.0000	90.00	No Ice	2.52	1.07	55.00
			1.00			1/2" Ice	2.72	1.21	74.32
			0.00			1" Ice	2.92	1.36	96.56
RRUS 32 B2	A	From Leg	2.00	0.0000	90.00	No Ice	3.31	2.42	67.90
			1.00			1/2" Ice	3.56	2.64	95.83
			0.00			1" Ice	3.81	2.86	127.37
RRUS 32 B2	B	From Leg	2.00	0.0000	90.00	No Ice	3.31	2.42	67.90
			1.00			1/2" Ice	3.56	2.64	95.83
			0.00			1" Ice	3.81	2.86	127.37
RRUS 32 B2	C	From Leg	2.00	0.0000	90.00	No Ice	3.31	2.42	67.90
			1.00			1/2" Ice	3.56	2.64	95.83
			0.00			1" Ice	3.81	2.86	127.37
Pirod 10' PCS Frame (1)	A	From Leg	0.00	0.0000	90.70	No Ice	9.00	9.00	250.00
			0.00			1/2" Ice	13.20	13.20	350.00
			0.00			1" Ice	17.40	17.40	450.00
Pirod 10' PCS Frame (1)	B	From Leg	0.00	0.0000	90.70	No Ice	9.00	9.00	250.00
			0.00			1/2" Ice	13.20	13.20	350.00
			0.00			1" Ice	17.40	17.40	450.00
Pirod 10' PCS Frame (1)	C	From Leg	0.00	0.0000	90.70	No Ice	9.00	9.00	250.00
			0.00			1/2" Ice	13.20	13.20	350.00
			0.00			1" Ice	17.40	17.40	450.00
80010121	A	From Leg	2.00	0.0000	90.70	No Ice	5.27	4.48	62.35
			0.00			1/2" Ice	5.65	5.14	108.54
			0.00			1" Ice	6.04	5.80	160.98
80010121	B	From Leg	2.00	0.0000	90.70	No Ice	5.27	4.48	62.35

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	32 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _{AA} Front	C _{AA} Side	Weight
			Horz	Lateral					
			ft	ft	°	ft	ft ²	ft ²	lb
			0.00			1/2" Ice	5.65	5.14	108.54
			0.00			1" Ice	6.04	5.80	160.98
80010121	C	From Leg	2.00	0.0000	90.70	No Ice	5.27	4.48	62.35
			0.00			1/2" Ice	5.65	5.14	108.54
			0.00			1" Ice	6.04	5.80	160.98
Quintel QS66512-2 w/m pipe	A	From Leg	2.00	0.0000	90.70	No Ice	8.85	8.94	143.85
			0.00			1/2" Ice	9.61	10.33	224.75
			0.00			1" Ice	10.39	11.73	314.20
TPA-65R-LCUUU-H8 w/ 8' pipe	B	From Leg	2.00	0.0000	90.70	No Ice	13.30	10.72	123.40
			0.00			1/2" Ice	13.90	12.15	223.96
			0.00			1" Ice	14.50	13.43	334.50
Quintel QS66512-2 w/m pipe	C	From Leg	2.00	0.0000	90.70	No Ice	8.85	8.94	143.85
			0.00			1/2" Ice	9.61	10.33	224.75
			0.00			1" Ice	10.39	11.73	314.20
RRUS 32	A	From Leg	2.00	0.0000	90.70	No Ice	3.31	2.42	92.00
			0.00			1/2" Ice	3.56	2.64	119.93
			0.00			1" Ice	3.81	2.86	151.47
RRUS 32	B	From Leg	2.00	0.0000	90.70	No Ice	3.31	2.42	92.00
			0.00			1/2" Ice	3.56	2.64	119.93
			0.00			1" Ice	3.81	2.86	151.47
RRUS 32	C	From Leg	2.00	0.0000	90.70	No Ice	3.31	2.42	92.00
			0.00			1/2" Ice	3.56	2.64	119.93
			0.00			1" Ice	3.81	2.86	151.47
DC6-48-06-18-8F	B	From Leg	1.00	0.0000	90.70	No Ice	1.20	1.20	32.00
			0.00			1/2" Ice	1.88	1.88	53.81
			0.00			1" Ice	2.09	2.09	78.48

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets:		Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight	
				Horz	Lateral							
				ft	ft	°	°	ft	ft	ft ²	lb	
Andrew 6' w/Radome	B	Paraboloid w/Radome	From Leg	0.00		Worst		134.50	6.00	No Ice	28.27	380.00
				0.00						1/2" Ice	29.07	450.00
				0.00						1" Ice	29.86	520.00
2' Dia parabolic dish antenna	B	Paraboloid w/o Radome	From Leg	0.00		Worst		112.92	2.00	No Ice	4.00	22.00
				0.00						1/2" Ice	4.34	44.28
				0.00						1" Ice	4.68	66.56
2' Dia parabolic dish antenna	B	Paraboloid w/o Radome	From Leg	0.00		Worst		119.50	2.00	No Ice	4.00	22.00
				0.00						1/2" Ice	4.34	44.28
				0.00						1" Ice	4.68	66.56

Force Totals

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	33 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Load Case	Vertical Forces lb	Sum of Forces X lb	Sum of Forces Z lb	Sum of Overturning Moments, M _x lb-ft	Sum of Overturning Moments, M _z lb-ft	Sum of Torques lb-ft
Leg Weight	8377.83					
Bracing Weight	10502.64					
Total Member Self-Weight	18880.46			-7838.56	-4995.74	
Total Weight	31921.02			-7838.56	-4995.74	
Wind 0 deg - No Ice		-18.27	-22100.26	-1987300.84	-3338.99	5751.92
Wind 30 deg - No Ice		10443.45	-18094.21	-1640525.48	-947333.36	4060.61
Wind 60 deg - No Ice		17761.50	-10236.76	-933974.06	-1611912.68	1390.02
Wind 90 deg - No Ice		20918.53	18.27	-6181.81	-1892540.55	-1756.96
Wind 120 deg - No Ice		19161.16	11065.95	983327.37	-1721235.19	-4601.95
Wind 150 deg - No Ice		10475.08	18112.47	1626505.12	-950202.93	-5817.57
Wind 180 deg - No Ice		18.27	20505.16	1847302.01	-6652.48	-5686.92
Wind 210 deg - No Ice		-10443.45	18094.21	1624848.37	937341.89	-4060.61
Wind 240 deg - No Ice		-19142.89	11034.31	980457.80	1709586.97	-1149.97
Wind 270 deg - No Ice		-20918.53	-18.27	-9495.30	1882549.08	1756.96
Wind 300 deg - No Ice		-17779.76	-10268.40	-936843.62	1603577.95	4296.90
Wind 330 deg - No Ice		-10475.08	-18112.47	-1642182.23	940211.45	5817.57
Member Ice	46133.39					
Total Weight Ice	133527.95			-81996.29	-36935.61	
Wind 0 deg - Ice		-3.28	-9937.57	-1038828.68	-36638.49	2540.53
Wind 30 deg - Ice		4880.96	-8456.51	-899385.87	-508727.62	817.56
Wind 60 deg - Ice		8407.99	-4851.99	-551608.07	-850699.47	-1090.96
Wind 90 deg - Ice		9767.59	3.28	-81699.16	-981034.27	-2730.98
Wind 120 deg - Ice		8608.66	4971.62	396677.22	-865800.61	-3686.51
Wind 150 deg - Ice		4886.63	8459.79	735690.42	-509242.26	-3548.53
Wind 180 deg - Ice		3.28	9709.65	857741.90	-37232.74	-2514.17
Wind 210 deg - Ice		-4880.96	8456.51	735393.29	434856.40	-817.56
Wind 240 deg - Ice		-8605.38	4965.95	396162.59	791632.26	1145.98
Wind 270 deg - Ice		-9767.59	-3.28	-82293.42	907163.05	2730.98
Wind 300 deg - Ice		-8411.27	-4857.66	-552122.70	777125.37	3605.13
Wind 330 deg - Ice		-4886.63	-8459.79	-899683.00	435371.04	3548.53
Total Weight	31921.02			-7838.56	-4995.74	
Wind 0 deg - Service		-6.99	-8455.83	-757874.01	-1170.41	2200.76
Wind 30 deg - Service		3995.79	-6923.07	-625193.46	-362354.35	1553.64
Wind 60 deg - Service		6795.77	-3916.71	-354858.13	-616630.64	531.84
Wind 90 deg - Service		8003.69	6.99	126.68	-724002.34	-672.24
Wind 120 deg - Service		7331.30	4233.97	378725.15	-658458.78	-1760.76
Wind 150 deg - Service		4007.90	6930.06	624812.93	-363452.28	-2225.87
Wind 180 deg - Service		6.99	7845.53	709292.56	-2438.19	-2175.88
Wind 210 deg - Service		-3995.79	6923.07	624179.04	358745.75	-1553.64
Wind 240 deg - Service		-7324.31	4221.86	377627.22	654216.29	-439.99
Wind 270 deg - Service		-8003.69	-6.99	-1141.10	720393.74	672.24
Wind 300 deg - Service		-6802.76	-3928.82	-355956.06	613655.93	1644.05
Wind 330 deg - Service		-4007.90	-6930.06	-625827.36	359843.69	2225.87

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.6 Wind 0 deg - No Ice
3	0.9 Dead+1.6 Wind 0 deg - No Ice
4	1.2 Dead+1.6 Wind 30 deg - No Ice
5	0.9 Dead+1.6 Wind 30 deg - No Ice
6	1.2 Dead+1.6 Wind 60 deg - No Ice
7	0.9 Dead+1.6 Wind 60 deg - No Ice
8	1.2 Dead+1.6 Wind 90 deg - No Ice

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	34 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

<i>Comb. No.</i>	<i>Description</i>
9	0.9 Dead+1.6 Wind 90 deg - No Ice
10	1.2 Dead+1.6 Wind 120 deg - No Ice
11	0.9 Dead+1.6 Wind 120 deg - No Ice
12	1.2 Dead+1.6 Wind 150 deg - No Ice
13	0.9 Dead+1.6 Wind 150 deg - No Ice
14	1.2 Dead+1.6 Wind 180 deg - No Ice
15	0.9 Dead+1.6 Wind 180 deg - No Ice
16	1.2 Dead+1.6 Wind 210 deg - No Ice
17	0.9 Dead+1.6 Wind 210 deg - No Ice
18	1.2 Dead+1.6 Wind 240 deg - No Ice
19	0.9 Dead+1.6 Wind 240 deg - No Ice
20	1.2 Dead+1.6 Wind 270 deg - No Ice
21	0.9 Dead+1.6 Wind 270 deg - No Ice
22	1.2 Dead+1.6 Wind 300 deg - No Ice
23	0.9 Dead+1.6 Wind 300 deg - No Ice
24	1.2 Dead+1.6 Wind 330 deg - No Ice
25	0.9 Dead+1.6 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

<i>Section No.</i>	<i>Elevation ft</i>	<i>Component Type</i>	<i>Condition</i>	<i>Gov. Load Comb.</i>	<i>Axial lb</i>	<i>Major Axis Moment lb-ft</i>	<i>Minor Axis Moment lb-ft</i>	
T1	180 - 175	Leg	Max Tension	7	766.60	-41.13	-9.51	
			Max. Compression	31	-1828.03	3.29	-2.98	
			Max. Mx	22	483.35	56.19	3.07	
			Max. My	4	-456.50	-4.00	86.64	
			Max. Vy	22	-284.36	-0.00	0.00	
			Max. Vx	4	-419.46	-0.00	0.00	
			Diagonal	Max Tension	15	538.74	0.00	0.00
				Max. Compression	2	-574.36	0.00	0.00
				Max. Mx	30	32.92	27.92	-4.13
				Max. My	27	3.40	24.06	-4.37
				Max. Vy	28	32.05	27.90	-3.93

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	35 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial lb	Major Axis Moment lb-ft	Minor Axis Moment lb-ft			
T2	175 - 170	Top Girt	Max. Vx	27	-1.96	0.00	0.00			
			Max Tension	11	141.25	0.00	0.00			
			Max. Compression	6	-157.93	0.00	0.00			
			Max. Mx	29	-135.90	-91.92	0.00			
			Max. My	27	-94.84	0.00	2.69			
			Max. Vy	29	56.05	0.00	0.00			
		Leg	Max. Vx	27	-1.64	0.00	0.00			
			Max Tension	7	1707.29	-41.13	-9.51			
			Max. Compression	27	-2927.22	-5.86	6.62			
			Max. Mx	22	1410.27	-43.35	3.07			
			Max. My	16	-553.61	-3.98	49.12			
			Max. Vy	19	33.46	41.59	8.71			
			Diagonal	Max. Vx	16	33.68	-3.98	49.12		
				Max Tension	24	719.98	0.00	0.00		
Max. Compression	2	-727.18		0.00	0.00					
Max. Mx	28	126.29		31.29	4.44					
T3	170 - 165	Leg	Max. My	27	14.25	27.33	-4.76			
			Max. Vy	28	34.24	31.26	-4.27			
			Max. Vx	27	-2.04	0.00	0.00			
			Max Tension	7	2885.61	-13.88	14.34			
			Max. Compression	27	-4336.92	4.76	-20.12			
			Max. Mx	22	2508.59	-39.04	-10.27			
		Diagonal	Max. My	16	-730.22	-5.15	82.37			
			Max. Vy	19	-32.87	37.98	30.91			
			Max. Vx	16	-40.39	-5.15	82.37			
			Max Tension	24	829.44	0.00	0.00			
			Max. Compression	24	-843.17	0.00	0.00			
			Max. Mx	29	205.69	34.66	4.82			
			Max. My	27	25.99	30.52	-5.15			
			Max. Vy	28	36.36	34.64	-4.67			
T4	165 - 160	Leg	Max. Vx	27	-2.12	0.00	0.00			
			Max Tension	7	4380.08	-96.54	-10.84			
			Max. Compression	10	-6075.62	92.99	-23.20			
			Max. Mx	6	4237.09	-98.08	-10.82			
			Max. My	4	-1047.29	-3.21	131.57			
			Max. Vy	22	61.91	-95.46	22.76			
		Diagonal	Max. Vx	16	130.36	-5.15	82.37			
			Max Tension	24	1065.09	0.00	0.00			
			Max. Compression	2	-1077.14	0.00	0.00			
			Max. Mx	29	147.29	38.40	-5.27			
			Max. My	27	13.91	34.11	-5.68			
			Max. Vy	28	38.49	38.38	-5.10			
			Max. Vx	27	-2.22	0.00	0.00			
			T5	160 - 153.333	Leg	Max Tension	7	6334.85	-96.54	-10.84
Max. Compression	10	-8521.10				68.76	9.16			
Max. Mx	6	6164.59				-98.08	-10.82			
Max. My	19	2812.84				-40.08	-113.38			
Max. Vy	6	-96.55				-98.08	-10.82			
Max. Vx	8	-151.13				-7.78	108.33			
Diagonal	Max Tension	24			1346.33	0.00	0.00			
	Max. Compression	24			-1361.82	0.00	0.00			
	Max. Mx	29			252.06	51.54	-7.50			
	Max. My	28			-212.87	44.44	-7.90			
	Max. Vy	29			44.97	51.54	-7.50			
	Max. Vx	27			-2.74	0.00	0.00			
	T6	153.333 - 146.667			Leg	Max Tension	7	8913.86	-65.96	40.03
						Max. Compression	2	-11630.77	53.33	-44.72
Max. Mx			14	8435.18		-69.81	-32.16			
Max. My			19	4142.59		-40.08	-113.38			
Max. Vy			11	40.25		68.77	9.05			

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	36 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial lb	Major Axis Moment lb-ft	Minor Axis Moment lb-ft			
T7	146.667 - 140	Diagonal	Max. Vx	18	-59.71	-41.90	-113.31			
			Max Tension	12	1574.39	0.00	0.00			
			Max. Compression	12	-1584.98	0.00	0.00			
			Max. Mx	29	395.13	58.26	8.25			
			Max. My	27	43.33	50.95	-8.65			
			Max. Vy	29	48.08	58.26	8.25			
		Leg	Max. Vx	27	-2.86	0.00	0.00			
			Max Tension	7	11887.37	-164.45	-25.11			
			Max. Compression	10	-15279.67	159.04	25.54			
			Max. Mx	22	11069.43	-172.19	-24.50			
			Max. My	16	-1770.90	-11.33	243.00			
			Max. Vy	22	71.92	-172.19	-24.50			
			Max. Vx	4	-132.71	-5.80	-79.95			
			Diagonal	Max Tension	24	1800.95	0.00	0.00		
				Max. Compression	24	-1819.28	0.00	0.00		
Max. Mx	29	368.53		63.92	-8.79					
T8	140 - 133.333	Leg	Max. My	27	43.95	56.19	-9.41			
			Max. Vy	29	50.92	63.92	-8.79			
			Max. Vx	27	-2.97	0.00	0.00			
			Max Tension	7	14946.69	-164.45	-25.11			
			Max. Compression	10	-19415.25	207.92	46.01			
			Max. Mx	22	13745.24	-218.55	-46.20			
		Diagonal	Max. My	16	-1911.46	-11.33	-303.05			
			Max. Vy	22	317.92	-218.55	-46.20			
			Max. Vx	4	453.43	-7.84	-219.79			
			Max Tension	24	2135.84	0.00	0.00			
			Max. Compression	24	-2177.46	0.00	0.00			
			Max. Mx	29	508.62	82.57	11.18			
			Max. My	27	46.38	73.69	-11.79			
			Max. Vy	29	61.99	82.57	11.18			
			Max. Vx	27	-3.53	0.00	0.00			
T9	133.333 - 126.667	Leg	Max Tension	7	18715.20	-65.29	45.08			
			Max. Compression	10	-24049.21	66.10	-0.77			
			Max. Mx	22	17404.69	-218.55	-46.20			
			Max. My	3	8610.60	-114.62	-220.48			
			Max. Vy	22	97.33	-60.01	0.63			
			Max. Vx	16	-193.66	-2.52	71.84			
		Diagonal	Max Tension	24	2773.18	0.00	0.00			
			Max. Compression	24	-2787.62	0.00	0.00			
			Max. Mx	29	519.75	88.32	-11.73			
			Max. My	27	115.64	78.99	-12.63			
			Max. Vy	29	64.95	88.32	-11.73			
			Max. Vx	27	-3.64	0.00	0.00			
			T10	126.667 - 120	Leg	Max Tension	7	22813.37	-65.29	45.08
						Max. Compression	10	-28789.04	175.97	-6.13
						Max. Mx	10	-28789.04	175.97	-6.13
Max. My	14	-14129.50				19.99	-158.38			
Max. Vy	14	-102.29				-66.90	-45.41			
Max. Vx	8	167.71				-9.65	153.94			
Diagonal	Max Tension	24			3081.16	0.00	0.00			
	Max. Compression	24			-3116.09	0.00	0.00			
	Max. Mx	29			470.09	99.79	-13.30			
	Max. My	27			43.20	89.93	-13.88			
	Max. Vy	29			68.61	99.79	-13.30			
	Max. Vx	27			-3.80	0.00	0.00			
	T11	120 - 113.333			Leg	Max Tension	7	27106.36	-171.77	11.49
						Max. Compression	10	-33989.82	56.41	27.30
						Max. Mx	10	-33859.91	175.97	-6.13
Max. My			16	-3362.51		-7.35	166.53			
Max. Vy			19	120.03		170.60	-11.32			

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	37 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial lb	Major Axis Moment lb-ft	Minor Axis Moment lb-ft
T12	113.333 - 106.667	Diagonal	Max. Vx	4	-147.17	2.06	-83.01
			Max Tension	24	3382.33	0.00	0.00
			Max. Compression	24	-3412.62	0.00	0.00
			Max. Mx	29	602.47	120.94	-15.98
			Max. My	27	144.01	109.38	-17.11
			Max. Vy	29	82.63	120.94	-15.98
		Leg	Max. Vx	27	-4.52	0.00	0.00
			Max Tension	7	31638.10	-51.43	-10.87
			Max. Compression	10	-39378.82	115.18	-32.89
			Max. Mx	6	30978.00	-115.70	2.16
			Max. My	16	-3570.66	-7.35	166.53
T13	106.667 - 100	Diagonal	Max. Vy	18	96.06	61.86	9.29
			Max. Vx	16	187.39	-7.35	166.53
			Max Tension	24	3702.99	0.00	0.00
			Max. Compression	24	-3723.09	0.00	0.00
			Max. Mx	29	515.21	138.17	-17.75
			Max. My	27	83.48	125.88	-18.62
		Leg	Max. Vy	29	87.12	138.17	-17.75
			Max. Vx	27	-4.69	0.00	0.00
			Max Tension	7	36460.24	-113.99	2.07
			Max. Compression	10	-45068.42	229.70	0.72
			Max. Mx	11	-44018.39	231.30	0.55
T14	100 - 90	Diagonal	Max. My	12	-3226.27	-12.77	-364.44
			Max. Vy	11	-80.38	231.30	0.55
			Max. Vx	12	128.09	-12.77	-364.44
			Max Tension	24	3811.23	0.00	0.00
			Max. Compression	24	-3845.08	0.00	0.00
			Max. Mx	29	698.20	141.32	-18.10
		Leg	Max. My	28	-316.78	128.03	-19.40
			Max. Vy	29	89.68	141.32	-18.10
			Max. Vx	28	-4.77	0.00	0.00
			Max Tension	7	42247.92	-224.26	12.82
			Max. Compression	2	-53101.38	437.24	-18.28
T15	90 - 80	Diagonal	Max. Mx	14	39730.63	-503.03	21.23
			Max. My	8	-5317.87	-43.56	397.76
			Max. Vy	22	893.70	-497.50	-62.34
			Max. Vx	4	836.70	-30.55	-324.00
			Max Tension	24	4615.17	0.00	0.00
			Max. Compression	12	-4666.56	0.00	0.00
		Leg	Max. Mx	29	853.04	208.47	28.24
			Max. My	27	118.39	183.97	-29.13
			Max. Vy	29	109.38	208.47	28.24
			Max. Vx	27	-6.23	0.00	0.00
			Max Tension	7	50141.43	-480.21	40.91
T16	80 - 70	Diagonal	Max. Compression	2	-63324.95	239.87	-1.37
			Max. Mx	14	48275.36	-503.03	21.22
			Max. My	8	-5598.39	-43.56	397.76
			Max. Vy	14	-233.22	-503.03	21.22
			Max. Vx	8	222.46	-43.56	397.76
			Max Tension	12	5898.01	0.00	0.00
		Leg	Max. Compression	12	-6026.32	0.00	0.00
			Max. Mx	29	1107.15	219.05	-29.53
			Max. My	27	233.66	195.19	-30.83
			Max. Vy	29	114.05	219.05	-29.53
			Max. Vx	27	-6.37	0.00	0.00
Leg	Max Tension	7	59838.03	-198.95	44.02		
	Max. Compression	2	-74853.33	318.50	3.07		
	Max. Mx	14	57252.42	-370.54	1.67		
	Max. My	8	-6550.66	1.57	365.88		
			Max. Vy	14	125.31	-370.54	1.67

<i>tnxTower</i> Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	38 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial lb	Major Axis Moment lb-ft	Minor Axis Moment lb-ft
T17	70 - 60	Diagonal	Max. Vx	8	-117.69	-36.93	323.77
			Max Tension	12	6239.83	0.00	0.00
			Max. Compression	12	-6274.38	0.00	0.00
			Max. Mx	29	1071.66	269.35	35.02
			Max. My	31	136.12	243.73	36.29
			Max. Vy	29	128.93	269.35	35.02
		Leg	Max. Vx	27	-7.08	0.00	0.00
			Max Tension	7	69094.47	-360.16	13.75
			Max. Compression	2	-85832.74	345.82	-1.90
			Max. Mx	37	-3304.15	-467.76	-11.39
			Max. My	8	-7207.82	-36.93	323.77
			Max. Vy	14	-89.65	-370.54	1.67
T18	60 - 50	Diagonal	Max. Vx	8	79.61	-36.93	323.77
			Max Tension	12	6498.22	0.00	0.00
			Max. Compression	12	-6622.72	0.00	0.00
			Max. Mx	29	1335.33	276.39	-36.08
			Max. My	27	-71.05	270.97	-36.91
			Max. Vy	29	132.88	276.39	-36.08
		Leg	Max. Vx	27	-7.09	0.00	0.00
			Max Tension	7	78748.04	-275.19	-1.83
			Max. Compression	2	-97531.61	236.18	5.72
			Max. Mx	35	-55667.01	612.25	5.23
			Max. My	24	-7043.15	17.60	308.56
			Max. Vy	33	-124.54	-466.15	6.06
T19	50 - 40	Diagonal	Max. Vx	20	-76.75	20.06	-306.67
			Max Tension	12	6812.07	0.00	0.00
			Max. Compression	12	-6857.71	0.00	0.00
			Max. Mx	29	912.85	366.62	-45.70
			Max. My	27	-33.96	335.75	-47.15
			Max. Vy	29	158.16	366.62	-45.70
		Leg	Max. Vx	27	-8.42	0.00	0.00
			Max Tension	7	87999.00	-296.84	4.50
			Max. Compression	2	-108815.17	423.64	-1.74
			Max. Mx	33	-8028.42	-882.55	5.70
			Max. My	8	-8662.93	-49.09	293.86
			Max. Vy	33	165.23	-882.55	5.70
T20	40 - 30	Diagonal	Max. Vx	8	77.18	-49.09	293.86
			Max Tension	12	7027.31	0.00	0.00
			Max. Compression	12	-7157.97	0.00	0.00
			Max. Mx	29	1641.18	348.13	-44.86
			Max. My	31	155.52	341.01	45.92
			Max. Vy	29	159.31	348.13	-44.86
		Leg	Max. Vx	31	8.23	0.00	0.00
			Max Tension	7	97529.12	-332.87	1.03
			Max. Compression	2	-120617.84	164.78	4.74
			Max. Mx	35	-67620.38	1091.33	7.09
			Max. My	8	-9815.36	-68.79	465.11
			Max. Vy	33	-214.08	-882.55	5.70
T21	30 - 20	Diagonal	Max. Vx	8	-90.81	-68.79	465.11
			Max Tension	12	7331.29	0.00	0.00
			Max. Compression	12	-7395.98	0.00	0.00
			Max. Mx	29	600.86	487.26	58.26
			Max. My	30	-1256.61	448.55	60.20
			Max. Vy	29	188.22	487.26	58.26
		Leg	Max. Vx	30	9.82	0.00	0.00
			Max Tension	7	106673.00	-256.47	3.77
			Max. Compression	2	-131986.81	553.39	-0.68
			Max. Mx	29	-150.83	-1697.57	1.81
			Max. My	8	-10364.30	-68.79	465.11
			Max. Vy	33	293.48	-1686.20	2.77
			Max. Vx	8	101.40	-68.79	465.11

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	39 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial lb	Major Axis Moment lb-ft	Minor Axis Moment lb-ft
T22	20 - 10	Diagonal	Max Tension	12	7543.91	0.00	0.00
			Max. Compression	12	-7707.88	0.00	0.00
			Max. Mx	29	2138.05	408.66	-54.09
			Max. My	37	2233.85	407.01	-54.74
			Max. Vy	29	182.90	408.66	-54.09
			Max. Vx	37	-9.23	0.00	0.00
		Leg	Max Tension	7	116132.22	-426.24	-0.84
			Max. Compression	2	-144028.44	356.43	5.48
			Max. Mx	27	-87342.89	2119.88	10.77
			Max. My	24	-11017.43	-89.30	897.27
			Max. Vy	29	-387.21	-1697.57	1.81
			Max. Vx	24	-157.92	-89.30	897.27
T23	10 - 0	Diagonal	Max Tension	12	7793.72	0.00	0.00
			Max. Compression	12	-7878.25	0.00	0.00
			Max. Mx	29	-70.49	612.78	70.96
			Max. My	37	-3657.19	591.80	-73.48
			Max. Vy	29	209.18	612.78	70.96
			Max. Vx	30	10.86	0.00	0.00
		Leg	Max Tension	7	124843.92	-466.47	3.49
			Max. Compression	2	-155389.48	-0.00	-0.04
			Max. Mx	27	-93986.83	2119.88	10.77
			Max. My	24	-11734.79	-89.30	897.27
			Max. Vy	38	220.85	-0.00	-0.00
			Max. Vx	8	168.41	-90.76	896.02
Diagonal	Max Tension	12	8016.21	0.00	0.00		
	Max. Compression	12	-8181.50	0.00	0.00		
	Max. Mx	28	3010.26	406.07	-57.48		
	Max. My	27	2611.66	404.18	-58.18		
	Max. Vy	28	185.75	406.07	-57.48		
	Max. Vx	27	-9.27	0.00	0.00		

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical lb	Horizontal, X lb	Horizontal, Z lb
Leg C	Max. Vert	18	160161.88	18579.17	-10680.58
	Max. H _x	18	160161.88	18579.17	-10680.58
	Max. H _z	5	-112655.85	-13012.25	9102.70
	Min. Vert	7	-129251.01	-15657.79	8973.56
	Min. H _x	7	-129251.01	-15657.79	8973.56
	Min. H _z	18	160161.88	18579.17	-10680.58
Leg B	Max. Vert	10	160862.51	-18501.77	-10890.55
	Max. H _x	23	-129101.11	15570.93	9169.72
	Max. H _z	25	-112538.26	12853.31	9436.57
	Min. Vert	23	-129101.11	15570.93	9169.72
	Min. H _x	10	160862.51	-18501.77	-10890.55
	Min. H _z	10	160862.51	-18501.77	-10890.55
Leg A	Max. Vert	2	161097.70	220.26	21451.30
	Max. H _x	20	13331.86	3129.26	1162.76
	Max. H _z	2	161097.70	220.26	21451.30
	Min. Vert	15	-128608.02	-213.31	-18039.14
	Min. H _x	9	9782.37	-3120.80	835.37
	Min. H _z	15	-128608.02	-213.31	-18039.14

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p>Job</p> <p>16963007</p>	<p>Page</p> <p>40 of 52</p>
	<p>Project</p> <p>Tower Analysis</p>	<p>Date</p> <p>17:16:08 05/11/18</p>
	<p>Client</p> <p>SmartLink</p>	<p>Designed by</p>

Tower Mast Reaction Summary

Load Combination	Vertical	Shear _x	Shear _z	Overturing Moment, M _x	Overturing Moment, M _z	Torque
	lb	lb	lb	lb-ft	lb-ft	lb-ft
Dead Only	31921.02	-0.00	0.00	-7838.82	-4996.20	0.01
1.2 Dead+1.6 Wind 0 deg - No Ice	38305.54	-28.70	-35360.26	-3184650.74	-3391.49	9241.84
0.9 Dead+1.6 Wind 0 deg - No Ice	28728.92	-29.23	-35360.42	-3180262.15	-1879.59	9233.22
1.2 Dead+1.6 Wind 30 deg - No Ice	38305.22	16709.52	-28950.73	-2628407.01	-1517630.19	6518.22
0.9 Dead+1.6 Wind 30 deg - No Ice	28728.92	16709.52	-28950.73	-2624363.20	-1515153.80	6508.00
1.2 Dead+1.6 Wind 60 deg - No Ice	38305.22	28418.40	-16378.82	-1495040.44	-2583669.21	2212.24
0.9 Dead+1.6 Wind 60 deg - No Ice	28728.92	28418.40	-16378.82	-1491722.33	-2580505.07	2215.10
1.2 Dead+1.6 Wind 90 deg - No Ice	38305.22	33469.65	29.23	-6784.46	-3033812.51	-2853.07
0.9 Dead+1.6 Wind 90 deg - No Ice	28728.92	33469.65	29.23	-4424.14	-3030362.69	-2837.59
1.2 Dead+1.6 Wind 120 deg - No Ice	38305.21	30657.83	17705.51	1580455.88	-2759013.30	-7414.76
0.9 Dead+1.6 Wind 120 deg - No Ice	28728.92	30657.86	17705.52	1581808.85	-2755747.53	-7402.49
1.2 Dead+1.6 Wind 150 deg - No Ice	38305.22	16760.14	28979.96	2612186.24	-1522240.61	-9351.11
0.9 Dead+1.6 Wind 150 deg - No Ice	28728.92	16760.14	28979.96	2612874.27	-1519754.44	-9345.61
1.2 Dead+1.6 Wind 180 deg - No Ice	38305.22	29.23	32808.26	2966381.93	-8706.55	-9135.40
0.9 Dead+1.6 Wind 180 deg - No Ice	28728.92	29.23	32808.26	2966838.89	-7191.59	-9125.97
1.2 Dead+1.6 Wind 210 deg - No Ice	38305.22	-16709.51	28950.73	2609548.03	1505549.45	-6518.25
0.9 Dead+1.6 Wind 210 deg - No Ice	28728.92	-16709.51	28950.73	2610238.13	1506092.67	-6508.02
1.2 Dead+1.6 Wind 240 deg - No Ice	38305.21	-30628.61	17654.89	1575874.61	2744288.46	-1827.49
0.9 Dead+1.6 Wind 240 deg - No Ice	28728.92	-30628.63	17654.90	1577229.55	2744050.86	-1830.76
1.2 Dead+1.6 Wind 270 deg - No Ice	38305.22	-33469.65	-29.23	-12097.36	3021758.32	2853.11
0.9 Dead+1.6 Wind 270 deg - No Ice	28728.92	-33469.65	-29.23	-9734.26	3021334.31	2837.63
1.2 Dead+1.6 Wind 300 deg - No Ice	38305.22	-28447.62	-16429.44	-1499659.03	2574263.98	6923.13
0.9 Dead+1.6 Wind 300 deg - No Ice	28728.92	-28447.62	-16429.44	-1496338.51	2574123.50	6910.85
1.2 Dead+1.6 Wind 330 deg - No Ice	38305.22	-16760.14	-28979.96	-2631081.36	1510150.45	9351.06
0.9 Dead+1.6 Wind 330 deg - No Ice	28728.92	-16760.14	-28979.96	-2627035.82	1510695.68	9345.55
1.2 Dead+1.0 Ice+1.0 Temp	139912.16	-0.00	0.00	-84861.03	-38563.05	-0.98
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	139912.16	-3.28	-9937.57	-1051768.66	-38268.97	2600.69
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	139912.16	4880.96	-8456.51	-910868.80	-515346.46	809.75
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	139912.16	8407.99	-4851.99	-559421.08	-860934.83	-1163.80

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p>Job</p> <p>16963007</p>	<p>Page</p> <p>41 of 52</p>
	<p>Project</p> <p>Tower Analysis</p>	<p>Date</p> <p>17:16:08 05/11/18</p>
	<p>Client</p> <p>SmartLink</p>	<p>Designed by</p>

Load Combination	Vertical	Shear _x	Shear _z	Overturning Moment, M _x	Overturning Moment, M _z	Torque
	lb	lb	lb	lb-ft	lb-ft	lb-ft
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	139912.16	9767.59	3.28	-84549.36	-992644.89	-2850.22
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	139912.16	8608.66	4971.62	398894.13	-876198.47	-3820.55
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	139912.16	4886.63	8459.79	741472.38	-515880.55	-3659.90
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	139912.16	3.28	9709.65	864817.96	-38889.78	-2574.17
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	139912.16	-4880.96	8456.51	741171.32	438184.26	-809.75
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	139912.16	-8605.38	4965.95	398375.80	798744.52	1219.60
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	139912.16	-9767.59	-3.28	-85153.57	915484.28	2850.22
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	139912.16	-8411.27	-4857.66	-559945.35	784081.80	3737.75
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	139912.16	-4886.63	-8459.79	-911171.96	438717.90	3659.86
Dead+Wind 0 deg - Service	31921.02	-6.99	-8455.83	-766851.57	-4384.30	2208.26
Dead+Wind 30 deg - Service	31921.11	3996.90	-6924.52	-633883.99	-366342.58	1547.83
Dead+Wind 60 deg - Service	31921.02	6795.77	-3916.71	-362967.42	-621156.07	529.48
Dead+Wind 90 deg - Service	31921.02	8003.69	6.99	-7225.40	-728745.92	-680.29
Dead+Wind 120 deg - Service	31921.02	7331.30	4233.97	372184.45	-663080.80	-1771.02
Dead+Wind 150 deg - Service	31921.02	4007.90	6930.06	618786.07	-367433.98	-2234.39
Dead+Wind 180 deg - Service	31921.02	6.99	7845.53	703454.93	-5654.83	-2183.13
Dead+Wind 210 deg - Service	31921.02	-3995.79	6923.07	618167.13	356301.01	-1557.95
Dead+Wind 240 deg - Service	31921.02	-7324.31	4221.86	371085.65	652407.57	-437.50
Dead+Wind 270 deg - Service	31921.02	-8003.69	-6.99	-8495.37	718709.29	680.34
Dead+Wind 300 deg - Service	31921.02	-6802.76	-3928.82	-364068.14	611754.55	1653.65
Dead+Wind 330 deg - Service	31921.02	-4007.90	-6930.06	-634507.29	357395.73	2234.42

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX lb	PY lb	PZ lb	PX lb	PY lb	PZ lb	
1	-0.00	-31921.02	0.00	0.00	31921.02	-0.00	0.000%
2	-29.23	-38305.22	-35360.42	28.70	38305.54	35360.26	0.001%
3	-29.23	-28728.92	-35360.42	29.23	28728.92	35360.42	0.000%
4	16709.51	-38305.22	-28950.73	-16709.52	38305.22	28950.73	0.000%
5	16709.51	-28728.92	-28950.73	-16709.52	28728.92	28950.73	0.000%
6	28418.40	-38305.22	-16378.82	-28418.40	38305.22	16378.82	0.000%
7	28418.40	-28728.92	-16378.82	-28418.40	28728.92	16378.82	0.000%
8	33469.65	-38305.22	29.23	-33469.65	38305.22	-29.23	0.000%
9	33469.65	-28728.92	29.23	-33469.65	28728.92	-29.23	0.000%
10	30657.86	-38305.22	17705.52	-30657.83	38305.21	-17705.51	0.000%
11	30657.86	-28728.92	17705.52	-30657.86	28728.92	-17705.52	0.000%
12	16760.14	-38305.22	28979.96	-16760.14	38305.22	-28979.96	0.000%
13	16760.14	-28728.92	28979.96	-16760.14	28728.92	-28979.96	0.000%
14	29.23	-38305.22	32808.26	-29.23	38305.22	-32808.26	0.000%
15	29.23	-28728.92	32808.26	-29.23	28728.92	-32808.26	0.000%
16	-16709.51	-38305.22	28950.73	16709.51	38305.22	-28950.73	0.000%
17	-16709.51	-28728.92	28950.73	16709.51	28728.92	-28950.73	0.000%
18	-30628.63	-38305.22	17654.90	30628.61	38305.21	-17654.89	0.000%
19	-30628.63	-28728.92	17654.90	30628.63	28728.92	-17654.90	0.000%
20	-33469.65	-38305.22	-29.23	33469.65	38305.22	29.23	0.000%
21	-33469.65	-28728.92	-29.23	33469.65	28728.92	29.23	0.000%
22	-28447.62	-38305.22	-16429.44	28447.62	38305.22	16429.44	0.000%

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	42 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX lb	PY lb	PZ lb	PX lb	PY lb	PZ lb	
23	-28447.62	-28728.92	-16429.44	28447.62	28728.92	16429.44	0.000%
24	-16760.14	-38305.22	-28979.96	16760.14	38305.22	28979.96	0.000%
25	-16760.14	-28728.92	-28979.96	16760.14	28728.92	28979.96	0.000%
26	-0.00	-139912.16	0.00	0.00	139912.16	-0.00	0.000%
27	-3.28	-139912.16	-9937.57	3.28	139912.16	9937.57	0.000%
28	4880.96	-139912.16	-8456.51	-4880.96	139912.16	8456.51	0.000%
29	8407.99	-139912.16	-4851.99	-8407.99	139912.16	4851.99	0.000%
30	9767.59	-139912.16	3.28	-9767.59	139912.16	-3.28	0.000%
31	8608.66	-139912.16	4971.62	-8608.66	139912.16	-4971.62	0.000%
32	4886.63	-139912.16	8459.79	-4886.63	139912.16	-8459.79	0.000%
33	3.28	-139912.16	9709.65	-3.28	139912.16	-9709.65	0.000%
34	-4880.96	-139912.16	8456.51	4880.96	139912.16	-8456.51	0.000%
35	-8605.38	-139912.16	4965.95	8605.38	139912.16	-4965.95	0.000%
36	-9767.59	-139912.16	-3.28	9767.59	139912.16	3.28	0.000%
37	-8411.27	-139912.16	-4857.66	8411.27	139912.16	4857.66	0.000%
38	-4886.63	-139912.16	-8459.79	4886.63	139912.16	8459.79	0.000%
39	-6.99	-31921.02	-8455.83	6.99	31921.02	8455.83	0.000%
40	3995.79	-31921.02	-6923.07	-3995.79	31921.11	6924.52	0.006%
41	6795.77	-31921.02	-3916.71	-6795.77	31921.02	-3916.71	0.000%
42	8003.69	-31921.02	6.99	-8003.69	31921.02	-6.99	0.000%
43	7331.30	-31921.02	4233.97	-7331.30	31921.02	-4233.97	0.000%
44	4007.90	-31921.02	6930.06	-4007.90	31921.02	-6930.06	0.000%
45	6.99	-31921.02	7845.53	-6.99	31921.02	-7845.53	0.000%
46	-3995.79	-31921.02	6923.07	3995.79	31921.02	-6923.07	0.000%
47	-7324.31	-31921.02	4221.86	7324.31	31921.02	-4221.86	0.000%
48	-8003.69	-31921.02	-6.99	8003.69	31921.02	6.99	0.000%
49	-6802.76	-31921.02	-3928.82	6802.76	31921.02	3928.82	0.000%
50	-4007.90	-31921.02	-6930.06	4007.90	31921.02	6930.06	0.000%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	4	0.00000001	0.00000001
3	Yes	4	0.00000001	0.00000001
4	Yes	4	0.00000001	0.00000001
5	Yes	4	0.00000001	0.00000001
6	Yes	4	0.00000001	0.00000001
7	Yes	4	0.00000001	0.00000001
8	Yes	4	0.00000001	0.00000001
9	Yes	4	0.00000001	0.00000001
10	Yes	4	0.00000001	0.00000001
11	Yes	4	0.00000001	0.00000001
12	Yes	4	0.00000001	0.00000001
13	Yes	4	0.00000001	0.00000001
14	Yes	4	0.00000001	0.00000001
15	Yes	4	0.00000001	0.00000001
16	Yes	4	0.00000001	0.00000001
17	Yes	4	0.00000001	0.00000001
18	Yes	4	0.00000001	0.00000001
19	Yes	4	0.00000001	0.00000001
20	Yes	4	0.00000001	0.00000001
21	Yes	4	0.00000001	0.00000001
22	Yes	4	0.00000001	0.00000001
23	Yes	4	0.00000001	0.00000001

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	43 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

24	Yes	4	0.00000001	0.00000001
25	Yes	4	0.00000001	0.00000001
26	Yes	4	0.00000001	0.00000001
27	Yes	4	0.00000001	0.00000001
28	Yes	4	0.00000001	0.00000316
29	Yes	4	0.00000001	0.00000330
30	Yes	4	0.00000001	0.00000312
31	Yes	4	0.00000001	0.00000001
32	Yes	4	0.00000001	0.00000001
33	Yes	4	0.00000001	0.00000001
34	Yes	4	0.00000001	0.00000001
35	Yes	4	0.00000001	0.00000001
36	Yes	4	0.00000001	0.00000001
37	Yes	4	0.00000001	0.00000310
38	Yes	4	0.00000001	0.00000303
39	Yes	4	0.00000001	0.00000001
40	Yes	4	0.00000001	0.00002365
41	Yes	4	0.00000001	0.00000001
42	Yes	4	0.00000001	0.00000001
43	Yes	4	0.00000001	0.00000001
44	Yes	4	0.00000001	0.00000001
45	Yes	4	0.00000001	0.00000001
46	Yes	4	0.00000001	0.00000001
47	Yes	4	0.00000001	0.00000001
48	Yes	4	0.00000001	0.00000001
49	Yes	4	0.00000001	0.00000001
50	Yes	4	0.00000001	0.00000001

Maximum Tower Deflections - Service Wind

<i>Section No.</i>	<i>Elevation ft</i>	<i>Horz. Deflection in</i>	<i>Gov. Load Comb.</i>	<i>Tilt °</i>	<i>Twist °</i>
T1	180 - 175	2.319	39	0.1023	0.0170
T2	175 - 170	2.212	39	0.1020	0.0160
T3	170 - 165	2.104	39	0.1015	0.0150
T4	165 - 160	1.996	39	0.1008	0.0143
T5	160 - 153.333	1.889	39	0.0997	0.0131
T6	153.333 - 146.667	1.746	39	0.0978	0.0122
T7	146.667 - 140	1.607	39	0.0954	0.0116
T8	140 - 133.333	1.469	39	0.0924	0.0106
T9	133.333 - 126.667	1.339	39	0.0887	0.0100
T10	126.667 - 120	1.212	39	0.0843	0.0088
T11	120 - 113.333	1.093	39	0.0794	0.0076
T12	113.333 - 106.667	0.979	39	0.0752	0.0066
T13	106.667 - 100	0.871	39	0.0706	0.0055
T14	100 - 90	0.768	39	0.0655	0.0046
T15	90 - 80	0.629	39	0.0598	0.0037
T16	80 - 70	0.498	39	0.0534	0.0029
T17	70 - 60	0.385	39	0.0459	0.0023
T18	60 - 50	0.287	39	0.0378	0.0017
T19	50 - 40	0.205	39	0.0316	0.0013
T20	40 - 30	0.136	39	0.0251	0.0010
T21	30 - 20	0.080	39	0.0182	0.0007
T22	20 - 10	0.041	39	0.0110	0.0004
T23	10 - 0	0.014	43	0.0056	0.0002

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	44 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Critical Deflections and Radius of Curvature - Service Wind

<i>Elevation</i>	<i>Appurtenance</i>	<i>Gov. Load</i>	<i>Deflection</i>	<i>Tilt</i>	<i>Twist</i>	<i>Radius of Curvature</i>
<i>ft</i>		<i>Comb.</i>	<i>in</i>	<i>°</i>	<i>°</i>	<i>ft</i>
182.00	PD1142-1	39	2.319	0.1023	0.0170	589707
181.00	PD458-1	39	2.319	0.1023	0.0170	589707
180.00	3' Side Arm Mount	39	2.319	0.1023	0.0170	589707
179.92	DB224	39	2.318	0.1023	0.0170	589707
179.92	DB224	39	2.318	0.1023	0.0170	589707
179.92	3' Side Arm Mount	39	2.318	0.1023	0.0170	589707
179.00	3' Side Arm Mount	39	2.298	0.1023	0.0168	589707
177.17	DB201-A	39	2.258	0.1022	0.0164	589707
163.25	PD220	39	1.958	0.1005	0.0139	651343
158.50	16' Omni	39	1.856	0.0993	0.0128	273336
154.17	20' Omni	39	1.764	0.0981	0.0123	190147
144.92	DB420	39	1.570	0.0947	0.0114	151690
138.75	PD1142-1	39	1.444	0.0917	0.0105	70036
136.17	AO8410M-54T0	39	1.394	0.0903	0.0103	109460
134.50	Andrew 6' w/Radome	39	1.362	0.0894	0.0101	164665
126.67	PD220	39	1.212	0.0843	0.0088	67772
125.25	PD1142-1	39	1.186	0.0833	0.0085	67415
123.17	DB806-XC	39	1.149	0.0817	0.0081	76696
119.50	2' Dia parabolic dish antenna	39	1.084	0.0790	0.0075	95373
112.92	2' Dia parabolic dish antenna	39	0.972	0.0749	0.0066	76089
104.50	12' Omni	39	0.837	0.0689	0.0052	96130
99.00	16' omni	39	0.754	0.0649	0.0045	56267
90.70	kreuc	39	0.639	0.0602	0.0038	272510
90.00	RRUS 11 B12	39	0.629	0.0598	0.0037	295447
85.82	DB22	39	0.573	0.0573	0.0034	124217
77.50	Yagi s4307-sf3s1f	39	0.468	0.0516	0.0027	59031
76.67	(2) Whip Antenna 4'X1.5" Dia	39	0.458	0.0510	0.0026	60771
73.75	Pirod 6' Side Mount Standoff (1)	39	0.425	0.0489	0.0025	70674

Maximum Tower Deflections - Design Wind

<i>Section No.</i>	<i>Elevation</i>	<i>Horz. Deflection</i>	<i>Gov. Load</i>	<i>Tilt</i>	<i>Twist</i>
	<i>ft</i>	<i>in</i>	<i>Comb.</i>	<i>°</i>	<i>°</i>
T1	180 - 175	9.596	2	0.4207	0.0711
T2	175 - 170	9.152	2	0.4199	0.0668
T3	170 - 165	8.706	2	0.4182	0.0630
T4	165 - 160	8.261	2	0.4154	0.0599
T5	160 - 153.333	7.816	2	0.4114	0.0549
T6	153.333 - 146.667	7.229	2	0.4038	0.0511
T7	146.667 - 140	6.651	2	0.3940	0.0487
T8	140 - 133.333	6.084	2	0.3815	0.0444
T9	133.333 - 126.667	5.546	2	0.3663	0.0419
T10	126.667 - 120	5.022	2	0.3483	0.0369
T11	120 - 113.333	4.527	2	0.3278	0.0318
T12	113.333 - 106.667	4.055	2	0.3106	0.0277
T13	106.667 - 100	3.611	2	0.2917	0.0231
T14	100 - 90	3.186	2	0.2707	0.0193
T15	90 - 80	2.610	2	0.2472	0.0156
T16	80 - 70	2.068	2	0.2208	0.0120
T17	70 - 60	1.599	2	0.1901	0.0095
T18	60 - 50	1.194	2	0.1567	0.0073
T19	50 - 40	0.853	2	0.1312	0.0056

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p>Job</p> <p>16963007</p>	<p>Page</p> <p>45 of 52</p>
	<p>Project</p> <p>Tower Analysis</p>	<p>Date</p> <p>17:16:08 05/11/18</p>
	<p>Client</p> <p>SmartLink</p>	<p>Designed by</p>

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T20	40 - 30	0.565	2	0.1040	0.0040
T21	30 - 20	0.335	2	0.0755	0.0028
T22	20 - 10	0.169	10	0.0458	0.0016
T23	10 - 0	0.057	10	0.0231	0.0008

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
182.00	PD1142-1	2	9.596	0.4207	0.0711	160230
181.00	PD458-1	2	9.596	0.4207	0.0711	160230
180.00	3' Side Arm Mount	2	9.596	0.4207	0.0711	160230
179.92	DB224	2	9.589	0.4207	0.0710	160230
179.92	DB224	2	9.589	0.4207	0.0710	160230
179.92	3' Side Arm Mount	2	9.589	0.4207	0.0710	160230
179.00	3' Side Arm Mount	2	9.507	0.4206	0.0702	160230
177.17	DB201-A	2	9.345	0.4203	0.0687	160230
163.25	PD220	2	8.105	0.4141	0.0583	200722
158.50	16' Omni	2	7.683	0.4099	0.0537	70495
154.17	20' Omni	2	7.302	0.4049	0.0514	48578
144.92	DB420	2	6.501	0.3910	0.0476	37614
138.75	PD1142-1	2	5.981	0.3789	0.0439	17368
136.17	AO8410M-54T0	2	5.772	0.3731	0.0430	26927
134.50	Andrew 6' w/Radome	2	5.639	0.3691	0.0425	40274
126.67	PD220	2	5.022	0.3483	0.0369	17232
125.25	PD1142-1	2	4.914	0.3440	0.0357	17051
123.17	DB806-XC	2	4.759	0.3374	0.0341	19098
119.50	2' Dia parabolic dish antenna	2	4.490	0.3264	0.0314	23100
112.92	2' Dia parabolic dish antenna	2	4.027	0.3095	0.0275	18936
104.50	12' Omni	2	3.470	0.2847	0.0217	23223
99.00	16' omni	2	3.125	0.2679	0.0189	13677
90.70	kreuc	2	2.649	0.2488	0.0159	68203
90.00	RRUS 11 B12	2	2.610	0.2472	0.0156	74191
85.82	DB22	2	2.378	0.2369	0.0141	30377
77.50	Yagi s4307-sf3s1f	2	1.944	0.2136	0.0113	14278
76.67	(2) Whip Antenna 4'X1.5" Dia	2	1.903	0.2111	0.0111	14719
73.75	Pirod 6' Side Mount Standoff (1)	2	1.766	0.2022	0.0104	17170

Bolt Design Data

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt lb	Allowable Load lb	Ratio Load Allowable	Allowable Ratio	Criteria
T1	180	Leg	A325N	0.6250	4	191.65	20708.70	0.009	✓	1 Bolt Tension
		Diagonal	A325N	0.5000	1	538.74	4132.50	0.130	✓	1 Member Bearing
		Top Girt	A325N	0.5000	1	141.25	4132.50	0.034	✓	1 Member Bearing
T2	175	Diagonal	A325N	0.5000	1	719.98	4132.50	0.174	✓	1 Member Bearing
T3	170	Diagonal	A325N	0.5000	1	829.44	4132.50	0.201	✓	1 Member Bearing

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	46 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt lb	Allowable Load lb	Ratio Load Allowable	Allowable Ratio	Criteria
T4	165	Diagonal	A325N	0.5000	1	1065.09	4132.50	0.258 ✓	1	Member Bearing
T5	160	Leg	A325N	0.7500	4	1583.71	29820.60	0.053 ✓	1	Bolt Tension
		Diagonal	A325N	0.5000	1	1346.33	4132.50	0.326 ✓	1	Member Bearing
T6	153.333	Diagonal	A325N	0.5000	1	1574.39	4132.50	0.381 ✓	1	Member Bearing
T7	146.667	Diagonal	A325N	0.5000	1	1800.95	4132.50	0.436 ✓	1	Member Bearing
T8	140	Leg	A325N	0.8750	4	3736.67	40589.10	0.092 ✓	1	Bolt Tension
		Diagonal	A325N	0.5000	1	2135.84	6198.75	0.345 ✓	1	Gusset Bearing
T9	133.333	Diagonal	A325N	0.5000	1	2773.18	6198.75	0.447 ✓	1	Gusset Bearing
T10	126.667	Diagonal	A325N	0.5000	1	3081.16	6198.75	0.497 ✓	1	Gusset Bearing
T11	120	Leg	A325N	0.8750	4	6776.59	40589.10	0.167 ✓	1	Bolt Tension
		Diagonal	A325N	0.5000	1	3382.33	6198.75	0.546 ✓	1	Gusset Bearing
T12	113.333	Diagonal	A325N	0.5000	1	3702.99	6198.75	0.597 ✓	1	Gusset Bearing
T13	106.667	Diagonal	A325N	0.5000	1	3811.23	6198.75	0.615 ✓	1	Member Bearing
T14	100	Leg	A325N	1.0000	4	10562.00	53014.40	0.199 ✓	1	Bolt Tension
		Diagonal	A325N	0.6250	1	4615.17	7830.00	0.589 ✓	1	Member Bearing
T15	90	Diagonal	A325N	0.6250	1	5898.01	7830.00	0.753 ✓	1	Member Bearing
T16	80	Leg	A325N	1.0000	4	14959.50	53014.40	0.282 ✓	1	Bolt Tension
		Diagonal	A325N	0.6250	1	6239.83	10440.00	0.598 ✓	1	Member Bearing
T17	70	Diagonal	A325N	0.6250	1	6498.22	10440.00	0.622 ✓	1	Member Bearing
T18	60	Leg	A325N	1.0000	4	19687.00	53014.40	0.371 ✓	1	Bolt Tension
		Diagonal	A325N	0.6250	1	6812.07	10440.00	0.652 ✓	1	Member Bearing
T19	50	Diagonal	A325N	0.6250	1	7027.31	10440.00	0.673 ✓	1	Gusset Bearing
T20	40	Leg	A325N	1.0000	6	16254.90	53014.40	0.307 ✓	1	Bolt Tension
		Diagonal	A325N	0.6250	1	7331.29	10440.00	0.702 ✓	1	Member Bearing
T21	30	Diagonal	A325N	0.6250	1	7543.91	10440.00	0.723 ✓	1	Member Bearing
T22	20	Leg	A325N	1.0000	6	19355.40	53014.40	0.365 ✓	1	Bolt Tension
		Diagonal	A325N	0.7500	1	7793.72	15768.80	0.494 ✓	1	Member Bearing
T23	10	Diagonal	A325N	0.7500	1	8016.21	15768.80	0.508 ✓	1	Member Bearing

Compression Checks

Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	ROHN 2.5 X-STR	5.01	5.01	65.0	2.2535	-1828.03	74428.70	0.025 ¹ ✓

K=1.00

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job 16963007	Page 47 of 52
	Project Tower Analysis	Date 17:16:08 05/11/18
	Client SmartLink	Designed by

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T2	175 - 170	ROHN 2.5 X-STR	5.01	5.01	65.0 K=1.00	2.2535	-2927.22	74428.70	0.039 ¹ ✓
T3	170 - 165	ROHN 2.5 X-STR	5.01	5.01	65.0 K=1.00	2.2535	-4336.92	74428.70	0.058 ¹ ✓
T4	165 - 160	ROHN 2.5 X-STR	5.01	5.01	65.0 K=1.00	2.2535	-6075.62	74428.70	0.082 ¹ ✓
T5	160 - 153.333	ROHN 2.5 X-STR	6.68	6.68	86.7 K=1.00	2.2535	-8521.10	58513.50	0.146 ¹ ✓
T6	153.333 - 146.667	ROHN 2.5 X-STR	6.68	6.68	86.7 K=1.00	2.2535	-11630.80	58513.50	0.199 ¹ ✓
T7	146.667 - 140	ROHN 2.5 X-STR	6.68	6.68	86.7 K=1.00	2.2535	-15279.70	58513.50	0.261 ¹ ✓
T8	140 - 133.333	ROHN 3 STD	6.68	6.68	68.9 K=1.00	2.2285	-19415.30	70892.70	0.274 ¹ ✓
T9	133.333 - 126.667	ROHN 3 STD	6.68	6.68	68.9 K=1.00	2.2285	-24049.20	70892.70	0.339 ¹ ✓
T10	126.667 - 120	ROHN 3 STD	6.68	6.68	68.9 K=1.00	2.2285	-28789.00	70892.70	0.406 ¹ ✓
T11	120 - 113.333	ROHN 3 X-STR	6.68	6.68	70.5 K=1.00	3.0159	-33989.80	94342.30	0.360 ¹ ✓
T12	113.333 - 106.667	ROHN 3 X-STR	6.68	6.68	70.5 K=1.00	3.0159	-39378.80	94342.30	0.417 ¹ ✓
T13	106.667 - 100	ROHN 3 X-STR	6.68	6.68	70.5 K=1.00	3.0159	-45068.40	94342.30	0.478 ¹ ✓
T14	100 - 90	ROHN 4 X-STR	10.02	10.02	81.4 K=1.00	4.4074	-53101.40	122174.00	0.435 ¹ ✓
T15	90 - 80	ROHN 4 X-STR	10.02	10.02	81.4 K=1.00	4.4074	-63325.00	122174.00	0.518 ¹ ✓
T16	80 - 70	ROHN 5 STD	10.02	10.02	64.0 K=1.00	4.2999	-74853.30	143400.00	0.522 ¹ ✓
T17	70 - 60	ROHN 5 STD	10.02	10.02	64.0 K=1.00	4.2999	-85832.70	143400.00	0.599 ¹ ✓
T18	60 - 50	P5.5x.375	10.02	10.02	66.2 K=1.00	6.0377	-97531.60	197279.00	0.494 ¹ ✓
T19	50 - 40	P5.5x.375	10.02	10.02	66.2 K=1.00	6.0377	-108815.00	197279.00	0.552 ¹ ✓
T20	40 - 30	P5x.375	10.02	10.02	65.4 K=1.00	6.1120	-120618.00	201245.00	0.599 ¹ ✓
T21	30 - 20	P5x.375	10.02	10.02	65.4 K=1.00	6.1120	-131987.00	201245.00	0.656 ¹ ✓
T22	20 - 10	ROHN 6 EH	10.02	10.02	54.8 K=1.00	8.4049	-144028.00	303742.00	0.474 ¹ ✓
T23	10 - 0	ROHN 6 EH	10.02	10.02	54.8 K=1.00	8.4049	-155389.00	303742.00	0.512 ¹ ✓

¹ P_u / φP_n controls

Diagonal Design Data (Compression)

<p style="text-align: center;">tnxTower</p> <p style="text-align: center;">Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	<p style="text-align: center;">Job</p> <p style="text-align: center;">16963007</p>	<p style="text-align: center;">Page</p> <p style="text-align: center;">48 of 52</p>
	<p style="text-align: center;">Project</p> <p style="text-align: center;">Tower Analysis</p>	<p style="text-align: center;">Date</p> <p style="text-align: center;">17:16:08 05/11/18</p>
	<p style="text-align: center;">Client</p> <p style="text-align: center;">SmartLink</p>	<p style="text-align: center;">Designed by</p>

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	L1 1/2x1 1/2x1/8	8.45	4.13	167.3 K=1.00	0.3594	-574.36	2899.07	0.198 ¹ ✓
T2	175 - 170	L1 1/2x1 1/2x1/8	8.87	4.34	175.7 K=1.00	0.3594	-727.18	2629.64	0.277 ¹ ✓
T3	170 - 165	L1 1/2x1 1/2x1/8	9.29	4.55	184.3 K=1.00	0.3594	-843.17	2391.21	0.353 ¹ ✓
T4	165 - 160	L1 1/2x1 1/2x1/8	9.72	4.76	193.0 K=1.00	0.3594	-1077.14	2180.08	0.494 ¹ ✓
T5	160 - 153.333	L1 3/4x1 3/4x1/8	11.14	5.53	191.2 K=1.00	0.4219	-1361.82	2605.74	0.523 ¹ ✓
T6	153.333 - 146.667	L1 3/4x1 3/4x1/8	11.69	5.80	200.7 K=1.00	0.4219	-1584.98	2366.70	0.670 ¹ ✓
T7	146.667 - 140	KL/R > 200 (C) - 54 L1 3/4x1 3/4x1/8	12.25	6.08	210.3 K=1.00	0.4219	-1819.28	2154.40	0.844 ¹ ✓
T8	140 - 133.333	KL/R > 200 (C) - 64 L2x2x3/16	12.82	6.33	192.9 K=1.00	0.7150	-2177.46	4341.66	0.502 ¹ ✓
T9	133.333 - 126.667	L2x2x3/16	13.40	6.62	201.7 K=1.00	0.7150	-2787.62	3969.50	0.702 ¹ ✓
T10	126.667 - 120	KL/R > 200 (C) - 82 L2x2x3/16	13.99	6.92	210.7 K=1.00	0.7150	-3116.09	3638.71	0.856 ¹ ✓
T11	120 - 113.333	KL/R > 200 (C) - 91 L2 1/2x2 1/2x3/16	14.59	7.22	174.9 K=1.00	0.9020	-3412.62	6658.86	0.512 ¹ ✓
T12	113.333 - 106.667	L2 1/2x2 1/2x3/16	15.19	7.52	182.2 K=1.00	0.9020	-3723.09	6135.32	0.607 ¹ ✓
T13	106.667 - 100	L2 1/2x2 1/2x3/16	15.80	7.82	189.6 K=1.00	0.9020	-3845.08	5666.93	0.679 ¹ ✓
T14	100 - 90	L3x3x3/16	18.17	9.04	182.1 K=1.00	1.0900	-4666.56	7425.35	0.628 ¹ ✓
T15	90 - 80	L3x3x3/16	19.03	9.47	190.7 K=1.00	1.0900	-6026.32	6773.24	0.890 ¹ ✓
T16	80 - 70	L3x3x1/4	19.89	9.85	199.7 K=1.00	1.4400	-6274.38	8157.31	0.769 ¹ ✓
T17	70 - 60	L3x3x1/4	20.78	10.29	208.6 K=1.00	1.4400	-6622.72	7473.99	0.886 ¹ ✓
T18	60 - 50	KL/R > 200 (C) - 153 L3 1/2x3 1/2x1/4	21.67	10.74	185.7 K=1.00	1.6900	-6857.71	11067.30	0.620 ¹ ✓
T19	50 - 40	L3 1/2x3 1/2x1/4	22.57	11.19	193.5 K=1.00	1.6900	-7157.97	10192.70	0.702 ¹ ✓
T20	40 - 30	L4x4x1/4	23.48	11.65	175.8 K=1.00	1.9400	-7395.98	14182.80	0.521 ¹ ✓
T21	30 - 20	L4x4x1/4	24.40	12.11	182.7 K=1.00	1.9400	-7707.88	13125.70	0.587 ¹ ✓
T22	20 - 10	L4x4x5/16	25.33	12.51	189.7 K=1.00	2.4000	-7878.25	15063.90	0.523 ¹ ✓
T23	10 - 0	L4x4x5/16	26.27	12.97	196.8 K=1.00	2.4000	-8181.50	13999.00	0.584 ¹ ✓

<p>tnxTower</p> <p>Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	49 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

¹ $P_u / \phi P_n$ controls

Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	L2x2x1/8	6.56	6.11	184.5 K=1.00	0.4844	-157.93	3214.75	0.049 ¹

¹ $P_u / \phi P_n$ controls

Tension Checks

Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	ROHN 2.5 X-STR	5.01	5.01	65.0	2.2535	766.60	101409.00	0.008 ¹
T2	175 - 170	ROHN 2.5 X-STR	5.01	5.01	65.0	2.2535	1707.29	101409.00	0.017 ¹
T3	170 - 165	ROHN 2.5 X-STR	5.01	5.01	65.0	2.2535	2885.61	101409.00	0.028 ¹
T4	165 - 160	ROHN 2.5 X-STR	5.01	5.01	65.0	2.2535	4380.08	101409.00	0.043 ¹
T5	160 - 153.333	ROHN 2.5 X-STR	6.68	6.68	86.7	2.2535	6334.85	101409.00	0.062 ¹
T6	153.333 - 146.667	ROHN 2.5 X-STR	6.68	6.68	86.7	2.2535	8913.86	101409.00	0.088 ¹
T7	146.667 - 140	ROHN 2.5 X-STR	6.68	6.68	86.7	2.2535	11887.40	101409.00	0.117 ¹
T8	140 - 133.333	ROHN 3 STD	6.68	6.68	68.9	2.2285	14946.70	100281.00	0.149 ¹
T9	133.333 - 126.667	ROHN 3 STD	6.68	6.68	68.9	2.2285	18715.20	100281.00	0.187 ¹
T10	126.667 - 120	ROHN 3 STD	6.68	6.68	68.9	2.2285	22813.40	100281.00	0.227 ¹
T11	120 - 113.333	ROHN 3 X-STR	6.68	6.68	70.5	3.0159	27106.40	135717.00	0.200 ¹
T12	113.333 - 106.667	ROHN 3 X-STR	6.68	6.68	70.5	3.0159	31638.10	135717.00	0.233 ¹
T13	106.667 - 100	ROHN 3 X-STR	6.68	6.68	70.5	3.0159	36460.20	135717.00	0.269 ¹
T14	100 - 90	ROHN 4 X-STR	10.02	10.02	81.4	4.4074	42247.90	198335.00	0.213 ¹
T15	90 - 80	ROHN 4 X-STR	10.02	10.02	81.4	4.4074	50141.90	198335.00	0.253 ¹

<p style="text-align: center;"><i>tnxTower</i></p> <p style="text-align: center;">Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	50 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T16	80 - 70	ROHN 5 STD	10.02	10.02	64.0	4.2999	59838.00	193494.00	0.309 ¹
T17	70 - 60	ROHN 5 STD	10.02	10.02	64.0	4.2999	69094.50	193494.00	0.357 ¹
T18	60 - 50	P5.5x.375	10.02	10.02	66.2	6.0377	78748.00	271699.00	0.290 ¹
T19	50 - 40	P5.5x.375	10.02	10.02	66.2	6.0377	87999.00	271699.00	0.324 ¹
T20	40 - 30	P5x.375	10.02	10.02	65.4	6.1120	97529.10	275039.00	0.355 ¹
T21	30 - 20	P5x.375	10.02	10.02	65.4	6.1120	106673.00	275039.00	0.388 ¹
T22	20 - 10	ROHN 6 EH	10.02	10.02	54.8	8.4049	116132.00	378222.00	0.307 ¹
T23	10 - 0	ROHN 6 EH	10.02	10.02	54.8	8.4049	124844.00	378222.00	0.330 ¹

¹ P_u / φP_n controls

Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	L1 1/2x1 1/2x1/8	8.45	4.13	109.2	0.2109	538.74	9175.78	0.059 ¹
T2	175 - 170	L1 1/2x1 1/2x1/8	8.87	4.34	114.6	0.2109	719.98	9175.78	0.078 ¹
T3	170 - 165	L1 1/2x1 1/2x1/8	9.29	4.55	120.0	0.2109	829.44	9175.78	0.090 ¹
T4	165 - 160	L1 1/2x1 1/2x1/8	9.72	4.76	125.6	0.2109	1065.09	9175.78	0.116 ¹
T5	160 - 153.333	L1 3/4x1 3/4x1/8	11.14	5.53	123.8	0.2578	1346.33	11214.80	0.120 ¹
T6	153.333 - 146.667	L1 3/4x1 3/4x1/8	11.69	5.80	129.8	0.2578	1574.39	11214.80	0.140 ¹
T7	146.667 - 140	L1 3/4x1 3/4x1/8	12.25	6.08	136.0	0.2578	1800.95	11214.80	0.161 ¹
T8	140 - 133.333	L2x2x3/16	12.82	6.33	125.2	0.4484	2135.84	19503.60	0.110 ¹
T9	133.333 - 126.667	L2x2x3/16	13.40	6.62	130.8	0.4484	2773.18	19503.60	0.142 ¹
T10	126.667 - 120	L2x2x3/16	13.99	6.92	136.6	0.4484	3081.16	19503.60	0.158 ¹
T11	120 - 113.333	L2 1/2x2 1/2x3/16	14.59	7.22	112.9	0.5886	3382.33	25604.50	0.132 ¹
T12	113.333 - 106.667	L2 1/2x2 1/2x3/16	15.19	7.52	117.6	0.5886	3702.99	25604.50	0.145 ¹
T13	106.667 - 100	L2 1/2x2 1/2x3/16	15.80	7.82	122.3	0.5886	3811.23	25604.50	0.149 ¹

tnxTower Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120	Job	16963007	Page	51 of 53
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T14	100 - 90	L3x3x3/16	18.17	9.04	117.1	0.7120	4615.17	30973.40	0.149 ¹ ✓
T15	90 - 80	L3x3x3/16	19.03	9.47	122.6	0.7120	5898.01	30973.40	0.190 ¹ ✓
T16	80 - 70	L3x3x1/4	19.89	9.85	128.7	0.9394	6239.83	40862.80	0.153 ¹ ✓
T17	70 - 60	L3x3x1/4	20.78	10.29	134.4	0.9394	6498.22	40862.80	0.159 ¹ ✓
T18	60 - 50	L3 1/2x3 1/2x1/4	21.67	10.74	119.6	1.1269	6812.07	49019.10	0.139 ¹ ✓
T19	50 - 40	L3 1/2x3 1/2x1/4	22.57	11.19	124.5	1.1269	7027.31	49019.10	0.143 ¹ ✓
T20	40 - 30	L4x4x1/4	23.48	11.65	113.0	1.3144	7331.29	57175.30	0.128 ¹ ✓
T21	30 - 20	L4x4x1/4	24.40	12.11	117.4	1.3144	7543.91	57175.30	0.132 ¹ ✓
T22	20 - 10	L4x4x5/16	25.33	12.51	122.3	1.5949	7793.72	69379.10	0.112 ¹ ✓
T23	10 - 0	L4x4x5/16	26.27	12.97	126.8	1.5949	8016.21	69379.10	0.116 ¹ ✓

¹ P_u / φP_n controls

Top Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u lb	φP _n lb	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 175	L2x2x1/8	6.56	6.11	121.1	0.3047	141.25	13253.90	0.011 ¹ ✓

¹ P_u / φP_n controls

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P lb	φP _{allow} lb	% Capacity	Pass Fail
T1	180 - 175	Leg	ROHN 2.5 X-STR	2	-1828.03	74428.70	2.5	Pass
T2	175 - 170	Leg	ROHN 2.5 X-STR	15	-2927.22	74428.70	3.9	Pass
T3	170 - 165	Leg	ROHN 2.5 X-STR	24	-4336.92	74428.70	5.8	Pass
T4	165 - 160	Leg	ROHN 2.5 X-STR	32	-6075.62	74428.70	8.2	Pass
T5	160 - 153.333	Leg	ROHN 2.5 X-STR	41	-8521.10	58513.50	14.6	Pass
T6	153.333 - 146.667	Leg	ROHN 2.5 X-STR	51	-11630.80	58513.50	19.9	Pass
T7	146.667 - 140	Leg	ROHN 2.5 X-STR	59	-15279.70	58513.50	26.1	Pass
T8	140 - 133.333	Leg	ROHN 3 STD	68	-19415.30	70892.70	27.4	Pass
T9	133.333 -	Leg	ROHN 3 STD	77	-24049.20	70892.70	33.9	Pass

<p style="text-align: center;">tnxTower</p> <p style="text-align: center;">Maser Consulting 2000 Midlantic Drive, Suite 100 Mt. Laurel, NJ Phone: 856 797-0412 FAX: 856 722-1120</p>	Job	16963007	Page	52 of 52
	Project	Tower Analysis	Date	17:16:08 05/11/18
	Client	SmartLink	Designed by	

Section No.	Elevation ft	Component Type	Size	Critical Element	P lb	ϕP_{allow} lb	% Capacity	Pass Fail	
	126.667								
T10	126.667 - 120	Leg	ROHN 3 STD	86	-28789.00	70892.70	40.6	Pass	
T11	120 - 113.333	Leg	ROHN 4 X-STR	95	-33989.80	94342.30	36.0	Pass	
T12	113.333 - 106.667	Leg	ROHN 3 X-STR	104	-39378.80	94342.30	41.7	Pass	
T13	106.667 - 100	Leg	ROHN 3 X-STR	113	-45068.40	94342.30	47.8	Pass	
T14	100 - 90	Leg	ROHN 4 X-STR	123	-53101.40	122174.00	43.5	Pass	
T15	90 - 80	Leg	ROHN 4 X-STR	132	-63325.00	122174.00	51.8	Pass	
T16	80 - 70	Leg	ROHN 5 STD	141	-74853.30	143400.00	52.2	Pass	
T17	70 - 60	Leg	ROHN 5 STD	150	-85832.70	143400.00	59.9	Pass	
T18	60 - 50	Leg	P5.5x.375	159	-97531.60	197279.00	49.4	Pass	
T19	50 - 40	Leg	P5.5x.375	168	-108815.00	197279.00	55.2	Pass	
T20	40 - 30	Leg	P5x.375	177	-120618.00	201245.00	59.9	Pass	
T21	30 - 20	Leg	P5x.375	186	-131987.00	201245.00	65.6	Pass	
T22	20 - 10	Leg	ROHN 6 EH	195	-144028.00	303742.00	47.4	Pass	
T23	10 - 0	Leg	ROHN 6 EH	204	-155389.00	303742.00	51.2	Pass	
T1	180 - 175	Diagonal	L1 1/2x1 1/2x1/8	10	-574.36	2899.07	19.8	Pass	
T2	175 - 170	Diagonal	L1 1/2x1 1/2x1/8	19	-727.18	2629.64	27.7	Pass	
T3	170 - 165	Diagonal	L1 1/2x1 1/2x1/8	28	-843.17	2391.21	35.3	Pass	
T4	165 - 160	Diagonal	L1 1/2x1 1/2x1/8	37	-1077.14	2180.08	49.4	Pass	
T5	160 - 153.333	Diagonal	L1 3/4x1 3/4x1/8	46	-1361.82	2605.74	52.3	Pass	
T6	153.333 - 146.667	Diagonal	L1 3/4x1 3/4x1/8	54	-1584.98	2366.70	67.0	Pass	
T7	146.667 - 140	Diagonal	L1 3/4x1 3/4x1/8	64	-1819.28	2154.40	84.4	Pass	
T8	140 - 133.333	Diagonal	L2x2x3/16	73	-2177.46	4341.66	50.2	Pass	
T9	133.333 - 126.667	Diagonal	L2x2x3/16	82	-2787.62	3969.50	70.2	Pass	
T10	126.667 - 120	Diagonal	L2x2x3/16	91	-3116.09	3638.71	85.6	Pass	
T11	120 - 113.333	Diagonal	L2 1/2x2 1/2x3/16	100	-3412.62	6658.86	51.2	Pass	
T12	113.333 - 106.667	Diagonal	L2 1/2x2 1/2x3/16	109	-3723.09	6135.32	60.7	Pass	
T13	106.667 - 100	Diagonal	L2 1/2x2 1/2x3/16	118	-3845.08	5666.93	67.9	Pass	
T14	100 - 90	Diagonal	L3x3x3/16	126	-4666.56	7425.35	62.8	Pass	
T15	90 - 80	Diagonal	L3x3x3/16	135	-6026.32	6773.24	89.0	Pass	
T16	80 - 70	Diagonal	L3x3x1/4	144	-6274.38	8157.31	76.9	Pass	
T17	70 - 60	Diagonal	L3x3x1/4	153	-6622.72	7473.99	88.6	Pass	
T18	60 - 50	Diagonal	L3 1/2x3 1/2x1/4	162	-6857.71	11067.30	62.0	Pass	
T19	50 - 40	Diagonal	L3 1/2x3 1/2x1/4	171	-7157.97	10192.70	70.2	Pass	
T20	40 - 30	Diagonal	L4x4x1/4	180	-7395.98	14182.80	52.1	Pass	
T21	30 - 20	Diagonal	L4x4x1/4	189	-7707.88	13125.70	58.7	Pass	
T22	20 - 10	Diagonal	L4x4x5/16	198	-7878.25	15063.90	52.3	Pass	
T23	10 - 0	Diagonal	L4x4x5/16	207	-8181.50	13999.00	58.4	Pass	
T1	180 - 175	Top Girt	L2x2x1/8	5	-157.93	3214.75	4.9	Pass	
							Summary		
							Leg (T21)	65.6	Pass
							Diagonal (T15)	89.0	Pass
							Top Girt (T1)	4.9	Pass
							Bolt Checks	75.3	Pass
							RATING =	89.0	Pass



**SITE NAME: TOLLAND CENTRAL
PROJECT LTE 3C/RETROFIT
FA NUMBER: 10071279
SITE NUMBER: CTL05331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY
FIRSTNET
RETROFIT**



Customer Loyalty through Client Satisfaction
www.maserconsulting.com
Engineers ■ Planners ■ Surveyors
Landscape Architects ■ Environmental Scientists


Copyright © 2018 Maser Consulting Connecticut All Rights Reserved. This drawing and all the information contained herein is submitted for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.



NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE ROAD
FRAMINGHAM, MA 01701




16 ESQUIRE ROAD
BILLERICA, MA 01862




ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

SCALE: AS SHOWN JOB NUMBER: 17963024A

REV	DATE	DESCRIPTION	DRAWN BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC	PET
2	02/20/18	REVISED PER COMMENTS	AJC	RA
1	1/24/18	ISSUED FOR REVIEW	AF	RA



**SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY**



331 Newnam Springs Road
Suite 203
Red Bank, NJ 07701-5699
Phone: 732.383.1950
Fax: 732.383.1984

SHEET TITLE: **TITLE SHEET**
SHEET NUMBER: **T-1**

PROJECT TEAM

CLIENT REPRESENTATIVE
COMPANY: EMPIRE TELECOM
ADDRESS: 16 ESQUIRE ROAD
CITY, STATE, ZIP: BILLERICA, MA 01862
CONTACT: DAVID COOPER
E-MAIL: DCOOPER@EMPIRETEL.COM

ENGINEER
COMPANY: MASER CONSULTING P.A.
ADDRESS: 2000 MIDLANTIC DRIVE, SUITE 100
CITY, STATE, ZIP: MT. LAUREL, NJ 08054
CONTACT: ROBERT ANDREWS
PHONE: (856) 717-0412 x4146
E-MAIL: RANDREWS@MASERCONSULTING.COM

RF ENGINEER
COMPANY: AT&T MOBILITY - NEW ENGLAND
ADDRESS: 550 COCHITUATE RD.
CITY, STATE, ZIP: FRAMINGHAM, MA 01701
CONTACT: AKMAL KHAN
E-MAIL: AK975U@US.ATT.COM

SITE INFORMATION

APPLICANT/LESSEE
 NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE RD.
FRAMINGHAM, MA 01701

PROPERTY OWNER:
NAME: TOLLAND COUNTY MUTUAL AID
ADDRESS: P.O. BOX 6
CITY, STATE, ZIP: TOLLAND, CT 06084

LATITUDE: 41.8830919° N
LONGITUDE: 72.3756989° W
LAT./LONG. TYPE: NAD 83

AREA OF CONSTRUCTION: TELECOMMUNICATIONS EQUIPMENT COMPOUND


ZONING/JURISDICTION: NATIONAL STATE & LOCAL CODES OR ORDINANCES

CURRENT/PROPOSED USE: UNMANNED TELECOMMUNICATIONS FACILITY

HANDICAP REQUIREMENTS: FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. HANDICAPPED ACCESS NOT REQUIRED.

CONSTRUCTION TYPE: IIB

USE GROUP: U



DRIVING DIRECTIONS

DIRECTIONS FROM AT&T OFFICE AT 550 COCHITUATE ROAD, FRAMINGHAM, MA:
DEPART RT-30 WEST/COCHITUATE ROAD TOWARD BURR STREET. TURN BACK ON RT-30 EAST/COCHITUATE ROAD. TAKE RAMP RIGHT FOR I-90 WEST TOWARD WORCESTER/SPRINGFIELD. AT EXIT 9, TAKE RAMP RIGHT FOR I-84 TOWARD NEW YORK CITY/HARTFORD. AT EXIT 68, TAKE RAMP RIGHT FOR CT-195 TOWARD MANSFIELD/TOLLAND. BEAR RIGHT ONTO CT-195/MERROW ROAD. KEEP STRAIGHT ONTO CT-74/TOLLAND GREEN. TURN RIGHT ONTO TOLLAND GREEN. TURN LEFT ONTO DUNN HILL RD, AND THEN IMMEDIATELY BEAR RIGHT ONTO BALD HILL ROAD. DRIVE APPROXIMATELY 0.6 MILES AND THE SITE IS ON THE RIGHT.

CODE COMPLIANCE

ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THE LATEST EDITIONS OF THE FOLLOWING CODES.

1. 2016 CONNECTICUT STATE BUILDING CODE, INCORPORATING THE 2012 IBC	7. EIA/TIA-222 REVISION G
2. NATIONAL ELECTRIC CODE 2014	8. TIA 607 FOR GROUNDING
3. 2012 NFPA-101	9. INSTITUTE FOR ELECTRICAL AND ELECTRONICS ENGINEERS 81
4. LIGHTNING PROTECTION CODE 2011	10. IEEE C2 LATEST EDITION
5. AMERICAN CONCRETE INSTITUTE 318	11. TELCORDIA GR-1275
6. AMERICAN INSTITUTE OF STEEL CONSTRUCTION 360-10	12. ANSI T1.311

GENERAL CONTRACTOR NOTES

DO NOT SCALE DRAWINGS
CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE ARCHITECT/ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.

GENERAL NOTES

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE; NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

SHEET	DESCRIPTION
T-1	TITLE SHEET
GN-1	GENERAL NOTES
A-1	COMPOUND PLAN
A-2	EQUIPMENT PLAN
A-3	ELEVATION VIEW, ANTENNA SCHEDULE AND DETAILS
A-4	ANTENNA LAYOUTS
A-5	DETAILS
A-6	RF PLUMBING DIAGRAMS
G-1	GROUNDING DETAILS

PROJECT DESCRIPTION/SCOPE OF WORK

PROJECT SCOPE HEREIN BASED ON RFDS ID# CTV5331, VERSION 3.00, LAST UPDATED 12/06/17 FOR LTE 3C/4TXXK RETROFIT SCOPE OF WORK.

THIS PROJECT WILL BE COMPRISED OF:

- (3) EXISTING PANEL ANTENNAS TO BE RELOCATED, (1) PER SECTOR
- (3) NEW PANEL ANTENNAS TO BE INSTALLED, (1) PER SECTOR
- (1) NEW DC12 BOX
- (1) NEW DC6 SURGE SUPPRESSION DOME
- (2) NEW DC CABLES
- DECOMMISSION EXISTING RXAIT
- (3) EXISTING RRUS-12 TO BE REMOVED, (1) PER SECTOR
- (6) EXISTING TMA'S TO BE RELOCATED, (2) PER SECTOR
- (6) NEW RRH'S TO BE INSTALLED, (2) PER SECTOR

2/0071279 Tolland Central RFA02.dwg(1) By: AC00A

GENERAL NOTES:

1. THE SUBCONTRACTOR SHALL REVIEW AND INSPECT THE EXISTING FACILITY GROUNDING SYSTEM (AS DESIGNED AND INSTALLED) FOR STRICT COMPLIANCE WITH THE NEC (AS ADOPTED BY THE AHJ), THE SITE-SPECIFIC (UL, LPI, OR NFPA) LIGHTING PROTECTION CODE, AND GENERAL COMPLIANCE WITH TELCORDIA AND TIA GROUNDING STANDARDS. THE SUBCONTRACTOR SHALL REPORT ANY VIOLATIONS OR ADVERSE FINDINGS TO THE CONTRACTOR FOR RESOLUTION.
2. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION, AND AC POWER GES'S) SHALL BE BONDED TOGETHER, AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
3. THE SUBCONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81) FOR GROUND ELECTRODE SYSTEMS. THE SUBCONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 50 HNS OR LESS.
4. THE SUBCONTRACTOR IS RESPONSIBLE FOR PROPERLY SEQUENCING GROUNDING AND UNDERGROUND CONDUIT INSTALLATION AS TO PREVENT ANY LOSS OF CONTINUITY IN THE GROUNDING SYSTEM OR DAMAGE TO THE CONDUIT.
5. METAL CONDUIT AND TRAY SHALL BE GROUNDED AND MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 AWG COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
6. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
7. EACH BTS CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE EQUIPMENT GROUND RING WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, 6 AWG STRANDED COPPER OR LARGER FOR INDOOR BTS; 2 AWG STRANDED COPPER FOR OUTDOOR BTS.
8. CONNECTIONS TO THE GROUND BUS SHALL NOT BE DOUBLED UP OR STACKED. BACK TO BACK CONNECTIONS ON OPPOSITE SIDES OF THE GROUND BUS ARE PERMITTED.
9. ALL EXTERIOR GROUND CONDUCTORS BETWEEN EQUIPMENT/GROUND BARS AND THE GROUND RING, SHALL BE #2 AWG SOLID TINNED COPPER UNLESS OTHERWISE INDICATED.
10. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
11. USE OF 90° BENDS IN THE PROTECTION GROUNDING CONDUCTORS SHALL BE AVOIDED WHEN 45° BENDS CAN BE ADEQUATELY SUPPORTED. ALL BENDS SHALL BE MADE WITH 12" RADIUS OR LARGER.
12. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.
13. ALL GROUND CONNECTIONS ABOVE GRADE (INTERIOR) SHALL BE FORMED USING HIGH PRESS CRIMPS EXCEPT FOR GROUND BAR CONNECTION FROM MGB TO OUTSIDE EXTERIOR GROUND SHALL ALL BE CADWELD CONNECTIONS.
14. COMPRESSION GROUND CONNECTIONS MAY BE REPLACED BY EXOTHERMIC WELD CONNECTIONS.
15. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED TO THE TOWER GROUND BAR.
16. APPROVED ANTIOXIDANT COATINGS (I.E. CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
17. ALL EXTERIOR AND INTERIOR GROUND CONNECTIONS SHALL BE COATED WITH A CORROSION RESISTANT MATERIAL.
18. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
19. BOND ALL METALLIC OBJECTS WITHIN 6 FT OF MAIN GROUND WIRES WITH 1-#2 AWG TIN-PLATED COPPER GROUND CONDUCTOR.
20. GROUND CONDUCTORS USED IN THE FACILITY GROUND AND LIGHTNING PROTECTION SYSTEMS SHALL NOT BE ROUTED THROUGH METALLIC OBJECTS THAT FORM A RING AROUND THE CONDUCTOR, SUCH AS METALLIC CONDUITS, METAL SUPPORT CLIPS OR SLEEVES THROUGH WALLS OR FLOORS. WHEN IT IS REQUIRED TO BE HOUSED IN CONDUIT TO MEET CODE REQUIREMENTS OR LOCAL CONDITIONS, NON-METALLIC MATERIAL SUCH AS PVC PLASTIC CONDUIT SHALL BE USED. WHERE USE OF METAL CONDUIT IS UNAVOIDABLE (E.G. NON-METALLIC CONDUIT PROHIBITED BY LOCAL CODE) THE GROUND CONDUCTOR SHALL BE BONDED TO EACH END OF THE METAL CONDUIT.
21. ALL NEW STRUCTURES WITH A FOUNDATION AND/OR FOOTING HAVING 20 FT. OR MORE OF 1/4" IN. OR GREATER ELECTRICALLY CONDUCTIVE REINFORCING STEEL MUST HAVE IT BONDED TO THE GROUND RING USING AN EXOTHERMIC WELD CONNECTION USING #2 AWG SOLID BARE TINNED COPPER GROUND WIRE, PER NEC 250.50.
22. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:
 - CONTRACTOR - EMPIRE
 - SUBCONTRACTOR - GENERAL CONTRACTOR (CONSTRUCTION)
 - OWNER - AT&T (NEW CINGULAR WIRELESS PCS, LLC)
23. ALL SITE WORK SHALL BE COMPLETED AS INDICATED ON THE DRAWINGS AND PROJECT SPECIFICATIONS.
24. DRAWINGS PROVIDED HERE ARE NOT TO BE SCALED AND ARE INTENDED TO SHOW OUTLINE ONLY.
25. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK.
26. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
27. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.

28. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
29. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE CONTRACTOR.
30. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
31. THE SUBCONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES PRIOR TO THE START OF CONSTRUCTION.
32. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES, AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY THE RESPONSIBLE ENGINEER. EXTREME CAUTION SHOULD BE USED BY THE SUBCONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. SUBCONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS WILL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION B) CONFINED SPACE C) ELECTRICAL SAFETY D) TRENCHING & EXCAVATION.
33. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED AND/OR CAPPED, PLUGGED OR OTHERWISE DISCONTINUED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, AS DIRECTED BY THE RESPONSIBLE ENGINEER, AND SUBJECT TO THE APPROVAL OF THE OWNER AND/OR LOCAL UTILITIES.
34. THE AREAS OF THE OWNER'S PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR DRIVEWAY SHALL BE GRADED TO A UNIFORM SLOPE AND STABILIZED TO PREVENT EROSION.
35. SUBCONTRACTOR SHALL MINIMIZE DISTURBANCE TO EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR EROSION AND SEDIMENT CONTROL.
36. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUND. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.
37. THE SUBGRADE SHALL BE COMPACTED AND BROUGHT TO A SMOOTH UNIFORM GRADE PRIOR TO FINISHED SURFACE APPLICATION.
38. THE SITE SHALL BE GRADED TO CAUSE SURFACE WATER TO FLOW AWAY FROM THE BTS EQUIPMENT AND TOWER AREAS.
39. IF NECESSARY, RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF LEGALLY.
40. THE SUBCONTRACTOR SHALL PROVIDE SITE SIGNAGE IN ACCORDANCE WITH THE TECHNICAL SPECIFICATION FOR SITE SIGNAGE.
41. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION.
42. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTOR.
43. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES, GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWING. SUBCONTRACTOR SHALL UTILIZE EXISTING TRAYS AND/OR SHALL ADD NEW TRAYS AS NECESSARY. SUBCONTRACTOR SHALL CONFIRM THE ACTUAL ROUTING WITH THE CONTRACTOR.
44. ALL CONCRETE REPAIR WORK SHALL BE DONE IN ACCORDANCE WITH AMERICAN CONCRETE INSTITUTE (ACI) 301.
45. ANY NEW CONCRETE NEEDED FOR THE CONSTRUCTION SHALL BE AIR-ENTRAINED AND SHALL HAVE 4000 PSI STRENGTH AT 28 DAYS.
46. ALL STRUCTURAL STEEL WORK SHALL BE DETAILED, FABRICATED AND ERECTED IN ACCORDANCE WITH AISC SPECIFICATIONS. ALL STRUCTURAL STEEL SHALL BE ASTM A36 (Fy = 36 ksi) UNLESS OTHERWISE NOTED. PIPES SHALL BE ASTM A53 TYPE E (Fy = 36 ksi). ALL STEEL EXPOSED TO WEATHER SHALL BE HOT DIPPED GALVANIZED. TOUCHUP ALL SCRATCHES AND OTHER MARKS IN THE FIELD AFTER STEEL IS ERECTED USING A COMPATIBLE ZINC RICH PAINT.
47. CONSTRUCTION SHALL COMPLY WITH SPECIFICATIONS AND "GENERAL CONSTRUCTION SERVICES FOR CONSTRUCTION OF AT&T MOBILITY SITES."
48. SUBCONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS MUST BE VERIFIED. SUBCONTRACTOR SHALL NOTIFY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
49. THE EXISTING CELL SITE IS IN FULL COMMERCIAL OPERATION, ANY CONSTRUCTION WORK BY SUBCONTRACTOR SHALL NOT DISRUPT THE EXISTING NORMAL OPERATION. ANY WORK ON EXISTING EQUIPMENT MUST BE COORDINATED WITH CONTRACTOR. ALSO, WORK SHOULD BE SCHEDULED FOR AN APPROPRIATE MAINTENANCE WINDOW USUALLY IN LOW TRAFFIC PERIODS AFTER MIDNIGHT.
50. SINCE THE CELL SITE IS ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION. EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE ADVISED TO BE WORN ALERT OF DANGEROUS EXPOSURE LEVELS.



MASER CONSULTING CONNECTICUT

Customer Loyalty through Client Satisfaction
www.maserconsulting.com
Engineers ■ Planners ■ Surveyors
Landscape Architects ■ Environmental Scientists


Copyright © 2018 Maser Consulting Connecticut All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, re-used, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.



NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE ROAD
FRAMINGHAM, MA 01701




16 ESQUIRE ROAD
BILLERICA, MA 01862



PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
Know what's below.
Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

SCALE:	JOB NUMBER:
AS SHOWN	17963024A

REV	DATE	BY	CHECKED BY	DESCRIPTION
0	02/28/18			FOR CONSTRUCTION
2	02/20/18			REVISED PER COMMENTS
1	1/24/18			ISSUED FOR REVIEW



PETROS E. SUDUKARAS
CONNECTICUT PROFESSIONAL ENGINEER - LICENSE NUMBER: PEN 32577
32577

IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THE PERSON IS REGISTERED UNDER THE CHARTER OF THE LIGHTING ENGINEERS AND ILLUMINATION ENGINEERS, TO REPRODUCE OR ALTER THIS DOCUMENT.



SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY



RED BANK OFFICE
331 Newman Springs Road
Suite 203
Red Bank, NJ 07701-5699
Phone: 732.383.1950
Fax: 732.383.1984

SHEET TITLE:
GENERAL NOTES

SHEET NUMBER:
GN-I



COMPOUND PLAN
 GRAPHIC SCALE
 6 0 3 6 12
 (IN FEET)
 SCALE: 1" = 6' FOR 24"X36" DRAWINGS
 (DO NOT SCALE 11"X17" DRAWINGS)

MASER CONSULTING CONNECTICUT
 Customer Loyalty through Client Satisfaction
 www.maserconsulting.com
 Engineers ■ Planners ■ Surveyors
 Landscape Architects ■ Environmental Scientists

Copyright © 2018 Maser Consulting Connecticut. All Rights Reserved. This drawing and all the information contained herein is submitted for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.

NEW CINGULAR WIRELESS PCS, LLC
 550 COCHITUATE ROAD
 FRAMINGHAM, MA 01701

16 ESQUIRE ROAD
 BILLERICA, MA 01862

PROTECT YOURSELF
 ALL STATES REQUIRE NOTIFICATION OF
 EXCAVATORS, DESIGNERS, OR ANY PERSON
 PREPARING TO DISTURB THE EARTH'S
 SURFACE ANYWHERE IN ANY STATE
 Know what's below.
 Call before you dig.
 FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT:
 WWW.CALL811.COM

SCALE:	AS SHOWN	JOB NUMBER:	17963024A
REV	DATE	ISSUED FOR REVIEW	1/24/18
2	02/20/18	REVISED PER COMMENTS	
0	02/28/18	FOR CONSTRUCTION	
		DRAWN BY	AF
		CHECKED BY	RA

PETROS E. SOUKURLAS
 CONNECTICUT PROFESSIONAL
 ENGINEER - LICENSE NUMBER: PEN 32577

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THE PERSON IS REGISTERED UNDER THE DISCIPLINE OF THE REGISTERED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.



SITE NAME:
 TOLLAND CENTRAL
 FA10071279
 CTL005331
 130 BALD HILL ROAD
 TOLLAND, CT 06084
 TOLLAND COUNTY

RED BANK OFFICE
 331 Newman Springs Road
 Suite 203
 Red Bank, NJ 07701-5699
 Phone: 732.383.1950
 Fax: 732.383.1984


SHEET TITLE:
COMPOUND PLAN

SHEET NUMBER:
A-1

2/00071279 Tolland Central #Plan 2.dwg/A-1 By: ACOA



EQUIPMENT PLAN



(IN FEET)
SCALE: 1" = 1' FOR 24"X36" DRAWINGS
(DO NOT SCALE 11"X17" DRAWINGS)

MASER CONSULTING CONNECTICUT
Customer Loyalty through Client Satisfaction
www.maserc.com
Engineers ■ Planners ■ Surveyors
Landscape Architects ■ Environmental Scientists

Copyright © 2018 Maser Consulting Connecticut. All Rights Reserved. This drawing and all the information contained herein is submitted for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.

at&t
NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE ROAD
FRAMINGHAM, MA 01701

EMPIRE telecom
16 ESQUIRE ROAD
BILLERICA, MA 01862

811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
Know what's below. Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

SCALE:	AS SHOWN	JOB NUMBER:	17963024A
--------	----------	-------------	-----------

REV	DATE	DESCRIPTION	BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC	PET
2	02/20/18	REVISED PER COMMENTS	AJC	RA
1	1/24/18	ISSUED FOR REVIEW	AF	RA

STATE OF CONNECTICUT
PETROS E. SODUKIRLAS
CONNECTICUT PROFESSIONAL ENGINEER - LICENSE NUMBER: PEN 32577
32577

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY

MASER CONSULTING
RED BANK OFFICE
331 Newman Springs Road
Suite 203
Red Bank, NJ 07701-5699
Phone: 732.383.1950
Fax: 732.383.1984

SHEET TITLE:
EQUIPMENT PLAN


SHEET NUMBER:
A-2

2/00071279 Tolland Central Floor 2.dwg/02 By: ACOA

Top of Existing Self Support Tower
@ 180'-0"± AGL


PROPOSED ANTENNA AND RRUS CONFIGURATION																
SECTOR	EXISTING ANTENNA CONFIGURATION	PROPOSED ANTENNA CONFIGURATION	TECHNOLOGY	ANTENNA STATUS	HEIGHT (in)	WIDTH (in)	DEPTH (in)	WEIGHT (lbs)	ANTENNA AZIMUTH	ANT. CL. ELEV. (ft)	RRU/TMA/DIPLER CONFIGURATION	STATUS	FEEDER COUNT	FEEDER TYPE	FEEDER STATUS	
ALPHA	A1	Kathrein 80010121	Kathrein 80010121	UMTS/GSM	REMAIN	54.50	10.30	5.90	46.30	30°	90.0'	(2) 782-10250 Diplexer (2) Powerave LGP 21401 TMA	-	2	7/8" Coax	REMAN
	A2	-	KMW AM-X-CD-16-65-OOT-RET	LTE	RELOCATED	55.00	11.00	5.00	35.00	30°	90.0'	RRUS-11	REMAN			
	A3	KMW AM-X-CD-16-65-OOT-RET	QS66512-2	LTE	NEW	72.00	12.00	9.60	111.00	30°	90.0'	RRUS-32 B2 RRUS-32	NEW NEW	-	-	-
BETA	B1	Kathrein 80010121	Kathrein 80010121	UMTS/GSM	REMAIN	54.50	10.30	5.90	46.30	140°	90.0'	(2) 782-10250 Diplexer (2) Powerave LGP 21401 TMA	-	2	7/8" Coax	REMAN
	B2	-	Powerave P65-17-XLH-RR	LTE	RELOCATED	96.00	12.00	6.00	70.00	140°	90.0'	RRUS-11	REMAN	1 2	FIBER DC	REMAN REMAN
	B3	Powerave P65-17-XLH-RR	TPA-65R-LCUUUU-H8	LTE	NEW	96.00	14.40	8.60	75.00	140°	90.0'	RRUS-32 B2 RRUS-32	NEW NEW			
GAMMA	C1	Kathrein 80010121	Kathrein 80010121	UMTS/GSM	REMAIN	54.50	10.30	5.90	46.30	250°	90.0'	(2) 782-10250 Diplexer (2) Powerave LGP 21401 TMA	-	2	7/8" Coax	REMAN
	C2	-	KMW AM-X-CD-16-65-OOT-RET	LTE	RELOCATED	55.00	11.00	5.00	35.00	260°	90.0'	RRUS-11	REMAN	1 2	FIBER DC	NEW
	C3	KMW AM-X-CD-16-65-OOT-RET	QS66512-2	LTE	NEW	72.00	12.00	9.60	111.00	260°	90.0'	RRUS-32 B2 RRUS-32	NEW NEW			

ANTENNA SCHEDULE



STRUCTURAL NOTES:

- NO CONSTRUCTION OF THE PROPOSED LOADING SHOWN SHALL PROCEED UNTIL ADEQUACY OF THE EXISTING STRUCTURE AND FOUNDATION, INCLUDING THE PROPOSED AT&T ANTENNA MOUNTING CONFIGURATION SHOWN HEREIN, HAS BEEN COMPLETED.
- THE STRUCTURE ELEVATION IS SHOWN FOR INFORMATIONAL PURPOSES ONLY AND MAY NOT REFLECT AS-BUILT FIELD CONDITIONS FOR ALL EXISTING INVENTORY LOADING/ANTENNAS/APPURTANANCES ON STRUCTURE. REFER TO THE LATEST STRUCTURAL ANALYSIS FOR EXISTING STRUCTURE LOADING AND THE PROPOSED METHOD OF ATTACHMENT OF THE PROPOSED ANTENNAS/CABLES.
- THE CONTRACTOR IS RESPONSIBLE TO CONFIRM THAT ANY IMPROVEMENTS AND REINFORCEMENTS REQUIRED BY THE STRUCTURAL ANALYSIS CERTIFICATION ARE PROPERLY INSTALLED PRIOR TO THE ADDITION OF ANTENNAS, CABLES, SUPPORTS AND APPURTANANCES PROPOSED ON THESE DRAWINGS OR OTHERWISE NOTED IN THE STRUCTURAL ANALYSIS.



Copyright © 2018 Maser Consulting Connecticut. All Rights Reserved. This drawing and all the information contained herein is submitted for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, re-used, distributed, disseminated or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.




SCALE:	AS SHOWN	JOB NUMBER:	17963024A
REV	DATE	BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC PET
2	02/20/18	REVISED PER COMMENTS	AJC RA
1	1/24/18	ISSUED FOR REVIEW	AF RA






IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THE PERSON IS REGISTERED UNDER THE JURISDICTION OF THE PROFESSIONAL ENGINEERING BOARD, TO ALTER THIS DOCUMENT.

SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY




SHEET TITLE:
ELEVATION VIEW, ANTENNA SCHEDULE AND DETAILS
SHEET NUMBER:
A-2

3 FEET MINIMUM SEPARATION BETWEEN LTE ANTENNAS
6 FEET MINIMUM SEPARATION BETWEEN 700BC & 700 DE



EXISTING - ANTENNA LAYOUT
NOT TO SCALE



PROPOSED - ANTENNA LAYOUT
NOT TO SCALE

NOTES:

1. ANTENNA ORIENTATION IS BASED ON TRUE NORTH BEARING, CONTRACTOR SHALL VERIFY TRUE NORTH PRIOR TO CONSTRUCTION.
2. CONTRACTOR TO REFER TO FINAL RF CONFIGURATIONS SHEET FOR ANTENNA AZIMUTHS PRIOR TO CONSTRUCTION.
3. MINIMUM 4' O.C. HORIZONTAL SEPARATION BETWEEN ANTENNAS.




Copyright © 2018 Maser Consulting Connecticut All Rights Reserved. This drawing and all the information contained herein is submitted for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting Connecticut.



SCALE:	JOB NUMBER:
AS SHOWN	17963024A

REV	DATE	DESCRIPTION	BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC	PET
2	02/20/18	REVISED PER COMMENTS	AJC	RA
1	1/24/18	ISSUED FOR REVIEW	AF	RA



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THE PERSON IS ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.


SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY



SHEET TITLE:
ANTENNA LAYOUTS



SHEET NUMBER:
A-4

2/10/18/1279 Tolland Central Floor 2.dwg/4-4 By: ACDA





RRUS-32 DIMENSIONS (H X W X D): 27.2" X 12.1" X 7.0" (INCLUDES SUNSHIELD)
WEIGHT: 53 LBS

RRUS-32 DETAIL
NOT TO SCALE




RRUS-32 B2 DIMENSIONS (H X W X D): 27.2" X 12.1" X 7.0" (INCLUDES SUNSHIELD)
WEIGHT: 53 LBS

RRUS-32 B2 DETAIL
NOT TO SCALE




FRONT VIEW RIGHT SIDE VIEW



BOTTOM VIEW

**DC12-48-60-25E OVERVOLTAGE PROTECTION & POWER
MANAGEMENT JUNCTION BOX**
NOT TO SCALE



- NOTES:**
- SUBCONTRACTOR SHALL SUPPLY AND INSTALL UNISTRUT (OR EQUIVALENT) MOUNTING CHANNELS.
 - SUBCONTRACTOR SHALL SUPPLY 3/8"Ø UNISTRUT BOLTING HARDWARE AND SPRING NUTS. TYPICAL FOUR PER DC12. SUBCONTRACTOR SHALL BAG THE BOLTING HARDWARE AND HANG FROM INSTALLED UNISTRUT FRAME.

DC12-48-60-25E POST MOUNT (ON GRADE)
NOT TO SCALE



NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE ROAD
FRAMINGHAM, MA 01701




16 ESQUIRE ROAD
BILLERICA, MA 01862

811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
Know what's below.
Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

SCALE:	JOB NUMBER:
AS SHOWN	17963024A

REV	DATE	DESCRIPTION	BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC	PET
2	02/20/18	REVISED PER COMMENTS	AJC	RA
1	1/24/18	ISSUED FOR REVIEW	AF	RA



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THE PERSON IS REGISTERED UNDER THE DISCIPLINE OF THE REGISTERED PROFESSION OF PROFESSIONAL ENGINEER, TO REPRODUCE OR ALTER THIS DOCUMENT.

SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY

RED BANK OFFICE
331 Newman Springs Road
Suite 203
Red Bank, NJ 07701-5699
Phone: 732.383.1950
Fax: 732.383.1984

SHEET TITLE:
DETAILS


SHEET NUMBER:
A-5



NEW CINGULAR WIRELESS PCS, LLC
550 COCHITUATE ROAD
FRAMINGHAM, MA 01701




16 ESQUIRE ROAD
BILLERICA, MA 01862



PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF
EXCAVATORS, DESIGNERS, OR ANY PERSON
PREPARING TO DISTURB THE EARTH'S
SURFACE ANYWHERE IN ANY STATE
Know what's below.
Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT:
WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 17963024A

REV	DATE	DESCRIPTION	BY	CHECKED BY
0	02/28/18	FOR CONSTRUCTION	AJC	RET
2	02/20/18	REVISED PER COMMENTS	AJC	RA
1	1/24/18	ISSUED FOR REVIEW	AF	RA



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THE PERSON IS REGISTERED UNDER THE DISCIPLINE OF THE PROFESSION OF PROFESSIONAL ENGINEERING, TO SIGN OR SEAL ANY PROFESSIONAL ENGINEERING DOCUMENT AFTER THE DOCUMENT IS COMPLETED.

SITE NAME:
TOLLAND CENTRAL
FA10071279
CTL005331
130 BALD HILL ROAD
TOLLAND, CT 06084
TOLLAND COUNTY

RED BANK OFFICE
331 Newman Springs Road
Suite 203
Red Bank, NJ 07701-5699
Phone: 732.383.1950
Fax: 732.383.1984


SHEET TITLE:
RF PLUMBING DIAGRAMS

SHEET NUMBER:
A-6

Diagram - Sector A Diagram File Name - CT5331_ABC_REV1.vsd
Ant Site Name - CT5331 Location Name - TOLLAND CENTRAL Market - CONNECTICUT Market Cluster - NEW ENGLAND
Comments - Important Note: For detailed radio to antenna wiring refer to the latest 4T4R Antenna radio Port connections Field Notice (RF-HW-2016-265)

Diagram - Sector B Diagram File Name - CT5331_ABC_REV1.vsd
Ant Site Name - CT5331 Location Name - TOLLAND CENTRAL Market - CONNECTICUT Market Cluster - NEW ENGLAND
Comments - Important Note: For detailed radio to antenna wiring refer to the latest 4T4R Antenna radio Port connections Field Notice (RF-HW-2016-265)

Diagram - Sector C Diagram File Name - CT5331_ABC_REV1.vsd
Ant Site Name - CT5331 Location Name - TOLLAND CENTRAL Market - CONNECTICUT Market Cluster - NEW ENGLAND
Comments - Important Note: For detailed radio to antenna wiring refer to the latest 4T4R Antenna radio Port connections Field Notice (RF-HW-2016-265)



ALPHA

BETA

GAMMA

BASED ON RF ENGINEERING DESIGN ENTITLED "NEW-ENGLAND_CONNECTICUT_CTV5331_2018-LTE-Next-Carrier_LTE_ak975u_2051A0DAYR_10071279_25953_05-30-2017_Final-RF-Approval_v3.00"

RF PLUMBING DIAGRAMS

Jack Andrews
Zoning Manager, Empire Telecom o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144

June 1, 2018

Tyler Millix, Executive Director
The Tolland County Mutual Aid Fire Service, Inc.
P.O. BOX 6 / 56 Tolland Green
Tolland, CT 06084

RE: AT&T Wireless Modifications to Telecommunication Facility –
130 Bald Hill Road, Tolland, CT 06084

Dear Mr. Millix:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless (“AT&T”) will be changing its equipment configuration at the above referenced telecommunications facility. AT&T Wireless currently maintains six (6) antennas at the 90 foot level of an existing 180 foot tall lattice tower located at 130 Bald Hill Road, in Tolland, CT. The tower is owned by Tolland County Mutual Aid. The property is likewise owned by Tolland County Mutual Aid.

AT&T Wireless now seeks to relocate 3 existing antennas, install 3 additional antennas, install a new DC-12 box, add a new surge suppression dome, remove 3 existing RRU-12 units, relocate 6 existing TMAs, install 6 new RRUs, install 2 new DC cables at the 90-foot level of the tower.

This letter is intended to serve as the required notice to the Tower owner and the property owner. As required by the Regulations of Connecticut State Agencies (“RCSA”) section 16-50j-73, the Connecticut Siting Council (“CSC”) has been notified of the proposed changes and will review

AT&T's proposal. Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and enclosures to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,



Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144
jandrews@empiretelecomm.com

Enclosures

cc: Melanie Bachman, Connecticut Siting Council

Jack Andrews
Zoning Manager, Empire Telecom o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144

June 1, 2018

Steven R. Werbner
Town Manager, Town of Tolland
21 Tolland Green, 5th Level
Tolland, CT 06084

RE: AT&T Wireless Modifications to Telecommunication Facility –
130 Bald Hill Road, Tolland, CT 06084

Dear Mr. Werbner:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be changing its equipment configuration at the above referenced telecommunications facility. AT&T Wireless currently maintains six (6) antennas at the 90 foot level of an existing 180 foot tall lattice tower located at 130 Bald Hill Road, in Tolland, CT. The tower is owned by Tolland County Mutual Aid. The property is likewise owned by Tolland County Mutual Aid.


AT&T Wireless now seeks to relocate 3 existing antennas, install 3 additional antennas, install a new DC-12 box, add a new surge suppression dome, remove 3 existing RRU-12 units, relocate 6 existing TMAs, install 6 new RRUs, install 2 new DC cables at the 90-foot level of the tower.

This letter is intended to serve as the required notice to the municipality. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of the proposed changes and will review AT&T's proposal.

Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and enclosures to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,



Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144
jandrews@empiretelecomm.com

Enclosures

cc: Melanie Bachman, Connecticut Siting Council

Jack Andrews
Zoning Manager, Empire Telecom o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144

June 1, 2018

Heidi Samokar
Director of Planning & Community Development
Town of Tolland
21 Tolland Green, 5th Level
Tolland, CT 06084

RE: AT&T Wireless Modifications to Telecommunication Facility –
130 Bald Hill Road, Tolland, CT 06084

Dear Ms. Samokar:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be changing its equipment configuration at the above referenced telecommunications facility. AT&T Wireless currently maintains six (6) antennas at the 90 foot level of an existing 180 foot tall lattice tower located at 130 Bald Hill Road, in Tolland, CT. The tower is owned by Tolland County Mutual Aid. The property is likewise owned by Tolland County Mutual Aid.

AT&T Wireless now seeks to relocate 3 existing antennas, install 3 additional antennas, install a new DC-12 box, add a new surge suppression dome, remove 3 existing RRU-12 units, relocate 6 existing TMAs, install 6 new RRUs, install 2 new DC cables at the 90-foot level of the tower.

This letter is intended to serve as the required notice to the Town of Tolland Planning Office. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of the proposed changes and will review

AT&T's proposal. Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and enclosures to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,




Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144
jandrews@empiretelecomm.com

Enclosures

cc: Melanie Bachman, Connecticut Siting Council

130 BALD HILL ROAD, TOLLAND, CT 06084



Property Information


Property ID 14/B/048
Location 130 BALD HILL ROAD
Owner TOLLAND COUNTY MUTUAL AID ASSOC



**MAP FOR REFERENCE ONLY
NOT A LEGAL DOCUMENT**

Town of Tolland, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Properties updated 06/01/2018



https://tools.usps.com/go/TrackConfirmAction?tlLabels=9505510391968155264585

USPS.com - USPS Trackin...

File Edit View Favorites Tools Help

Google usps tracking Search Share More >>

Google Maps (2) U.S. News & World Report... Google The New York Times - Bre... USA TODAY Latest World ... CNN - Breaking News, Lat... Washington Post National... Play Mahjongg Dimensio...

USPS Tracking®

Tracking / FAQs

Track Another Package +

Tracking Number: 9505510391968155264585

Remove X

On Time

Expected Delivery on

WEDNESDAY

6 JUNE 2018 ⓘ

by 8:00pm ⓘ

Status

✓ Delivered


June 6, 2018 at 11:01 am
Delivered, Left with Individual
TOLLAND, CT 06084

Get Updates ▼



Delivered

Text & Email Updates



ALERT: AS OF APRIL 30, USPS.COM NO LONGER SUPPORTS OUTDATED BROWSERS. TO CONTINUE ACCESS, YOU MAY NEED TO UPGRADE YOUR BROWSER. [READ MORE](#).

USPS Tracking[®]

Tracking

[FAQs](#)

[Track Another Package +](#)

Tracking Number: 9505510391968155264592

[Remove X](#)

On Time

Expected Delivery on

WEDNESDAY

6 JUNE 2018

by **8:00pm**

Status

Delivered

June 6, 2018 at 11:01 am
Delivered, Left with Individual
TOLLAND, CT 06084

[Get Updates](#)

Track Another Package +

Tracking Number: 9505510391968155264608 Remove X

On Time

Expected Delivery on

WEDNESDAY

6 JUNE 2018 ⓘ

by **8:00pm** ⓘ

Status

 **Delivered**

June 6, 2018 at 9:24 am
Delivered, PO Box
TOLLAND, CT 06084

Get Updates ▼



Delivered

Text & Email Updates ▼