


Exhibit 2

Part 7



79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

**Bureau of Water Protection and Land Reuse
Remediation Division**

Richard and Carla Wilde
24 Gordon Street
Simsbury, CT 06070

June 11, 2013

RE: Drinking Water Sampling
24 Gordon Street, Simsbury

Dear Mr. Wilde and Mrs. Wilde:

By way of this letter, the Remediation Division of the Bureau of Water Protection and Land Reuse of the Department of Energy and Environmental Protection (DEEP) is contacting you directly to recommend that you make arrangements with our field technician, Ted Brightwell, to grant access to sample the drinking water supply well at the above referenced address for the chemical compounds, Ethylene Dibromide (EDB) and 1, 2, 3- Trichloropropane (TCP). As you are probably aware, both of those chemical compounds were used as pesticides on tobacco fields in your area and were subsequently found to have polluted ground water from which your domestic supply is derived.

Please make arrangements for our field technician, Ted Brightwell, who can be reached at (860) 424-3293 or at Theodore.brightwell@ct.gov to collect and submit the water samples for analyses by the State Department of Public Health's laboratory in order to make sure the your drinking water supply is safe for drinking in terms of the above mentioned chemical compounds. There is no fee associated with the well water analyses.


You may also contact the Connecticut DPH Division of Environmental Epidemiology & Occupational Health at (860) 509-7742 for additional information about the toxicity of specific chemical(s) found in drinking water.

If you choose not to grant access to DEEP staff to collect raw water samples or have any questions regarding this letter, please contact me at (860) 424-3796 or at maryanne.danyluk@ct.gov on or within 15 days of the date of this letter.

Sincerely,

A handwritten signature in black ink that reads "MaryAnne Danyluk".

MaryAnne Danyluk
Environmental Analyst
Remediation Division
DEEP/Bureau of Water Protection and Land Reuse



79 Elm Street, • Hartford, CT 06106-5127

www.ct.gov/deep

Affirmative Action/Equal Opportunity Employer

**Bureau of Water Protection and Land Reuse
Remediation Division**

Richard and Carla Wilde
24 Gordon Street
Simsbury, CT 06070

June 20, 2013

RE: Drinking Water Sample Results
24 Gordon Street, Simsbury

Dear Mr. and Mrs. Wilde:

Please find enclosed a copy of the analytical results for the drinking water samples collected from the above-referenced property. The samples were collected from the kitchen faucet by a Department of Energy and Environmental Protection (DEEP) representative on May 15th, 2013 and were analyzed for the presence of 1,2-Dibromoethane (EDB), 1,2,3-Trichloropropane (TCP), and 1,2-Dibromo-3-Chloropropane (DBCP) at the Department of Public Health (DPH) Laboratory using EPA test method 504.1 for agricultural pesticides.

In the water samples that were collected, the following compounds were detected at the levels indicated below:


COMPOUND	RAW WATER CONCENTRATION MICROGRAMS PER LITER (μ g / L)	DRINKING WATER ACTION LEVEL (μ g / L)
1,2-Dibromoethane (EDB)	<0.019	0.05
1,2,3-Trichloropropane (TCP)	<0.039	0.05
1,2-Dibromo-3-Chloropropane (DBCP)	<0.019	None established

A Drinking Water Action Level (DWAL) is the concentration of a substance at or above which the Commissioner of the Connecticut DPH has determined there could be a risk to the health of persons consuming the water. A reported concentration of "ND" indicates that the compound was not detected in the sample. A concentration with a "<" (less than) designation signifies that there may be a trace amount of this compound in your well that is below the laboratory detection limit.

The reported concentrations of EDB and TCP do not exceed the DWALs in the raw water. Based on these results, your drinking water supply is potable with respect to those constituents tested. The results are attached.

If you have any further questions regarding these results, you may contact me at (860) 424-3796. You may also contact the Connecticut DPH Division of Environmental Epidemiology & Occupational Health at (860) 509-7742 for additional information about the toxicity of specific chemicals found in drinking water.

Sincerely,



MaryAnne Danyluk
Environmental Analyst 2
Remediation Division
DEEP/Bureau of Water Protection and Land Reuse

Enclosure



STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

Dr. Katherine A. Kelley State Public Health Laboratory
395 West Street, Rocky Hill, CT 06067

Phone: (860) 920-6500

Fax: (860) 920-6718



ANALYTICAL RESULTS

Workorder 308504 24 GORDON ST 051513 O

Location:

Lab ID: 308504001

Date Received: 5/15/2013 2:49:00 PM Matrix: Drinking Water

Sample 24 KITCHEN

Date Collected: 5/15/2013 1:30:00 PM Description:

Parameters	Results	Units	Report Limit	DF	Prepared By	Analyzed By	By
-- EPA 504.1 in Water --							
Preparation Method: EPA 504.1							
Analytical Method: EPA 504.1							
1,2-Dibromoethane	<0.019	ug/L	0.019	1	5/23/2013 JC	5/23/2013 JC	
1,2,3-Trichloropropane	<0.039	ug/L	0.039	1	5/23/2013 JC	5/23/2013 JC	
1,2-Dibromo-3-Chloropropane	<0.019	ug/L	0.019	1	5/23/2013 JC	5/23/2013 JC	

WATER PROTECTION AND LAND REUSE

JUN 14 2013

REMEDIAL DIVISION

REPORT OF ANALYSIS

Connecticut Registration No: PH-0905


EPA Certificate No. 2010CT01



STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

Dr. Katherine A. Kelley State Public Health Laboratory
395 West Street, Rocky Hill, CT 06067

Phone: (860) 920-6500
Fax: (860) 920-6718



Keeping
Connecticut
Healthy

LABORATORY TEST REPORT

Report To Remediation Division, 2nd Floor
CTDEEP
79 Elm Street
HARTFORD, CT 06106

WATER PROTECTION AND LAND REUSE
JUN 14 2013

REMEDIATION DIVISION

Attention: THEODORE BRIGHTWELL

June 3, 2013

RE: Workorder: 308504 WorkID: 24 GORDON ST 051513 O

Dear THEODORE BRIGHTWELL,

Enclosed are the analytical results for sample(s) received by the laboratory on Wednesday, May 15, 2013. The signature on this report indicates the samples were analyzed according to the laboratory's standard operating procedures and all QC measurements were in method specified compliance except as noted in the report narrative.

If you have any questions concerning this report, please contact Jack Bennett at (860)920-6500 or by email at jack.bennett@ct.gov.

W. Carraghy
6/11/13

for

Jack Bennett,
Section Chief,
Environmental Chemistry

*RECEIVED
ND*

REPORT OF ANALYSIS

Connecticut Registration No : PH-0905

EPA Certificate No. 2010CT01



STATE OF CONNECTICUT, DEPARTMENT OF PUBLIC HEALTH

Dr. Katherine A. Kelley State Public Health Laboratory
395 West Street, Rocky Hill, CT 06067Phone: (860) 920-6500
Fax: (860) 920-6718Keeping
Connecticut
Healthy

SAMPLE SUMMARY

Workorder 308504 24 GORDON ST 061513 O

Location

WATER PROTECTION AND LAND REUSE

Property RICHARD AND CARLA WILDE
Street 24 GORDON ST
Town SIMSBURY
State CT

JUN 14 2013


REMEDIAL DIVISION

Lab ID	Sample ID	Matrix	Date Collected	Date Received
308504001	24 KITCHEN	Drinking Water	5/15/2013	5/15/2013

REPORT OF ANALYSIS

Connecticut Registration No : PH-0905

EPA Certificate No. 2010CT01



Connecticut Department of

ENERGY &
ENVIRONMENTAL
PROTECTION

September 10, 2013

79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

Eva and Scott Chambers
25 Gordon Street
Simsbury, CT 06070

Re: The Water Filtration Equipment Installed at 25 Gordon Street, Simsbury

Dear Mr. and Mrs. Chambers:

As you are aware, pursuant to Connecticut General Statutes (CGS) §22a-471, the Department of Energy and Environmental Protection (DEEP) funded, with then available appropriations, the installation of the Water Filtration System (the "System") on your property, located at 25 Gordon Street in Simsbury. After the System was installed by DEEP's contractor, DEEP continued to subsidize the monitoring of your System and also incurred the costs associated with replacing the filters on your System as necessary to keep it operating properly.

At this time, DEEP can no longer continue to provide financial assistance for the upkeep and monitoring of your System.

DEEP has been monitoring and maintaining your water filtration system using funds allocated to DEEP on an annual basis. Based on the current state budget for the fiscal year beginning on July 1, 2013, no funding has been appropriated for this program. In addition, the statute authorizing DEEP to install and maintain filter systems (CGS §22a-471) was recently amended, and effective July 1, 2013, DEEP no longer has that authority. As a result, monitoring and maintenance of your water filtration system will no longer be provided by DEEP.

Given these circumstances, there are two options available to you with regard to your System:

Option #1

The first option available to you is the removal of your System by DEEP. The Agency is under no legal obligation to provide for the removal of your System; however, DEEP is willing to remove the System as a courtesy. The removal of your System would be performed by DEEP's contractor at no cost to you.

It is important that you understand that the most recent monitoring data from DEEP shows that the concentration of pollutants in your well exceed, prior to your System, what the Department of Public Health considers protective over the long-term. Therefore, if you choose to have DEEP remove the System, you should take your own measures to provide clean drinking water (for instance, install/maintain a filter, or use bottled water), as well as to monitor the water quality.

Option #2

Your second option is to keep your System. DEEP will not be responsible for any future expenses related to your System, including, but not limited to, maintaining all of the water filtration equipment, future inspections, repairs, and maintenance costs. DEEP will no longer perform maintenance of any kind. Additionally, the selection of this option shall preclude any future claim or request for the removal of your System by DEEP.

It is imperative that you inform DEEP of the option you have chosen. Please fill out the attached form and mail it back to DEEP no later than three weeks from the date of this letter. Please note that if we do not receive a response to this letter, DEEP will not be able to arrange for the removal of your System and will assume you wish to keep it. Please note, neither option shall be interpreted to waive the State of Connecticut's sovereign immunity rights.


Whether or not you choose to keep the System, please review the DPH *Well Water Fact Sheet* and the DEEP *GAC Fact Sheet* to help you understand the importance of proper testing and maintenance of your well water and water treatment system. The DPH *Well Water Fact Sheet* is useful even if you choose to have the System removed.

Based on our records, DEEP has been collecting water samples from your drinking water well on an annual basis, and analyzing those samples for volatile organic compounds using EPA test method 524.2. DEEP recommends that you continue monitoring your drinking water for these substances on a similar frequency for the purpose of determining when a filter may need to be replaced.

In addition, if you chose to keep the System, DEEP recommends that you have the filter media replaced when future monitoring data indicates that breakthrough is occurring through the filter system (for explanation on "breakthrough" refer to the attached *GAC Fact Sheet - Why Do GAC Filter Systems Need to be Monitored?*). Also, you should consider replacing the filter media every three to five years as a precaution for bacteria potentially accumulating in the filter system. There are several qualified companies located throughout Connecticut that specialize in well water treatment systems that can assist you in determining the best filter maintenance schedule for your System.


If this is a rental property, please provide a copy of this information to your tenant(s). Should you have any questions, comments or concerns in conjunction with this letter, please contact please contact MaryAnne Danyluk of my staff at 860-424-3796.

Very truly yours,


Patrick Bowe

Director, Remediation Division
Bureau of Water Protection & Land Reuse

Enclosures



79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

**Bureau of Water Protection and Land Reuse
Remediation Division**

Scott and Eva Chambers
25 Gordon Street
Simsbury, CT 06070

July 31, 2012

RE: Drinking Water Sample Results
25 Gordon Street, Simsbury, CT

Dear Mr. and Mrs. Chambers:

Please find enclosed a copy of the analytical results for the drinking water samples collected from the above-referenced property. The samples were collected from the granular-activated carbon (GAC) filtration system prior to treatment (raw water) and after treatment (after 1st GAC and after 2nd GAC). The water samples were collected by a Department of Energy and Environmental Protection (DEEP) representative on June 18th, 2012 and were analyzed for the presence of 1,2-Dibromoethane (EDB), 1,2,3-Trichloropropane (TCP), and 1,2-Dibromo-3-Chloropropane (DBCP) at the Department of Public Health (DPH) Laboratory using EPA test method 504.1 for agricultural pesticides.

In the water samples that were collected, the following compounds were detected at the levels indicated below:


COMPOUND	RAW WATER CONCENTRATION MICROGRAMS PER LITER (μ g/L)	AFTER 1 ST FILTER CONCENTRATION (μ g/L)	AFTER 2 ND FILTER CONCENTRATION (μ g/L)	DRINKING WATER ACTION LEVEL (μ g/L)
1,2-Dibromoethane (EDB)	<0.020	<0.020	<0.020	0.05
1,2,3-Trichloropropane (TCP)	0.046	<0.041	<0.040	0.05
1,2-Dibromo-3- Chloropropane (DBCP)	<0.020	<0.020	<0.020	None established

A Drinking Water Action Level (DWAL) is the concentration of a substance at or above which the Commissioner of the Connecticut DPH has determined there could be a risk to the health of persons consuming the water. A reported concentration of "ND" indicates that the compound was not detected in the sample. A concentration with a "<" (less than) designation signifies that there may be a trace amount of this compound in your well that is below the laboratory detection limit.

The reported concentration of TCP in the raw water supply does not exceed the DWAL. Based on these results, the filter system is operating properly and your treated water supply is potable with respect to those constituents tested. The results are attached.


If you have any further questions regarding these results, you may contact me at (860) 424-3796. You may also contact the Connecticut DPH Division of Environmental Epidemiology & Occupational Health at (860) 509-7742 for additional information about the toxicity of specific chemicals found in drinking water.

Sincerely,



MaryAnne Danyluk
Environmental Analyst 2
Remediation Division
DEEP/Bureau of Water Protection and Land Reuse

Enclosure



ANALYTICAL RESULTS

Workorder 213566 25 GORDON ST. 061812

Location

Lab ID: 213566001 Date Received: 6/19/2012 7:50:00 AM Matrix: Drinking Water
Sample: 25 AFTER Date Collected: 6/18/2012 12:00:00 PM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
-- EPA 504.1 in Water --							
Preparation Method: EPA 504.1							
Analytical Method: EPA 504.1							
1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA
1,2,3-Trichloropropane	<0.040	ug/L	0.040	1 6/27/2012	EM	6/27/2012	LLA
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA

Lab ID: 213566002 Date Received: 6/19/2012 7:50:00 AM Matrix: Drinking Water
Sample: 25 MIDDLE Date Collected: 6/18/2012 12:10:00 PM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
-- EPA 504.1 in Water --							
Preparation Method: EPA 504.1							
Analytical Method: EPA 504.1							
1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA
1,2,3-Trichloropropane	<0.041	ug/L	0.041	1 6/27/2012	EM	6/27/2012	LLA
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA

Lab ID: 213566003 Date Received: 6/19/2012 7:50:00 AM Matrix: Drinking Water
Sample: 25 BEFORE Date Collected: 6/18/2012 12:20:00 PM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
-- EPA 504.1 in Water --							
Preparation Method: EPA 504.1							
Analytical Method: EPA 504.1							
1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA
1,2,3-Trichloropropane	0.046	ug/L	0.040	1 6/27/2012	EM	6/27/2012	LLA
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/27/2012	EM	6/27/2012	LLA

WATER PROTECTION AND LAND REUSE

JUL 13 2012

REMEDIATION DIVISION

REPORT OF ANALYSIS

Connecticut Registration No: PH-0905

EPA Certificate No: 2010CT01



STATE OF CONNECTICUT
Department of Public Health Laboratory
10 Clinton St, Hartford, CT 06106
Phone: (860) 509-8500
Fax: (860) 509-8697



Keeping
Connecticut
Healthy

LABORATORY TEST REPORT

Report To: Remediation Division, 2nd Floor
CTDEEP
79 Elm Street
HARTFORD, CT 06106

Attention: TED BRIGHTWELL

June 28, 2012

RE: Workorder: 213566 WorkID: 25 GORDON ST 061812

Dear TED BRIGHTWELL,

Enclosed are the analytical results for sample(s) received by the laboratory on Tuesday, June 19, 2012. The signature on this report indicates the samples were analyzed according to the laboratory's standard operating procedures, except as noted in the report narrative.

If you have any questions concerning this report, please contact Jack Bennett at (860)509-8500 or by email at jack.bennett@ct.gov.

*Marvin J. Bennett
7/10/12
for*

Jack Bennett,
Section Chief,
Environmental Chemistry

WATER PROTECTION AND LAND REUSE

JUL 13 2012

REMEDIATION DIVISION


REPORT OF ANALYSIS

Connecticut Registration No : PH-0905

EPA Certificate No: 2010CT01



STATE OF CONNECTICUT
Department of Public Health Laboratory
10 Clinton St, Hartford, CT 06106
Phone: (860) 509-8500
Fax: (860) 509-8697



SAMPLE SUMMARY

Workorder 213566 25 GORDON ST 061812

Location

Property SCOTT & EVA CHAMBERS
Street 25 GORDON ST
Town SIMSBURY
State CT


Lab ID	Sample ID	Matrix	Date Collected	Date Received
213566001	25 AFTER	Drinking Water	6/18/2012	6/19/2012
213566002	25 MIDDLE	Drinking Water	6/18/2012	6/19/2012
213566003	25 BEFORE	Drinking Water	6/18/2012	6/19/2012

WATER PROTECTION AND LAND REUSE
JUL 13 2012
REMEDIATION DIVISION

REPORT OF ANALYSIS

Connecticut Registration No : PH-0905

EPA Certificate No. 2010CT01



September 10, 2013

79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

Resident
26 Gordon Street
Simsbury, CT 06070

Re: The Water Filtration Equipment Installed at 26 Gordon Street, Simsbury

Dear Resident:

As you are aware, pursuant to Connecticut General Statutes (CGS) §22a-471, the Department of Energy and Environmental Protection (DEEP) funded, with then available appropriations, the installation of the Water Filtration System (the "System") on your property, located at 26 Gordon Street in Simsbury. After the System was installed by DEEP's contractor, DEEP continued to subsidize the monitoring of your System and also incurred the costs associated with replacing the filters on your System as necessary to keep it operating properly.

At this time, DEEP can no longer continue to provide financial assistance for the upkeep and monitoring of your System.

DEEP has been monitoring and maintaining your water filtration system using funds allocated to DEEP on an annual basis. Based on the current state budget for the fiscal year beginning on July 1, 2013, no funding has been appropriated for this program. In addition, the statute authorizing DEEP to install and maintain filter systems (CGS §22a-471) was recently amended, and effective July 1, 2013, DEEP no longer has that authority. As a result, monitoring and maintenance of your water filtration system will no longer be provided by DEEP.

Given these circumstances, there are two options available to you with regard to your System:

Option #1

The first option available to you is the removal of your System by DEEP. The Agency is under no legal obligation to provide for the removal of your System; however, DEEP is willing to remove the System as a courtesy. The removal of your System would be performed by DEEP's contractor at no cost to you.

It is important that you understand that the most recent monitoring data from DEEP shows that the concentration of pollutants in your well did not exceed what the Department of Public Health considers protective over the long-term; however, past results have exceeded these levels. Therefore, if you choose to have DEEP remove the System, you should periodic sample your well water for the purpose of monitoring the water quality.

Option #2

Your second option is to keep your System. DEEP will not be responsible for any future expenses related to your System, including, but not limited to, maintaining all of the water filtration equipment, future inspections, repairs, and maintenance costs. DEEP will no longer perform maintenance of any kind. Additionally, the selection of this option shall preclude any future claim or request for the removal of your System by DEEP.

It is imperative that you inform DEEP of the option you have chosen. **Please fill out the attached form and mail it back to DEEP no later than three weeks from the date of this letter.** Please note that if we do not receive a response to this letter, DEEP will not be able to arrange for the removal of your System and will assume you wish to keep it. Please note, neither option shall be interpreted to waive the State of Connecticut's sovereign immunity rights.

Whether or not you choose to keep the System, please review the DPH *Well Water Fact Sheet* and the DEEP *GAC Fact Sheet*, to help you understand the importance of proper testing and maintenance of your well water and water treatment system. The DPH *Well Water Fact Sheet* is useful even if you choose to have the System removed.

Based on our records, DEEP has been collecting water samples from your drinking water well on an annual basis, and analyzing those samples for volatile organic compounds using EPA test method 524.2. DEEP recommends that you continue monitoring your drinking water for these substances an annual frequency for the purpose of determining when a filter may need to be replaced.


In addition, if you chose to keep the System, DEEP recommends that you have the filter media replaced when future monitoring data indicates that breakthrough is occurring through the filter system (for explanation on "breakthrough" refer to the attached *GAC Fact Sheet - Why Do GAC Filter Systems Need to be Monitored?*). Also, you should consider replacing the filter media every three to five years as a precaution for bacteria potentially accumulating in the filter system. There are several qualified companies located throughout Connecticut that specialize in well water treatment systems that can assist you in determining the best filter maintenance schedule for your System.

If this is a rental property, please provide a copy of this information to your tenant(s). Should you have any questions, comments or concerns in conjunction with this letter, please contact MaryAnne Danyluk of my staff at 860-424-3796.

Very truly yours,


Patrick Bowe
Director, Remediation Division
Bureau of Water Protection & Land Reuse

Enclosures



Connecticut Department of

ENERGY &
ENVIRONMENTAL
PROTECTION

79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

Bureau of Water Protection and Land Reuse
Remediation Division

Healy Residence
26 Gordon Street
Simsbury, CT 06070

July 3, 2012

RE: Drinking Water Sample Results
26 Gordon Street, Simsbury, CT

Dear Mr. Healy:

Please find enclosed a copy of the analytical results for the drinking water samples collected from the above-referenced property. The samples were collected from the granular-activated carbon (GAC) filtration system prior to treatment (raw water) and after treatment (after 1st GAC and after 2nd GAC). The water samples were collected by a Department of Energy and Environmental Protection (DEEP) representative June 6th, 2012 and were analyzed for the presence of 1,2-Dibromoethane (EDB), 1,2,3-Trichloropropane (TCP), and 1,2-Dibromo-3-Chloropropane (DBCP) at the Department of Public Health (DPH) Laboratory using EPA test method 504.1 for agricultural pesticides.

In the water samples that were collected, the following compounds were detected at the levels indicated below:

COMPOUND	RAW WATER CONCENTRATION MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)	AFTER 1 ST FILTER CONCENTRATION ($\mu\text{g}/\text{L}$)	AFTER 2 ND FILTER CONCENTRATION ($\mu\text{g}/\text{L}$)	DRINKING WATER ACTION LEVEL ($\mu\text{g}/\text{L}$)
1,2-Dibromoethane (EDB)	<0.020	<0.020	<0.020	0.05
1,2,3-Trichloropropane (TCP)	0.049	<0.040	<0.040	0.05
1,2-Dibromo-3-Chloropropane (DBCP)	<0.020	<0.020	<0.020	None established

Healy Residence
26 Gordon Street, Simsbury

A Drinking Water Action Level (DWAL) is the concentration of a substance at or above which the Commissioner of the Connecticut DPH has determined there could be a risk to the health of persons consuming the water. A reported concentration of "ND" indicates that the compound was not detected in the sample. A concentration with a "<" (less than) designation signifies that there may be a trace amount of this compound in your well that is below the laboratory detection limit.

The reported concentration of TCP in the raw water supply does not exceed the DWAL. Based on these results, the filter system is operating properly and your treated water supply is potable with respect to those constituents tested. The results are attached.

If you have any further questions regarding these results, you may contact me at (860) 424-3796. You may also contact the Connecticut DPH Division of Environmental Epidemiology & Occupational Health at (860) 509-7742 for additional information about the toxicity of specific chemicals found in drinking water.

Sincerely,



Mary Anne Danyluk
Environmental Analyst 2
Remediation Division
DEEP/Bureau of Water Protection and Land Reuse

Enclosure



Department of Public Health Laboratory
10 Clinton St, Hartford, CT 06106

Phone: (860) 509-8500
Fax: (860) 509-8697

DPH Keeping Connecticut Healthy

ANALYTICAL RESULTS

Workorder 210800 26 GORDON ST 060612

Location

Lab ID: 210800001 Date Received: 6/7/2012 2:30:00 PM Matrix: Drinking Water

Sample 26 AFTER Date Collected: 6/6/2012 10:00:00 AM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
------------	---------	-------	--------------	-------------	----	----------	----

-- EPA 504.1 in Water --

Preparation Method: EPA 504.1

Analytical Method: EPA 504.1

1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC
1,2,3-Trichloropropane	<0.040	ug/L	0.040	1 6/13/2012	EM	6/13/2012	JC
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC

Lab ID: 210800002 Date Received: 6/7/2012 2:30:00 PM Matrix: Drinking Water

Sample 26 MIDDLE Date Collected: 6/6/2012 10:10:00 AM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
------------	---------	-------	--------------	-------------	----	----------	----

-- EPA 504.1 in Water --

Preparation Method: EPA 504.1

Analytical Method: EPA 504.1

1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC
1,2,3-Trichloropropane	<0.040	ug/L	0.040	1 6/13/2012	EM	6/13/2012	JC
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC

Lab ID: 210800003 Date Received: 6/7/2012 2:30:00 PM Matrix: Drinking Water

Sample 26 BEFORE Date Collected: 6/6/2012 10:20:00 AM Description:

Parameters	Results	Units	Report Limit	DF Prepared	By	Analyzed	By
------------	---------	-------	--------------	-------------	----	----------	----

-- EPA 504.1 in Water --

Preparation Method: EPA 504.1

Analytical Method: EPA 504.1

1,2-Dibromoethane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC
1,2,3-Trichloropropane	0.049	ug/L	0.040	1 6/13/2012	EM	6/13/2012	JC
1,2-Dibromo-3-Chloropropane	<0.020	ug/L	0.020	1 6/13/2012	EM	6/13/2012	JC

REPORT OF ANALYSIS

Connecticut Registration No : PH-0905

EPA Certificate No. 2010CT01



STATE OF CONNECTICUT
Department of Public Health Laboratory
10 Clinton St, Hartford, CT 06106
Phone: (860) 509-8500
Fax: (860) 509-8697



LABORATORY TEST REPORT

Report To: Remediation Division, 2nd Floor
CTDEEP
79 Elm Street
HARTFORD, CT 06106

WATER PROTECTION AND LAND REUSE

JUN 29 2012

REMEDIAL DIVISION

Attention: TED BRIGHTWELL

June 14, 2012

RE: Workorder: 210800 WorkID: 26 GORDON ST 060612

Dear TED BRIGHTWELL,

Enclosed are the analytical results for sample(s) received by the laboratory on Thursday, June 07, 2012. The signature on this report indicates the samples were analyzed according to the laboratory's standard operating procedures, except as noted in the report narrative.

If you have any questions concerning this report, please contact Jack Bennett at (860)509-8500 or by email at jack.bennett@ct.gov.

McAuliffe
6/24/12


for

Jack Bennett,
Section Chief,
Environmental Chemistry


REPORT OF ANALYSIS

Connecticut Registration No.: PH-0905

EPA Certificate No. 2010CT01



Department of Public Health Laboratory
10 Clinton St, Hartford, CT 06106
Phone: (860) 509-8500
Fax: (860) 509-8697



SAMPLE SUMMARY

Workorder 210800 26 GORDON ST 060612

Location


Property: TOM HEALY,
Street: 26 GORDON ST
Town: SIMSBURY
State: CT

Lab ID	Sample ID	Matrix	Date Collected	Date Received
210800001	26 AFTER	Drinking Water	6/6/2012	6/7/2012
210800002	26 MIDDLE	Drinking Water	6/6/2012	6/7/2012
210800003	26 BEFORE	Drinking Water	6/6/2012	6/7/2012

REPORT OF ANALYSIS

Connecticut Registration No. PH-0905

EPA Certificate No. 2010COT01



Connecticut Department of

ENERGY &
ENVIRONMENTAL
PROTECTION

September 10, 2013

79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep

Affirmative Action/Equal Opportunity Employer

Sue Carroll
28 Gordon Street
Simsbury, CT 06070

Re: The Water Filtration Equipment Installed at 28 Gordon Street, Simsbury

Dear Mrs. Carroll:

As you are aware, pursuant to Connecticut General Statutes (CGS) §22a-471, the Department of Energy and Environmental Protection (DEEP) funded, with then available appropriations, the installation of the Water Filtration System (the "System") on your property, located at 28 Gordon Street in Simsbury. After the System was installed by DEEP's contractor, DEEP continued to subsidize the monitoring of your System and also incurred the costs associated with replacing the filters on your System as necessary to keep it operating properly.

At this time, DEEP can no longer continue to provide financial assistance for the upkeep and monitoring of your System.

DEEP has been monitoring and maintaining your water filtration system using funds allocated to DEEP on an annual basis. Based on the current state budget for the fiscal year beginning on July 1, 2013, no funding has been appropriated for this program. In addition, the statute authorizing DEEP to install and maintain filter systems (CGS §22a-471) was recently amended, and effective July 1, 2013, DEEP no longer has that authority. As a result, monitoring and maintenance of your water filtration system will no longer be provided by DEEP.

Given these circumstances, there are two options available to you with regard to your System:

Option #1

The first option available to you is the removal of your System by DEEP. The Agency is under no legal obligation to provide for the removal of your System; however, DEEP is willing to remove the System as a courtesy. The removal of your System would be performed by DEEP's contractor at no cost to you.

It is important that you understand that the most recent monitoring data from DEEP shows that the concentration of pollutants in your well do not exceed what the Department of Public Health considers protective over the long-term; however, past results have exceeded these levels. Therefore, if you choose to have DEEP remove the System, you should periodically sample your well water for the purpose of monitoring the water quality.

Option #2

Your second option is to keep your System. DEEP will not be responsible for any future expenses related to your System, including, but not limited to, maintaining all of the water filtration equipment, future inspections, repairs, and maintenance costs. DEEP will no longer perform maintenance of any kind. Additionally, the selection of this option shall preclude any future claim or request for the removal of your System by DEEP.

It is imperative that you inform DEEP of the option you have chosen. **Please fill out the attached form and mail it back to DEEP no later than three weeks from the date of this letter.** Please note that if we do not receive a response to this letter, DEEP will not be able to arrange for the removal of your System and will assume you wish to keep it. Please note, neither option shall be interpreted to waive the State of Connecticut's sovereign immunity rights.

Whether or not you choose to keep the System, please review the DPH *Well Water Fact Sheet* and the DEEP *GAC Fact Sheet* to help you understand the importance of proper testing and maintenance of your well water and water treatment system. The DPH *Well Water Fact Sheet* is useful even if you choose to have the System removed.

Based on our records, DEEP has been collecting water samples from your drinking water well annually, and analyzing those samples for volatile organic compounds using EPA test method 524.2. DEEP recommends that you continue monitoring your drinking water for these substances annually for the purpose of determining when a filter may need to be replaced.

In addition, if you chose to keep the System, DEEP recommends that you have the filter media replaced when future monitoring data indicates that breakthrough is occurring through the filter system (for explanation on "breakthrough" refer to the attached *GAC Fact Sheet – Why Do GAC Filter Systems Need to be Monitored?*). Also, you should consider replacing the filter media every three to five years as a precaution for bacteria potentially accumulating in the filter system. There are several qualified companies located throughout Connecticut that specialize in well water treatment systems that can assist you in determining the best filter maintenance schedule for your System.

If this is a rental property, please provide a copy of this information to your tenant(s). Should you have any questions, comments or concerns in conjunction with this letter, please contact please contact MaryAnne Danyluk of my staff at 860-424-3796.

Very truly yours,




Patrick Bowe

Director, Remediation Division
Bureau of Water Protection & Land Reuse

Enclosures

Copy: Jennifer C. Kertanis, Director of Health, Farmington Valley Health District, 95 River Road, Suite C, Canton, CT 06019



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



April 23, 2010

Carroll Residence
28 Gordon Street
Simsbury, CT 06070

Dear Mr. and Mrs. Carroll:

Enclosed is a copy of the laboratory analysis for the unfiltered (raw) water sample collected from 28 Gordon Street on 3/29/2010. The water sample was analyzed for the presence of ethylene dibromide (EDB), 1,2,3-trichloropropane (TCP), and 1,2 dibromo-3-chloropropane (DBCP).

Results from the analyses are summarized in Table 1 (attached). Table 1 also includes each compound's respective action level set by the Connecticut Department of Public Health (DPH). Please note that only established action levels are included in Table 1. If an action level has not been listed it means that an action level has not been established for that particular compound and its detection does not render the water unsafe for drinking or other domestic uses.

Referring to Table 1, the water sample collected from your unfiltered water supply contained detectable concentrations of pollutants at concentrations below their respective action level. An action level is the concentration at or above which the DPH has determined there could be a risk to the health of persons consuming the water. Consequently, your unfiltered water is considered to be potable.

According to the analytical results for water samples collected from after your GAC filter system (final treated), your filtered water is potable with respect to those parameters analyzed and is suitable for drinking and other domestic uses. Copies of the analytical results for the post filter water samples are also attached for your records.

The Department will arrange to have your water supply resampled in approximately one (1) year from the date of this letter.

If you have any questions or comments please contact me at (860) 424-3796.

Sincerely,

MaryAnne Danyluk
Environmental Analyst 2
Remediation Division
Bureau of Water Protection and Land Reuse
Enclosure(s)

TABLE ONE
Raw Water Sample Results
28 Gordon Street
Simsbury, Connecticut

COMPOUND ANALYZED	CONCENTRATION DETECTED ug/l	ACTION LEVEL ug/l
1,2 dibromoethane (EDB)	ND	0.05
1,2,3-trichloropropane (TCP)	0.04	0.05
1,2 dibromo-3-chloropropane (DBCP)	ND	NAL

Notes: ug/l Microgram per liter

ND Not detected above analytical detection limits

NAL An action level has not been established by the Department of Public Health (DPH)



STATE OF CONNECTICUT

Department of Public Health Laboratory
Clinical Testing License: CL-0197
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-8500

NR: 28B	ACCESSION NO: 18024440	ACCOUNT NO: A00142	AGE: 0	PAGE: 1
INFORMATION				
128 SIMSBURY E&S CARROLL 28 GORDON ST SIMSBURY CT				
COLLECTED: 03/29/10 14:50		RECEIVED: 03/29/10 15:44	REPORTED: 04/05/10 10:11	

DEP - REMEDIATION

79 ELM ST.
HARTFORD CT 06106

REPORT	FINAL REPORT	COMMENT																	
TEST(S)	RESULT(S)																		
	<p>SAMPLING POINT: BEFORE COLLECTOR: BRIGHTWELL TITLE: INSPECTOR AIDE PRIVATE WELL TREATMENT.</p> <p>*** DATE ANALYZED 4/2/10</p> <p>EPA METHOD 504.1 MEASUREMENT OF 1,2-DIBROMOETHANE (EDB), 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) AND 1,2,3 TRICHLOROPROPANE (123TCP) IN DRINKING WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY WITH ELECTRON CAPTURE DETECTION.</p> <p>EPA 504.1 Final Result: [All values expressed in ug/L (ppb)]</p> <table border="1"> <thead> <tr> <th>Compound</th> <th>Result</th> <th>MDL</th> <th>PQL</th> </tr> </thead> <tbody> <tr> <td>1,2-Dibromoethane</td> <td>ND</td> <td>0.0016</td> <td>0.02</td> </tr> <tr> <td>1,2-Dibromo-3-Chloropropane</td> <td>ND</td> <td>0.0021</td> <td>0.02</td> </tr> <tr> <td>1,2,3-Trichloropropane</td> <td>0.04</td> <td>0.0073</td> <td>0.04</td> </tr> </tbody> </table> <p>ND = None Detected (Result Less Than The PQL) PQL= Practical Quantitation Limit (lowest standard) MDL = method Detection Limit</p> <p>MDL calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B</p> <p>APR 07 2010</p> <p>WATER PROTECTION AND LAND REUSE</p> <p>REMEDIATION DIVISION</p> <p><i>W. Caraselle 4/10</i></p>			Compound	Result	MDL	PQL	1,2-Dibromoethane	ND	0.0016	0.02	1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02	1,2,3-Trichloropropane	0.04	0.0073	0.04
Compound	Result	MDL	PQL																
1,2-Dibromoethane	ND	0.0016	0.02																
1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02																
1,2,3-Trichloropropane	0.04	0.0073	0.04																

** END OF REPORT **



STATE OF CONNECTICUT
Department of Public Health Laboratory
Clinical Testing License: CL-0197
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-8500

NR-28 M

18024441

A00142

0

1

INFORMATION

128 SIMSBURY
E&S CARROLL
28 GORDON ST
SIMSBURY CT

DEP - REMEDIATION

79 ELM ST.
HARTFORD CT 06106

COLLECTED	RECEIVED	REPORTED
03/29/10 14:40	03/29/10 15:44	04/05/10 10:11

REPORT	FINAL REPORT	COMMENT																	
TEST(S)	RESULT(S)																		
	<p>SAMPLING POINT: MIDDLE COLLECTOR: BRIGHTWELL TITLE: INSPECTOR AIDE PRIVATE WELL TREATMENT.</p> <p>***</p> <p>DATE ANALYZED: 4/2/10</p> <p>EPA METHOD 504.1 MEASUREMENT OF 1,2-DIBROMOETHANE (EDB), 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) AND 1,2,3 TRICHLOROPROPANE (123TCP) IN DRINKING WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY WITH ELECTRON CAPTURE DETECTION.</p> <p>Final Result: [All values expressed in ug/L (ppb)]</p> <table border="1"> <thead> <tr> <th>Compound</th> <th>Result</th> <th>MDL</th> <th>PQL</th> </tr> </thead> <tbody> <tr> <td>1,2-Dibromoethane</td> <td>ND</td> <td>0.0016</td> <td>0.02</td> </tr> <tr> <td>1,2-Dibromo-3-Chloropropane</td> <td>ND</td> <td>0.0021</td> <td>0.02</td> </tr> <tr> <td>1,2,3-Trichloropropane</td> <td>ND</td> <td>0.0073</td> <td>0.04</td> </tr> </tbody> </table> <p>ND = None Detected (Result Less Than The PQL) PQL= Practical Quantitation Limit (lowest standard) MDL = method Detection Limit</p> <p>MDL calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B</p> <p style="text-align: right;"><i>11/Carroll 11/10</i></p>			Compound	Result	MDL	PQL	1,2-Dibromoethane	ND	0.0016	0.02	1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02	1,2,3-Trichloropropane	ND	0.0073	0.04
Compound	Result	MDL	PQL																
1,2-Dibromoethane	ND	0.0016	0.02																
1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02																
1,2,3-Trichloropropane	ND	0.0073	0.04																
WATER PROTECTION AND LAND REUSE REMEDIATION DIVISION APR 07 2010	<p>** END OF REPORT **</p>																		



STATE OF CONNECTICUT

Department of Public Health Laboratory
Clinical Testing License: CL-0197
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-8500

NR-28 A

ACCESSION NO. A00142 AGE 0 PAGE 1

INFORMATION

128 SIMSBURY
E&S CARROLL
28 GORDON ST
SIMSBURY CT

DEP - REMEDIATION

79 ELM ST
HARTFORD CT 06106

COLLECTED	RECEIVED	REPORTED
03/29/10 14:30	03/29/10 15:44	04/05/10 10:11

REPORT	FINAL REPORT	COMMENT																	
TEST(S)	RESULT(S)																		
	<p>SAMPLING POINT: AFTER COLLECTOR: BRIGHTWELL TITLE: INSPECTOR AIDE PRIVATE WELL TREATMENT.</p> <p>***</p> <p>DATE ANALYZED 4/2/10</p> <p>EPA METHOD 504.1 MEASUREMENT OF 1,2-DIBROMOETHANE (EDB), 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) AND 1,2,3 TRICHLOROPROPANE (123TCP) IN DRINKING WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY WITH ELECTRON CAPTURE DETECTION.</p> <p>Final Result: [All values expressed in ug/L (ppb)]</p> <table border="1"> <thead> <tr> <th>Compound</th> <th>Result</th> <th>MDL</th> <th>PQL</th> </tr> </thead> <tbody> <tr> <td>1,2-Dibromoethane</td> <td>ND</td> <td>0.0016</td> <td>0.02</td> </tr> <tr> <td>1,2-Dibromo-3-Chloropropane</td> <td>ND</td> <td>0.0021</td> <td>0.02</td> </tr> <tr> <td>1,2,3-Trichloropropane</td> <td>ND</td> <td>0.0073</td> <td>0.04</td> </tr> </tbody> </table> <p>ND = None Detected (Result Less Than The PQL) PQL= Practical Quantitation Limit (lowest standard) MDL = method Detection Limit</p> <p>MDL calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B</p> <p><i>Warragul</i> 4/7/10</p>			Compound	Result	MDL	PQL	1,2-Dibromoethane	ND	0.0016	0.02	1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02	1,2,3-Trichloropropane	ND	0.0073	0.04
Compound	Result	MDL	PQL																
1,2-Dibromoethane	ND	0.0016	0.02																
1,2-Dibromo-3-Chloropropane	ND	0.0021	0.02																
1,2,3-Trichloropropane	ND	0.0073	0.04																
REMEDIAL DIVISION	WATER PROTECTION AND LIAISON	APR 07 2010																	

** END OF REPORT **

REQUEST FOR ORGANICS / RADIATION WATER EXAMINATION



STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH LABORATORY
PO BOX 1689, HARTFORD, CONNECTICUT 06144
10 CLINTON STREET, HARTFORD, CONNECTICUT 06106

10 APR 29 2010
Organic Chemistry Section: (860) 509-8547 / Special Chemistry Section: (860) 509-8535

1802 4440-2	Bottles Received <i>3 Vials</i>	AC0112/ETP ETP - REMEDIATION 70 ELM ST. HARTFORD, CT 06106
<input type="checkbox"/> PUBLIC <input checked="" type="checkbox"/> PRIVATE		

TO BE COMPLETED BY COLLECTOR			
Town Number <i>128</i>	Date Collected (MM/DD/YY) <i>03/29/2010</i>	Time Collected (Military Time) <i>1450 Hrs</i>	
Name of Utility or Property Owner <i>Edmund + Sue Carroll</i>		Collector's Sample Number <i>28 B</i>	
Source <i>Before</i>	Address of Sample Collection <i>28 Gordon St</i>		
Collected By <i>Brightwell</i>	Collector's Title <i>Inspector Ade</i>		
Collector's Phone Number <i>424-3293</i>	Town and State of Sample Collection <i>Simsbury CT</i>	Zip Code <i>06077</i>	
REMARKS (Additional Information: Complaints, Requests, Treatments, Etc.)			

WATER TEST REQUEST

ORGANICS

- 100J EPA 524.2 VOLATILE ORGANICS
- 010H EPA 504.1 EDB AND DBCP
- 183O EPA 525.2 SEMI-VOLATILE ORGANICS
- 106O EPA 505 ORGANOCHLORINE PESTICIDES
- 176O EPA 515.3 CHLORINATED HERBICIDES
- 178O EPA 531.1 CARBAMATES & CARBAMOYLOXIMES
- 179O EPA 547 GLYPHOSATE
- 181O EPA 549.2 DIQUAT
- 184O EPA 8260b VOLATILE ORGANICS
- 100H CT ETPH
- OTHER _____

RADIATION

- 916R EPA 900.0 GROSS ALPHA
- 917R EPA 900.0 GROSS BETA
- 919R EPA 903.0 RADIUM 226
- 918R EPA 903.0 RADIUM 228
- 915R EPA 913.0 RADON 222
- 920R EPA 908.0 URANIUM
- 151R EPA 905.0 STRONTIUM 89
- 152R EPA 905.0 STRONTIUM 90
- 155R EPA 902.0 IODINE 131
- 511R EPA 906.0 TRITIUM
- 504R EPA 901.1 GAMMA
- OTHER _____

REQUEST FOR ORGANICS / RADIATION WATER EXAMINATION



STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH LABORATORY
PO BOX 1689, HARTFORD, CONNECTICUT 06144
10 CLINTON STREET, HARTFORD, CONNECTICUT 06106

10 APR 20 PM 2:11
Organic Chemistry Section: (860) 509-8547 / Special Chemistry Section: (860) 509-8535

1302 4441-0	Bottles Received <i>31/415</i>	DRP - REMEDIATION 79 ELM ST. HARTFORD, CT 06106
<input type="checkbox"/> PUBLIC <input checked="" type="checkbox"/> PRIVATE		

TO BE COMPLETED BY COLLECTOR			
Town Number <i>128</i>	Date Collected (MM/DD/YYYY) <i>03/29/2010</i>	Time Collected (Military Time) <i>1440 Hrs</i>	
Name of Utility or Property Owner <i>Edmund + Sue Carroll</i>	Collector's Sample Number <i>28 M</i>		
Source <i>Middle</i>	Address of Sample Collection <i>28 Gordon St</i>		
Collected By <i>Brightwell</i>	Collector's Title <i>Inspector Aide</i>		
Collector's Phone Number <i>424-3293</i>	Town and State of Sample Collection <i>Simsbury CT</i>	Zip Code <i>06070</i>	
REMARKS (Additional Information: Complaints, Requests, Treatments, Etc.)			

WATER TEST REQUEST

ORGANICS

- 100J EPA 524.2 VOLATILE ORGANICS
- 010H EPA 504.1 EDB AND DBCP
- 1830 EPA 525.2 SEMI-VOLATILE ORGANICS
- 1060 EPA 505 ORGANOCHLORINE PESTICIDES
- 1760 EPA 515.3 CHLORINATED HERBICIDES
- 1780 EPA 531.1 CARBAMATES & CARBAMOYLOXIMES
- 1790 EPA 547 GLYPHOSATE
- 1810 EPA 549.2 DIQUAT
- 1840 EPA 8260b VOLATILE ORGANICS
- 100H CT ETPH
- OTHER _____

RADIATION

- 916R EPA 900.0 GROSS ALPHA
- 917R EPA 900.0 GROSS BETA
- 919R EPA 903.0 RADIUM 226
- 918R EPA 903.0 RADIUM 228
- 915R EPA 913.0 RADON 222
- 920R EPA 908.0 URANIUM
- 151R EPA 905.0 STRONTIUM 89
- 152R EPA 905.0 STRONTIUM 90
- 155R EPA 902.0 IODINE 131
- 511R EPA 906.0 TRITIUM
- 504R EPA 901.1 GAMMA
- OTHER _____

ORGANICS

REQUEST FOR ORGANICS / RADIATION WATER EXAMINATION



STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH LABORATORY
PO BOX 1689, HARTFORD, CONNECTICUT 06144
10 CLINTON STREET, HARTFORD, CONNECTICUT 06106

Organic Chemistry Section: (860) 509-8547 / Special Chemistry Section: (860) 509-8535

1802 4442-8	Bottles Received <i>3 Vials</i>	TESTIMONIAL TO ELM ST. HARTFORD, CT 06106
	<input type="checkbox"/> PUBLIC <input checked="" type="checkbox"/> PRIVATE	

KA

TO BE COMPLETED BY COLLECTOR

Town Number 128	Date Collected (MM/DD/YYYY) 05/29/2010	Time Collected (Military Time) 1430 Hrs
Name of Utility or Property Owner EDMUND + SUE CARRISON		Collector's Sample Number 28 A
Source AFF	Address of Sample Collection 28 Gordon St	
Collected By Brightwell	Collector's Title Inspector Aide	
Collector's Phone Number 424-3293	Town and State of Sample Collection Simsbury Ct	Zip Code 06077
REMARKS (Additional Information: Complaints, Requests, Treatments, Etc.)		

WATER TEST REQUEST

ORGANICS

- 100J EPA 524.2 VOLATILE ORGANICS
- 010H EPA 504.1 EDB AND DBCP
- 1830 EPA 525.2 SEMI-VOLATILE ORGANICS
- 1060 EPA 505 ORGANOCHLORINE PESTICIDES
- 1760 EPA 515.3 CHLORINATED HERBICIDES
- 1780 EPA 531.1 CARBAMATES & CARBAMOYLOXIMES
- 1790 EPA 547 GLYPHOSATE
- 1810 EPA 549.2 DIQUAT
- 1840 EPA 8260b VOLATILE ORGANICS
- 100H CT ETPH
- OTHER _____

RADIATION

- 916R EPA 900.0 GROSS ALPHA
- 917R EPA 900.0 GROSS BETA
- 919R EPA 903.0 RADIUM 226
- 918R EPA 903.0 RADIUM 228
- 915R EPA 913.0 RADON 222
- 920R EPA 908.0 URANIUM
- 151R EPA 905.0 STRONTIUM 89
- 152R EPA 905.0 STRONTIUM 90
- 155R EPA 902.0 IODINE 131
- 511R EPA 906.0 TRITIUM
- 504R EPA 901.1 GAMMA
- OTHER _____