



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

VIA ELECTRONIC MAIL

August 30, 2017

Lucia Chiocchio, Esq.
Cuddy & Feder, LLP
445 Hamilton Avenue, 14th Floor
White Plains, NY 10601

RE: **PETITION NO. 1319** – New Cingular Wireless, PCS, LLC (AT&T), as agent for American Tower Corporation, petition for a declaratory ruling that no Certificate of Environmental Compatibility and Public Need is required for the proposed extension of an existing telecommunications facility located at 585 South Main Street, Naugatuck, Connecticut

Dear Attorney Chiocchio:

The Connecticut Siting Council (Council) requests your responses to the enclosed questions no later than September 13, 2017. To help expedite the Council's review, please file individual responses as soon as they are available.

Please forward an original and 15 copies to this office, as well as a copy via electronic mail. In accordance with the State Solid Waste Management Plan, the Council is requesting that all filings be submitted on recyclable paper, primarily regular weight white office paper. Please avoid using heavy stock paper, colored paper, and metal or plastic binders and separators. Fewer copies of bulk material may be provided as appropriate.

Any request for an extension of time to submit responses to interrogatories shall be submitted to the Council in writing pursuant to §16-50j-22a of the Regulations of Connecticut State Agencies.

Yours very truly,

Melanie A. Bachman
Executive Director

MB/CW/bm

c: Council Members

Petition No. 1319
New Cingular Wireless PCS LLC (AT&T)
585 South Main Street, Naugatuck
Interrogatories
August 30, 2017

1. Was the underlying property owner provided notice of the proposed monopole extension?
2. How was the height of AT&T's proposed antennas determined?
3. What is the minimum height that the tower extension could be without compromising AT&T's wireless services?
4. Please provide a coverage plot using the parameters from the coverage plots behind tab 8 of the petition at a height of 80 feet above ground level at the tower location.
5. Behind Tab 5 of the Petition, there are two sets of photosimulations labeled Photo 3A and Photo 3B. Should one set of photographs be labeled Photo 4A and 4B?